

Cambridge University Press

0521804450 - Sex Differences in Antisocial Behaviour: Conduct Disorder, Delinquency, and Violence in the Dunedin Longitudinal Study

Terrie E. Moffitt, Avshalom Caspi, Michael Rutter and Phil A. Silva

Index

[More information](#)

Index

- adolescence 1, 3; depression and conduct problems 148
- adulthood-limited antisocial behaviour 4, 48, 207, 209–10, 229; adult outcomes and 220–1; girls and 210–11, 215, 220, 223, 225; need for more research 224–6; sex ratio 223, 236
- adult involvement in crime 190–1, 196
- adult-onset antisocial behaviour 84–5
- aetiological factors 50, 152–3, 238–43
- aetiological press 81, 88, 154, 157, 233
- aetiology 81, 90–1, 150, 151, 159, 160, 223–5
- age: at first leaving home 162, 166, 170, 173–4, 202, 204; of leaving school 161, 166, 169, 170, 202, 204, 224; mother's 92, 94, 101, 102, 111, 112, 155, 216
- aggression 127, 128, 133, 159, 241–2; in childhood 107; predictors 209; *see also* partner abuse; violent behaviour
- alcohol dependence 21, 164, 167, 171, 177; comorbidity 142, 145, 149, 153; symptoms 203, 204, 205
- alcohol-related crime 34, 35–6, 240; age of onset 85–6
- alienation 127, 128, 156, 224
- amounts of antisocial behaviour, measures of 23–37
- antisocial personality disorder 21, 39, 45–6, 141, 152, 153
- anxiety: comorbidity 139, 141, 142, 145, 148, 153; symptoms 166, 171, 201, 202, 204
- arrests 83, 87, 178, 203, 205; age at first 82
- assessment procedures 12–13
- assortative mating 107, 185, 189–96, 233, 241
- attention-deficit-hyperactivity disorder (ADHD) 136, 141, 142, 145, 149, 237, 238
- attitudes to crime, in young adulthood 164–5, 177–8, 203, 205
- autism 238
- behavioural disorders 138–9
- behavioural genetics 90–1, 126, 133–4
- behavioural risk predictors *see* child behavioural risk predictors
- bias: in official statistics 33; in publications 6
- boys *see* males
- Burt Word Reading Test 98, 103, 113, 155, 216
- cannabis 34
- caregivers, changes in 96, 101, 102, 112, 155, 216
- causes of sex differences 6–7
- child abuse 107
- child behavioural risk predictors 98–9, 103, 105, 113, 156, 211, 217; exposure to 111
- child neuro-cognitive risk predictors 97–8, 102–3, 104–5, 113, 116, 155, 216; exposure to 111; *see also* neuro-cognitive deficits
- childbearing 162, 172, 175, 179, 184, 194, 196; *see also* parenthood
- childhood-onset antisocial behaviour 4, 5, 8, 152–3, 207; *see also* lifecourse persistence
- cognitive mental disorders 138, 211
- cohabitations, number of 162, 166, 170, 201, 202, 204
- cohabiting relationships 162, 173, 174, 179, 185
- comorbidity 7, 135–6, 149–50, 230, 234, 238; conduct disorder 136–7, 138–45, 141, 176; continuous symptom scales 143–5, 161;

Cambridge University Press

0521804450 - Sex Differences in Antisocial Behaviour: Conduct Disorder, Delinquency, and Violence in the Dunedin Longitudinal Study

Terrie E. Moffitt, Avshalom Caspi, Michael Rutter and Phil A. Silva

Index

[More information](#)

INDEX 275

- cross-age comparisons 143–5; cumulative lifetime diagnoses 138–43, 161; sex differences 136, 137, 141, 144–5
- concentration of crime 36–7
- conduct disorder: comorbidity 136–7, 138–45, 141, 176; continuity and change 72–4; diagnoses 38–52, 153, 231; females and 46–51, 64–5; gender-neutral or gender-specific criteria for diagnosis 198–200; measures of 153; and partner abuse 175–6; personality and 157; prevalence rates 43; sex ratio 44–5, 228; sex-typed adult outcomes 7–8, 169, 199; subclinical 200–1
- constraint 124–5, 126, 127, 130, 134, 237
- continuous measure of adolescent antisocial behaviour 143–5, 161
- costs of crime 30–1, 31–2
- court convictions 15, 55, 57, 82, 83, 220
- court records 30, 32
- ‘crime-prone families’ 195
- criminal offences 30, 31, 32, 36, 55, 177–8; age of onset 85–6; *see also* theft
- cross-age correlations 134
- cross-national replication 21–2, 29, 35–6
- cross-sectional snapshots 137
- cumulative lifetime diagnoses of adolescent antisocial behaviour 138–43, 161

- data 3; measurement of 13–15; missing 16–17, 40
- Denver Youth Study 36, 48
- dependency 159
- dependent variable 92–3
- depression 11, 141, 142, 145; changing levels 146–9; and conduct disorder 142, 146–9; females and 7, 137, 145, 146–9, 150, 176–7, 231; symptoms 167, 171, 176, 201, 202, 204
- desistance 180–1, 208
- developmental pathways 4–6, 137, 207–23, 228–9
- Diagnostic and Statistical Manual of Mental Disorders (DSM-III, IHR) 38
- Diagnostic and Statistical Manual of Mental Disorders (DSM-IV) 39–40, 43, 44, 82
- Diagnostic Interview Schedule 138
- Diagnostic Interview Schedule for Children (DISC-C) 25, 39, 138
- differential association theory 241
- differential exposure hypothesis 7, 109–21
- disablement, months of 164, 171, 203, 205
- discipline, harsh and inconsistent 92, 95, 96, 101, 111, 112, 155, 216
- domestic violence *see* partner abuse; violent behaviour, against partner
- doubled-up housing 174

- drug dependence 4, 141, 142, 145, 149, 153, 167, 171, 203, 205
- drug related crime 34, 35–6, 38, 241; age of onset 85–6
- drugs, variety used 164, 167, 171, 177, 203, 205
- Dunedin Multidisciplinary Health and Development Study 2; design 2–3, 10–11; measurement strategies 13–15; research setting 17–21; sample 10–11

- Early Delinquency Scale 100
- early-onset antisocial behaviour 4, 5, 8, 152–3
- eating disorder, comorbidity 142
- educational attainment 109, 128, 156, 161, 169, 170, 172, 186–7, 202, 204, 221
- emerging adulthood 180–1
- emotional disorders 138–9
- emotions 123, 124–5, 153; *see also* negative emotionality; positive emotionality
- employment/unemployment 162, 169, 172–3; females 179, 202, 204
- enrolment into tertiary education 161, 166, 169, 170, 201, 202, 204
- environmental influences 90–1, environmental risk 104, 208, 209, 210
- Epidemiological Catchment Area Study 45, 46, 137, 141
- epidemiological sample 211, 223
- epidemiological studies 38–9, 61, 62–3, 135, 157, 209–10, 223, 238
- ethnic diversity, in sample 15
- exposure to risk factors 109–22, 228

- families: composition of 20–1; conflict in 96, 111, 154; socioeconomic status 95, 96, 101, 104, 111, 209
- family adversity 118–21, 237
- family conflict 96, 101, 102, 111, 112, 155, 216
- family risk predictors 7, 95–7, 102, 108, 112, 116, 118–21, 153, 155, 216, 237; exposure to 111; males and 101, 104, 106
- fathers/fatherhood 107, 172, 174, 179; absent 194
- Fels Research Institute 159
- females: antisocial partners 7–8, 191–3, 196, 241; concentration of crime 36, 37; criteria for diagnosis of conduct disorder 198–206; influence of male peers 8, 50–1; onset of antisocial behaviour 81, 82, 88; peri-puberty and conduct disorder 46–50; persistent or adolescence-limited behaviour 210–12, 214, 226; precocious puberty 50–1; pressure to conform 159–60; threshold of risk 151–8;

Cambridge University Press

0521804450 - Sex Differences in Antisocial Behaviour: Conduct Disorder, Delinquency, and Violence in the Dunedin Longitudinal Study

Terrie E. Moffitt, Avshalom Caspi, Michael Rutter and Phil A. Silva

Index

[More information](#)**276** INDEX

- females (*cont.*)
 violence of 66, 184 (*see also* partner abuse); work and 179, 202, 204; *see also* depression
- fighting 54, 215
- forming own home 162, 166, 170, 202, 204
- frequency of offences 33–6
- friendship formation 184–5
- frustration-aggression hypothesis 133
- future success, perceived opportunities for 162, 166, 170, 172, 202, 204
- gender paradox 151, 152–8
- gender roles 232; and socialization 137, 151, 152
- gender socialization 149, 178
- genetic influences 90–1, 94, 117–18, 134, 152
- genotype-environment correlations 195
- girls *see* females
- group resistance hypothesis 151–2
- guilt 149
- harm avoidance 127, 128, 156, 157
- health problems 164, 167, 171, 176, 201, 203, 205
- heart rate 98, 103, 104, 111, 113, 155, 216
- heritability 195, 209; *see also* genetic influences
- high-risk environment 208
- hyperactivity 92, 98, 99, 105, 106, 113, 116, 153, 154, 156, 211, 217, 223, 237; importance of for sex differences in antisocial behaviour 117–18, 119, 121, 232; measurement 99
- impairment 111, 221
- imprisonment 31, 33, 165, 167, 171, 178, 203, 205, 225
- impulsiveness 109, 118, 127, 224
- independent living 162, 169, 202, 204
- incidence 3, 47, 49, 137, 180
- Index of Job Desirability 162, 166, 170, 202, 204
- individual differences, stability of 74–8, 229, 234
- informal sanctions 165, 167, 171, 177, 203, 205
- informant reports 54, 58, 92
- injury 54, 60, 64, 66–7, 68
- intelligence 91, 92, 94, 97–8, 102, 104, 106, 108, 111, 113, 154, 216; mother's 94, 101, 102, 111, 112, 155
- interaction effects 6, 117
- interdependence 173
- intergenerational risk 7, 68–9, 185, 194–6, 233
- internalizing disorders 98, 99, 103, 105, 113, 137–8, 148, 156, 225
- interpersonal contexts 242
- intimate relationships 7–8, 163, 232, 241
- Inventory of Parent Attachment 96–7
- levels of risk factors: comparing boys and girls 110–15; and sex differences in outcome 115–17
- life-course development, turning points 180–2
- life-course persistence 4, 5, 208–26, 227, 228, 236; adult outcomes 178–80, 220–1, 221–2; in girls 210, 211, 212, 214, 226
- Life History Calendar 161
- males 34, 38; contacts with police 31; continuity of disorder 73, 74; depression 148; developmental delay 178–9; exposure to risk 109–22; family risk factors 101, 104, 106; neuro-cognitive deficits 111, 154, 211; peer relationships 118; violent offences 4, 35, 57 (*see also* aggression); vulnerability to risk 90, 101, 104–6, 108; work patterns 172–3
- mania: comorbidity 140, 141, 142; symptoms 167, 171, 202, 204
- marijuana 34, 35, 36, 86, 142; dependence 164, 167, 171, 177, 203, 205
- marriage patterns, in New Zealand 20–1, 181
- maternal risk predictors 94–5, 101, 102, 107, 111, 112, 155, 216
- maturity gap 48, 208
- measurement 3, 13–15, 79
- MECA study 47, 48
- menarche 47–8, 49, 50
- mental disorders 138–9, 220, 234; partner abuse and 142
- mental health: mother's 94, 95, 101; in young adulthood 163–4, 171, 176–7, 202, 204
- mental retardation 138, 142, 238
- middle adolescence 28–9
- Ministry of Transport records 31, 32
- moral development 149
- mother-child interaction 95, 101, 102, 112, 155
- mothers: age of 92, 94, 101, 102, 111, 112, 155, 216, 220; intelligence of 94, 101, 102, 111, 112, 155; mental health 94, 95, 101; reading skills 94, 101, 102, 111, 112, 155
- Multidimensional Personality Questionnaire 124, 125–6, 153, 187
- multi-modal measurement 15
- National Violence Against Women Victimization survey 62

Cambridge University Press

0521804450 - Sex Differences in Antisocial Behaviour: Conduct Disorder, Delinquency, and Violence in the Dunedin Longitudinal Study

Terrie E. Moffitt, Avshalom Caspi, Michael Rutter and Phil A. Silva

Index

[More information](#)

INDEX 277

- negative emotionality 125, 126, 129, 130, 131, 134, 153
- neuro-cognitive deficits 7, 8, 154, 223, 236, 237; and life-course persistence 207, 208, 209; males and 111, 154, 211
- neuro-cognitive risk predictors *see* child neuro-cognitive risk predictors
- neuro-developmental vulnerabilities 8–9, 209, 210, 223, 227, 235–8, 243
- neurological abnormalities 97, 102, 104, 111, 113, 155, 216
- neuropsychological memory 98, 103, 104, 113, 155, 216
- neuroticism, mother's 95, 102, 112, 155, 216
- New Zealand 17–18; ethnic diversity 11, 18; family composition 20–1; standards of living 19; unemployment in 19–20
- nosology 136, 160
- official records 29–33
- onset of antisocial behaviour 4–5, 8, 152–3, 207, 229, 234; delinquency and conduct disorder 81–9
- outcomes in early adulthood, effects of antisocial behaviour on 159–83; 211, 225, 230–1, 234; gender-stereotyped 7–8, 169, 199, 232; sex differences in 159–60, 168–9, 172–3, 176, 178, 182
- parent reports 15, 16, 24–5, 40, 44, 54, 58, 76–7, 92, 98, 103, 105, 113, 115, 156, 217
- parental criminality 92, 94, 95, 101, 102, 107, 111, 112, 155, 216
- parental supervision 120–1
- parenthood 162, 166, 170, 172–3, 174, 175–6, 179, 201, 202, 204
- parents: monitoring and supervision of 120–1; parenting 208, 209; relationships with 96–7, 101, 102, 112, 154, 155; substance abuse 107
- partner abuse 4, 55–7, 60–1, 163, 229; childbearing and 175–6; clinically severe 60, 67; females and 53–4, 57, 61–3, 240–2 (as self-defence 63–6, 240–1; severity of 66–9); mental disorders 142
- partners: abusive 64–5, 189; antisocial 187, 190–6; choice of 189; conflicts with 163, 166, 170, 175, 202, 204; influence on offending 191–3; relationships with 162–3, 169, 179, 202, 204; social characteristics 186–7
- Partners Study 56, 185–6
- passivity 159
- Peabody Picture IQ 102, 113, 155, 216
- peers 118, 121, 232; attachments 100, 105; delinquent 101, 105, 113, 115, 156, 164, 171, 177, 209–10, 242; friendship formation 184–5; influence of 211, 212, 223, 224, 241; older 50–1, 232, 239, 240; rejection by 92, 99–100, 103, 105, 156, 215, 217; predictors in relationships with 99–100, 103, 105–6, 113, 116, 156
- peri-puberty, and conduct disorder 46–50, 149
- personality, of partners 187
- personality disorders 39, 45–6, 209, 224
- personality traits 123–7, 156; of abusers 65–6; callousness 153, 157, 224; of partners 187; sex differences in 127–34, 232
- physical abuse: perpetration 55, 56, 60, 61, 62, 163; victimization 55, 56, 60, 61, 62, 163, 242; *see also* partner abuse; violent behaviour
- physical abuse scale 55–7
- physical health, in young adulthood 164, 176, 203, 205
- Pittsburgh Youth Study 87
- police: contact with 31; records 30, 32, 43, 55
- positive emotionality 126, 129, 188
- predictive validity 201, 206
- prevalence of antisocial behaviour 3, 116, 137, 180; measuring sex differences 38–52
- prevention 81
- psychiatric disorders, mother's 102, 112, 155
- psychopathology 43, 137, 151
- psychosis symptoms 139, 166, 171, 202, 204
- puberty, and antisocial behaviour 50–1, 88, 208, 211, 223, 232; and depression 148; peri-puberty 46–50; pubertal timing 48–9, 50, 51, 81, 239
- publication bias 6
- rational choice theory 241–2
- reading skills 98, 111, 138, 186, 215; mother's 94, 101, 102, 111, 112, 155; retarded 138, 141, 142, 238
- regression analysis 130–1
- relationship quality scale 163, 166, 170, 202, 204
- reporting periods 62
- reports of antisocial behaviour 21; by informants 26, 54; by parents 15, 24–5, 40, 44, 54, 76–7, 92; by teachers 15, 25, 40, 44, 54, 76, 92; *see also* self reports
- research: priorities for 227–43; setting for 17–21
- residential instability 96, 101, 102, 112, 155, 162, 166, 170, 174, 202, 204
- Revised Behaviour Problem Checklist 25
- risk factors 6–7, 92, 94–100, 230, 2234, 236–7; and persistent or adolescence-limited antisocial behaviour 214–20; vulnerability to 90–108

Cambridge University Press

0521804450 - Sex Differences in Antisocial Behaviour: Conduct Disorder, Delinquency, and Violence in the Dunedin Longitudinal Study

Terrie E. Moffitt, Avshalom Caspi, Michael Rutter and Phil A. Silva

Index

[More information](#)**278** INDEX

- risk of detection, perceived 164–5, 167, 171, 177, 203, 205
- risk predictors *see* child behavioural risk predictors; child neuro-cognitive risk predictors; family risk predictors; maternal risk predictors
- Rochester Youth Study 36
- Rutter Child Scale 24–5, 54, 212
- same-sex peer groups 118
- schizophrenia, symptoms of 139, 141
- schizophreniform disorder 142–3, 149
- School Certificates 169, 172
- school involvement 100–1, 103, 105, 113, 155
- selective reproduction 175, 194, 233
- self-concept as an offender 164, 167, 171, 177, 203, 205
- self-control 124–5, 126, 127, 128
- self-defence, women's partner abuse as 63–6, 240–1
- Self-Reported Early Delinquency 25–6, 27, 39, 187, 212
- self-reports 15, 16, 25–6, 27, 33–4, 43, 61, 75, 92; of age of onset 82, 84–5, 87; attitudes to crime 171, 203, 205; of fighting 54; of illegal behaviour 165, 167, 171, 177, 187, 203, 205; of violence 165, 167, 171, 178, 187, 203, 205
- sexually transmitted diseases 176
- shelter samples 67
- siblings 111, 121, 242
- significance testing 5–6, 214, 234
- single parents 96, 101, 102, 104, 112, 155, 216
- single-sex samples 5–6, 71, 211
- snares 208, 225
- 'social amplification' effect 190, 191
- social bonds 181, 182
- social closeness 127, 128, 156, 157
- social characteristics of partners 186–7
- social contexts 9, 238–43
- 'social influence' effect 190
- social norms 159–60
- social potency 129, 156, 224
- socialization 8, 94, 149, 151, 152
- socio-economic status 92, 95, 96, 101, 102, 104, 111, 112, 119, 155, 187, 209, 216
- stability coefficients 78–9
- stability of antisocial behaviour 71–80; individual differences 74–8
- Stanford Binet IQ 102, 111, 113, 155, 216
- statistical testing 5
- stress reaction 128, 156
- substance abuse 4, 164, 169, 177, 203, 205, 211, 229; by parents 107; *see also* drug dependence
- suicide attempts 164, 167, 171, 177, 201, 202, 204
- taxonomy 207–10, 221–4; comparison groups 212–13; females and 210–12, 214–15
- teacher reports 15, 25, 40, 44, 54, 58, 76, 92, 103, 115, 156, 217
- temperament: difficult 98–9, 103, 105, 113, 156, 208, 217; undercontrolled 103, 106, 113, 116, 117, 121, 134, 156, 217, 223, 236, 237
- tertiary education 161, 169
- theft 34, 35; age of onset 85, 86
- threshold effect 151–8, 233, 235
- traditionalism 127, 128, 156
- treatment 67
- turning points 180–2
- twin laws of longitudinal research 76
- twin studies 152, 238
- undercontrolled temperament *see* temperament, undercontrolled
- unemployment 162, 166, 169, 170, 172–3, 202, 204, 221; in New Zealand 19–20
- union formation 185, 189, 196
- US National Youth Survey 35, 37, 164
- US National Comorbidity Study 45
- US Office of Juvenile Justice and Delinquency Prevention 92
- variety scores 26, 55–6
- victimization 165, 167, 171, 203, 205; partner abuse 55, 56, 60, 61, 62, 149, 163, 166, 170, 242
- violent behaviour 224, 228; injurious 66–7; males and 4, 31, 32, 57; mental disorders and 142; against partner 55–7, 60–1, 63, 64–5, 142, 175; women and 53–4, 68; *see also* partner abuse
- violent crimes 4, 31, 34–5, 37, 55, 66, 142, 209, 224; age of onset 85, 86
- welfare dependency 162, 170, 174–5, 202, 204, 221
- well-being 128, 156
- WISC-R 103, 111, 113, 138, 155, 216
- women *see* females
- work problems 162, 166, 172–3, 202, 204
- Youth Aid Police Record 30, 32
- z-score transformation 26–7