

INDEX

- 2n*, 242, 262, 459–463
- access and benefit sharing, 529, 538, 553–554, 557
- accession, 122, 436, 511–512, 521, 536
- accession number, 436, 521
- active collection, 355, 521
- adaptive management, 521, 555
- Africa, i, xi, 23, 25–26, 34, 47, 49, 51–52, 64, 68, 70, 72–74, 82, 97, 139, 150, 175, 207, 234, 251, 255, 283, 294, 325, 377, 396, 398, 400, 406–408, 416, 422, 439, 456, 461, 472, 475, 516, 519–520, 531, 539, 544, 555, 557–558, 560
- agrobiodiversity, 261, 297, 305, 308, 315, 403, 521, 529, 543, 545, 548, 553
- agroecology, 76, 291–292, 472, 487–488
- agroecology, 255, 292, 294, 303, 488, 529, 534, 547, 555
- agro-ecosystems, xiii, 249, 278, 318, 400, 489
- Aichi Biodiversity Targets, xi, 4, 62, 183–184
- allele, 105, 521, 545
- allelic frequency, 105, 521
- amenity, 74, 412–413
- analysis of molecular variance, 123–124, 126
- analysis of variance, 114, 128, 441, 447
- apogamy, 521
- apomixis, 459
- apomorphy, 521
- apospory, 521
- arboreta, 373
- aroids, 58
- artificial classification, 521
- autapomorphy, 521
- backcrossing, 451–452, 464–465
- banana, 29–30, 58, 67, 115, 156, 190, 195, 354, 369, 380, 382, 396, 439, 461–462, 541, 551
- barley, 30, 48, 52, 58, 141, 156, 198, 257, 336, 362, 396, 419, 435, 444, 458, 483, 487, 495, 536, 547–548
- bean, 29–30, 58, 82–83, 89–90, 126, 136, 157, 172, 208, 307, 327, 396, 483, 530, 541
- BGCI, xiv, 169, 197, 374–376, 424, 518, 531
- biased sampling, 328
- biodiversity, 5, 9, 13, 15, 22, 25, 62–63, 68–70, 138, 162, 166, 168, 180–184, 205, 245, 255–256, 258, 289, 292, 300, 398, 400, 482–483, 497, 504, 521, 529, 531–534, 536–537, 539–550, 552–560
- biodiversity management, 516, 534
- biological importance, 137
- biopiracy, 45, 70, 316, 409, 412
- bioprospecting, 21, 73, 409
- Bioversity International, x, xiv, 50, 54, 68, 111, 160, 254, 256, 261, 264, 268, 274, 342–343, 348, 353, 355, 358, 371–372, 382, 398, 435, 470, 480, 492, 501–502, 506, 513–514, 516, 518–519, 529, 531, 533–534, 539–541, 545, 547–550, 552–556, 558–560
- blocking, 521
- botanic gardens, 196–197, 379, 535, 551
- Braun–Blanquet, 241
- breadfruit, 51, 193, 369, 398
- cassava, 34, 51, 58, 156, 195, 317, 368–369, 383, 396, 415, 456, 475
- CBD, 13, 15, 18, 40, 45, 53, 56–58, 60–65, 67, 70–74, 76, 139, 162, 177, 180–182, 184, 186, 198–199, 207, 245, 250, 272, 280, 285, 300–301, 320, 323, 338, 344, 375–376, 398, 406, 408, 412–414, 421, 424, 427, 469, 517, 533, 560
- Central America, 30, 34, 49, 51, 393, 408, 456
- Centres of Origin, 23
- CGIAR, 54, 58–59, 73, 165, 350, 458, 475, 477, 482, 486, 522, 542, 553
- character, 98, 521
- characterization, 213, 343, 358, 366, 372, 432, 434–435, 441–442, 499, 512, 521, 540, 551, 559
- characters, 83, 114, 127, 433
- Christopher Columbus, 49
- CIMMYT, 119, 131, 356–357, 360, 449, 454, 463, 466, 476, 518, 551–552
- CITES, 139, 410, 422–424
- classification, 20, 89, 521, 547, 551, 553
- climate change, xi, 8, 11, 32, 34, 37, 46, 48, 53, 56, 62, 77, 107, 137–138, 147–153, 160, 165, 168, 177, 182–183, 198–199, 202, 207, 211, 214–215, 217–219, 232, 246, 295, 303, 309, 374, 418, 468, 471, 488–489, 516, 522, 525, 528–529, 531–533, 537–540, 542, 544–547, 549–552, 554, 558
- climate smart conservation, 137, 522
- clustering, 114
- cocoa, 30, 51, 193, 195, 330, 369
- collection, 83, 173, 313, 324, 330–331, 333, 341, 347, 351, 369, 424, 493, 496, 510, 513, 522, 541, 548
- Columbian Exchange, 50, 289, 560
- community, 64, 66, 68, 70, 160, 204, 255, 258, 267, 278–280, 283, 289, 295, 300–302, 305, 311–313, 315, 353, 426, 469, 483, 516, 534, 543, 545, 555–560
- community biodiversity management, 72, 273, 278, 303–304, 312, 316, 556
- community seed banks, 312, 353, 559
- conservation status, 172
- conservation strategy, 199
- Convention on Biological Diversity, ix, 60, 517–518, 533
- core subsets, 442, 522
- cotton, 30, 39, 50, 74–75, 193, 332, 340, 345, 411, 415–416, 421
- cover, 177, 240
- crop wild relatives, 418, 446, 502, 522, 529–531, 542, 545, 548–549, 554
- crossbreeding, 456
- cryopreservation, 42, 194, 383–384, 522, 530, 536, 555
- cultivars, 447–448
- cultural factors, 216, 270
- cultural importance, 138

- data management, 441, 492
 data storage, 372
 database, 101, 168–169, 504, 555
 density, 240
 derived, 34
 description, 93, 147, 169, 436, 475, 497,
 522
 desiccation, 386, 389, 527
 diagnosis, 522
 diet, 48–49, 53, 74, 396, 400–404, 468,
 474
 digital object identifiers, 495, 529
 distribution, 95, 118, 152, 171–172,
 176, 325, 328, 362, 497, 541, 544
 diversity, 4, 15, 24, 27, 31, 40, 45, 53,
 55, 58–59, 61, 63, 65, 68, 70, 114,
 123, 131, 139, 157, 165–168, 175,
 186, 214, 256, 258, 261, 280, 300,
 305, 309, 316, 320, 323, 338, 358,
 362, 469, 500, 517, 529–530,
 532–534, 538–545, 547–560
 diversity fairs, 258, 309, 311–312, 315
 diversity kit, 305, 316
 DNA markers, 120, 122, 124, 129–130,
 132, 358, 362, 435, 441, 459,
 464–465
 DNA storage, 187, 194, 389, 522, 529
 documentation, 313, 492, 522, 530
 documentation system, 522
 domestication, 17, 21, 48–49, 107, 129,
 336–337, 459, 466, 532, 541
 dominance, 104, 522
 donor, 523
 DUS testing, 523
 ecogeographic data, 136, 157, 162,
 166–167, 170, 172–175, 178, 211,
 214, 324, 435, 493, 499, 502–505,
 509
 ecogeographical land characterization
 map, 523
 ecology, 54, 147, 531, 534–535, 538,
 540, 542, 545, 547, 556, 560
 economic botany, 534
 ecosystem, 11, 37, 53, 69, 229, 261,
 297, 523, 530, 550
 ecosystem services, xi, 4, 9, 11, 37, 182,
 202, 216, 245, 252, 281, 297, 318,
 393, 523, 527, 530, 535, 543
 ecotypes, 523
 ECPGR, 67–68, 160, 169, 277, 492, 535,
 549
 environment interaction, 118–119, 127,
 131, 437–438, 457, 466, 529, 551
 environmental factors, 22, 251, 320,
 446–447, 492
 environmentalism, 52, 475
 epistasis, 104, 523
 Erna Bennett, 54
 ethics, 536
 Euclidean distance, 115
 EUFORGEN, 68, 518
 EURISCO, 135, 169, 276, 350, 442, 506,
 536, 560
 Europe, 8, 23, 39, 50–51, 67, 70, 72–74,
 77, 139, 157, 160, 178, 196, 207,
 217, 234, 244, 246, 314, 323, 350,
 373, 375, 377, 402, 406, 411, 413,
 415–416, 472, 502, 507, 513, 517,
 529, 545, 548–549, 556, 558
 evaluation, 184, 310–311, 344, 366,
 372, 428, 432–434, 441, 493, 513,
 523
 evolutionary plant breeding, 489
ex situ, 10, 40, 56, 65, 72, 178, 186,
 191, 198–199, 276, 373, 523, 532
 expected heterozygosity, 523
 experimental design, 438–440
 explants, 380
 exploration, 54, 538
 extinction, 10, 148, 523, 529, 557
 extra PA *in situ*, 42, 187, 523
 faba bean, 58, 136, 157, 307, 327, 396
 Fairtrade Labelling Organizations
 International, 424
 FAO, 10, 14–15, 18, 32, 37, 40, 50,
 53–57, 60, 65, 67–68, 70, 72–75,
 141, 150–151, 156–157, 160, 163,
 180, 185, 191–193, 196, 206, 221,
 245, 250, 253, 257–259, 276, 303,
 317, 320, 323–324, 331, 336, 340,
 342–343, 347–349, 353–355, 364,
 366, 370–374, 380, 386–387, 393,
 396, 398, 401, 424, 469, 472, 483,
 489, 492, 498, 501, 510, 514–515,
 518, 529, 531, 534, 536–537, 541,
 546, 558
 farmer, 60, 189, 249, 268, 277,
 285–287, 294, 311, 318, 324–326,
 481, 491, 530–531, 533, 549, 555
 farmers' rights, 56–57, 70–73,
 278, 490
 Fertile Crescent, 48, 159, 170, 556
 field gene bank, 195, 369, 523
 field plot techniques, 438
 field trials, 269
 fitness, 106, 523
 Food and Agriculture Organization of
 the United Nations, 397, 518,
 529–531, 533, 536–537, 549, 555
 food security, ix, xii, 3–4, 14–15, 18,
 22, 33, 40, 45–46, 56, 58, 60–61,
 68–71, 77, 136, 141, 148, 156, 160,
 162, 191, 207, 245, 251, 253, 266,
 269, 309, 318, 362, 377, 393,
 396–397, 399, 402–404, 456–457,
 467, 481, 516, 531–534, 536,
 539–542, 545, 548, 559
 food sovereignty, 45, 70, 76, 278, 292,
 313, 316, 318, 353, 529
 food systems, ix, 49, 76, 254, 291,
 294, 398, 402, 404, 472, 488, 535,
 546
 foods, 398, 546
 forages, 29, 58, 67, 249, 276, 318, 331,
 347, 393, 396, 508, 540, 548
 fragmentation, 226, 262, 524
 frequency, 175, 240, 242
 gametes, 103, 106, 108–109, 111, 122,
 242, 329, 453, 459–462, 521–522
 gap analysis, 164, 524
 GBIF, 166, 168, 504
 gene bank, 54, 73, 111, 342, 357, 360,
 364, 369–370, 386, 510, 524, 537,
 543
 gene donors, 43, 394
 gene flow, 105, 524
 gene frequency, 105–107, 224, 431, 453
 gene pool, 458, 524, 530, 532, 538, 541,
 543, 545, 548, 554–555, 558–559
 GENESYS, 55, 135, 169, 276, 351
 genetic conservation, 40, 42, 51, 530
 genetic distances, 115, 124, 362, 464
 genetic diversity, 17–18, 39, 102,
 122–123, 126, 199, 264, 270,
 310–311, 524, 550
 genetic drift, 108–109, 523
 genetic engineering, 75
 genetic erosion, 148, 524, 539
 genetic reserve, 42, 187–188, 209, 243,
 524
 genetic variation, 39, 214, 443
 genetic vulnerability, 39
 genetics, i, 102–103, 129, 442,
 532–534, 536, 538–539, 541–542,
 545–547, 550, 552, 554–555,
 557–558, 561
 genome, 467, 524, 532, 547
 genome editing, 467
 genomic prediction, 466

- genotype, 104, 524, 529
 genotype frequency, 524
 germplasm, 54–56, 114, 193, 198, 320,
 323, 347, 350–351, 357–358, 428,
 432, 442, 444, 448, 453, 458, 464,
 524, 536, 541, 544
 germplasm collecting, 55–56, 320, 323,
 536
 Global Crop Diversity Trust, 58–59, 61,
 157, 165–166, 500
 Global Environment Facility, 61, 165,
 398, 518
 Global Information System, 495, 529
 Global Plan of Action for Conservation
 and Use of PGR, xi, 56, 518
 Global Strategy for Plant Conservation,
 xi, 4, 15, 19, 47, 58–59, 62, 64–65,
 69, 101, 136, 163, 172, 185, 213,
 217, 249, 256–258, 260, 276, 286,
 296–297, 310, 319, 323, 325, 329,
 349, 351, 371, 376, 393, 395, 403,
 414–415, 424, 454, 456, 465, 472,
 475, 479–480, 482–483, 485, 487,
 489–491, 504, 521, 533–534, 552,
 556
 Globally Important Agricultural
 Heritage Areas, 295
 GMO, 518, 533
 grass pea, 58
 Great Famine, 51
 Green Revolution, 39, 53, 285–286,
 449, 476, 553, 558
 GRIN, 135, 169, 442, 500, 512
 GRIN-Global, 500, 512

 haploids, 459–460, 535
 Hardy–Weinberg, 103, 523
 herbaria, 83, 168, 172
 herbarium, 83, 168, 170, 173–174, 313,
 351, 497, 532
 heritability, 106, 128–129, 132, 437,
 440, 443–444, 448, 456
 hierarchy, 524
 home gardens, 42, 187, 190, 395, 524,
 536, 540, 554
 homology, 524
 homozygous, 524
 hotspots, 25, 72, 539, 550
 hungry season, 400
 hybrid, 141, 453–454, 456, 464, 508, 524

 IBPGR. See Bioversity International
 ICRISAT, 432, 455, 483, 519, 554
 idealized population, 524

 identification, 94, 165, 177, 262, 266,
 333, 338, 387, 428, 432, 524, 530,
 533, 541
in situ, 40, 42, 56, 65, 112, 186–188,
 199, 244, 249–250, 482, 515, 524,
 529–530, 545, 547, 553
in vitro storage, 199, 525
 inbreeding, 108, 525, 534
 inbreeding coefficient, 108, 111, 438
 incentives, 6, 63, 162, 183, 257–258,
 261, 266–267, 277, 280, 282, 288,
 296–297, 300–302
 Indicators, 181, 184, 525, 531–532,
 544, 547, 555
 indigenous community, 295, 315
 indigenous knowledge, 326, 402
 indigenous peoples, 49, 402–403, 546
 indigenous peoples' and community
 conserved territories and areas, 294
 Indigenous Peoples' Biodiversity
 Network, 70
 information, 14, 55, 101, 144, 166, 168,
 269, 310, 358, 372, 376, 433, 442,
 492–493, 495, 497, 504, 525, 529,
 536–537, 540, 549, 558
 International Treaty of Plant Genetic
 Resources for Food and
 Agriculture. See ITPGRFA
 invasive species, 234
 IPGRI. See Bioversity International
 IRRI, 360, 420–421, 476, 519, 543, 559
 ITPGRFA, 45, 53–54, 58–60, 64, 66, 68,
 71, 74, 139, 156, 162, 180, 213, 218,
 250, 301, 323, 342, 344, 376, 469

 Jack Harlan, 52, 54
 Jack Hawkes, 52, 54

 keystone species, 40, 137, 210, 229,
 232, 237

 landrace, x, xii–xiii, 20–21, 23, 34, 37,
 39, 43–44, 52–54, 57, 59, 64, 66,
 70–72, 77, 111–113, 130, 136,
 140, 160, 167, 187, 189, 193, 251,
 256–259, 274–277, 285, 291,
 294–295, 297, 302–303, 309–314,
 317–318, 320–321, 324, 336, 338,
 353, 356–357, 395, 399, 417–418,
 429, 435, 441, 443–444, 446,
 448–449, 458–460, 465, 471–473,
 476–486, 488–490, 502, 508, 525,
 530, 532, 538–539, 541, 543, 545,
 548–550, 552–555, 558–559, 561

 legislation, 11, 56, 61–63, 138, 217,
 257–259, 313–314, 425, 471, 489,
 517, 530
 linkage, 104, 213, 272, 464–465, 525
 linkage drag, 525

 maize, 30, 37, 49, 51, 75, 111, 119, 150,
 157, 180, 242, 251, 254, 264, 271,
 309, 317, 356–357, 360, 385, 396,
 437, 440, 443, 454, 476, 540, 546,
 550–552, 560
 male sterility, 329, 454–455, 464
 Man and the Biosphere programme,
 295
 management plan, 220, 231
 management prescription, 232
 mapping, 86, 129, 175, 206, 233, 277,
 374, 389, 464–466, 532
 marker-aided breeding, 466, 541
 matching, 94
 mating Systems, 108
 measurements, 256
 medicine, 19, 43, 51, 236, 295, 394,
 405, 408–409, 411–412, 418,
 424, 554
 microsatellites, 120, 122, 126, 129, 132,
 362, 379, 541
 migration, 49, 103–105, 151, 197, 215,
 254, 270–271, 295, 327, 375, 427,
 523–524, 559
 minimum viable population, 224, 558
 mitigation, 525
 modern cultivars, 19, 265–266
 moisture content, 355, 364, 525
 monophyletic, 525
 multi-access key, 525
 multi-crop passport descriptors, 501
 multi-genes, 104, 526
 Multilateral System, 15, 58–59,
 218, 484
 multivariate analysis, 117
 mutation, 103–107, 110–111, 199, 270,
 362, 382, 385, 429, 443, 446,
 524–525

 Nagoya Protocol, 11, 13, 62–63,
 71, 74, 139, 323, 344, 358,
 376, 414
 natural classification, 526
 near-isogenic lines, 444, 519
 neglected and underutilized species,
 396, 398
 nomenclature, 89–90, 495, 549
 nominal, 436

Cambridge University Press

978-0-521-80656-5 — Plant Genetic Conservation

Nigel Maxted , Danny Hunter , Rodomiro Ortiz Ríos

Index

[More Information](#)

- non-timber forest products, 401–402, 416
 nutrition, ix–x, 46, 54, 69, 257, 278, 290, 294, 309, 312, 393, 397–400, 402–404, 467, 487–488, 531–532, 535–537, 539, 541–542, 544–546, 550
 oil palm, 34, 51, 422
 on-farm, 42, 112, 187–189, 191, 249–250, 252–253, 259, 262, 266–267, 270–271, 318, 526, 539, 544, 548–549, 552–553, 555, 559
 ontology, 526
 optimum plot size, 439, 551
 ordinal, 436
 organic agriculture, 488
 ornamentals, 19, 43, 394, 413, 422
 orphan crops, 399
 orthodox seeds, 191, 193, 342, 354–355, 364, 526
 outbreeding depression, 526
 outcrossing, 453, 526
 outgroup, 526
 Pacific, i, 23, 51, 66, 139, 152, 370, 398, 405, 409–410, 415–416, 421, 482–484, 516, 541, 543
 PAPGREN, 66
 paraphyletic, 526
 parthenogenesis, 526
 participation, 288, 300, 530–531, 555
 participatory plant breeding, 286, 318–319, 486–488, 519, 526, 533, 541, 557
 participatory rural appraisal, 483
 participatory varietal selection, 519, 526, 560
 passport data, 344, 346, 351, 357, 366, 372, 387, 435, 526
 Payment for Ecosystem Services, 260
 pearl millet, 58, 157
 pedigree breeding, 445
 phenetic classification, 527
 phenotype, 527
 phylogenetic, 527, 557
Phytophthora infestans, 51
 phytosanitary certificate, 527
 plant breeding, 406, 443, 467, 533, 536
 plant exploration, 51
 plant genetic resources, 45, 393, 422, 527, 532, 536, 541
 plesiomorphy, 527
 poisons, 43, 394, 415
 policy, ix, 69, 483, 489, 519, 531, 535–536, 539, 543, 545, 547, 555, 557–558, 560
 pollen storage, 42, 155, 187, 192, 388–390, 517
 polymorphism, 120–121, 130, 437, 441, 466, 527
 population, xii, 17–19, 32, 34, 37, 40, 42, 50, 65, 77, 82, 102–105, 107–108, 110, 112–114, 123–125, 131, 136, 142, 145, 147–149, 151–153, 162, 165–166, 170, 172–173, 177–178, 180, 186–191, 197–198, 205, 207–209, 212–214, 216–222, 224–232, 234–242, 244, 246, 249–252, 264–265, 270–271, 289–290, 292–293, 302, 307, 318–321, 324–325, 327–331, 337, 340, 347, 371, 374, 380, 409–410, 415, 421–422, 424–426, 438, 441, 443, 445, 451, 453–455, 457, 463–464, 466–467, 471, 479, 485–486, 489, 495, 499, 503–504, 508, 510, 521, 523–527, 530, 532, 536, 539, 541–543, 545–546, 548–549, 551, 553–556, 558, 561
 population size, 145, 271, 510
 Potato Park, 295, 315, 317
 potatoes, 39, 51–52, 67, 75, 251, 281, 317, 332–333, 340, 382–383, 461
 PPB, 273, 285, 318, 469–482, 486–491, 519, 526, 560
 prior informed consent, 71, 308, 546
 provenance, 55, 65, 72, 135, 141, 160, 166, 235, 325, 337, 347, 349, 440, 493, 503–504, 517
 pulses, 48, 53, 396–397, 400, 465
 PVS, 273, 318, 471, 475, 478, 481, 486, 519, 526
 Quadrat, 213, 239–240
 quality assurance, 497
 quantitative genetics, 104, 132, 451
 quantitative trait loci, 129–131, 388, 464–466, 531
 Rainforest Alliance, 416
 random mating, 102–104, 110, 112, 129, 445, 524
 random sampling, 238, 330
 randomization, 527
 rank, 91, 527
 recalcitrant seeded, 527
 recreation, 35, 47, 136, 213, 245, 413, 421
 recurrent selection, 445, 453
 regeneration, 112, 192, 343, 360–361, 365, 512
 relative humidity, 519, 527
 repeatability, 84, 437
 replication, 438, 527
 reserve design, 212, 221, 541
 revision, 515, 527, 558
 rhizobia, 331–332
 rice, 29, 37, 49, 53, 58, 130, 136, 148, 150, 157, 164, 180, 193, 254, 311, 313, 315–316, 359–360, 370, 386, 395–396, 420, 443–444, 460, 464–465, 476, 480, 483, 529–531, 539, 543, 548, 551
 rubber, 30, 51, 195, 296, 330, 353, 369, 415
 sacred sites, 295, 317
 sadc, 160, 516
 safety duplication, 527
 sample, 527, 546
 sampling strategy, 552
 sampling variation, 104, 528
 scientific name, 277
 SEARICE, 193
 seed cleaning, 512
 seed drying, 512
 seed fairs, 309
 seed germination, 358
 seed moisture content, 355
 seed storage, 191, 355, 528, 542
 seed systems, 52, 72, 263, 285, 290, 473, 490
 seed viability, 360, 512, 528
 selection, xiii, 17, 21–22, 39, 43, 49, 64, 75, 84, 103–108, 113, 123–124, 129–130, 132, 138, 140, 173, 189–190, 195, 204, 211, 215, 220, 239, 242–243, 249–250, 256–257, 262–264, 266, 268, 270–271, 273–274, 277, 303, 312, 316, 318, 325, 327–328, 331, 337–339, 349, 358, 362, 375, 379, 383, 413, 417, 431, 433, 436–437, 441–443, 445–446, 448–451, 453–454, 456–457, 460–461, 464–466, 470–475, 480–481, 485–487, 523–524, 526, 528–530, 538, 541–543, 548, 555, 557–558
 selfing, 528
 similarity, 124
 simple sequence repeats, 121, 519, 525
 single-access key, 528

566 **Index**

- single nucleotide, 466
- single nucleotide polymorphism, 519, 528
- Sir Otto Frankel, 54
- site selection, 351
- socio-economic factors, 219, 251, 266
- sorghum, 30, 58, 122, 157, 271, 317, 321, 324, 339, 358, 455, 548, 550, 554
- South America, 23, 30, 77, 126, 157, 178, 273, 309, 377, 408, 410, 415–416, 502, 530
- soybean, 29, 75, 193, 444, 467, 539
- Standard Material Transfer Agreement, 44, 58, 323, 519
- standardization, 496
- statistical analysis, 240–241, 441
- storage behaviour, 354
- storage facility, 356
- storage temperature, 353–355
- Subsidiary Body on Scientific, Technical and Technological Advice, 61
- sustainability, 7, 43, 46, 53–54, 76, 138, 162, 215–219, 228, 231–232, 237, 246, 252–253, 265–266, 277, 280, 318, 398, 426–427, 486–487, 496, 529–530, 533, 539, 551, 556, 559
- Sustainable Development Goals, 4, 46, 139, 245, 519
- synapomorphy, 528
- System-wide Genetic Resources Programme, 54, 519
- T.T. Chang, 54
- TaroGen, 68
- taxon, 90, 101, 142, 165, 170, 212, 217, 233, 503, 528, 541, 546, 552
- taxonomic diversity, 18
- taxonomy, 81, 228, 436, 528, 534
- TDWG, 497
- threats, 32, 229, 269, 277, 555
- tomatoes, 75, 257, 314, 340, 488
- tourism, 8, 35, 147, 222, 259, 281, 305, 312, 315, 417, 533
- traditional knowledge, ix, 12, 15, 46, 60–63, 206, 282, 300, 313, 316, 338, 416, 426, 502
- traditional varieties, 250, 259, 264, 266
- transect, 239
- TRIPS, 74, 520
- UPOV, 74, 343, 489, 520
- utilization, xii–xiii, 15, 46, 60, 62–63, 66, 153, 179–180, 197–198, 201, 207, 218, 227, 243, 245–247, 274, 277, 290, 295, 320, 323, 347, 374, 401–402, 423–424, 428, 432, 442, 470, 501, 512, 517, 523, 532, 547, 558
- varieties, 13, 14, 18–20, 23, 37–39, 41–42, 57, 74, 135, 148, 151, 185, 187, 189–190, 194, 249–251, 253–273, 276–277, 285, 291–292, 297, 299, 303, 308, 312–317, 325, 358, 369, 395, 417–418, 421, 430, 469, 471–474, 478, 480–482, 484, 486–490, 508, 528
- Vavilov, 22, 30, 32, 40, 49, 52, 156–157, 198, 250, 559
- viability test, 528
- voucher specimen, 510
- Ward's minimum variance, 115
- wheat, 18, 29, 35, 37, 39, 48–49, 53, 58, 123, 131, 150, 157, 193, 198, 208, 339, 356–358, 360, 370, 395–396, 418–419, 435, 444, 449–450, 459–460, 466–467, 470, 476, 480, 483, 493, 495, 530–531, 533–537, 545–546, 550, 552, 558
- wild species, 19–20, 32, 46, 67, 73, 81, 141, 151–153, 156, 188, 196, 198, 200, 244, 268, 299, 303, 320–323, 325–326, 329–331, 333, 336–337, 339, 345–347, 353, 359, 370, 374, 377, 394, 396, 398–399, 401, 403, 411, 418, 421, 424–425, 443, 446, 458, 460, 462, 476, 480, 511, 536, 539, 556, 560
- World Health Organization, 406
- yam, 29–30, 58, 66, 195, 332, 368, 369, 396, 411, 422