

Index

- (X, \mathfrak{A}, μ) , 70
 $[x, y]$, 128
 1-step SFT, 56
 Δ , 73
 Δ_1 , 194
 \perp , 209
 \prec , 162, 172
 \sim , 3
 \vee , 208
 \wedge , 208
 α -limit point, 29
 α -limit set, 29
 ϵ -dense, 4
 ϵ -orbit, 107, 110
 $\zeta_f(z)$, 60
 ζ^n , 213
 θ -transversality, 147
 Λ_ϵ^+ , Λ_ϵ^u , 116
 ν , 209
 ν_j , 173
 $\rho(\xi, \eta)$, 212
 $\rho(f)$, 154
 Σ_A^e , 56
 Σ_A^y , 56
 Σ_m , 7
 Σ_m^+ , 7
 σ -algebra, 69
 σ , 5, 7
 ω -limit point, 28
 ω -limit set, 28
 $\omega_f(x)$, 29
 $BA(\zeta)$, 192
 $B(x, r)$, 28
 \mathbb{C} , 1
 $C(X)$, 85
 $CL(R)$, 204
 C^k curve, 138
 C^k topology, 138
 $C^k(M, N)$, 138
 $C_0(X, \mathbb{C})$, 71
 $\text{Diff}^1(M)$, 117
 $d(\xi, \eta)$, 209
 d_n , 37
 E^s, E^u , 108
 E_m , 5
 $F(R)$, 193
 f -covers, 163
 G -extension, 88
 $H(\xi|\eta)$, 211
 $H(\zeta)$, 209
 $H_\epsilon(U)$, 98
 $H_w(U)$, 98
 $h(T) = h_\mu(T)$, 215
 $h(T, \zeta)$, 213
 $h(f)$, 37
 $I(C)$, 210
 $I \rightarrow J$, 163
 $i(x)$, 170
 $J(R)$, 193
 k -step SFT, 56
 $L^p(X, \mu)$, 71
 l -modal map, 170
 \mathcal{M} , 85
 \mathcal{M}_T , 85
 \mathbb{N} , 1
 \mathbb{N}_0 , 1
 $NW(f)$, 29, 114
 n -leader, 81
 $\mathcal{O}_f(x)$, 2
 P -graph, 165
 \mathbb{Q} , 1
 q_μ , 9

232

$\mathcal{R}(f)$, 29
 R_α , 4
 \mathbb{R} , 1
 S^1 , 4
 S_f^∞ , 87
 S_f^n , 85, 87
 $Sf(x)$, 178
 supp, 72, 90
 U_T , 80
 $\text{Var}(f)$, 160
 $W^s(x)$, $W^u(x)$, 118, 122
 $W_\epsilon^s(x)$, $W_\epsilon^u(x)$, 121
 \mathbb{Z} , 1

 a.e., 71
 abelian group, 87
 absolutely continuous
 foliation, 144
 measure, 86
 adapted metric, 109
 address of a point, 170
 adjacency matrix, 8, 56
 Adler, 135
 affine subspace, 51
 allowed word, 8
 almost every, 71
 almost periodic point, 30
 almost periodic set, 47
 alphabet, 7, 54, 55
 analytic function, 191
 Anosov diffeomorphism, 108, 130, 141, 142
 topological entropy of, 116
 Anosov's shadowing theorem, 113
 aperiodic transformation, 96
 arithmetic progression, 103
 atlas, 138
 atom, 71
 attracting periodic point, 192
 attracting point, 9, 25, 173
 attractor, 18, 25
 Hénon, 25
 hyperbolic, 18
 Lorenz, 25
 strange, 25
 automorphism
 Bernoulli, 79, 209
 group, 5
 of a measure space, 70
 average
 space, 80, 84
 time, 80, 84
 Axiom A, 133

Index

backward invariant, set, 2
 base- m expansion, 5
 basic set, 133
 basin of attraction, 25, 173, 192
 immediate, 192
 Bernoulli
 automorphism, 79, 209
 measure, 79, 219
 bifurcation, 183
 codimension-one, 184
 flip, 185
 fold, 185
 generic, 183
 period-doubling, 185
 saddle-node, 185
 Birkhoff ergodic theorem, 82, 93
 block code, 55, 67
 Borel
 σ -algebra, 71
 measure, 71, 72
 boundary of a partition, 222
 bounded distortion, 181
 bounded Jacobian, 145
 bounded variation, 160
 Bowen, 61, 137
 branch number, 192
 branch point, 192
 Breiman, 217

 Cantor set, 7, 16, 18, 25, 182, 196,
 204
 ceiling function, 21
 chain, Markov, *see* Markov, chain
 chaos, 23
 chaotic behavior, 23
 chaotic dynamical system, 23
 character, 95
 circle endomorphism, 23, 35, 36
 circle rotation, 4, 35, 45, 95
 ergodicity of, 77
 irrational, 4, 30, 77, 90
 is uniquely ergodic, 87
 clock drift, 67
 code, 55
 color, 51
 combinatorial number theory, 48
 common refinement, 208
 completion of a σ -algebra, 70
 composition matrix, 65
 conditional density, 144
 conditional entropy, 211
 conditional measure, 92

Index

233

- cone
 - stable, 115
 - unstable, 115
- conformal map, 153
- conjugacy, 3
 - measure-theoretic, 70
 - topological, 28, 39, 55
- conjugate, 3
- constant-length substitution, 64
- continued fraction, 12, 91
- continuous (semi)flow, 28
- continuous spectrum, 95, 97
- continuous-time dynamical system, 2
- convergence in density, 99
- convergent, 91
- coordinate chart, 137
- coordinate system, local, 106
- covering map, 153
- $\text{cov}(n, \epsilon, f)$, 37
- critical point, 192
- critical value, 192
- cross-ratio, 180
- cross-section, of a flow, 22
- Curtis, 55
- cutting and stacking, 96
- Cvitanović–Feigenbaum equation, 189
- cylinder, 54
- cylinder set, 7, 78

- d-lim, 99
- $\text{deg}(R)$, 193
- degree, of a rational map, 193
- dendrite, 196
- Denjoy, 205
 - example, 161
 - theorem, 160
- dense
 - forward orbit, 32
 - full orbit, 32
 - orbit, 23, 32
- dense, ϵ -, 4
- derivative transformation, 72
- deterministic dynamical system, 23
- diameter, 37
 - of a partition, 218
- diffeomorphism, 106
 - Anosov, 130, 141
 - Axiom A, 133
 - group, 138
 - of the circle, 160
- differentiable
 - flow, 107
 - manifold, 106, 137
 - map, 107
 - vector field, 107
- differential equation, 19
- $\text{Diff}^k(M)$, 138
- Dirac measure, 86
- direct product, 3
- directed graph, 8, 56, 67
- discrete spectrum, 94–97
- discrete-time dynamical system, 1
- dist, 140
- distal
 - extension, 46
 - homeomorphism, 45
 - points, 45
- distribution, 139
 - Hölder-continuous, 143
 - integrable, 139
 - stable, 108
 - unstable, 108
- Douady, 205
- Douady–Hubbard theorem, 206
- doubling operator, 169
- dual group, 95
- dynamical system, 2
 - chaotic, 23
 - continuous-time, 2
 - deterministic, 23
 - differentiable, 106
 - discrete-time, 1
 - ergodic, 4
 - hyperbolic, 22, 106
 - minimal, 4, 29
 - symbolic, 54
 - topological, 28
 - topologically mixing, 33
 - topologically transitive, 31
- dynamics
 - symbolic, 6, 54
 - topological, 28
- edge shift, 57
- elementary strong shift equivalence, 62
- embedded submanifold, 139
- embedding of a subshift, 55
- endomorphism
 - expanding, 5
 - group, 5

- entropy
 - conditional, 211
 - horseshoe, 125
 - measure-theoretic, 208, 213, 214
 - metric, 208, 213, 214
 - of a partition, 209
 - of a transformation, 214
 - topological, 36, 37, 116, 125
 - of an SFT, 60
- equicontinuous
 - extension, 46
 - homeomorphism, 45
- equivalent partitions, 208
- ergodic
 - dynamical system, 4
 - hypothesis, 69, 80
 - measure, 86
 - theorem, von Neumann, 80
 - theory, 69
 - transformation, 73
- ergodicity, 73, 75, 77
- essentially, 71
- essentially invariant
 - function, 73
 - set, 73
- even system of Weiss, 66
- eventually periodic point, 2, 171
- exceptional point, 201
- exceptional set, 201
- expanding endomorphism, 5, 30, 34, 107
 - is mixing, 77
- expanding map, 5
 - entropy of, 218
- expansive
 - homeomorphism, 35, 40
 - map, 35
 - positively, 35
- expansiveness constant, 35
- exponent
 - Hölder, 143
 - Lyapunov, 23
- extension, 3, 140
 - distal, 46
 - equicontinuous, 46
 - group, 88
 - isometric, 41, 46
 - measure-theoretic, 70
- extreme point, 86
- factor, 3, 55, 140
- factor map, 3
- Fatou, 200
- Fatou set, 193
- Fatou theorem, 204
- Feigenbaum constant, 189
- Feigenbaum phenomenon, 189
- fiber, 140
- fiber bundle, 140
- first integral, 20, 21
- first return map, 22, 72
- fixed point, 2
- $\text{Fix}(f)$, 60
- flip bifurcation, 185
- flow, 2, 19
 - continuous, 28
 - differentiable, 107
 - entropy of, 41
 - gradient, 20
 - measurable, 70, 74
 - measure preserving, 70
 - under a function, 21
 - weak mixing, 75
- fold bifurcation, 185
- foliation, 139
 - absolutely continuous, 144
 - coordinate chart, 139
 - leaf of, 139
 - stable, 14, 130
 - transversely absolutely continuous, 145
 - unstable, 14, 130
- forbidden word, 8
- forward invariant set, 2
- Fourier series, 78
- fractal, 191, 193, 202
- Frobenius theorem, 59
- full m -shift, 55
- full measure, 69
- full one-sided shift, 7, 33
- full shift, 35, 36
- full two-sided shift, 7, 33
- function
 - analytic, 191
 - ceiling, 21
 - essentially invariant, 73
 - generating, 60
 - Hamiltonian, 21
 - Lyapunov, 20
 - meromorphic, 191
 - strictly invariant, 74
 - zeta, 60
- Furstenberg, 49, 101–103

Index

235

- Gauss, 11
 - measure, 12–13, 90–94
 - transformation, 11–13, 90–94
- generalized eigenspaces, 42
- generating function, 60
- generating sequence of partitions, 215
- generator
 - one-sided, 216
 - two-sided, 216
- generic bifurcation, 183
- generic point, 88
- global stable manifold, 122
- global unstable manifold, 122
- Google,™ 103
- gradient flow, 20
- graph transform, 119
- group
 - automorphism, 5
 - dual, 95
 - endomorphism, 5, 14
 - extension, 88
 - of characters, 95
 - topological, 4, 95
 - translation, 4, 35, 45, 87
- Haar measure, 88
- Hadamard, 54
- Hadamard–Perron theorem, 118
- Halmos, 97
- Halmos–von Neumann theorem, 96
- Hamiltonian
 - function, 21
 - system, 20
- Hedlund, 55
- Hénon attractor, 25
- heteroclinic point, 128
- heteroclinically related, 133
- higher block presentation, 56, 67
- Hölder
 - constant, 143
 - continuity, 142, 143
 - exponent, 143
- holonomy map, 145
- homeomorphism, 28
 - distal, 45
 - equicontinuous, 45
 - expansive, 35, 40
 - minimal, 29
 - of the circle, 153
 - pointwise almost periodic, 47
- homoclinic point, 125
- Hopf, 151
- Hopf's argument, 141
- horseshoe, 34–36, 108, 124, 125, 128
 - entropy of, 125
 - linear, 15, 16
 - non-linear, 124
- Hubbard, 205
- hyperbolic
 - attractor, 18
 - dynamical system, 15, 106
 - fixed point, 110
 - periodic point, 110
 - set, 108
- hyperbolic toral automorphism, 14, 22, 33, 35, 36, 41, 108, 130, 135
 - is mixing, 77
 - metric entropy of, 221
- Hyperbolicity, 106, 108
- immediate basin of attraction, 192
- Inclination lemma, 123
- independent partitions, 209
- induced transformation, 73
- information, 210
- integrable distribution, 139
- integrable foliations, 151
- integral hull, 151
- Internet, 103
- intersection of partitions, 208
- intersymbol interference, 67
- invariant
 - kneading, 173
 - measure, 70, 85
 - set, 2
- IP-system, 49
- irrational circle rotation, 4, 33, 77, 87, 90
- irrationally neutral periodic point, 192
- irreducible
 - matrix, 57
 - substitution, 64
- isolated fixed point, 10
- isometric extension, 41, 46
- isometry, 28, 34, 36, 114
 - entropy of, 38
- isomorphism, 3
 - measure-theoretic, 70
 - of subshifts, 55
 - of topological dynamical systems, 28
- itinerary, 54, 170

- Jacobian, 145
- Julia set, 193, 200
- Katok, 111
- Kim, 63
- kneading invariant, 173
- Kolmogorov, 208, 216
- Kolmogorov–Sinai theorem, 216
- Koopman–von Neumann theorem, 99
- Krein–Milman theorem, 86
- Krylov–Bogolubov theorem, 85
- lag, 63
- Lambda lemma, 123
- Lanford, 61
- lap, 170
- leader, 81
- leaf, 139
- leaf, local, 139
- Lebesgue number, 224
- Lebesgue space, 71
- left translation, 4
- lemma
 - inclination, 123
 - lambda, 123
 - Rokhlin–Halmos, 96
- length distortion, 180
- Li, 164
- linear fractional transformation, 180
- linear functional, 85
- Lipshitz function, 160
- local
 - coordinate system, 106
 - leaf, 139
 - product structure, 129
 - stable manifold, 121
 - transversal, 139
 - unstable manifold, 121
- locally maximal
 - hyperbolic set, 128
 - invariant set, 16
- log, 209
- Lorenz, 26
- Lorenz attractor, 25
- Lyapunov
 - exponent, 23
 - function, 20
 - metric, 109
- Lyndon, 55
- main cardioid, 206
- Mandelbrot set, 206
- Mañé, 134
- manifold
 - differentiable, 106, 137
 - Riemannian, 106, 140
 - stable, 14, 118, 122
 - unstable, 14, 118, 122
- map
 - covering, 153
 - expanding, 5
 - first return, 72
 - l -modal, 170
 - measurable, 70
 - measure preserving, 70
 - non-singular, 70
 - piecewise-monotone, 170
 - Poincaré, 22, 72
 - quadratic, 9, 35, 171, 176, 178, 179, 182, 205
 - rational, 191
 - tent, 176
 - unimodal, 170
- Markov
 - chain, 78, 104, 105
 - graph, 164, 165
 - measure, 57, 78, 104, 105, 219
 - partition, 134
- matrix
 - adjacency, 56
 - composition, 65
 - irreducible, 57
 - non-negative, 57
 - positive, 57
 - primitive, 57, 79
 - reducible, 57
 - shift-equivalent, 62
 - stochastic, *see* stochastic matrix
 - strong shift-equivalent, 62
- maximal almost periodic set, 47
- maximal ergodic theorem, 82
- McMillan, 217
- measurable
 - flow, 70, 74
 - map, 70
 - set, 70
- measure, 69
 - absolutely continuous, 86
 - Bernoulli, 79, 219
 - Borel, 72
 - conditional, 92
 - Dirac, 86
 - ergodic, 86
 - Gauss, *see also* Gauss measure
 - Haar, 88

Index

237

- invariant, 70, 85
- Markov, 57, 78, *see also* Markov measure
- of maximal entropy, 224
- regular, 71
- Shannon–Parry, 220
- smooth, 151
- space, 69
- spectral, 98
- measure-preserving
 - flow, 70
 - transformation, 70
- measure-theoretic
 - entropy, 213, 215
 - extension, 70
 - isomorphism, 70
- meromorphic function, 191
- metric
 - adapted, 109
 - entropy, 213, 215
 - Lyapunov, 109
 - Riemannian, 106, 139
 - space, 28
- minimal
 - action of a group, 49
 - dynamical system, 4, 29
 - homeomorphism, 29
 - period, 2
 - set, 29, 90
- minimum principle, 179
- mixing, 74, 77
 - transformation, 74
 - weak, 75, 100, 152
- Möbius transformation, 180, 192
- mod 0, 71
- modified frequency modulation, 68
- modular function, 198
- monochromatic, 51
- Montel theorem, 197
- Morse sequence, 64
- multiple recurrence theorem, 103
- multiple recurrence, topological, 49
- multiplier, 192

- negative semiorbit, 2
- Newton method, 196
- nilmanifold, 130
- non-atomic Lebesgue space, 71
- non-linear horseshoe, 124
- non-negative definite sequence, 97
- non-singular map, 70
- non-singular transformation, 70
- non-wandering point, 29

- normal family, 193, 197
 - at a point, 193
- normal number, 84
- null set, 69
- number theory, 49, 92, 103

- omit a point, 197
- one-parameter group, 107
- one-sided shift, 35
- orbit, 2
 - dense, 23, 32
 - periodic, 2
 - uniformly distributed, 23, 89

- Parry, 220
- partition, 208
 - boundary of, 222
 - Markov, 134
 - of an interval, 164
- partitions, independent, 209
- pendulum, 19
- $\text{Per}(f)$, 114
- period, 2
- period, minimal, 2
- period-doubling bifurcation, 185
- periodic
 - orbit, 2
 - point, 2, 162, 198
 - attracting, 10, 192
 - irrationally neutral, 192
 - rationally neutral, 192
 - repelling, 10, 192
 - superattracting, 192
- Perron theorem, 58
- Perron–Frobenius theorem, 57
- piecewise-monotone map, 170
- plaque, 139
- Poincaré, 71
 - map, 22, 72
- Poincaré classification theorem, 158
- Poincaré recurrence theorem, 72, 103
- pointwise almost periodic homeomorphism, 47
- polynomial recurrence theorem, 102
- Pontryagin duality theorem, 95
- positive semiorbit, 2
- positive upper density, 101
- positively expansive, 35
- positively recurrent point, 29
- postcritical set, 204
- presentation, 67

- primitive
 - matrix, 57, 79, 104
 - substitution, 64, 90
 - transformation, 73
- probability
 - measure, 70
 - space, 70
- product
 - direct, 3
 - formula, 60
 - skew, 3
 - structure, local, 129
- projection, 3, 139, 140
- proximal points, 45
- pseudo-orbit, 110

- quadratic map, 9, 35, 171, 176, 178, 179, 182, 205
- quotient, 91

- Radon–Nikodym
 - derivative, 86
 - theorem, 86
- Ramsey, 48
- Ramsey theory, 48
- random behavior, 23
- random variable, 79
- rational map, 191
 - degree of, 193
- rationally neutral periodic point, 192
- rectangle, 134
- recurrence
 - measure-theoretic, 71
 - topological, 29, 72
- recurrent point, 29, 72
- reducible matrix, 57
- refinement, 208
- refining sequence of partitions, 215
- regular measure, 71
- relatively dense subset, 30
- repelling periodic point, 192
- repelling point, 9
- return time, 22
- Riemann sphere, 191
- Riemannian
 - manifold, 106, 140
 - metric, 106, 139
 - volume, 140
- Riesz, 80, 85
- Riesz representation theorem, 85
- right translation, 4

- Robbin, 134
- Robinson, 134
- Rokhlin, 97
- Rokhlin metric, 212
- Rokhlin–Halmos lemma, 96
- rotation number, 154
- rotation, entropy of, 218
- Roush, 63

- saddle–node bifurcation, 184
- Sárközy, 103
- Schwarzian derivative, 178
- search engine, 103
- self-similarity, 202
- semiconjugacy, 2
 - topological, 28
- semiflow, 2
- semiorbit
 - negative, 2
 - positive, 2
- sensitive dependence on initial conditions, 23, 117
- $\text{sep}(n, \epsilon, f)$, 37
- separated set, 37
- sequence of partitions
 - generating, 215
 - refining, 215
- SFT, 56
- shadowing, 107, 111, 113
- Shannon, 220
- Shannon–McMillan–Breiman theorem, 217
- Shannon–Parry measure, 220
- Sharkovsky ordering, 162
- Sharkovsky theorem, 163
- shift, 5, 7, 54, 60
 - edge, 57
 - entropy of, 219
 - equivalence, 62
 - full, 7, 35, 36
 - one-sided, 7
 - two-sided, 7
 - vertex, 8, 56
- shift equivalence, strong, 62
- Shishikura theorem, 200
- signed lexicographic ordering, 172
- simply transitive, 180, 192
- Sinai, 208, 216
- Singer theorem, 179
- skew product, 3, 140
- Smale, 133

Index

239

- Smale's spectral decomposition theorem, 133
- smooth measure, 151
- sofic subshift, 66
- solenoid, 18, 35, 36, 44, 45, 108, 128
- space average, 84
- space, metric, 28
- span(n, ϵ, f), 37
- spanning set, 37
- spectral measure, 98
- spectrum
 - continuous, *see* continuous spectrum
 - discrete, *see* discrete spectrum
- stable
 - cone, 115
 - distribution, 108
 - foliation, 14, 130
 - manifold, 14, 118, 122
 - local, 121
 - set, 151
 - subspace, 108
- stationary sequence, 79
- stochastic matrix, 58, 78, 104
- stochastic process, 79
- strange attractor, 25
- strong mixing transformation, 74
- strong transversality condition, 134
- structural stability, 108, 117, 131
- Structural Stability Theorem, 134
- structurally stable diffeomorphism, 117
- submanifold, 106, 139
 - embedded, 139
- subshift, 8, 55, 134
 - entropy of, 219
 - generating function of, 60
 - of finite type, 56
 - one-sided, 55
 - sofic, 66
 - topological entropy of, 60
 - two-sided, 55
 - zeta function of, 61
- substitution, 64
 - constant length, 64
 - irreducible, 64
 - primitive, 64, 90
- Sullivan, 205
- superattracting periodic point, 192
- support, 72
- suspension, 21
- symbol, 7, 54
- symbolic dynamics, 6, 54
- symmetric difference, 73
- syndetic subset, 30
- Szemerédi, 103
- Szemerédi theorem, 103
- tangent
 - bundle, 138
 - map, 138
 - space, 138
 - vector, 138
- tent map, 114, 176
- terminal vertex, 9
- theorem
 - Anosov's shadowing, 113
 - Birkhoff ergodic, 82
 - Bowen–Lanford, 61
 - Curtis–Lyndon–Hedlund, 55
 - Denjoy, 160
 - Douady–Hubbard, 206
 - Fatou, 204
 - Frobenius, 59
 - Furstenberg–Weiss, 49
 - Hadamard–Perron, 118
 - Halmos–von Neumann, 96
 - Kolmogorov–Sinai, 216
 - Koopman–von Neumann, 99
 - Krein–Milman, 86
 - Krylov–Bogolubov, 85
 - maximal ergodic, 82
 - Montel, 197
 - multiple recurrence, 103
 - Perron, 58
 - Perron–Frobenius, 57
 - Poincaré classification, 158
 - Poincaré recurrence, 72
 - polynomial recurrence, 102
 - Pontryagin duality, 95
 - Riesz representation, 85
 - Sárközy, 103
 - Shannon–McMillan–Breiman, 217
 - Sharkovsky, 163
 - Shishikura, 200
 - Singer, 179
 - Smale's spectral decomposition, 133
 - structural stability, 134
 - Szemerédi, 103
 - van der Waerden, 49
 - von Neumann ergodic, 80
 - Weyl, 89
 - Williams, 62
- time average, 84, 88

- time- t map, 2
- times- m map, 5
- topological
 - conjugacy, 28, 39
 - dynamical system, 28
 - dynamics, 28
 - entropy, 36, 37, 60, 116, 125
 - group, 4, 95
 - Markov chain, 56
 - mixing, 33, 76
 - properties, 28
 - recurrence, 29, 72
 - semiconjugacy, 28
 - transitivity, 31, 33, 76, 88
- topology, C^k , 138
- toral automorphism, *see* hyperbolic toral automorphism
- transformation, 70
 - aperiodic, 96
 - derivative, 72
 - entropy of, 215
 - ergodic, 73
 - Gauss, *see* Gauss transformation
 - induced, 73
 - linear fractional, 180
 - measure-preserving, 70
 - mixing, 74
 - Möbius, 180, 192
 - non-singular, 70
 - primitive, 73
 - strong mixing, 74
 - uniquely ergodic, 87
 - weak mixing, 75
- transition probability, 78
- translation, 90
 - group, 4
 - left, 4
 - right, 4
- translation-invariant metric, 44
- transversal, 139
 - local, 139
- transverse, 139
- transverse homoclinic point, 125
- transverse submanifolds, 122
- transversely absolutely continuous foliation, 145
- trapping region, 25
- turning point, 170
- uniform convergence, 88
- uniformly distributed, 89, 90
- unimodal map, 170
- uniquely ergodic, 87–90
- unitary operator, 80
- unstable
 - cone, 115
 - distribution, 108
 - foliation, 14, 130
 - manifold, 14, 118, 122
 - local, 121
 - set, 151
 - subspace, 108
- upper density, 99
- van der Waerden's theorem, 49
- variational principle for metric entropy, 221
- vector
 - non-negative, 57
 - positive, 57
- vector field, 107, 139
- vertex shift, 8, 56
 - one-sided, 8
 - two-sided, 8
- vertex, terminal, 9
- von Neumann, 80
- von Neumann ergodic theorem, 80
- wandering domain, 205
- wandering interval, 173
- weak mixing, 75, 97, 100, 152
 - flow, 75
 - transformation, 75
- weak topology, 97
- weak* topology, 85
- Weiss, 49, 135
 - even system of, 66
- Weyl theorem, 89
- Whitney embedding theorem, 111
- Wiener lemma, 98
- Williams, 63
- Wolff, 205
- word, 7
 - allowed, 8, 56
 - forbidden, 8, 56
- Yorke, 164
- zeta function, 60
 - rational, 61