

Index

Page numbers in sloping type denote items treated in an insert.

- $\hat{\mathcal{A}}$ -genus, 215–218, 220
- A–D–E classification
 - of ALE spaces, 187, 289
 - of discrete $SU(2)$ subgroups, 289
 - of simply laced Lie algebras, 112
 - of singularities of K3, 386–390
- action
 - Born–Infeld, 134
 - Dirac–Born–Infeld, 135, 205
 - Einstein frame, bosonic, 61
 - Einstein–Hilbert, 5, 69, 234, 272, 410
 - Einstein–Hilbert–Maxwell, 224
 - Euclidean, for gravity, 410
 - for particle motion, 24
 - from boundary counterterms in AdS, 449–452
 - low energy effective, bosonic, 59
 - low energy effective, heterotic, 175–176
 - low energy effective, superstrings, 174–175
 - Maxwell, 7
 - Nambu–Goto, 27
 - of D-brane world-volume, 131–140, 198, 220
 - of Euclidean Reissner–Nordström, 416–417
 - of Euclidean Schwarzschild, 414–416
 - Polyakov, 29
 - string frame, bosonic, 59
 - σ -model, 58
- adjoint representation, 109
- affine connection
 - computed for Reissner–Nordström, 226
 - from derivatives of metric, 3
- affine coordinates, 379–390
 - for torus T^2 , 379–383
 - S^2 or $\mathbb{CP}^1$ example, 380
- amplitude
 - D-brane exchange of graviton and dilaton, 146–147
 - vacuum, cylinder, 142–144, 197–200, 324–333
 - vacuum, Klein bottle, 324–333
 - vacuum, Möbius strip, 148–150, 324–333
- annihilation operators
 - coherent states and, 152
 - in description of fermionic states, 159, 231
 - string modes as, 40
- anomalous dimensions, 481
- anomaly
 - conformal, 45, 170
 - conformal, and Virasoro central term, 45, 79
 - for K3 orientifolds, 341–344

- anomaly (*cont.*)
 gauge and gravitational, 160, 161, 341–344
 Green–Schwarz mechanism, 165–169, 206, 220, 344
 inflow mechanism, 219
 miraculous cancellation, 164, 183–184, 342
 polynomials, 161, 162
 world-volume curvature
 couplings and, 206–220
- anti-de Sitter (AdS)
 AdS/CFT correspondence, 22, 243, 441–466
 AdS/CFT correspondence and holography, 464–466
 AdS/CFT correspondence dictionary, *see* dictionary
 as a hyperbolic slice, 236
 as solution of gauged supergravity, 445, 467–471
 black holes in, 452–466
 charged black hole and, 455–459
 domain wall in, 469–471
 extremal black branes and, 442
 extremal black hole and, 233
 Freund–Rubin ansatz and, 237–238, 445
 holographic renormalisation group
 flow and, 467–471
 in various coordinate systems, 235
 local vs global coordinates, 235–237
- antisymmetric tensor fields
 as generalisations of photon, 12
 coupling to branes, *see under* *p*-form
 in world-volume dynamics of
 M5-branes, 277–278
 in world-volume dynamics of
 NS5-branes, 268–270
 R–R sector, 163
- asymptotic freedom, 84
- asymptotically locally Euclidean (ALE) space, 187–191
 A–D–E classification of, 187, 289
 as Higgs branch, 285–289
 D-brane probes of, 282–291
 Eguchi–Hanson as, 187, 287
 Euler characteristic, 189
 Gibbons–Hawking metric and, 187, 287
 hyper-Kähler property, 289
 hyper-Kähler quotient and, 289–291
 T-duality of, 295–296
 topology of, 292–294
- Atiyah–Hitchin manifold
 as two-monopole moduli space, 364–366
 hyper-Kähler property, 351, 365
 O6-plane and, 351–352
 relation to Taub–NUT, 364–366
- Atiyah–Hitchin–Drinfeld–Manin (ADHM) construction, 304, 307
- attractor mechanism, 429
- β -function
 of $\mathcal{N} = 1$, $D = 4$ Yang–Mills, 481
 of $\mathcal{N} = 2$, $D = 4$ Yang–Mills, 393
 of $\mathcal{N} = 4$, $D = 4$ Yang–Mills, 373, 441
 of string world-sheet σ -model, 59
 RG flow and, 84
 Yang–Mills and asymptotic freedom, 84
- background fields
 D-branes in R–R, 315–318
 dielectric effect and R–R, 315–318
 in D-brane tension computation, 145–147
 string propagation in, 12, 56–61
- basis
 coordinate vs orthonormal, 65–67
- Bañados–Teitelboim–Zanelli (BTZ)
 black hole, *see under* black hole
- Bekenstein–Hawking entropy, *see under* entropy
- Bernoulli numbers, 216
- Bertotti–Robinson solution, 233
- bifundamental matter, 284, 288

- B-Ions
 as BPS states, 138–140
 stretched D-branes and, 308
 stretched fundamental strings and, 139–140
- black brane
 D-branes vs, 241–245
 extremal, *see* extremal black brane
 non-extremal, 238–240
- black hole
 Bañados–Teitelboim–Zanelli (BTZ), 431
 BTZ and CFT dual, 431
 BTZ as near horizon geometry, 429–430
 Bekenstein–Hawking entropy, 21
 charged, *see also* Reissner–Nordström
 charged in AdS, from spinning branes, 455–459
 constructing extremal Reissner–Nordström, 418–425
 constructing non-extremal Reissner–Nordström, 427–428
 construction from branes and momentum, 420–425
 D1/D5 bound states and, 425–427, 433–439
 entropy, microscopic description, 425–428, 433–434
 flat, in AdS, 452, 458, 459
 holographic principle and, 465
 large vs small in AdS, 454, 461
 multicentre solutions, 232
 non-extremal Reissner–Nordström, *see* non-extremal Reissner–Nordström
 Reissner–Nordström, 225, 226, 228–233, 412–414
 Reissner–Nordström and supersymmetry, 231
 Reissner–Nordström–AdS, 459
 Schwarzschild, 225–228, 412–414
 Schwarzschild–AdS, 452
 temperature of, 412, 413, 452, 454, 460
 thermodynamics, 409–414
 thermodynamics in AdS, 459
- Bogomol’nyi condition, 312
- Bogomol’nyi–Prasad–Summerfield (BPS) states
 AdS domain wall as, 469–471
 B-Ions as, 138–140
 BPS monopole limit, 312
 D-branes as, 195–197
 extremal branes as, 240, 245
 extremal Reissner–Nordström as, 228–232, 413
 monopoles as, 311–314
 no-force condition and, 232, 240, 245
 O-planes as, 200
- bolt singularity
 of Atiyah–Hitchin manifold, 364–365
 of Eguchi–Hanson space, 188
 of Euclidean black hole, 412
- bosonisation, 113–116, 163
- bound states
 of D-branes; mass formulae, 253
 of D-branes; various, 258–260
 of D1- and D5-branes, and black holes, 425–427, 433–439
 of F-strings and D-strings, 254–255, 369–371
 dyons and, 314, 374–375
 of F-strings and D-strings, tension, 253, 254, 370, 371, 397
 of NS5-branes and D5-branes, 375–376, 398
 $SL(2, \mathbb{Z})$ and five-branes, 375–376
 $SL(2, \mathbb{Z})$ and strings, 257, 263, 369–371
 tension formula and Pythagoras, 397
- boundary conditions
 closed string, 30
 fermions, R vs NS, 115, 156
 open string mixed Dirichlet and Neumann, 250
 open string Neumann, 30
- boundary counterterm prescription, 450–452

- boundary state, 150–154
 - as coherent state, 151, 152
- brane distributions
 - from spinning branes, 457
- branes ending on branes, *see* stretched branes
- Breitenlohner–Freedman bound, 448
- bundle
 - instanton, 211, 212
 - monopole, 209, 210
 - normal, 220
 - tangent, 215, 216, 220
 - toroidal or elliptic fibration of K3, 383–392
- Cartan subalgebra, 110
- Casimir energy
 - from boundary counterterm prescription, 452–453
 - world-sheet zero point energy and, 45–46
- central charge or extension
 - as charge of gauge field, 232
 - of supersymmetry algebra, 230–231
 - of Virasoro algebra, 41, 79
- Chan–Paton factors, 51–54, 159
 - for oriented strings, 52
 - for unoriented strings, 53–54
 - orbifold action on, 283–284, 323
- characteristic classes, 210–216
 - Chern, *see* Chern, class
 - Euler, 215, 216
 - Pontryagin, 214–215, 216
- chemical potential
 - AdS/CFT correspondence and, 455–464
- Chern
 - character, 208, 219
 - class, first, 208, 211
 - class, first: of Dirac monopole, 209, 210
 - class, second, 211
 - class, second: of instanton, 211, 212
- Chern–Simons three-form, 167, 168, 211
- circle
 - closed strings on, 96–116
 - fields on, *see* Kaluza–Klein
 - self-dual radius of, 100–103
- Clifford algebra, 68, 116, 158
- coherent state
 - boundary state and, 151, 152
- cohomology, 64, 210–216
- Coleman–Weinberg formula, 143, 144
- complex
 - affine coordinates, 379
 - coordinate transverse to seven-brane, 376
 - coordinates on world-sheet, 48
 - coupling of $D = 4$ Yang–Mills theory, 393, 502
 - coupling of type IIB, 368, 393, 395
- confining/deconfining phase transition
 - large N Yang–Mills and, 462–464
- conformal anomaly, 83
- conformal dimension, *see* conformal weight
- conformal factor
 - world-sheet geometry and, 47–48
- conformal gauge
 - fixing by reparams and Weyl, 36
 - fixing with Faddeev–Popov ghosts, 85–87
- conformal ghosts, 85, 87, 157
 - and critical dimension, 86–87
- conformal group, 72–73
 - anti-de Sitter isometries and, 236, 443
 - four dimensions, 373, 441
 - two dimensions, 73
- conformal invariance, 70–80
 - as residual symmetry, 37
 - at fixed point, 84
 - of $\mathcal{N} = 1$, $D = 4$ Yang–Mills, 480–482
 - of $\mathcal{N} = 2$, $D = 4$ Yang–Mills, 393
 - of $\mathcal{N} = 4$, $D = 4$ Yang–Mills, 373, 441

- conformal weight, 79, 93
- constraints
 - Virasoro, 39, 41
- coset
 - as target space of scalars, 279, 369, 443
- cosmic string
 - seven-brane as, 377
- cosmological constant
 - Einstein's equations and, 233
 - negative, *see* anti-de Sitter
 - positive, *see* de Sitter
- Coulomb branch, 285, 346, 349, 426
 - Atiyah–Hitchin as, 351–352, 364–366
 - enhançon and, 362–366, 502
 - fractional D-branes and, 291–292
 - lifting by tilting D-branes, 298
 - lifting by unwrapping D-branes, 292–294
 - of large N Yang–Mills, from holographic RG flow, 472–480
 - Seiberg–Witten theory and, 393–394, 502
 - singularities on, 351–352
 - stretched D-branes and, 297
 - Taub–NUT as, 349–352
 - touching Higgs branch, 351–352
- covariantly constant spinor, *see* Killing spinor
- creation operators
 - coherent states and, 152
 - in description of fermionic states, 159, 231
 - string modes as, 40
- critical dimension
 - bosonic string, 43–44
 - heterotic string, 170
 - supersymmetric string, 157
- critical string theory, *see* critical dimension
- current algebra, *see* Lie algebras, affine
- curvature
 - couplings in DBI action, 222–223
 - extrinsic, *see* extrinsic curvature
 - two-form, 66, 67–69
 - world-volume couplings, *see also* world-volume
- cylinder
 - amplitude, *see* amplitude,
 - vacuum
 - fundamental region, 148
- D-flatness condition, 285, 303–304, 307
- D-manifolds, 191
- D-term, 285, 303–304, 307
- de Sitter
 - and the sphere, 234
- decoupling limit, 349, 363, 441
 - AdS/CFT and, *see under* anti-de Sitter
 - of non-extremal D3-brane solution, 452
 - of spinning branes, 456
 - on D3-brane supergravity solution, 441–442
- Dedekind's η -function, 91, 378
- deficit angle, 90
 - of $\mathbb{Z}_N$ orbifold, 388
 - of bolt, 188
 - of Euclidean black hole's bolt, 412, 460
 - of nut, 350, 351
 - of seven-branes, 378–379, 388–390
- dictionary, AdS/CFT
 - action and energy-momentum tensor, 449–452
 - AdS₃ and $D = 2$ CFT, 431
 - boundary metric, 446–447
 - Breitenlohner–Freedman bound, 448
 - BTZ black holes and $D = 2$ CFT sectors, 431
 - chemical potential, 455–464
 - fields and operators, 447–449
 - finite temperature and black holes, 452–453
 - Kaluza–Klein reduction, 449

- dictionary, AdS/CFT (*cont.*)
 - partition function, 447, 449
 - semi-classical action, 449
 - spherical harmonics, 448
 - symmetries and isometries, 443
 - ultraviolet and infrared, 446
- dielectric effect, 314–321
 - background R–R fields and, 315–318
 - non-Abelian Dirac–Born–Infeld and, 314–316
 - non-Abelian R–R couplings and, 314–316
- differential forms, *see* p -forms
- dilatations, 72, 441
- dilaton
 - as massless closed string mode, 12
 - propagator, 146
 - string coupling and, 12, 60
- dilute gas limit
 - non-extremal black holes and, 427–428
- dimension
 - critical, *see* critical dimension
 - eleventh, and Kaluza–Klein, 271–273, 274, 346–348, 400–404
 - eleventh, from brane world-volume, 269, 277–278, 346–348
 - eleventh, from strong coupling, 271–273, 275, 400–404
 - of spacetime, and conformal ghosts, 86–87, 170
 - of spacetime, for bosonic string, 43–44, 86–87
 - of spacetime, for heterotic strings, 170
 - of spacetime, for strings, 14
 - of spacetime, for supersymmetric strings, 157, 170
- Dirac genus, *see* $\hat{A}$ -genus
- Dirac monopole, *see* bundle, monopole
- Dirac string, 201–202, 210
- Dirac–Born–Infeld, *see* action, Dirac–Born–Infeld
- Dirac–Nepomechie–Teitelbiom charge quantisation, 201–202
 - for D-branes, 202
 - for M-branes, 277
- discrete light cone quantisation (DLCQ)
 - matrix string theory and, 407
 - matrix theory and, 403
- discriminant of cubic, 380–383, 387–390
- dissolving $D(p-2)$ into Dp , 206, 294
- domain wall
 - in AdS, *see* holographic renormalisation group
- duality
 - Hodge, *see* Hodge duality
 - S-, or strong/weak coupling; for field theory, *see* field theory duality
 - S-, or strong/weak coupling; for string theory, *see* string duality
 - strong/weak coupling, *see* strong/weak coupling duality
 - T-, or target space, *see* T-duality
 - U-, *see* U-duality
- Dynkin diagram, 111
 - extended, for simply laced Lie algebras, 288
 - for simply laced Lie algebras, 112
 - U-duality groups and, 280
- dyons
 - D/F-string bound states and, 314, 374–375
- Eguchi–Hanson space, 187, 188
 - Euler characteristic of, 188
 - Gibbons–Hawking metric and, 287
- eleven dimensional supergravity, *see also* dimension, eleventh, 261
 - bosonic form of, 272
 - string duality and, 271–273
- eleventh dimension, *see* dimension, eleventh
- elliptic fibration, 383–392
- energy-momentum tensor

- and Einstein's equations, 3
 - as generator of conformal transformations, 76–78
 - fermionic part, 156
 - for electromagnetism, 7, 225
 - from boundary counterterms in AdS, 449–452
 - in two dimensions, 35–36, 38–42, 76–82
 - of excision, 360–362
 - perfect fluid form, 234, 451
 - string world-sheet, 35–36, 38–42
 - Virasoro algebra and, *see* Virasoro
- enhanced
 - as a filter, 439
 - black hole and, 433–439
 - black hole horizon and, 439
 - BPS monopole and, 356–359
 - Coulomb branch moduli space and, 362–366, 502
 - mechanism, 358–362
 - positivity of coupling and, 502
 - positivity of tension and, 362, 502
 - second law of thermodynamics and, 437–439
- enhanced gauge symmetry
 - affine Lie algebras and, 113
 - F-theory and, 386–390
 - from D4-branes wrapped on K3, 358–359
 - from D5-branes wrapped on K3, 359
 - from M-theory on K3, 352
 - from type IIA on K3, 298, 400
 - heterotic string and, 171, 386–390
 - of coincident NS5-branes, 268–270, 299
 - of string on circle, 100–103, 358
 - small instantons and, 305–306
- entropy
 - from Euclidean path integral, 411
 - of black hole, Higgs branch and, 426, 434
 - of Reissner–Nordström, 417, 424
 - of Schwarzschild, 416
- Euclidean, *see also* signature
 - path integral, 410, 411
 - path integral and temperature, 410
 - quantum gravity, 410
- Euler angles, 180
- Euler characteristic
 - of ALE space, 189
 - of graphs, 444
 - of K3, 187–189
 - of sphere S^2 , 216
 - of torus T^2 , 380
- Euler class, 215
- excision techniques, 360–362
 - energy-momentum tensor, 360–362
- exponential corrections
 - Atiyah–Hitchin manifold and, 365
 - of Taub–NUT, as instanton corrections, 363
- exponential map, 47
- exterior derivative, 64
- extremal black brane, 240–246
 - distributions of, 248
 - extremal black hole vs, 240
 - multicentre solutions and, 240
 - near horizon geometry, 241
 - no-force condition and, 240, 245
- extremal black hole, *see also* extremal Reissner–Nordström
- extremal Reissner–Nordström
 - as BPS state, 228–232, 413
 - as interpolating solution, 233
 - construction from branes and momentum, 418–425
 - in AdS, 460
- extrinsic curvature, 229
 - from wrapping branes, 360
 - of Reissner–Nordström, 416
 - of Schwarzschild, 414

- F-theory, 263, 367
 - enhanced gauge symmetry and, 386–390
 - from M-theory, 394–396
 - orientifold limit of, 390–392
 - torus and, 394–396
 - twelve dimensions and, 394
- Faddeev–Popov ghosts, 85–87,
 - see* conformal ghosts
- Fayet–Iliopoulos term, 286
- fermionisation, 113–116
- fermions
 - in curved spacetime, 68
 - R vs NS boundary conditions, 115, 156
- Feynman graphs
 - of large N gauge theory, 444
- fibre bundle, *see* bundle
- field equations
 - Einstein’s gravitational, 3
 - from vanishing of world-sheet β -function, 59
- field theory duality
 - Montonen–Olive, 374–375
 - $SL(2, \mathbb{Z})$ and, 373–375
- fixed points
 - $SL(2, \mathbb{Z})$; fundamental domain and, 371
 - of $SL(2, \mathbb{Z})$; fundamental domain and, 90
 - of orbifold, 117–119, 126, 388–390
 - of RG flows, 84
 - orientifolds as, 126
- flat direction, 83
- fractional D-branes, 291–292
 - from wrapped D-branes, 292–294
 - T-duality to stretched D-branes, 296–300
- frame
 - dual tangent, 67, 220
 - inertial, 6
 - string vs Einstein, 60
 - tangent, 61–69, 220
- Freund–Rubin ansatz, 237–238
- fundamental domain, 89, 379
 - j -function and, 382, 387–390
 - $SL(2, \mathbb{Z})$ fixed points, 90
 - $SL(2, \mathbb{Z})$ fixed points, 371
 - special orbifold points, 90, 371
- fuzzy sphere, 317–318
- gauge fields
 - as massless open string modes, 12
- gauge theory/geometry
 - correspondence, 243
 - AdS/CFT, *see* anti-de Sitter
- geodesic
 - analysis of repulson, 354–356
 - equation, 2
- gerbes, 270
- ghosts
 - Faddeev–Popov, *see* conformal
 - ghosts
 - negative norm states, 43
- Gibbons–Hawking boundary term, 410, 450, 462
- Gibbons–Hawking metric, 187
 - as moduli space metric, 287
 - Eguchi–Hanson space and, 187, 287
 - from D-brane probe, 287
 - hyper-Kähler property, 287
- Gibbs
 - thermodynamic potential, 416, 462
- Gliozzi–Scherk–Olive (GSO)
 - projection
 - D-string and, 262, 302
 - heterotic string and, 172, 265
 - superstring and, 158–159
 - tachyon and, 158
- graviton
 - as massless closed string mode, 12
 - linearised gravity and, 7–11, 145–147
 - propagator, 146
- Green–Schwarz form, 262, 405
- Green–Schwarz mechanism, *see under* anomaly

- Hamiltonian
 Euclidean path integral and, 410
 of matrix string theory, 405
 of matrix theory, 402
 on world-sheet, 39
- Hanany–Witten, 300
- Hawking temperature, *see* black hole, temperature of
- heterotic strings, *see* supersymmetric strings
- Higgs branch, 346, 349
 ALE space as, 285
 black hole entropy and, 426, 434
 touching Coulomb branch, 351–352
- Hirzebruch $\hat{\mathcal{L}}$ -polynomial, 215–220
- Hodge duality, 65
 D-branes and, 196, 198, 201, 348
 fundamental string and
 NS5-brane, 198
 M-branes and, 276
 on D2-brane world-volume, 278, 347
 on K3 wrapped D6-brane world-volume, 362–363
- holographic principle, 467
 a rough statement of, 22, 464–466
 AdS/CFT correspondence and, 464–466
 black holes and, 464–466
 remarks, 508
- holographic renormalisation group, 467–471
 brane distributions and flow geometries, 478–480
 domain wall and, 469–471
 fixed points and, 467–471
 from gravity, 467–471
 Kähler potential of
 supersymmetric Yang–Mills, 489–493
- Hopf fibration
 $S^3 : S^1 \hookrightarrow S^2$; and Taub–NUT, 349
 $S^3 : S^1 \hookrightarrow S^2$, 209, 210
 $S^7 : S^3 \hookrightarrow S^4$, 211, 212
- horizon
 as null surface, 228
 enhanced and, 439
 flat vs round, 452, 458
 geometry near, 233, 241, 429–430, 441–442
 of black branes, 239, 240
 of BTZ black hole, 431
 of Reissner–Nordström, 228, 412, 419–420, 424, 439
 of Reissner–Nordström–AdS, 460
 of Schwarzschild, 227–228, 412
 of Schwarzschild–AdS, 452
- hyper-Kähler property
 of $\mathbb{R}^4$, 289
 of ALE spaces, 289
 of Atiyah–Hitchin manifold, 351, 365
 of Gibbons–Hawking metric, 287
 of K3 manifold, 289
 of Taub–NUT metric, 349
- hyper-Kähler quotient, 289–291
 ADHM construction as, 304
 ALE spaces and, 289–291
- hypersurface technology, 229
- induced metric
 on World-sheet, 27
 on World-volume, 131–132
- inertial frame, 6
- infinite momentum frame (IMF)
 matrix theory and, 402–404, 407
- inner product, 65
- instanton
 contributions to moduli space, 363, 365
 core size, 212, 267, 305
 corrections of Taub–NUT, 363, 365
 D($p+4$)-Dp system and, 208, 300–301
 D-brane as, 208, 300–306

- instanton (*cont.*)
 - from D-brane probe, 301–305
 - in large N gauge theory, *see* *under* large N gauge theory
 - moduli space, and black hole
- entropy, 426, 434
 - NS5-brane as, 267
 - number, 212
 - positivity of Coulomb branch
- metric and, 363, 365, 393, 394, 502
 - positivity of gauge coupling and, 363, 365, 393, 394, 502
 - world-volume coupling, 208
 - zero core size, *see* small
- instantons
- intercept
 - critical dimensions and, 42–44
 - numerical value, 43–44, 157, 170
- interpolating solution
 - extremal black branes as, 442
 - extremal black hole as, 233
 - kink as, 18
- invariant polynomials, 210–216
- isotropic coordinates, 226–227
- j -function
 - fundamental domain and, 382, 387–390
 - modular invariance and, 382, 387–390
- Jacobi
 - identity for Lie algebras, 108
 - ϑ -function identities, 328
 - ϑ -functions, 327
 - ϑ -function identities and supersymmetry, 198
- K-theory
 - cohomology vs, 221
 - other remarks, 507
 - tachyon condensation and, 220–221
 - world-volume couplings and, 220–221
- K3 manifold, 322–344
 - compactification and black hole, 432–439
 - elliptic, moduli space of, 383
 - enhanced gauge symmetry from wrapped branes, 298, 352, 399–400
 - Euler characteristic of, 187–191
 - heterotic string on, 343
 - hyper-Kähler property, 289
 - Kodaira classification of singularities, 390
 - string duality and, 186, 343
 - topology of, 184–185, 187–191
 - torus or elliptic fibration, 383–392
 - type IIA superstring on, 184–185
 - various orbifold limits of, 189–191, 388–390
- K3 orientifolds, 191, 322–344
 - anomalies of, 341–344
- Kähler potential
 - of $\mathcal{N} = 1$ $D = 4$ Yang–Mills, 489–493
- Kac–Moody algebra, *see* Lie algebras, affine
- Kaluza–Klein, 94–96
 - charged black holes and, 455–459
 - D0-branes and string duality, 271, 400–404
 - in construction of $D = 5$ black hole, 421–425
 - monopole, 357
 - monopole; six-brane as, 348–352
 - reduction formulae, 95–96, 274
 - sphere reduction and gauged supergravity, 443–445
 - type IIA from eleven dimensions, 271–273, 274, 400–404
- Killing
 - spinor, 232, 233
 - vectors, 225–228
- kink solution, 18
- Klein bottle
 - amplitude, *see* amplitude, vacuum
 - fundamental region, 148

- Kodaira
 classification of singularities of
 elliptic K3 manifold, 390
- $\hat{\mathcal{L}}$ -polynomial, *see* Hirzebruch
- large N gauge theory
 as a string theory, 444
 confining/deconfining phase
 transition, 462–464
 Feynman graphs, 444
 instantons in, 365–366
 RG flow from gravity, 467–471
 't Hooft coupling, 363, 365, 442, 444
- lattice
 Euclidean signature, 171–172
 even, self-dual, 104, 106, 171–172, 176–177
 Lorentzian signature, 103, 106, 176–177
 modular invariance and even, self-dual, 103, 106
- Laurent expansion
 of open and closed strings, 48
- left-invariant one-forms, 180
- level matching
 from translational invariance, 42, 91
 modular invariance and, 91
 of closed string modes, 42
- Lie algebras
 adjoint representation of, 109
 affine, 102
 Cartan subalgebra, 110
 classical, 111
 Lie groups and, 108–111
 simple, 109
 simply laced, 112
 Yang–Mills and, 66
- linearised gravity
 graviton from, 7–11, 145–147
- Lorentz group, 68
 as a gauge group, 67–68
 inertial frames and, 6
 representation using gamma matrices, 68, 159
 tangent frame and, 62, 67–68
- M-branes
 descending to D- and NS5-branes, 277–278
 descending to odd D-branes and NS5-branes, 396–399
 Dirac–Nepomechie–Teitelbiom charge quantisation, 277
 supergravity solutions, 276–277
 tensions, 277
- M-theory, 367, 400–408
 and strongly coupled strings, *see* string duality
 eleven dimensional supergravity and, 271–273
 F-theory and, 394–396
 matrix theory formulation of, 20, 400–408
- Möbius strip
 amplitude, *see* amplitude, vacuum
 fundamental region, 148
- magnetic monopole, *see* monopole
- Majumdar–Papapetrou solutions, 232
- matrix string theory, 404–408
 Hamiltonian of, 405
 interactions from irrelevant operator, 407
 long strings from twisted sector, 406
 orbifold of $(\mathbb{R}^8)^N$ by $\mathcal{S}_N$, 405–407
- matrix theory, 367, 400–408
 and non-commutativity of spacetime, 20, 403
 Hamiltonian of, 402
 toroidal compactification of, 404–408
- Maurer–Cartan one-forms, 180
- McKay correspondence, 187, 289
- Melvin solution, 320

- mode expansion
 - of open and closed strings, 37, 48
 - various open string boundary conditions, 250
- modular invariance, 91, 103–104, 116, 158
 - even self-dual lattices and, 103, 106
 - j -function and, 382, 387–390
 - level matching and, 91
 - seven-brane metric and, 378–379
- modular transformations, 88–89, 145, 379
 - as generators of $SL(2, \mathbb{Z})$, 88
 - fundamental domain and, 89, 379
- moduli space
 - Coulomb branch, *see* Coulomb branch
 - branch
 - Higgs branch, *see* Higgs branch
 - of BPS monopoles, 363–366
 - of elliptic K3 manifolds, 383
 - of instantons, and black hole entropy, 426, 434
- moduli space metric, *see also* moduli space
 - from Dp -brane probe of p -brane, 245–246
 - from D-brane probe of RG flow geometry, 476, 487, 488, 493, 500, 502
 - from D1-brane probe of ALE space, 286–289
 - instanton contributions to, 363, 365
 - of $D = 2 + 1$ susy gauge theory, 348–352
- monodromy
 - $SL(2, \mathbb{Z})$ and, 376–382, 384–396
- monopole
 - BPS saturated, 311, 312, 313, 314, 363–366
 - BPS, enhançon and, 356–359
 - D-brane as, 306–314
 - Dirac, *see* bundle, monopole
 - H-, as wrapped N5-brane, 357
 - Kaluza–Klein, 357
 - Kaluza–Klein; six-brane as, 348–352
 - moduli space of, 363–366
 - 't Hooft–Polyakov, 310
- Montonen–Olive duality, 374–375
- multiple D-branes
 - boundary conditions, 249–252
 - unbroken supersymmetry, 252–254
- Myers effect, 314–321
- Nahm
 - monopole data, 311
 - monopole equations, 307
- naked singularity
 - as limit of charged black hole in AdS, 460
 - enhançon and, *see* enhançon
- mechanism
 - from holographic RG flows, 495
 - repulson as, 354
- near-horizon, *see* horizon, geometry near
- Neveu–Schwarz fermions, 115, 156
- Newton's constant
 - from low energy effective action, 61, 175
 - relation to central charge of 2D CFT, 431
 - relation to large N gauge theory quantities, 443
- no-force condition, *see* Bogomol'nyi–Prasad–Summerfield states
- non-Abelian
 - Dirac–Born–Infeld, 136–137
 - Dirac–Born–Infeld, and dielectric effect, 314–316
 - gauge theory, *see also* Yang–Mills
 - R–R couplings, 221–222
 - R–R couplings, and dielectric effect, 314–316
 - Taylor expansion, 316
 - tensor multiplet on coincident NS5-branes, 270
 - vector multiplet on coincident NS5-branes, 268

- non-commutative geometry
 - fuzzy sphere and, 317–318
 - matrix theory and, 20, 403
 - remarks, 508
- non-compact Lie groups
 - by continuation, 111
 - T-duality and, 108
 - U-duality and, 279, 280
- non-extremal Reissner–Nordström
 - construction from branes and momentum, 427–428
 - dilute gas and, 427–428
- non-perturbative strings, *see under* duality
 - and extended objects, 17
- normal ordering, 40
 - time ordering vs, 76
- NS–NS sector, 160
- NS5-brane, 241
 - as dual of fundamental string, 198
 - as instanton, 267
 - branes ending on, 268–270, 297
 - coincident, 268–270
 - from D5-brane, 266
 - heterotic, 267–268
 - T-duality of, 267–268
 - type II, 268–270
 - world-volume dynamics, 268–270
- nut singularity, 350
 - of Taub–NUT metric, 350–352
- operator
 - irrelevant, and matrix string theory, 407
 - marginal, 83, 84
 - relevant and irrelevant, 84
 - string state correspondence, 48–51
 - vertex, *see* vertex operator
- operator product expansion (OPE), 75–76
- operators
 - spherical harmonics and, 448, 478
 - states and, 74–75
- orbifold, 117
 - action on Chan–Paton factors, 283–284, 323
 - blow-up to smooth manifold, 185
 - fixed point, 117–119, 126, 388–390
 - from T-duality of Type I, 193
 - K3 limit for superstring, 179–191
 - of $(\mathbb{R}^8)^N$ by $\mathcal{S}_N$, and matrix string theory, 405–407
 - of circle (bosonic), 117
 - of superstring on T^4 , 179–191
 - points of fundamental domain, 90, 371
 - superstring on $\mathbb{R}^4/\mathbb{Z}_2$, 282
 - $T^4/\mathbb{Z}_2$ spectrum, 180–184, 336–339
- orientifold
 - as orbifold fixed point, 126, 193–194
 - at strong coupling; O6, 352
 - at strong coupling; O7, 392, 394
 - at strong coupling; O8, 275, 277
 - from T-duality, 125–126, 193–194
 - group, 126, 166, 194, 324
 - limit of F-theory, 390–392
 - making type I from type IIB, 165–166, 201
 - parity and, 125
 - tension of O-plane, *see* tension
 - world-volume curvature couplings, 217, 220
- oxidation
 - of RG flow geometries to ten dimensions, 475, 486–487, 499
 - reduction as, in compactified matrix theory, 405, 408
 - reduction vs, 405, 408
- (p, q) -five-branes, *see* bound states of NS5-branes and D5-branes
- (p, q) -seven-branes, 384–386
- (p, q) -strings, *see* bound states of F-strings and D-strings
- p -branes, *see* black branes

- p -forms, 63–65
 - Dp -branes charge of, 197–200
 - NS-NS coupling to F-string and NS5-brane, 198
 - Op -planes charge of, 200
 - R-R coupling to p -branes, 196, 198
 - R-R coupling to p -branes, non-Abelian, 221–222
 - Yang–Mills theory and, 66
- parity
 - right-handed, and T-duality, 100
 - world-sheet combined with spacetime, 125
 - world-sheet, closed strings, 54, 165
 - world-sheet, open strings, 52–54
- partition function, 87–93
 - at bosonisation radius, 113–115
 - black hole entropy and, 427
 - of closed string on circle, 103–104
 - of open string, 142–144, 326–330
 - of orbifolded circle, 118
 - simple computation, 92
- Pauli matrices, 283
- perfect fluid, 234, 451
- periodic time
 - temperature and, 410
- phase transitions
 - AdS/CFT correspondence and, 462–464
 - confining/deconfining, 462–464
- physical state conditions, *see* Virasoro constraints
- Poincaré
 - form of AdS, 235, 237
 - group, 72, 236, 441
- Poisson brackets
 - of classical strings, 38
 - replaced by commutators, 40
- Poisson resummation formula, 106, 107
- Poisson's equation
 - seven-branes and, 378
- Pontryagin class, 214–215
- positivity of coupling
 - enhancement and, 502
 - instantons and, 363, 365, 393, 394, 502
- positivity of metric
 - instantons and, 363, 365, 393, 394, 502
- positivity of tension
 - enhancement and, 362, 502
 - instantons and, 502
- pp-wave, 423
 - and gauge/string duals, 503
 - in construction of $D = 5$ black hole, 422
- primary field, 74, 79
- probing
 - black hole with D-branes, 434–436
 - extremal p -branes with $D(p-4)$ -branes, 345–348
 - extremal six-branes with D2-branes, 346–348
 - extremal black p -branes with Dp -branes, 243–246
 - holographic RG flows with D-brane, 475–478, 487–493, 500–502
 - of ALE space by D-branes, 282–291
 - of Dp - $D(p+4)$ system by D-brane, 301–305
 - wrapped six-branes with wrapped D6-brane, 356–359
- propagator
 - closed string, 153
 - dilaton, 146
 - graviton, 146
- Pythagoras
 - D-brane bound state tension formula and, 397–399
- quasi-primary field, 74
- quiver diagram, 284, 288
- Ramond fermions, 115, 156
- Reissner–Nordström, *see also under* black hole

- embedded in string theory, 424
 - extremal, *see* extremal Reissner–Nordström
- renormalisation group flow, 84
 - AdS/CFT and, 467–471
- reparametrisation invariance
 - of classical string action, 29, 31, 36
- repulson geometry
 - excision of, 360–362
 - geodesic analysis, 354–356
 - naked singularity and, 354
 - wrapped D-branes and, 354–356
- Revolution
 - First Superstring, 15, 169–170
 - Second Superstring, 15, 17, 170, 261, 508
- right-invariant one-forms, 180
- Romans' massive supergravity, 275
- roots
 - of cubic, torus and, 380–383, 387–390
 - simple, 110
- R–R sector, 163
- R–R charge
 - D-branes and, 197–199, 201
 - p -branes and, 238–240
 - orientifolds and, 200
- $SL(2, \mathbb{C})$ invariance, 73
 - fixing with 3 points, 74, 383
- $SL(2, \mathbb{R})$ invariance, 73
 - fixing with 3 points, 74
- $SL(2, \mathbb{R})$
 - vs $SL(2, \mathbb{Z})$, 368
 - supergravity action and, 368–369
- $SL(2, \mathbb{Z})$
 - and bound states of F-strings and D-strings, 257, 263, 369–371
 - bound states of NS5-branes and D5-branes and, 375–376
 - field theory duality and, 373–375
 - fundamental domain and, 89, 379
 - generators, *see* modular transformations
 - monodromy or jump, seven-branes and, 376–382, 384–396
 - string duality and, 263, 367–400
 - torus and, 88–89
 - U-duality and, 278
- scaling dimension, 79
- Schrödinger picture
 - Euclidean path integral and, 410
- Schwarzian derivative, 80
- Schwarzschild, *see under* black hole
 - mass from Euclidean action, 415
- Seiberg–Witten theory
 - $\mathcal{N} = 2$ $D = 4$ Yang–Mills, 353, 393, 394, 502
 - Coulomb branch and, 393–394, 502
 - enhanced and, 502
 - from F-theory, 393–394
 - torus and, 393–394
- semiclassical quantum gravity, 411–412
- signature
 - Euclidean, 410, 412
 - Euclidean de Sitter as sphere, 234
 - Euclidean world-sheet, 47
 - mostly plus convention, 2
 - of lattice, Euclidean, 171–172
 - of lattice, Lorentzian, 103, 106, 176–177
- singularity
 - conical, *see* deficit angle
 - of black branes, 239, 240
 - of Reissner–Nordström, 228
 - of Schwarzschild, 228
- small instantons
 - $E_8 \times E_8$, 305–306
 - enhanced tensor gauge symmetry, 305
 - enhanced vector gauge symmetry, 305
 - $SO(32)$, 305
- smeared brane, 206, 248, 295
- special conformal transformations, 72, 441

- spherical harmonics
 - operators and, 448, 478
- spin connection, 67–69
 - fermions and, 68
 - Killing spinor and, 231
- spin field, 163
- spinning branes
 - brane distributions from, 457
 - charged black holes from, 455–459
- states
 - operators and, 74–75
 - spurious; spacetime gauge invariance and, 43–44
 - vertex operator correspondence, 48–51
- static gauge, 134, 136
- static solutions, 227
- Stefan–Boltzmann law
 - AdS/CFT correspondence and, 453
- stress tensor, *see* energy-momentum tensor
- stretched D-branes, 294–300, 375
 - as monopoles, 306–314
 - Bions and, 308
 - T-duality to fractional D-branes, 296–300
 - wrapped D-branes and, 294–300
- stretched fundamental strings, 314, 375
- string coupling
 - dilaton and, 12, 60
 - from eleven dimensions, 273, 395
 - large N gauge theory and, 443, 444
 - world-sheet topology and, 34
- string duality
 - $D = 10$ supergravity and, 175–176
 - $D = 6$ supergravity and, 186
 - $E_8 \times E_8$ heterotic $\leftrightarrow$ M, 273–276
 - $SO(32)$ heterotic $\leftrightarrow$ type I, 264–265
 - dual branes and, 265–270, 277–278
 - eleven dimensional supergravity and, 271–273
 - F-string $\leftrightarrow$ D-string, 262–263
 - heterotic $\leftrightarrow$ heterotic in $D = 6$, 343
 - heterotic $\leftrightarrow$ type IIA in $D = 6$, 186, 298, 357, 358
 - heterotic $\leftrightarrow$ F in $D = 8$, 383–384, 390–392, 399
 - heterotic $\leftrightarrow$ M in $D = 7$, 399–400
 - heterotic $\leftrightarrow$ type IIA in $D = 6$, 400
 - K3 manifold and, 186, 343, 383–384, 399, 400
 - M-theory and, 17
 - $SL(2, \mathbb{Z})$ and, 263, 367–400
 - type IIA $\leftrightarrow$ M, 271–273
 - type IIB $\leftrightarrow$ type IIB, 261–263, 367–400
- string field theory
 - and background independence, 15
 - and non-perturbative issues, 15
 - matrix string theory as, 407
 - tachyon condensation and, 507
- string network, 371–372
 - three-string junction and, 371
- string spectrum
 - infinite tower of excitations, 11
 - massless sector, 12
 - NS–NS sector, 160
 - NS–R and R–NS sectors, 163
 - of heterotic string, 172
 - of type II strings, 160–164
 - on circle, 98
 - perturbative, 11
 - R–R sector, 163
- stringy cosmic string, 377
- strong coupling
 - and gauge theory, 21
 - fate of strings, 17, *see also* string duality
- strong/weak coupling duality
 - for field theory, *see* field theory duality
 - for string theory, *see* string duality
- structure constants, 108

- supergravity
 - gauged, and anti-de Sitter, 443–445, 467–471
 - gauged, and sphere reductions, 443–445
 - $SL(2, \mathbb{R})$ and, 278
 - $SL(2, \mathbb{R})$ invariant form, 368–369
 - ten dimensional, 174–176
- superpotential
 - of supergravity, for AdS domain walls, 471
- supersymmetric strings
 - heterotic, construction, 169–174
 - type I and type II, construction, 155–169, 201
- supersymmetry multiplets
 - long, 231
 - $\mathcal{N} = 1$ in $D = 10$, 159
 - $\mathcal{N} = 1$ in $D = 6$, 341
 - $\mathcal{N} = 2$ in $D = 10$, 163
 - $\mathcal{N} = 2$ in $D = 4$, 230
 - $\mathcal{N} = 2$ in $D = 6$, 183
 - short, 231, 255
- surface gravity
 - black hole temperature and, 413
- symmetric polynomials, 213
- θ -angle
 - in $\mathcal{N} = 2$, $D = 4$ Yang–Mills, 373, 393, 494
- 't Hooft coupling, *see under* large N gauge theory
- T-duality, 19, 94–128
 - action on dilaton, 129
 - action on Dirac–Born–Infeld, 136
 - action on R–R fields, 193
 - as $O(d, d + 16, \mathbb{Z})$, 177
 - as $O(d, d, \mathbb{Z})$, 108
 - as right-handed parity, 100, 105, 125, 192
 - boundary conditions and, 120, 125
 - discovering D-branes, 119–121, 193
 - discovering orientifolds, 125–126, 193
 - in background fields, 129–131, 193
 - minimum distance and, 19
 - of ALE spaces, 295–296
 - of black brane solutions, 246–248
 - of closed strings, 99–108
 - of fractional D-branes, 296–300
 - of heterotic strings, 177, 194–195, 273
 - of NS5-brane, 267–268
 - of NS5-branes, 295–296
 - of open strings, 119–125
 - of stretched D-branes, 296–300
 - of tilted brane, 133–135, 205–206, 294
 - of type I superstrings, 193–194
 - of type II superstrings, 192–193
 - type IA vs type IB, 193, 273
- tachyon
 - condensation, 220–221
 - of bosonic string, 42
 - removal by GSO projection, 158
- tadpole cancellation, 201, 324, 330–336
- tangent space, *see* frame, tangent
- Taub–NUT metric
 - as moduli space metric, 348–352
 - hyper-Kähler property, 349
 - instanton corrections, 363, 365
 - K3 wrapped six-brane and, 363–366
 - negative mass parameter, 363
 - relation to Atiyah–Hitchin manifold, 364–366
 - six-brane and, 348–352
- temperature
 - from Euclidean path integral, 410
 - of black holes in AdS, 454
 - of BTZ black hole, 431
 - of Reissner–Nordström, 412
 - of Reissner–Nordström–AdS, 460
 - of Schwarzschild, 413
 - of Schwarzschild–AdS, 452, 454
 - periodic time and, 410
 - surface gravity and, 413

- tension
 - of bound states of NS5-branes and D5-branes, 376
 - of D-brane; recursion relation, 132
 - of D-branes in bosonic string theory, 142–147
 - of D-branes in superstring theory, 197–200
 - of F/D-string bound state, 253, 254, 370, 371
 - of fundamental strings, 11, 32
 - of O-planes in superstring theory, 200
 - of orientifold or O-plane, 148–150
- tensionless
 - branes, 358–359, 362
 - strings, 270, 359
- thermodynamics
 - entropy from Euclidean path integral, 411
 - first law, for black holes, 417
 - free energy, 462
 - Gibbs potential, 416, 462
 - Hawking–Page phase transition, 462, 465
 - of black holes, 409–414
 - phase transitions in AdS/CFT, 462–464
 - potential, 411
 - second law, and *enhancement*, 437–439
 - second law, for black holes, 417
 - third law, for black holes, 417
- three-string junction, 255–258
 - string network and, 371
- throat, *see* horizon, geometry near
- tilted brane
 - and Born–Infeld action, 133–135
 - dissolved brane and, 205–206, 294
 - $\mathcal{F}$ -flux coupling and, 205–206, 294
- toroidal compactification
 - heterotic string and, 171, 383–390, 399–400
 - moduli space of, for bosonic string, 108
 - moduli space of, for heterotic string, 177
 - of bosonic strings, 104–108
 - of heterotic string, 176–177
 - of matrix theory, 404–408
 - of superstrings, 178–179
 - U-duality and, 279, 280
- torsion, 67
- torus
 - compactification, *see* toroidal compactification
 - F-theory and, 394–396
 - fibration of K3 manifold, 383–392
 - in affine coordinates, 379
 - maximal, of Lie algebra, 110
 - moduli space of, 88–89
 - roots of cubic and, 380–383, 387–390
 - Seiberg–Witten theory and, 393–394
 - special shapes, 90
 - Weierstrass form, 379–383
- transition functions, 208, 209, 211
- twisted sector
 - Fayet–Iliopoulos terms and, 286
 - long matrix strings and, 406
 - of $(\mathbb{R}^8)^N/\mathcal{S}_N$ orbifold, 406
 - of $S^1/\mathbb{Z}_2$ orbifold, 118–119
 - of $T^4/\mathbb{Z}_2$ orbifold, 181–183
- U-duality, 278–281
 - bound states and, 279–281
 - near horizon geometry and, 429
 - non-compact Lie groups, 279, 280
 - $SL(2, \mathbb{Z})$ and, 278
 - toroidal compactification and, 279, 280
 - type II on T^5 , 278–279
- unorientable
 - closed strings, 54
 - open strings, 52–54
 - orientifolds, *see* orientifolds
 - world-sheet diagrams, 55–56, 57
- UV/IR connection, 143, 446, 450

- vacuum energy, *see* zero point energy
- vacuum interpolation, *see*
 - interpolating solution
- vertex operator, 48–51
 - correspondence to string states, 48
 - enhanced gauge symmetry and, 101, 102
 - for R–R states, 163
 - of $G_{\mu\nu}$, $B_{\mu\nu}$, Φ , 50, 58
 - of gravitino, 158, 163
 - of tachyon, 50
 - of vector gauge field, 51, 52
- vielbein, *see* frame, tangent
- Virasoro
 - algebra, and stress tensor, 39, 79
 - algebra, supersymmetric, 157
 - central charge or extension, 41, 44, 45, 79
 - constraints, 39, 41, 157, 163
 - zero mode and mass spectrum, 40–42, 157
- volume element, 69
- volume form, 64
- wedge product, 63
- Weierstrass
 - form of torus T^2 , 379–383
- weight vector, 110
- Wess–Zumino coupling, *see* p -forms, R–R coupling
- Weyl invariance
 - of classical string action, 30, 36
 - of world-sheet σ -model action, 59
- Wick
 - contraction, 76, 81–82
 - rotation, 410
- Wilson lines
 - Chan–Paton factors and, 121–123
 - D-brane positions and, 121
 - fractional momentum and, 121, 122
 - on a circle, 122
 - $SO(16) \times SO(16)$, for heterotic
 - T-duality, 194–195, 273
- world-line
 - of particle, 2, 24
- world-sheet
 - of string, 13, 27
 - various possible topologies, 57
- world-volume
 - clues to eleventh dimension, 269, 277–278, 348
 - curvature couplings, 205–223
 - curvature couplings for D-branes, 217, 220
 - curvature couplings for O-planes, 217, 220
 - dynamics of D-branes, *see* Yang–Mills and action, Dirac–Born–Infeld
 - dynamics of M2-brane, 277–278, 466
 - dynamics of M5-brane, 277–278, 466
 - dynamics of type II NS5-branes, 268–270, 297
 - Hodge duality in $D = 2 + 1$, 278, 347, 362–363
 - instantons on, 208
 - of D-brane, 131
- wrapped D-branes, 292–294
 - D6-brane on K3, 353–366
 - dual strings from, 390–392
 - enhanced gauge symmetries from D4-branes on K3, 358–359
 - enhanced gauge symmetries from two-branes on K3, 298, 352
 - extrinsic curvature of, 360
 - fractional D-brane as, 292–294
 - K3-induced charge, 222–223, 352
 - K3-induced tension shift, 222–223, 352
 - on K3 manifold, 352–353
 - repulson geometry and, 354–356
 - six-brane as BPS monopole, 357–359
 - spacetime metric, 352–353

- Yang–Mills
 $\mathcal{N} = 1$ $D = 4$, fixed point theory, 480–493
 $\mathcal{N} = 2$ $D = 4$, 392–394, 494–502
 $\mathcal{N} = 4$ $D = 3$, 348–352, 363–366
 $\mathcal{N} = 4$ $D = 4$, 373, 441, 472
 at finite temperature via AdS/CFT, 459–464
 at large N , *see* large N gauge theory
 β -function and asymptotic freedom, 84
 β -function of $\mathcal{N} = 2$, $D = 4$, 393
 β -function of $\mathcal{N} = 4$, $D = 4$, 373, 441
 complex coupling in $D = 4$, 393, 502
 coupled to Higgs, 309
 coupling, and D-brane tension, 138
 D-brane collective coordinates as, 123–125
 from compactified matrix theory, 408
 from D-brane world-volume action, 138
 Montonen–Olive duality, 374–375
 open strings and, 60, 123–125
 θ -angle in $\mathcal{N} = 2$, $D = 4$, 373, 393
zero point energy, 45–46, 116, 157, 181, 250, 262, 264
 as Casimir energy, 45
 BTZ black holes and, 431
 exponential map and, 46
 from AdS/CFT, 431, 452–453
 general formula in $D = 2$, 46
 of twisted sector, 118
 ζ -function regularisation and, 46
 ζ -function regularisation, *see* zero point energy