

Index

Numbers in *italics* indicate *tables* or *figures*.

- age, effects on disease occurrence 4–5
- age-restricted populations 54
- age-specific rates 25–8, 163, 165
- age-standardised rates 21–4, 164–7, 197–9
- agreement assessment *see* observers: agreement assessment
- antipathy to research 132
- archived data 157
- association
 - measures 45
 - attributable risks 48–9
 - odds ratios *see* odds ratio calculation
 - precision 49
 - rate ratios 46–7, 179–81
 - risk ratios 45–6, 181–2, 194, 196
 - term 5
- attributable risks 48–9, 180
- back pain 36
- bias 201
 - defined 201
 - direction of 202
 - effects on validity 203
 - feasibility of unbiased studies 212
 - information bias
 - observer 122, 125, 209–10
 - subject (recall) 210–11
 - non-directional misclassification 202–3
 - selection bias
 - non-response 205–8
 - of participants 204–5
 - special situations 208–9
- birth-cohort effects 26, 28
- breast cancer 34
- buddy controls 86–7
- case-control studies 37–9
 - bias 201, 206
 - matching 88
 - frequency 89–90
 - individual 88–9
 - to minimise confounding 88, 190–1
 - nested 40, 41, 43
 - odds ratios *see* odds ratio calculation
 - study size 90–2
 - subject selection *see* subject selection for case-control studies
 - see also* study types: choice
- cases
 - ascertainment 65–6
 - selection *see* subject selection for case-control studies: cases
 - verification 66, 78, 79–81
- catchment population methods 55
- accuracy of population data 56–7
- incidence measurement
 - definition of cases 65–6
 - prospective notification 63, 64–5, 66
 - retrospective review 63–4
 - suitability of approach 60, 61, 62
- prevalence measurement 69–70
- census data 53, 55, 56
- chi-square (χ^2) 172–3, 175, 176
- clinical epidemiology 6
- clinical trials 6
 - see also* study types
- closed questions 106–8
- cluster (multistage) sampling 59
- cohort effects 26
- cohort studies 39–41
 - analysis 179–87
 - bias 201, 205
 - follow-up *see* follow-up of study cohorts
 - multiple exposure effects 96
 - prospective 39, 40, 41, 42, 43, 44
 - retrospective 39, 40, 42, 43
 - study size 97–9
 - subject selection *see* subject selection for cohort studies
 - see also* study types: choice
- commercial mailing lists 56
- computer programs 90, 146, 169

238 Index

- computer use
 - data analysis 169
 - data preparation 145, 146
 - conditional logistic regression 178
 - confidence intervals 49, 170
 - incidence rates 159–60, 161
 - incidence rate ratios 180–1
 - odds ratios
 - matched pair analysis 178
 - 'test'-based method 172–3
 - Woolf's method 173–4
 - prevalence proportions 161–2
 - risk ratios 182
 - confidentiality *see* ethical issues: confidentiality of data
 - confounding 9, 188–90
 - analysis of
 - baseline comparisons 192–3
 - multivariate techniques 199–200
 - standardisation 197–9
 - stratification 193–7
 - in ecologic studies 32
 - minimisation in study design 190
 - matching 88, 190–1
 - unknown confounders 89, 191
 - monitoring studies for 191–2
 - negative 189
 - consent 225–7
 - continuous exposures 49, 50
 - control selection *see* subject selection for case-control studies: controls
 - correlation studies 31–3
 - costs
 - costing a study 229
 - flowchart 230
 - personal time 231–3
 - reduction 233–4
 - personal costs 234
 - postage/printing 235
 - reimbursement of subjects 131
 - and study design 42, 228–9
 - of wastage 235–6
 - cotinine 118
 - Cox's (proportional hazards) regression 200
 - cross-sectional studies 35–7
 - analysis 169
 - bias 201, 206
 - incidence measurement 67–8
 - see also* study types: choice
 - crude rates of disease 163
 - cumulative incidence 15, 16, 18, 160–2, 181–2
 - cumulative prevalence 17, 18, 160–2
 - cut-off assignment 113–15
 - data
 - accuracy 56–7
 - analysis 168–9, 170
 - case-control studies *see* odds ratio calculation
 - cohort studies 179–87
 - resource wastage on 236
 - statistical packages 169
 - collection 39, 103 *see also* questionnaires
 - consistency checks 152, 153, 154
 - interpretation 8, 9
 - missing 155–6
 - preparation for analysis 145, 146, 147
 - costs 231, 232, 233, 234
 - initial checking 147–9
 - linkage from multiple sources 149
 - data coding schedule development 149–51
 - database development 151–3
 - data entry 153–4
 - checking entered data 154
 - consideration of missing data 155–6
 - recoding entered data 156–7
 - storage 157
 - use of computers 145, 146
 - protection 218
 - quality 8–9, 56–7
 - range checks 152, 154
 - repeatability 9, 120
 - analysis of 123–7
 - observer bias 122, 125
 - observer consistency 121–2, 140–1
 - studies to measure 122–3
 - storage 157
 - validity 9, 111
 - bias and 203
 - misclassification 116, 118–19
 - non-dichotomous variables 115–16
 - sensitivity and specificity 112–15
 - validation approaches 116–18
- database packages 146, 169
- databases 77–8
 - in-built checks 152–3
 - subject identification numbers 152
- dichotomous exposures 49, 50, 115, 171
- disease causation studies 4, 5
- disease controls 85–6
- disease definitions 3–4
- disease management 4, 6
- disease occurrence 4–5
 - measures 13
 - choice 17–19
 - incidence *see* incidence
 - prevalence *see* prevalence
- population selection for studies *see* population selection
- rate comparisons 20–1
 - age-specific 25–8
 - over time 24–5
 - standardisation methods *see* standardisation
- disease outcome 4, 5–6, 40
- disease prevention 4, 6
- distress in study participants 224–5
- double data entry 153

239 Index

- ecologic fallacy 33
- ecologic studies 31–3, 42
- electoral registers 56, 84
- environmental factors in disease, migrant studies 33–4
- EPI INFO package 90
- epidemiology
 - analytical 168–87
 - clinical 6
 - defined 3
 - descriptive 158–67
 - ethical issues 215–27
 - population 6
 - research issues 7–9
 - scope 3–6
- episode incidence 15, 18
- ethical issues 215
 - confidentiality of data
 - collected for the study 219–20
 - from third parties 220–1
 - consent 225–7
 - data protection 218
 - detection of previously unrecognised disease 221
 - not requiring intervention 222–3
 - requiring intervention 223–4
 - unrelated to the study 224
 - distress among participants 224–5
 - ethical approval 215–16
 - in maximisation of response rate 216–17
 - opt out or opt in 217
 - scientific validity 216
- exposure categorisation 49–50, 95–7
- external validity of studies 203
- family controls 86–7
- feasibility of studies 41
- first-ever incidence 14–15, 18
- follow-up of study cohorts 39–40, 184
 - losses and life table use 184
 - participation 132–3
 - disease status ascertainment 133–5
 - loss minimisation 135–7
 - sample size and 99
- frequently matching 89–90
- friend controls 86–7
- general practice registers 55–6, 134
- generalisability of results 9
- genetic factors in disease, migrant studies 34
- geographical/geopolitical populations 53, 54
- hazard ratios 183
- health service delivery 6
- home visits 130, 217
- identification numbers 152, 219, 220
- incidence 13
 - cumulative 15, 16, 18
 - episode 15, 18
 - first-ever 14–15, 18
 - life-table analysis 182–5
 - measurement
 - approaches summarised 60–3
 - catchment population methods *see* catchment population methods: incidence measurement
 - indirect 71–3
 - population surveys 67–8
 - rates (densities) 13–14, 158–9
 - confidence intervals 159–60, 161, 180–1
 - ratios 46–7, 179, 180–1
- incidence/prevalence bias 205
- individual matching 88–9
- information *see* data
- information bias 209–11
- inner-city populations 57
- internal validity of studies 203
- interpretation of results 8, 9
- intervention studies 6
- interview-administered questionnaires *see* questionnaires: interview-administered
- interviewers 105, 148
 - see also* observers
- Kaplan–Meier curves 185
- kappa (κ) statistic 123–6
- Latin square design 122–3
- left censorship 68
- life-table method 182–5, 200
- lifestyle factors in disease, migrant studies 34
- linear trend determination 175–7
- logistic regression 171, 178, 199–200
- LogRank test 185–7
- longitudinal studies *see* cohort studies
- lung cancer, age-specific mortality rates 26, 27, 28
- Mantel–Haenszel estimates 194–5
- measures of association *see* association: measures
- measures of disease occurrence *see* disease occurrence: measures
- medical record access 220–1, 222
- melanoma skin cancer 31, 32
- migrant studies 33–5, 42
- misclassification of subjects 116, 118–19
- multistage (cluster) sampling 59
- National Health Service Central Register 221
- national surveys 54
- neighbour controls 85
- nested case-control studies 40, 41, 43
- new incidence 14–15, 18
- non-response bias 205–8
- observers
 - agreement assessment 122
 - for categorical measures 123–6

240 Index

- observers (*cont.*)
 - for continuous measures 126–7
 - kappa statistic 123–6
 - study designs for 122–3
- bias 122, 125, 209–10
- consistency 121–2, 140–1
- see also* interviewers
- occurrence of disease *see* disease occurrence
- odds ratio calculation 47–8, 171–2
 - confidence intervals *see* confidence intervals:
 - odds ratios
- dichotomous exposures 171
- Mantel–Haenszel estimates 194–5
- matched pairs 177–8
- multiple exposure levels 174–5
- Office for National Statistics 221
- open questions 106–8
- optical scanning of questionnaires 154, 234
- overmatched cases and controls 87, 89

- p* values 170
- participation
 - bias 204–5
 - ethical constraints in maximisation 216–17
 - in follow-up *see* follow-up of study cohorts:
 - participation
 - pilot studies to estimate 139
 - reasons for non-participation 128
 - antipathy to research 132
 - anxiety about health 131
 - avoidance of discomfort 131
 - cost 131
 - inconvenience 129–30
 - lack of interest 129
- period prevalence 17, 18, 35
- person–years 14
- personnel costs 231–3, 234
- pilot studies 138–41
- point prevalence 17, 18, 35
- Poisson distribution 159
- Poisson regression 200
- population attributable risk 48, 180
- population registers 55–6, 82, 84
- population sampling 57–9
- population selection
 - criteria
 - access 55–6
 - data accuracy 56–7
 - representativeness 54–5
 - study size 57–9
 - population groups 53–4
 - problems 7–8
 - see also* subject selection for case-control studies; subject selection for cohort studies
- population surveys 55
 - costing model 229–33
 - data accuracy 57
- incidence measurement
 - left censorship 68
 - single or duplicate surveys, 62, 67–8
- prevalence measurement 70–1
- sample size requirements 58
- populations
 - age-restricted 54
 - free-living 7, 33
 - geographical/geopolitical 53, 54
 - inner-city 57
 - reference 164
 - standard 21–2, 164–5
 - world standard 22, 23
- postal surveys 71
 - mining inconvenience 130
 - strategy following poor response 217
- prevalence 16
 - cumulative 17, 18, 160–2
 - measurement
 - approaches 68
 - catchment population methods 69–70
 - indirect 72
 - population surveys 70–1
 - period 17, 18, 35
 - point 17, 18, 35
 - proportions 16, 160
 - confidence intervals 161–2
 - risk ration estimation from 181–2
- prospective cohort studies *see* cohort studies: prospective
- proxy respondents 37, 76, 103

- questionnaires
 - confidentiality 219–20
 - formulation 106
 - design 108–10
 - open and closed questions 106–8
 - front sheets 219
 - interview-administered
 - by telephone 106
 - compared with self-completed 103–5
 - data checking 148
 - immediate data entry 153–4
 - missing data 155
 - pilot-testing 139–40
 - pre-coded 147, 150
 - resource wastage on 235–6
 - self-completed
 - compared with interview-administered 103–5
 - data checking 147–8

- ranked exposures 49, 50
- rare diseases
 - retrospective studies 65
 - subject recruitment 78, 79
- rate comparisons *see* disease occurrence: rate comparisons
- rate difference 48, 179, 180
- rate ratios 46–7, 179–81

241 Index

- rates
 - age-specific 25–8, 163, 165
 - age-standardised 21–4, 164–7, 197–9
 - crude 163
 - incidence *see* incidence: rates (densities)
 - prevalence *see* prevalence: proportions
- recall bias 210–11
- recall by subjects 38, 105, 107
- receiver operating characteristic (ROC) curves 113, 114
- registers 133
 - electoral 56, 84
 - general practice 55–6, 134
 - linked 134
 - National Health Service Central Register 221
 - population 55–6, 82, 84
- reliability 120
- repeatability *see* data: repeatability
- retrospective studies 63–4, 69
 - case-control 43, 44
 - cohort *see* cohort studies: retrospective
- right censorship 184
- risk difference (attributable risk) 48, 180
- risk ratios 45–6, 181–2, 194, 196
- risks 5, 15
 - attributable 48–9, 180
 - relative 45–7 *see also* rate ratios; risk ratios
- ROC (receiver operating characteristic) curves 113, 114
- Rochester Epidemiology Project 63
- Rose Angina Questionnaire 111
- sample size 57, 58
 - case-control studies 90–2
 - cohort studies 97–9
 - pilot study estimation 141
- sample surveys of non-responders 208
- sampling from populations 57–9
- sampling units/frames 57, 82
- selection bias *see* bias: selection bias
- self-completed questionnaires 103–5, 147–8, 155
- self-reported diagnosis 80, 81
- sensitivity 112–15
- seven-day weighed-diet surveys 118
- sex, effects on disease occurrence 4–5
- simple random sampling 58
- SIRs (standardised incidence ratios) 23, 164
- specificity 112–15
- standardisation 21
 - analysis of confounding by 197–9
 - direct 21–2, 164, 166
 - indirect 22–4, 164–5, 166–7
- standardised incidence ratios (SIRs) 23, 164
- statistical packages 169
- stomach cancer 38
- stratification of confounders 193–7
- stratified random sampling 58–9
- study instruments *see* questionnaires
- study samples 58
- study size *see* sample size
- study types 31
 - case-control *see* case control studies
 - choice 41–4
 - cohort *see* cohort studies
 - cross-sectional *see* cross-sectional studies
 - ecologic (correlation) 31–3, 42
 - migrant 33–5, 42
- subject
 - identification numbers 152, 219, 220
 - misclassification 116, 118–19
 - participation *see* participation
 - variation 120
- subject (recall) bias 210–11
- subject selection for case-control studies
 - cases
 - diagnosed cases 77–8, 79
 - exclusion criteria 81–2
 - hospital-based series 77
 - incident vs. prevalent cases 74, 75
 - issues 74
 - patient registration form 80
 - pilot studies for recruitment rate estimation 139
 - population-based series 76–7
 - strategies 75
 - verification of cases 78, 79–81
- controls 82
 - disease controls 85–6
 - family/friend controls 86–7
 - ideal options 83
 - population-based selection 82, 84–5
 - two groups 87–8
- sample size 90–2
 - see also* case-control studies: matching
- subject selection for cohort studies 93
 - exposure categorisation 95–7
 - prospective cohorts 94–5
 - retrospective cohorts 93–4
 - sample size 97–9
- subject–observer interactions 121
- survey centre visits 130
- survival curves 184–7
- systematic sampling 58
- telephone interviews 106
- telephone recruitment of controls 84–5
- test cut-off assignment 113–15
- time-period effects 26
- tracing individuals 137
- urine cotinine 118
- validity *see* data: validity
- waste of resources 235–6
- world standard population 22, 23
- written consent 225