

Index

The page where an item is defined appears in boldface.

A full index is at <http://www.ma.utexas.edu/users/cup/Indexes>

A

absolute-homogeneous, **33**, 54, **380**
 absolutely continuous, **407**
 locally, **40**
 accessible stopping time, **122**
 action, differentiable, **279**, **326**
 adapted, **23**, **25**
 map of filtered spaces, **64**, **317**, **348**
 process, **23**, **28**
 adaptive, **7**, **141**, **281**, **317**, **319**
 a.e., almost everywhere, **32**, **96**
 meaning *Z*-a.e., **129**
 algorithm
 computing integral pathwise, **140**
 solving a markovian SDE, **311**
 solving a SDE pathwise, **7**, **314**
 a.s., almost surely, *P*-a.s., **32**
 ambient set, **90**
 analytic set, **432**
 analytic space, **441**
 approximate identity, **447**
 approximation, numerical – see
 method, **280**
 arctan metric, **110**, **364**, **369**, **375**
 Ascoli–Arzela theorem, **7**, **385**, **428**
ASSUMPTIONS
 on the data of a SDE, **272**
 the filtration is natural (regular and
 right-continuous), **58**, **118**, **119**,
 123, **130**, **162**, **221**, **254**, **437**
 the filtration is right-continuous,
 140
 auxiliary base space, **172**
 auxiliary space, **171**, **172**, **239**, **251**

B

backward equation, **359**
 Baire & Borel, function, set &
 σ -algebra, **391**, **393**

Banach space

 -valued integrable functions, **409**
 base space, **22**, **40**, **90**, **172**
 auxiliary, **172**
 basic filtration, **18**
 of a process, **19**, **23**
 of Wiener process, **18**
 on path space, **66**, **445**
 basis
 of neighborhoods, **374**
 of a uniformity, **374**
 bigger than (\geq), **363**
 Big O, **388**
 Blumenthal, **352**
 Borel σ -algebra on path space, **15**
 bounded
 $\mathcal{I}^p[\mathbb{P}]$ -bounded process, **49**
 linear map, **452**
 polynomially, **322**
 process of — variation, **67**
 stochastic interval, **28**
 subset of a topological vector space,
 379, **451**
 subset of L^p , **451**
 variation, **45**
 (B-p), **50**, **53**
 bracket
 previsible, oblique or angle —, **228**
 square —, **148**, **150**
 Brownian motion, **9**, **12**, **18**, **80**
 Burkholder, **84**, **213**

C

càdlàg, càglàd, **24**
 canonical
 decompositions of an integrator,
 221, **234**, **235**
 filtration on path space, **66**, **335**
 Wiener process, **16**, **58**
 canonical representation, **66**
 of an integrator, **14**, **67**

canonical representation (*cont'd*)

of a random measure, 177

of a semigroup, 358

capacity, 124, 252, 398, 434

Caratheodory, 395

carrier of a function, 369

Cauchy

filter, 374

random variable & distribution, 458

Cauchy-Schwarz inequality, 150

Central Limit Theorem, 10, 423

Chapman-Kolmogorov equations, 465

characteristic function, 13, 161, 254,
410, 430, 458

of a Gaussian, 419

of a Lévy process, 263

of Wiener process, 161

characteristic triple, 232, 259, 270

chopping, 47, 366

Choquet, 435, 442

class C_b^k etc, 281

closure

sequential, 392

topological of a set, 373

commuting flows, 279

commuting vector fields, 279, 326

compact, 373, 375

paving, 432

compensated part of an integrator, 221

compensator, 185, 221, 230, 231

compensatrix, 221

complete

uniform space, 374

universally — filtration, 22

completely regular, 373, 376, 421

completion

of a filtration, 39

of a uniform space, 374

universal, 22, 26, 407, 436

with respect to a measure, 414

\mathcal{E} -completion, 369, 375

completely (pseudo)metrizable, 375

compound Poisson process, 270

conditional expectation, 71, 72, 408

condition(s)

(IC-p), 89

(B-p), 50, 53

(RC-0), 50

the natural, 39

confined, 394

\mathcal{E} -confined, 369

uniform limit, 370

conjugate exponents, 76, 449

conservative

generator, 466, 467

semigroup, 268, 465, 466, 467

consistent family, 164, 166, 401

full, 402

continuity along increasing sequences,

95, 124, 137, 398, 452

of a capacity, 434

of \mathcal{E} , 89, 106

of \mathcal{E}_+ , 94

of \mathcal{E}_+^1 , 90, 95, 125

Continuity Theorem, 254, 423

continuous martingale part

of a Lévy process, 258

of an integrator, 235

contractivity, 235, 251, 407

modulus, 274, 290, 299, 407

strict, 274, 275, 282, 291, 297, 407

control

previsible, of integrators, 238

previsible, of random measures, 251

sure, of integrators, 292

controller

THE, for random measures, 251

THE previsible, 238, 283, 294

CONVENTIONS, 21

$[Z, Z]_0 = \dot{[Z, Z]}_0 = Z_0^2$, 148

= denotes near equality and indistinguishability, 35

$[Y, Z]_0 = \dot{[Y, Z]}_0 = Y_0 \cdot Z_0$, 150

\in meaning “measurable on”, 23,
391

$\int_0^T G dZ$ is the random variable
($G \ast Z$) $_T$, 134

$\int_0^T G dZ = \int G dZ^T$, 131

\mathbf{P} is understood, 55

$\Delta X_0 = X_0$, 25

$X_{0-} = 0$, 24

about positivity, negativity etc., 363

about $\pm\infty$, 363

Einstein convention, 8, 146

integrators have right-continuous
paths with left limits, 62

processes are only a.e. defined, 97

re Z -negligibility, Z -measurability,
 Z -a.e., 129

sets are functions, 364

convergence

$[\]$ -a.e. & Z -p-a.e., 96

in law or distribution, 421

in mean, 6, 96, 99, 102, 103, 449

in measure or probability, 34

largely uniform, 111

- convergence (*cont'd*)
 of a filter, **373**
 uniform — on large sets, 111
 weak, of measures, **421**
- convex
 function, 147, **408**
 function of an L^0 -integrator, **146**
 set, 146, 189, 197, **379**, 382
- convolution, **117**, 196, 199, 275, 288, 373, **413**
 semigroup, 254
- core, 270, **464**
- countably generated, 100, 377
 algebra or vector lattice, **367**
- countably subadditive, **87**, 90, 94, **396**
- coupling coefficient, 1, 2, 4, 8, **272**
 autologous, **288**, 299, 305
 autonomous, **287**
 depending on a parameter, 302, 305
 endogenous, **289**, 314, 316, 331
 instantaneous, **287**
 Lipschitz, **285**
 Lipschitz in Picard norm, **286**
 markovian, **272**, 321
 non-anticipating, **272**, 333
 of linear growth, 332
 randomly autologous, **288**, 300
 strongly Lipschitz, **285**, 288, 289
- Courrège, 232
- covariance matrix, 10, **19**, 161, **420**
- cross section, 204, 331, **378**, **436**, 438, 440
- cumulative distr. function, 69, **406**
- D**
- Daniell mean, **87**, **397**
 THE, **89**, 95, **109**, 124, 174
 maximality of, **123**, 135, 217, 398
- Daniell's method, **87**, **395**
- Davis, 213
- DCT: Dominated Convergence Theorem, 5, **52**, **103**
- debut, **40**, 127, **437**
- decompositions, canonical,
 of an integrator, **221**, **234**, **235**
 of a Lévy process, **265**
- decreasingly directed, **366**, 398
- Dellacherie, 432
- derivative, **388**
 higher order weak, **305**
 tiered weak, **306**
 weak, 302, **390**
- deterministic, not depending on chance
 ω , 7, 47, 123, 132
- differentiable, **388**
 action, **279**, 326
 l -times weakly, **305**
 weakly, 278, **390**
- diffusion coefficient, **11**, 19
- Dirac measure, **41**, 398
- disintegration, 231, 258, **418**
- dissipative, **464**
- distinguish processes, **35**
- distribution, 14, **405**
 cumulative — function, **406**
 Gaussian or normal, **419**
- distribution function, 45, 87, **406**
 of Lebesgue measure, **51**
 random, **49**
 stopped, **131**
- Doléans–Dade
 exponential, **159**, 163, 167, 180, 186, 219, 326, 344
 measure, **222**, 226, 241, 245, 247, 248, 249, 251
 process, **222**, 226, 231, 245, 247, 249
- Donsker, 426
- Doob, 60, 75, 76, 77, 223
- Doob–Meyer decomposition, 187, 202, 221, 228, 231, 233, 235, 240, 244, 247, 254, 266
- δ -ring, **104**, **394**, 409
- drift, 4, 72, 272
- driver, 11, 20, 169, 188, 202, 228, 246
 of a stochastic differential equation, 4, 6, 17, 271, 311
- d -tuple of integrators
 see vector of —, 9
- dual of a topological vector space, **381**
- E**
- effect, of noise, 2, 8, 272
- Einstein convention, 146
- elementary
 integral, 7, 44, **47**, 99, **395**
 integrand, 7, **43**, 44, **46**, 47, 49, 56, 79, 87, 90, 95, 99, 111, 115, 136, 155, **395**
 stochastic integral, **47**
 stopping time, **47**, 61
- endogenous coupling coefficient, 314, 316, 331
- enlargement
 natural, of a filtration, **39**, 57, 101, 255, 440

enlargement (*cont'd*)

usual, of a filtration, 39

envelope, 125, 129

 Z -envelope, 129

measurable, 398

predictable, 125, 129, 135, 337

equicontinuity, uniform, 384, 387

equivalence class \dot{f} of a function, 32

equivalent, locally, 40, 162

equivalent probabilities, 32, 34, 50, 187,
191, 206, 208, 450Euler–Peano approximation, 7, 311,
312, 314, 317

evaluation process, 66

evanescent, 35

exceed, 363

expectation, 32

exponential, stochastic, 159, 163, 167,
180, 186, 219extended reals, 23, 60, 74, 90, 125, 363,
364, 392, 394, 408

extension, integral, of Daniell, 87

F

factorization, 50, 192, 233, 282, 291,
293, 295, 298, 304, 320, 458

of random measures, 187, 208, 297

factorization constant, 192

Fatou's lemma, 449

Feller semigroup, 269, 350, 351, 465,
466

canonical representation of, 358

conservative, 268, 465

convolution, 268, 466

natural extension of, 467

stochastic representation, 351

stochastic representation of, 352

filter, convergence of, 373

filtered measurable space, 21, 438

filtration, 5, 22

basic, of a process, 18, 19, 23, 254

basic, of path space, 66, 166, 445

basic, of Wiener process, 18

canonical, of path space, 66, 335

full, 166, 176, 177, 185

full measured, 166

 \mathfrak{P} -regular, 38, 437is assumed right-continuous and
regular, 58, 60, 62

measured, 32, 39

natural, of a process, 39

natural, of a random measure, 177

natural, of path space, 67, 166

filtration (*cont'd*)

natural enlargement of, 39, 57, 254

regular, 38, 437

regularization of a, 38, 135

right-continuous, 37

right-continuous version of, 37, 38,
117, 438

universally complete, 22, 437, 440

finite

for the mean, 90, 94

function — in p -mean, 448

process — for the mean, 97, 100

process of — variation, 68

stochastic interval, 28

variation, 45

variation, process of —, 23

finite intersection property, 432

finite variation, 394, 395

flow, 278, 326, 359, 466

 λ -form, 305

Fourier transform, 410

Fréchet space, 364, 380, 400, 467

French School, 21, 39

Friedman, 459

Fubini's theorem, 403, 405

full

filtration, 166, 176, 185

measured filtration, 166

projective system, 402, 447

function

finite in p -mean, 448 p -integrable, 33

idempotent, 365

lower semicontinuous, 194, 207, 376

numerical, 110, 364

simple measurable, 448

universally measurable, 22, 23, 351,
407, 437

upper semicont., 108, 194, 376, 382

vanishing at infinity, 366, 367

functional, 370, 372, 379, 381, 394

functional, solid, 34

G

Garsia, 215

gauge, 50, 89, 95, 130, 380, 381, 400,
450, 468

gauges defining a topology, 95, 379

Gauß kernel, 420

Gaussian

distribution, 419

normalized, 12, 419, 423

semigroup, 466

- Gaussian (*cont'd*)
 with covariance matrix, 270, 420
 \mathcal{G}_t -set, 379
 Gelfand transform, 108, 174, 370
 generate
 a σ -algebra from functions, 391
 a topology, 376, 411
 generator, conservative, 467
 Girsanov's theorem, 39, 162, 164, 167, 176, 186, 338, 475
 global $L^p(\mathbb{P})$ -integrator, 50
 global L^p -random measure, 173
 graph of an operator, 464
 graph of a random time, 28
 Gronwall, 383
 Gundy, 213
- H**
- Haagerup, 457
 Haar measure, 196, 394, 413
 Hardy mean, 179, 217, 219, 232, 234
 Hardy space, 220
 harmonic measure, 340
 Hausdorff space or topology, 367, 370, 373
 heat kernel, 420
 Heun method, 322
 heuristics, 10, 11, 12
 history, 5, 21
 course of, 3, 318
 hitting distribution, 340
 Hölder's inequality, 33, 188, 449
 homeomorphism, 343, 347, 364, 379, 441, 460
 Hunt function, 181, 185, 257, 258
- I**
- (IC-p), 89
 idempotent function, 365
 iff, meaning if and only if, 37
 $L^p(\mathbb{P})$ -integrator, 50
 global, 50
 vector of, 56
 image of a measure, 405
 increasingly directed, 72, 366, 376, 398, 417
 increasing process, 23
 increments, 10, 19
 independent, 10, 253
 indefinite integral
 against an integrator, 134
 against jump measure, 181
 independent, 10, 16, 263, 413
 independent (*cont'd*)
 increments, 10, 253
 indistinguishable, 35, 62, 226, 387
 induced topology, 373
 induced uniformity, 374
 inequality
 Cauchy–Schwarz —, 150
 Hölder's —, 449
 of Hölder, 33, 188
 initial condition, 8, 273
 initial value problem, 342
 inner measure, 396
 inner regularity, 400
 instant, 31
 integrability criterion, 113, 397
 integrable
 function, Banach space-valued, 409
 process, on a stochastic interval, 131
 set, 104
 integral
 against a random measure, 174
 elementary, 7, 44, 99, 395
 elementary stochastic, 47
 extended, 100
 extension of Daniell, 87
 Itô stochastic, 99, 169
 Stratonovich stochastic, 169, 320
 upper, of Daniell, 87
 Wiener, 5
 integral equation, 1
 integrand, 43
 elementary, 7, 43, 44, 46, 47, 49, 56, 79, 87, 90, 95, 99, 111, 115, 136, 155
 elementary stochastic, 46
 integrator, 7, 20, 43, 50
 d -tuple of, see vector of, 9
 local, 51, 234
 slew of, see vector of, 9
 integrators
 vector of, 56, 63, 77, 134, 149, 187, 202, 238, 246, 282, 285
 intensity, 231
 measure, 231
 of jumps, 232, 235
 rate, 179, 185, 231
 interpolation, 33, 85, 453
 interval
 finite stochastic, 28
 stochastic, 28
 intrinsic time, 239, 318, 321, 323
 iterates
 Picard, 2, 3, 6, 273, 275

494

Itô, 5, 24

Itô's theorem, 157

Itô stochastic integral, 99, 169

J

Jensen's inequality, 73, 243, 408

jump intensity, 232

continuous, 232, 235

measure, 258

rate, 232, 258

jump measure, 181

jump process, 148

K

Khintchine, 64, 455

Khintchine constants, 457

Kolmogorov, 3, 384

Kronecker delta, 19

Kunita–Watanabe, 212, 228, 232

Ky–Fan, 34, 189, 195, 207, 382

L

largely

smooth, 111, 175

uniform convergence, 111

uniformly continuous, 405

lattice algebra, 366, 370

law, 10, 13, 14, 161, 405

Newton's second, 1

of Wiener process, 16

strong law of large numbers, 76, 216

Lebesgue, 87, 395

Lebesgue measure, 394

Lebesgue–Stieltjes integral, 4, 43, 54,
87, 142, 144, 153, 158, 170, 232,
234

left-continuous

process, 23

version of a process, 24

version of the filtration, 123

 ℓ^p -length of a vector or sequence, 364less than (\leq), 363

Lévy

measure, 258, 269

process, 239, 253, 292, 349, 466

Lie bracket, 278

lifetime of a solution, 273, 292

lifting, 415

strong, 419

Lindeberg condition, 10, 423

linear functional, positive, 395

linear map, bounded, 452

Index**Lipschitz**

constant, 144, 274

coupling coefficients, 285

function, 2, 4, 144

in p -mean, 286

in Picard norm, 286

locally, 292

strongly, 285, 288, 289

vector field, 274, 287

Little o, 388

local

 L^1 -integrator, 221 L^p -random measure, 173

martingale, 75, 84, 221

property of a process, 51, 80

local \mathcal{E} -compactification, 108, 367, 370

local martingale, 75

square integrable, 84

locally absolutely continuous, 40, 52,
130, 162

locally bounded, 122, 225

locally compact, 374

locally convex, 50, 187, 379, 467

locally equivalent probabilities, 40,
162, 164

locally Lipschitz, 292

locally Z - p -integrable, 131

Lorentz space, 51, 83, 452

lower integral, 396

lower semicontinuous, 207, 376
function, 194 L^p -bounded, 33 $L^p(\mathbb{P})$ -integrator, 50 L^p -integrator, 50, 62

complex, 152

vector of, 56

Lusin, 110, 432

space, 447

space or subset, 441

 L^0 -integrator

convex function of a, 146

M

(M), condition, 91, 95

markovian coupling coefficient, 272,
287, 311, 321

Markov property, 349, 352

strong, 349, 352

martingale, 5, 19, 71, 74, 75

continuous, 161

local, 75, 84

locally square integrable, 213

of finite variation, 152, 157

- martingale (*cont'd*)
 previsible, 157
 previsible, of finite variation, 157
 square integrable, 78, 163, 186, 262
 uniformly integrable, 72, 75, 77, 123, 164
 martingale measure, 220
 martingale part, continuous, of an integrator, 235
 martingale problem, 338
 Maurey, 195, 205
 maximal inequality, 61, 337
 maximality
 of a mean, 123
 of Daniell's mean, 123, 135, 217, 398
 maximal lemma of Doob, 76
 maximal path, 26, 274
 maximal process, 21, 26, 29, 38, 61, 63, 122, 137, 159, 227, 360, 443
 maximum principle, 340
 MCT: Monotone Convergence Theorem, 102
 mean, 94, 399
 THE Daniell —, 89, 124, 174
 controlling a linear map, 95
 controlling the integral, 95, 99, 100, 101, 123, 124, 217, 247, 249, 250
 Hardy—, 217, 219, 232, 234
 σ -finite —, 105
 majorizing a linear map, 95
 maximality of a —, 123
 maximality of Daniell's —, 123, 135, 217
 pathwise, 216
 measurable, 110
 cross section, 436, 438, 440
 filtered — space, 21, 438
 Z -measurable, 129
 Z - p -measurable, 111
 on a σ -algebra, 391
 process, 23, 243
 set, 114
 simple function, 448
 space, 391
 measure, 394
 σ -finite, 449
 of totally finite variation, 394
 support of a, 400
 tight, 21, 165, 399, 407, 425, 441
 measured filtration, 39
 measure space, 409
 method
 adaptive, 281
 Euler, 281, 311, 314, 318, 322
 method (*cont'd*)
 Heun, 322
 order of, 281, 324
 Runge–Kutta, 282, 321, 322
 scale-invariant, 282, 329
 single-step — ξ' , 280
 single-step — Ξ' , 322, 325
 Taylor, 281, 282, 321, 322, 327
 metric, 374
 metrizable, 367, 375, 376, 377
 Meyer, 228, 232, 432
 minimax theorem, 382
 μ -integrable, 397
 μ -measurable, 397
 μ -negligible, 397
 model, 1, 4, 6, 10, 11, 18, 20, 21, 27, 32
 modification, 58, 61, 62, 75, 101, 132, 134, 136, 147, 167, 223, 268
 P-modification, 34, 384
 modulus
 of continuity, 58, 191, 206, 209, 444
 of contractivity, 290, 299, 407
 monotone class, 16, 145, 155, 218, 224, 393, 439
 Monotone Class Theorem, 16
 multiplicative class, 393, 399, 421
 complex, 393, 399, 410, 421, 423, 425, 427
 μ -measurable
 map between measure spaces, 405
 N
 natural
 domain of a semigroup, 467
 extension of a semigroup, 467
 filtration of path space, 67, 166
 increasing process, 228, 234
 natural conditions, 29, 39, 60, 118, 119, 127, 130, 133, 162, 437
 natural enlargement of a filtration, 57, 101, 254, 255, 440
 nearly, 118, 119, 141
 nearly, P-nearly, 35
 negative, (≤ 0), 363
 strictly — (< 0), 363
 negligible, 32, 95
 meaning Z -negligible, 129
 P-negligible, 32
 neighborhood filter, 373
 Nelson, 10
 Newton, 1
 Nikisin, 207
 noise, 2

noise (*cont'd*)

- background, 2, 8, 272
- cumulative, 2
- effect of, 2

nolens volens, meaning nilly-willy, 421

non-adaptive, 281, 317, 321

non-anticipating

- process, 6, 144
- random measure, 173

normal distribution, 419

normalized Gaussian, 12, 419, 423

Notations, see Conventions, 21

Novikov, 163, 165

numerical, 23, 392, 394, 408

- function, 110, 364

numerical approximation, see method, 280

O

ODE, 4, 273, 326

one-point compactification, 374, 465

optional

- σ -algebra \mathcal{O} , 440
- process, 440
- projection, 440
- stopping theorem, 77

order-bounded, 406

order-complete, 252, 406

order-continuity, 398, 421

order-continuous mean, 399

order interval, 45, 50, 173, 372

order of an approximation scheme, 281, 319, 324

oscillation of a path, 444

outer measure, 32

P

partition, random or stochastic, 138

past, 5, 21

- strict, of a stopping time, 120, 225

path, 4, 5, 11, 14, 19, 23

- s describing the same arc, 153

path space, 14, 20, 166, 380, 391, 411, 440

- basic filtration of, 66

- canonical, 66

- canonical filtration of, 66, 335

- natural filtration of, 67, 166

pathwise

- computation of the integral, 140
- failure of the integral, 5, 17
- mean, 216, 238
- previsible control, 238

pathwise (*cont'd*)

- solution of an SDE, 311

- stochastic integral, 7, 140, 142, 145

paving, 432

permanence properties, 165, 391, 397

- of fullness, 166

- of integrable functions, 101

- of integrable sets, 104

- of measurable functions, 111, 114, 115, 137

- of measurable sets, 114

Picard, 4, 6

- iterates, 2, 3, 6, 273, 275

Picard norm, 274, 283

- Lipschitz in, 286

p -integrable

- function or process, 33
- uniformly — family, 449

Pisier, 195

p -mean σ -additivity, 106

p -mean, 33

$p; \mathbb{P}$ -mean σ -additivity, 90

point at infinity, 374

point process, 183

- Poisson, 185

- simple, 183

Poisson point process, 185, 264

- compensated, 185

Poisson process, 270, 359

Poisson random variable, 420

Poisson semigroup, 359

polarization, 366

polish space, 15, 20, 440

polynomially bounded, 322

positive (≥ 0), 363

- linear functional, 395

- strictly — (> 0), 363

positive maximum principle, 269, 466

potential, 225

\mathfrak{P} -regular filtration, 38, 437

precompact, 376

predictable, 115

- increasing process, 225

- process of finite variation, 117

- projection, 439

- random function, 172, 175, 180

- stopping time, 118, 438

- transformation, 185

predict a stopping time, 118

previsible, 68

- bracket, 228

- control, 238

- dual — projection, 221

- process, 68, 122, 138, 149, 156, 228

- previsible (*cont'd*)
 process of finite variation, 221
 process — with \mathbf{P} , 118
 set, 118
 set, sparse, 235
 square function, 228
- previsible controller, 238, 283, 294
- probabilities
 locally equivalent, 40, 162
- probability, 3
 on a topological space, 421
- process, 6, 23, 90, 97
 adapted, 23
 basic filtration of \mathbf{a} , 19, 23, 254
 continuous, 23
 defined $\llbracket \cdot \rrbracket^*$ -a.e., 97
 evanescent, 35
 finite for the mean, 97, 100
 $\mathcal{I}^{\mathbf{P}}$ -bounded, 49
 $L^{\mathbf{P}}$ -bounded, 33
 p -integrable, 33
 $\llbracket \cdot \rrbracket^*$ -integrable, 99
 $\llbracket \cdot \rrbracket^*$ -negligible, 96
 Z - p -integrable, 99
 Z - p -measurable, 111
 increasing, 23
 indistinguishable —es, 35
 integrable on a stochastic interval,
 131
 jump part of \mathbf{a} , 148
 jumps of \mathbf{a} , 25
 left-continuous, 23
 Lévy, 239, 253, 292, 349
 locally Z - p -integrable, 131
 local property of \mathbf{a} , 51, 80
 maximal, 21, 26, 29, 61, 63, 122, 137,
 159, 227, 360, 443
 measurable, 23, 243
 modification of \mathbf{a} , 34
 natural increasing, 228
 non-anticipating, 6, 144
 of bounded variation, 67
 of finite variation, 23, 67
 optional, 440
 predictable, 115
 predictable increasing, 225
 predictable of finite variation, 117
 previsible, 68, 118, 122, 138, 149,
 156, 228
 previsible with \mathbf{P} , 118
 right-continuous, 23
 square integrable, 72
 stationary, 10, 19, 253
 stopped, 23, 28, 51
- process (*cont'd*)
 stopped just before T , 159, 292
 variation — of another, 68, 226
- product σ -algebra, 402
- product of elementary integrals, 402,
 413
 infinite, 12, 404
- product paving, 402, 432, 434
- progressively measurable, 25, 28, 35,
 37, 38, 40, 41, 65, 437, 440
- projection
 dual previsible, 221
 predictable, 439
 well-measurable, 440
- projective limit
 of elementary integrals, 402, 404,
 447
 of probabilities, 164
- projective system, 401
 full, 402, 447
- Prokhoroff, 425
- $\|\cdot\|_p$ -semivariation, 53
- pseudometric, 374
- pseudometrizable, 375
- punctured d -space, 180, 257
- Q**
- quasi-left-continuity, 232, 235, 239, 250,
 265, 285, 292, 319, 350
 of a Lévy process, 258
 of a Markov process, 352
- quasinorm, 381
- R**
- Rademacher functions, 457
- Radon measure, 177, 184, 231, 257,
 263, 355, 394, 398, 413, 418, 442,
 465, 469
- Radon–Nikodym derivative, 41, 151,
 187, 223, 407, 450
- random
 interval, 28
 partition, refinement of \mathbf{a} , 138
 sheet, 20
 time, 27, 118, 436
 vector field, 272
- random function, 172, 180
 predictable, 175
- randomly autologous
 coupling coefficient, 300
- random measure, 109, 173, 188, 205,
 235, 246, 251, 263, 296, 370
 canonical representation, 177

random measure (*cont'd*)

- compensated, **231**
 - driving a SDE, 296, 347
 - driving a stochastic flow, 347
 - factorization of, 187, 208
 - quasi-left-continuous, **232**
 - spatially bounded, **173**, 296
 - stopped, **173**
 - strict, **183**, 231, 232
 - vanishing at 0, **173**
 - Wiener, **178**, **219**
- random time, graph of, **28**
- random variable, **22**, **391**
- nearly zero, **35**
 - simple, 46, 58, **391**
 - symmetric stable, **458**
- (RC-0), **50**
- rectification
- time — of a SDE, 280, 287
 - time — of a semigroup, 469
- recurrent, 41
- reduce
- a process to a property, 51
 - a stopping time to a subset, **31**, **118**
- reduced stopping time, **31**
- refine
- a filter, **373**, **428**
 - a random partition, 62, **138**
- regular, 35
- filtration, **38**, 437
 - stochastic representation, **352**
- regularization
- of a filtration, **38**, 135
- relatively compact, 260, 264, **366**, 385, 387, 425, 426, 428, 447
- remainder, 277, **388**, 390
- remove a negligible set from Ω , 165, 166, 304
- representation
- canonical of an integrator, **67**
 - of a filtered probability space, 14, **64**, 316
- representation of martingales
- for Lévy processes, 261
 - on Wiener space, 218
- resolvent, 352, **463**
- identity, **463**
- right-continuous, 44
- filtration, **37**
 - process, **23**
 - version of a filtration, **37**
 - version of a process, **24**, **168**
- ring of sets, **394**
- Runge–Kutta, 281, 282, 321, **322**, 327

S

- σ -additive, **394**
 - in p -mean, **90**, 106
 - marginally, 174, **371**
- σ -additivity, 90
- σ -algebra, **394**
 - Baire vs. Borel, **391**
 - function measurable on a, **391**
 - generated by a family of functions, **391**
 - generated by a property, **391**
 - universally complete, **407**
- σ -algebras, product of, **402**
- scalæfication, of processes, **139**, 300, 312, 315, 335
- scalæ: ladder, flight of steps, 139, 312
- Schwartz, 195, 205
- Schwartz space, **269**
- σ -continuity, 90, 370, 394, **395**
- self-adjoint, 454
- self-confined, **369**
- semicontinuous, 207, **376**, 382
- semigroup
 - conservative, 467
 - convolution, 254
 - Feller, 268, **465**
 - Feller convolution, 268, **466**
 - Gaussian, 19, 466
 - natural domain of a, **467**
 - of operators, **463**
 - Poisson, **359**
 - resolvent of a, 463
 - time-rectification of a, **469**
- semimartingale, **232**
- seminorm, **380**
- semivariation, 53, 92
- separable, 367
 - topological space, 15, **373**, **377**
- sequential closure or span, **392**
- set
 - analytic, **432**
 - \mathbb{P} -nearly empty, 60
 - $\llbracket \cdot \rrbracket^*$ -measurable, 114
 - identified with indicator function, **364**
 - integrable, **104**
- σ -field, **394**
- shift
 - a process, 4, 162, **164**
 - a random measure, **186**
- σ -algebra
 - \mathcal{P} of predictable sets, 115
 - \mathcal{O} of well-measurable sets, **440**

- σ -algebra (*cont'd*)
of \mathbb{F}^* -measurable sets, 114
optional — \mathcal{O} , 440
- σ -finite
class of functions or sets, 392, 395, 397, 398, 406, 409
mean, 105, 112
measure, 406, 409, 416, 449
- simple
measurable function, 448
point process, 183
random variable, 46, 58, 391
- size of a linear map, 381
- Skorohod, 21, 443
space, 391
- Skorohod topology, 21, 167, 411, 443, 445
- slew of integrators
see vector of integrators, 9
- solid, 36, 90, 94
functional, 34
- solution
strong, of a SDE, 273, 291
weak, of a SDE, 331
- space
analytic, 441
completely regular, 373, 376
Hausdorff, 373
locally compact, 374
measurable, 391
polish, 15
Skorohod, 391
- span, sequential, 392
- sparse, 69, 225
- sparse previsible set, 235, 265
- spatially bounded random measure, 173, 296
- spectrum of a function algebra, 367
- square bracket, 148, 150
- square function, 94, 148
continuous, 148
of a complex integrator, 152
previsible, 228
- square integrable
locally — martingale, 84, 213
martingale, 78, 163, 186, 262
process, 72
- square variation, 148, 149
- stability
of solutions to SDE's, 50, 273, 293, 297
under change of measure, 129
- stable, 220
- standard deviation, 419
- stationary process, 10, 19, 253
- step function, 43
- step size, 280, 311, 319, 321, 327
- stochastic
analysis, 22, 34, 47, 436, 443
exponential, 159, 163, 167, 180, 185, 219
flow, 343
flow, of class C^1 , 346
integral, 99, 134
integral, elementary, 47
integrand, elementary, 46
integrator, 43, 50, 62
interval, bounded, 28
interval, finite, 28
partition, 140, 169, 300, 312, 318
representation, regular, 352
representation of a semigroup, 351
- Stone–Weierstraß, 108, 366, 377, 393, 399, 441, 442
- stopped
just before T , 159, 292
process, 23, 28, 51
- stopping time, 27, 51
accessible, 122
announce a, 118, 284, 333
arbitrarily large, 51
elementary, 47, 61
examples of, 29, 119, 437, 438
past of a, 28
predictable, 118, 438
totally inaccessible, 122, 232, 235, 258
- Stratonovich equation, 320, 321, 326
- Stratonovich integral, 169, 320, 326
- strictly positive or negative, 363
- strict past of a stopping time, 120
- strict random measure, 183, 231, 232
- strong law of large numbers, 76, 216
- strong lifting, 419
- strongly perpendicular, 220
- strong Markov property, 352
- strong solution, 273, 291
- strong type, 453
- subadditive, 33, 34, 53, 54, 130, 380
- submartingale, 73, 74
- supermartingale, 73, 74, 78, 81, 85, 356
- support of a measure, 400
- sure control, 292
- Suslin, 432
space or subset, 441
- symmetric form, 305
- symmetrization, 305
- Szarek, 457

500

Index

Ttail filter, **373**Taylor method, 281, 282, 321, **322**, 327

Taylor's formula, 387

THEDaniell mean, **89**, **109**, 124previsible controller, **238**time transformation, **239**, 283, 296threshold, 7, 140, 168, **280**, 311, 314tiered weak derivatives, **306****tight**measure, 21, 165, **399**, 407, 425, 441uniformly, 334, **425**, 427

time, random, 27, 118, 436

time-rectification of a SDE, **287**time-rectification of a semigroup, **469**time shift operator, **359**

time transformation, 283, 444

THE, 283, **239**, 296topological space, **373**

Lusin, 441

polish, 20, **440**separable, 15, 373, **377**

Suslin, 441

topological vector space, **379****topology, 373**

generated by functions, 411

generated from functions, **376**Hausdorff, **373**of a uniformity, **374**

of confined uniform convergence,

50, 172, 252, **370**

of uniform convergence on com-

pacta, 14, 263, 372, **380**, 385, 411,

426, 467

Skorohod, 21

uniform — on \mathcal{E} , 51totally bounded, **376**

totally finite variation, 45

measure of, **394**totally inaccessible stopping time, **122**,

232, 235, 258

trajectory, **23**transformation, predictable, **185**transition probabilities, **465**transparent, **162**triangle inequality, **374**Tychonoff's theorem, **374**, 425, 428**type**map of weak —, **453**(p, q) of a map, **461****U**[]^{*}-a.e.defined process, **97**convergence, **96**[]^{*}-integrable, **99**[]^{*}-measurable, 111process, on a set, **110**

set, 114

[]^{*}-negligible, **95**[]^{*}_{Z-P}-a.e., **96**[]^{*}_{Z-P}-negligible, **96****uniform**

convergence, 111

largely — convergence, 111

uniform convergence on compacta

see topology of, **380**uniformity, **374**generated by functions, **375**, 405induced on a subset, **374** \mathcal{E} -uniformity, 110, **375**uniformizable, **375**uniformly continuous, **374**

largely, 405

uniformly differentiable

weakly, 299, 300, **390**weakly *l*-times, **305**uniformly integrable, 75, 225, **449**

martingale, 72, 77

uniqueness of weak solutions, **331**

universal completeness of the regular-

ization, **38**universal completion, 22, 26, **407**, 436

universal integral, 141, 331

universally complete, 38

filtration, **437**, 440

universally measurable

function, 22

set or function, 23, 351, **407**, 437

universal solution of an endogenous

SDE, **317**, 347, 348

up-and-down procedure, 88

upcrossing, **59**, 74

upcrossing argument, 60, 75

upper integral, 32, 87, **396**

upper regularity, 124

upper semicontinuous, 107, 194, 207,

376, 382usual conditions, **39**, 168usual enlargement, **39**, 168

V

- vanish at infinity, **366, 367**
- variation, **395**
 - bounded, 45
 - finite, 45
 - function of finite, 45
 - measure of finite, **394**
 - of a measure, 45, **394**
 - process, **68, 226**
 - process of bounded, **67**
 - process of finite, **67**
 - square, **148, 149**
 - totally finite, 45
- vector field, 272, 311
 - random, 272
- vector lattice, **366, 395**
- vector measure, 49, 53, 90, 108, 172, 448
- vector of integrators
 - see integrators, vector of, 9
- version
 - left-continuous, of a process, **24**
 - right-continuous, of a process, **24**
 - right-continuous, of a filtration, **37**

W

- weak
 - derivative, 302, **390**
 - higher order derivatives, **305**
 - tiered derivatives, **306**
- weak convergence, 421
 - of measures, 421
- weak* topology, 263, **381**
- weakly differentiable, 278, **390**
 - l -times, **305**

- weak solution, **331**
- weak topology, **381, 411**
- weak type, 453
- well-measurable
 - σ -algebra \mathcal{O} , **440**
 - process, 217, **440**
- Wiener, 5
 - integral, 5
 - measure, **16, 20, 426**
 - random measure, **178, 219**
 - sheet, **20**
 - space, **16, 58**
- Wiener process, 9, 10, **11, 17, 89, 149, 161, 162, 251, 426**
 - as integrator, 79, 220
 - canonical, **16, 58**
 - characteristic function, 161
 - d -dimensional, **20, 218**
 - Lévy's characterization, 19, **160**
 - on a filtration, **24, 72, 79, 298**
 - square bracket, 153
 - standard, **11, 16, 18, 19, 41, 77, 153, 162, 250, 326**
 - standard d -dimensional, **20, 218**
 - with covariance, **161, 258**

Z

- Zero-One Law, 41, 256, 352, 358
- Z -measurable, **129**
- Z - p -a.e., **96, 123**
 - convergence, **96**
- Z - p -integrable, 123, **99**
- ζ - p -integrable, 175
- Z - p -measurable, 111, 123
- Z - p -negligible, **96**