

Index

- admissible sequence
 - Lazard, 160
 - weak, 161
 - Ritt, 157
 - strong, 157
 - weak, 154
- algorithm
 - Alonso–Raimondo, 44, 180, 184
 - Möller, 30, 46–58
 - Stetter, 44, 57, 135
 - Traverso, 44, 138, 258, 262
- allgemeine*
 - basis, xvii, 64, 181, 222, 250
 - Basissätze, 247
 - coordinate, xvii, 57, 60, 181, 249, 253
- Alonso–Raimondo algorithm, 44, 180
- alternating group, 220
 - A_4 , 192, 193, 195, 197, 198, 201
- anti-differential operator, 32
- ARGH decomposition, 226
- ascending set, 148
- backward identity matrix, 23
- basic set, 149
- basis, Gröbner, 4
- Bézout, E., 97, 103–104
- Bezoutian
 - matrix, 108
 - polynomials
 - primary, 107
 - secondary, 109
- Bezoutiant, 108, 109
- Bezoutic
 - emanant, 108
 - matrix, 104, 108
 - square, 108
- biorthogonal basis, 20
- Buchberger’s First Criterion, 207
- canonical form, xv, 4
- Cauchy modules, 203
- Cayley, A., 106–107, 112–113
- Cerlienco–Mureddu Correspondence, 54–57
- chain
 - of algebraic polynomials, 148
 - of differential polynomials, 142
- characteristic
 - set, 143, 149
 - Ritt, 157
 - Wu, 157
- class (Ritt), 141, 148
- complete sum, 209
- complexity
 - of arithmetical operations, 243
 - of merging ordered lists, 50
- connected, vector space to element, 125
- constants, 139
- curvilinear primary, 63
- Delassus, E., 14, 138
- differential
 - field, 139
 - ideal, 140
 - indeterminate, 139
 - polynomial, 139
 - root, 153
- differentiation, 139
- dihedral group, 220
- dimension, xv, 5
- discriminant, 201
- Dixon, A.L., 113–117
 - Matrix, 115
 - polynomial, 115
 - resultant, 115
- Drach, J., 152
- dual space, 20
- Duval, D.
 - field, 161
 - splitting, 165, 247, 248, 251, 262
- eigenspace intersection method, 44
- eliminant, 114

274

endlichvielen Schritten, 12
 escalier, 54
 Euler, L., 103
 extraneous factor, 77, 82, 84

faithful representation of a group, 194
 form, canonical, xv, 4

geometric resolution, 224
 Gianni–Kalkbrener Theorem, 9, 138
 Gianni's Proposition, 43
 Gröbner basis, 4
 description, xvi, 20, 257
 representation (of an algebra), xvi, 20, 135,
 180, 257

group
 alternating, 220
 A_4 , 192, 193, 195, 197, 198, 201
 dihedral, 220
 permutation, 194–199
 symmetric, 72
 S_4 , 220–221
 Viergruppe, 220
 Gunther, N., 15, 138

Hessian, 111
 Horner recursive representation, 257

ideal
 differential, 140
 triangularizable, 165
 incidence number, 197
 inertia, 109
 initial, 144, 149
 interpolating functions, 203
 irreducible spread, 96
 isobaric resultant, 69

Jacobi, C.G.I., 104, 120
 jacobian, 110–112, 120, 226
 Janet, M., 138

König, J., 152
 Kronecker, L., 12, 14, 86, 92–97, 152, 182,
 224
 Kronecker
 parametrization, 97, 181, 222, 224, 253, 256
 resolvent, 93
 substitution, 86

Lagrange
 basis, 20
 resolvent, 201, 210
 Lazard, D., 88, 91, 138, 158, 162, 248
 Lazard's Theorem, 252, 254
 leading

Index

coefficient, xiv, 4
 polynomial, xiv, 9

lifting
 fiber, 227
 point, 227
 system, 227

linear representation of an algebra, xvi, 20, 258

Liouville
 point, 236
 substitution, 90, 94

Macaulay's
 matrix, 72, 88
 representation, 31
 resultant, 73, 88

mark, 196, 197

matrix
 backward identity, 23
 Bezoutian, 108
 Bezoutic, 104, 108
 Dixon, 115
 Hankel, 104
 Macaulay's, 72, 88
 non-derogatory, 25
 Sylvester, 101, 105
 Vandermonde, 185
 generalized, 39
 witness, 55

maximal
 monomial, xiv, 4
 term, xiv, 4

median set, 172

Möller's algorithm, 30, 46–54, 58

Noether position, 223
 Noetherian equations, 31

non-derogatory
 family, 43
 ideal, 43
 matrix, 25

order, of differential polynomial, 141

parallel factors, 217
 permutation group, 194–199
PoSSo, 138, 222, 247
 primitive element, 223

quasi-component, 161
 quasi-prime ideal, 161

rank
 of a chain, 142
 of algebraic polynomials, 148
 of an ideal, xv, 5
 of differential polynomials, 141

- Rational Univariate Representation (RUR), 189, 222, 253, 256
- reduced polynomial, 141, 142, 148
initially, 157
- regular
polynomial, 92
set, 161
- remainder, 146, 149
- representation
Gröbner, of an algebra, xvi, 20, 135, 257
Horner (recursive), 257
linear, of an algebra, xvi, 20, 258
- resolvent
Kronecker, 93
Lagrange, 201, 210
- resultant, 69
Dixon's, 115
Macaulay's, 73, 88
Sylvester's, 17, 69, 97, 103
- Riquier, C., 138
- Ritt, J.F., 139–158, 162
- Robinson, L.B., 15
- separant, of differential polynomial, 144
- separating element, 26, 181
- set
ascending, 148
basic, 149
characteristic, 143, 149
Ritt, 157
Wu, 157
median, 172
reduced, 148
regular, 161
triangular, 157, 248
fine, 157
initially reduced, 157
- squarefree decomposition, 187
- Steinitz notation, 140
- Stetter's algorithm, 44, 57, 135
- straight-line program, 243
- structure constants, 258
- substitution
Kronecker, 86
Liouville, 90
- support, xiv, 4
- Sylvester, J.J., 105–112
- Sylvester's
matrix, 101, 105
resultant, 17, 69, 97, 103
- symmetric group, 72
 S_4 , 220–221
- TERA, 222
- term ordering, xiv
- tower of simple extensions, 161, 248
- trailing polynomial, xiv
- transitive representation, 194
- Traverso's Algorithm, 44, 138, 258, 262
- triangular set, 157, 248
fine, 157
initially reduced, 157
- triangularizable ideal, 165
- trie, 54
- u -resolvent, 94
- u -resultant, 90
- Vandermonde
determinant, 201
matrix, 185
generalized, 39
- Viergruppe, 220
- weight, 69
- witness matrix, 55
- Wu, W.-T., 153–158, 162