

Index

- adjoint methods, 122, 186
- adjustment time (CH_4), 257
- age spectrum, 302
- aggregation error, 144
- atmosphere
 - composition, 23
 - thermal structure, 23
- atmospheric budget
 - carbon, 248
 - CH_4 – $^{13}\text{CH}_4$, 184
 - CH_4 (from IPCC), 256
 - CO_2 – O_2 , 240
- atmospheric lifetime
 - CH_3CCl_3 , 276
 - estimation, 274
 - Junge relation, 23
- atmospheric transport model
 - estimating transport, 299
 - inter-comparison, 155
 - off-line, 36
 - on-line, 36
 - tuning, 303
- autocovariance, 62
- autoregressive model, 63
 - of noise in CO_2 data, 94
 - spectral density, 63
- baseline data
 - concept, 86
 - matching to models, 157
 - model statistics, 284
 - operational definitions, 86
- basis functions, 171
- choice, 176
 - truncation error, 144
- Bayes-theorem, 43
- Bayesian estimation, 42
 - mode of posterior distribution, 52
- boundary-integral method
 - application to CO_2 , 295
 - definition, 289
- boundary-layer, 27
- boundary-layer accumulation, 297
- butterfly effect, 126
- Cape Grim, 288, 289
 - air archive, 240
 - baseline conditions, 288
 - location map, 289
- carbon budget
 - flux form, 234
 - storage form, 234
- carbon dioxide (CO_2)
 - classification of fluxes, 237
 - interannual variation, 252
- carbon monoxide (CO)
 - ^{14}CO , 308
 - as reference source strength, 293
 - inversions, 282
 - role in CO_2 inversions, 239
- CFC-11 (CCl_3F)
 - model tuning, 303
- chaos, 126
- Chernobyl incident
 - estimates of release, 294

- chlorofluorocarbons (CFCs), 271
 - estimating lifetimes, 274
 - estimating sources, 272
 - nomenclature, 268
 - tracer-ratio data, 289
- climate model, 36
- convolution of response, 100, 112
 - inversion for source, 113
- data assimilation, 122
 - assimilation cycle, 123
 - chemical, 127
 - objective analysis, 124
 - ozone, 126, 129
 - spin-up problem, 126
- data selection
 - model analogue, 157
 - operational, 86
- deconvolution, 112
- delta notation for isotopes, 182
- digital filtering, 65
- earth-system modelling, 104
- El Niño/Southern Oscillation, 27
 - effect on transport, 307
 - influence on CO₂, 246, 253
- emission inventories
 - electronic data access, 321
 - for FCCC, 101
- estimators
 - bias, 47
 - consistent, 47
 - efficient, 47
 - linear, 48
 - maximum-likelihood, 48
 - MPD, 52
- experimental design
 - network design, 227
 - schematic, 122
- FCCC, 101
- fingerprint method, 217
- flux measurements, 107
- fractional differentiation, 139
- general circulation model (GCM)
 - atmosphere–ocean (AOGCM), 36
 - atmospheric, 33
- global tracer inversions
 - carbon monoxide, 282
 - CFC-11, 273
 - krypton-85, 282
 - methyl chloride, 282
 - nitrous oxide, 282
- global-warming potential (GWP), 102
 - absolute GWP, 102
 - in Kyoto Protocol, 101
 - relation to natural response, 105
- GlobalView (data extension), 90
- Green's function, 164
 - for long-lived tracers, 168
 - inhomogeneous b.c., 164
 - synthesis inversion, 171
- gross flux
 - carbon, 238
 - definition of isoflux, 184
- halocarbons, 267
 - atmospheric lifetimes, 274
 - inverse problems, 5
 - nomenclature, 268
 - regional inversions, 293
- hydroxyl radical (OH)
 - regional inversions, 294
 - sink strength for CH₃CCl₃, 275
- ill-conditioning, 11, 131
 - classification, 136
 - origin (schematic), 11
- integrated assessment modelling, 103
- integrating factor, 13
- interannual variability
 - carbon cycle, 246
- inter-comparisons, 155
 - TransCom, 155
- inventories, 106
 - electronic data access, 321
- inverse problems
 - atmospheric transport, 129
 - classification of difficulty, 136
 - ocean biogeochemistry, 129
 - ocean circulation, 129
 - origin of ill-conditioning, 11
 - remote sensing, 129
- inversion techniques
 - for model parameters, 219
 - hybrid, 204
 - mass-balance, 121, 192
 - Monte Carlo, 121
 - regularisation, 133
 - synthesis, 119, 171
 - time-stepping, 192, 204
- isoflux, 185
 - vector representation, 185
- isotopes
 - CO₂, 240
 - delta notation, 182
- isotopic budget
 - CH₄ and ¹³CH₄, 183
 - principles, 181
- Kalman filter
 - estimation equations, 74
 - extended, 77
 - recursive regression, 75, 198
- Kalman smoothing, 76

Index

391

- krypton-85
 - estimating emission, 282
 - model tuning, 304
- Kyoto Protocol, 101
- linear programming, 214
 - in robust estimation, 212
- Mace Head
 - location map, 289
- mass-balance inversions, 192
 - advantages, 195
 - application to CH₄, 264
 - application to CO₂, 252
 - disadvantages, 195
 - schematic, 120
 - state-space representation, 202
- matrix inversion
 - block-matrix form, 225
- matrix-inversion lemma, 60, 338
- MESA, 72
- methane (CH₄)
 - adjustment time, 257
 - atmospheric budget, 256
 - CH₄ and ¹³CH₄ budget, 183
 - pre-industrial, 255
 - regional estimates, 293, 294
- methyl chloroform (CH₃CCl₃)
 - destruction by OH, 276
- mode of posterior distribution (MPD), 52
- model error, 150
 - expressed as data error, 152
 - expressed as parameter uncertainty, 153
 - in statistical model, 160
 - TRANSCOM assessment, 155
- Monte Carlo, 46
 - algorithms, 118
 - inversion, 121
- Monte Carlo inversion
 - hydroxyl, 278
 - schematic, 120
- Montreal Protocol, 270
- moving-average model, 65
 - of noise in CO₂ data, 95
- network design, 227
- nitrous oxide (N₂O), 282
 - global inversions, 282
 - regional inversions, 293
- norms, 212
- null space, 49
- numerical differentiation, 136
- objective analysis, 124
- observing network
 - design, 227
 - map, 81
 - programmes, 82
- oxygen (O₂)
 - CO₂–O₂ budget, 181
 - measurement, 83, 84
- ozone (O₃)
 - as tracer of transport, 308
 - assimilation, 129
 - destruction, 269
 - hole, 271
- ozone-depletion potential, 275
- perfect-model experiments, 227
- periodogram, 71
- posterior distribution, 44
- process models, 108
 - inter-comparisons, 155
 - inversion, 219
- pseudo-inverse, 134
- radiocarbon (¹⁴C)
 - for selection of data, 87
 - in carbon cycle, 83
 - in CO, 308
 - units, 182
- radon
 - as reference source strength, 293
 - for baseline selection, 87
 - for selection in models, 158
 - selection using ²²⁰Rn, 293
- random walk, 65
- rectifier effect, 156
- regional inversion, 284
 - carbon dioxide, 295
 - halocarbons, 293
 - hydroxyl, 294
 - methane, 294
 - nitrous oxide, 293
 - sulfur, 294
 - techniques, 286
- regularisation, 133
 - comparative studies, 178
- remote sensing
 - as inverse problem, 129
 - of trace-gas concentrations, 80
- resolution, 142
- response functions
 - global budget, 100
 - in synthesis inversion, 173
- sampling distribution, 42, 47
- signal attenuation
 - in atmospheric transport, 35
- singular-value decomposition, 50
 - use for regularisation, 134
- smoothing splines, 68, 69
- source–receptor methods, 291

- spatial scales
 - c.f. time-scales, 26
- spectral density, 62
 - normalisation, 64
- spectral estimation, 69
 - maximum entropy (MESA), 72
 - periodogram, 71
 - smoothing, 70
 - tapering, 71
- state-space model
 - definition, 73
 - Kalman filter, 74
 - Kalman smoothing, 76
 - recursive regression, 75
- statistical model
 - state-space model, 73
- stratosphere–troposphere exchange, 307
- stratospheric transport
 - age spectrum, 302
- sulfur
 - regional inversion, 294
- sulfur hexafluoride (SF₆)
 - input to stratosphere, 303
 - observed gradient, 306
 - TRANSCOM, 155
- surface fluxes
 - classification, 98
 - process modelling, 108
- synthesis inversion, 171
 - adjoint methods, 186
 - application to CFCs, 273
 - cyclo-stationary, 175
 - discretisation error, 144
 - schematic, 119
 - time-dependent of CO₂, 253
- tangent linear model, 187
- time horizon, 102
- time series, 61
 - models, 63
- models of CO₂ data, 94
 - stationarity, 62
- time-scales
 - c.f. spatial scales, 26
 - interhemispheric transport, 302
- tomography (axial), 290
 - analogy to back-trajectories, 290
- toy models, 12
 - advective, 15
 - CH₄–CO–OH, 17
 - diffusive, 14, 35
 - four-zone, 127
 - two-box, 34
- trace-gas fluxes
 - functional role, 99
- trace-gas measurement
 - calibration, 84
 - sampling, 79
 - techniques, 81
- tracer-ratio method, 217
 - applications, 293
 - illustrative data, 288
- TRANSCOM, 155
- transport times
 - applications, 277, 305
 - stratosphere, 302
 - theory, 168
- turnover time
 - hemispheric box, 34
- two-box atmosphere model, 34
 - transport times, 170
- uncertainty
 - analysis, 8
 - causes, 91
 - communicating, 56
- Vienna Convention, 270