

Author Index

- | | | |
|---|--|---------------------------|
| Aethelard of Bath, 5 | Gauss, C. F., 6 | Plato, 2 |
| Altshuler, A., 407 | Gordan, P. A., 346 | Poinsot, L., 6 |
| Archimedes, 4 | Grünbaum, B., xiii, 7, 17,
21, 226, 360 | Proclus, 2 |
| Aristotle, 3 | | Pythagoras, 2 |
| Bieberbach, L., 150 | Hartley, M. I., 58 | Reinhardt, C., 17 |
| Boetius, 4 | Havas, G., 376 | Ronan, M. A., 21 |
| Bokowski, J., 140 | Hess, E., 6, 16, 208 | |
| Bracho, J., 220 | Hurwitz, A., 180 | Schläfli, L., 6, 16, 85 |
| Bradwardine, T., 5, 16 | | Schulte, E., xiii, 21 |
| Brehm, U., 140 | Jamnitzer, W., 5 | Shephard, G. C., 289 |
| Buekenhout, F., 7, 191 | | Sloane, N. J. A., 170 |
| | Kantor, W. M., 21 | Sommerville, D. M. Y., 86 |
| Cauchy, A. L., 6, 16 | Kato, M., 152 | Stringham, W. I., 6 |
| Cohen, A. M., 21, 289 | Kepler, J., 5 | |
| Conway, J. H., 170 | Klein, F., 18 | Theaetetus, 3 |
| Coxeter, H. S. M., xiii, 6, 17,
21, 226, 289 | Kühnel, W., 162 | Tits, J., 7, 21, 36, 79 |
| Császár, A., 268 | | Todd, J. A., 289 |
| | Leo “the mathematician”, 5 | |
| Danzer, L., xiii, 21, 259 | Leytem, Ch., 376 | Uccello, P., 5 |
| Davis, M. W., 152 | | |
| Dress, A. W. M., 7, 21, 226 | McMullen, P., xiii, 21 | Vinberg, E. B., 78 |
| Du Val, P., 9 | Monson, B., xiii | |
| Dyck, W., 18 | | Weiss, A. I., xiii, 38 |
| | van Oss, S. L., 6, 208 | Wills, J. M., 140 |
| Euclid, 3 | | Witt, E., 71 |
| | Pasini, A., 21 | Wythoff, W. A., 11, 124 |
| | Petrie, J. F., 7, 17, 226 | |

Subject Index

- 24-cell, 11, 100, 165, 254, 450
 hemi-24-cell, 163, 502
 realizations of, 138
- 120-cell, 11
 hemi-120-cell, 163
- 600-cell, 11, 212
 hemi-600-cell, 163
- $2^{\mathcal{K}}$, 255–257
 realizations of, 259–261
- $2^{\mathcal{K},\mathcal{G}(s)}$, 256–259
 realizations of, 261–264
- \mathcal{L}_k^n , 461, 463, 467, 503–509
- $\mathcal{L}_{m;\mathcal{H}}^3$, 471–484
 realizations of, 484–490
- $\mathcal{L}_{m;\mathcal{I}}^4$, 490–501
- $\mathcal{L}^{\mathcal{K},\mathcal{G}}$, 247–255, 264–272
- \mathcal{T}_s^5 , 450–459
- $1\mathcal{T}_s^6$, 459–462
- $2\mathcal{T}_{s,t}^6$, 462–465
- $3\mathcal{T}_{s,t}^6$, 466–470
- $1\mathcal{T}_s^4$, 363–369, 376–377, 382–386
- $2\mathcal{T}_{s,t}^4$, 369–386
- $3\mathcal{T}_s^4$, 387–389, 392–409, 423–425,
 429–430, 437–444
- $4\mathcal{T}_s^4$, 387–389, 392–409, 423–425
- $5\mathcal{T}_s^4$, 387–389, 392–409, 423–425
- $6\mathcal{T}_{s,t}^4$, 388–389, 400–417, 426–429,
 443
- $7\mathcal{T}_{s,t}^4$, 417–423
- action
 discrete, 149
 free, 149
 properly discontinuous, 149
- adjoint
 hermitian form, 303
 matrix, 303
- amalgamation
 FAP, 112–115, 119, 187
 flat amalgamation property, 112–115
 free product with, 98
 of polytopes, 96–101
- angle, 85
- angle graph, 86
- angle-sum relations, 86
- apeirogon, 15, 25, 27
 regular, *see* regular apeirogon
- apeirohedron, 25
 regular, *see* regular apeirohedron
- apeirotope, 25
 n-apeirotope, 25
 regular, *see* regular apeirotope
- attached (interior mark), 323
- automorphism
 group, 11, 27
 of polytope, 27
 convex, 11
- barycentric subdivision, 40
- basic
 2-generator subgroup, 300
 3-generator subgroup, 300
 operation, 308
- Bieberbach theorem, 143, 150, 220
 complex analogue, 310
- blend of realizations, 122, 125
- branch, 65, 84
 improper, 65
 of geometric diagram, 308
- Briançon–Gram theorem, 86
- buildings, 7, 21
- C-group, 49–60
 string, 50

- canonical
 - bilinear form, 67
 - expression for P , 132
 - matrix, 130
 - projection, 44
- canonical projection, 149
- Cayley–Menger matrix, 128
- cell, 15
- centrally symmetric
 - abstract polytope, 249, 255
 - spherical tessellation, 163
- centre, 206
- centroid, 206
 - of polygon, 16
- chain, 22
 - length of, 22
 - type of, 23
- chamber
 - closed, 69
 - fundamental, 66, 69
 - open, 69
- chamber complex, *see* Coxeter complex
- character, 131
- character norm, 131
- chiral, 38
 - map, 18
 - polytope, 38
 - tessellation, 178
 - toroid, 177
- circuit criterion, 63
- circuit diagram, 297, 345, 351
 - 3-circuit, 323
 - 4-circuit, 345
 - n -circuit, 351
 - diagonal-free, 315
 - interior mark of, 297, 323
 - turn of, 313
 - with tails, 347
- circuit matching, 314
- class, 96
- classification
 - combinatorial, 102
 - topological, 360
- co-face, 23
 - co- i -face, 23
- cone, 127
- connected, 9, 23
 - flag-connected, 24
 - strongly, 9, 24
 - strongly connected, 9, 23
- contragredient, 68, 302
- convex hull, 7
- convex set, 7
- covering, 43
 - k -covering, 43
- map
 - between polytopes, 43
 - topological, 149
 - of polytopes, 43
- Coxeter complex, 42, 69
 - euclidean, 73
 - finite, 71
- Coxeter diagram, 65, 84
 - euclidean, 73
 - spherical, 72
 - string, 66
- Coxeter element, 163
- Coxeter group, 10, 64–94
 - canonical bilinear form, 67
 - compact hyperbolic, 77
 - crystallographic, 89
 - distinguished generators of, 65
 - distinguished subgroup of, 65
 - euclidean, 71–76
 - finite, 71, 83–94
 - hyperbolic, 76–78
 - irreducible, 66
 - reducible, 66
 - representation
 - canonical, 64–70
 - contragredient, 68–70
 - spherical, 71–72
 - string, 10, 66
- Coxeter matrix, 64
- Coxeter system, 65
- cross-polytope, 11
 - hemi-cross-polytope, 164, 508
- Császár torus, 268
- cube
 - 3-cube, 3, 11, 200, 365, 369
 - n -cube, 11
 - complex, 263, 292
 - realizations of, 136
 - hemi-cube, 96, 137, 164, 508
- cut, 168, 172, 201–206, 378–383, 423–431, 445–447, 451, 459, 462, 466
 - universal, 169, 205, 451, 459, 462, 466
- cycle, 312
 - m -cycle, 312
 - length of, 313
- degenerate case, 302
- diagonal, 126, 249
 - class, 126, 249
 - asymmetric, 134
 - symmetric, 134
 - directed, 134
 - equivalent, 249
 - vector, 126

- diagram, 65
 \mathcal{K} -extendable, 265
 \mathcal{K} -admissible, 247
 abstract, 356
 circuit, *see* circuit diagram
 circuit matching of, 314
 Coxeter, *see* Coxeter diagram
 for $[klm^p]^q$, 295
 geometric, 308
 basic equivalence, 308
 of finite unitary group, 294
 tetrahedral, 338, 342
 triangle with a tail, 333
 triangular, 294, 323
 of unitary reflexion group, 293, 294
 trivial, 246
 diagram geometries, 7, 21, 191, 509
 diamond net, 241
 dihedron, 153, 161
 dimension vector, 225
 distinguished generators, 33, 36, 38
 of Coxeter group, 65
 distinguished subgroup, 33
 of Coxeter group, 65
 ditope, 158, 161
 dodecahedron, 3, 11, 200
 great stellated, 137
 hemi-dodecahedron, 138, 163, 164, 193, 502
 realizations of, 137
 small stellated, 207
 dual, 28
 self-dual, 28
 duality, 28
 operation, 192
 Dyck's map, 18, 140, 399, 474

 edge
 of abstract polytope, 23
 of convex polytope, 8
 of map, 17
 edge-graph of polytope, 29
 dual, 29
 Eisenstein integers, 328
 enantiomorphic, 226
 equivelar
 n -polytope, 14
 map, 20
 of type, 30
 Euler's theorem, 88
 even (element), 357

 face
 k -face, 8, 23
 base face, 33
 co-face, 23
 co- i -face, 23
 face lattice, 8
 face-set, 22
 face-vector, 30
 improper, 8, 23
 of abstract polytope, 22
 of convex polytope, 8
 of honeycomb or tessellation, 152
 proper, 8, 23
 face-to-face, 15, 152
 facet
 of abstract polytope, 23
 of convex polytope, 8
 of honeycomb or tessellation, 15,
 152
 subfacet, 23
 facetting operation, 194, 214, 215, 432
 FAP, 112–115, 119, 187
 flag, 9, 15, 22
 adjacent, 9, 24
 j -adjacent, 9, 24
 base flag, 33, 38
 flag-connected, 24
 strongly, 9, 24
 flag-cycle, 61
 flag-sequence, 61
 free product, 98
 with amalgamation, 98
 normal form theorem, 98
 torsion theorem, 99
 fundamental region
 for convex polytope, 11, 66
 for Coxeter group, 66, 70
 for group of isometries, 151

 Gauss–Bonnet theorem, 182
 Gaussian integers, 328
 generators
 basic change of, 308
 basically equivalent sets of, 308
 distinguished, 33, 36, 38
 of Coxeter group, 65
 irreducible system of, 298
 reducible system of, 298
 ggi, 35
 string ggi, 35
 Gordan's equation, 346
 graph
 angle graph, 86
 comparability graph, 39
 complete, 268
 edge-graph, 29
 dual, 29

- locally \mathcal{H} , 165
- locally icosahedral, 165
- locally Petersen, 509
- group
 - affinely reducible, 126
 - Coxeter, *see* Coxeter group
 - dihedral, 65
 - extended group, 28, 37
 - Hurwitz, 180
 - locally finite (reflexion group), 306
 - strongly locally finite, 327, 334
 - locally unitary, 306
 - modular, 106
 - of polytope, 27
 - Picard, 491
 - reflexion, *see* reflexion group
 - residually finite, 103, 452
 - rotation (sub)group, 38
 - simple, 7, 191
 - sparse, 58, 155, 175
 - special, 146, 220, 311
 - symmetry, *see* symmetry group
 - triangle, 77
 - generalized, 320–332
 - unitary, 290
 - real, 294
- halving operation, 197, 383
 - skew, 199
- Hasse diagram, 26
- Heegaard splitting, 162
- helix, 217
- hemi-
 - 120-cell, 163
 - 24-cell, 163, 164, 502
 - 600-cell, 163
 - $\{p_1, \dots, p_n\}$, 163
 - cross-polytope, 163, 164, 508
 - cube, 96, 137, 163, 164, 508
 - dodecahedron, 163, 164, 193, 502
 - realizations of, 138
 - icosahedron, 96, 101, 137, 163, 164, 268, 404, 474, 502
- hermitian form, 298–305
 - adjoint, 303
 - degenerate case, 302–305
- hole, 18, 196, 236
 - k -hole, 195
 - deep, 213
- homomorphism between polytopes, 27
- honeycomb
 - cell of, 15
 - euclidean, 15
 - regular, *see* regular honeycomb
 - with finite cells, *see* tessellation
- hosohedron, 161
- Hurwitz theorem, 180
- icosahedron, 3, 11, 200, 212, 218, 481
 - great, 30, 137, 481
 - hemi-icosahedron, 96, 101, 137, 163, 164, 268, 404, 474, 502
 - locally icosahedral, 165
 - realizations of, 137
- identification vector, 274, 276, 283
- imprimitive, 291
- incidence, 9, 22
- initial vertex, 124
- intersection property, 34, 65
- isomorphic, 27
 - combinatorially, 9
- isomorphism
 - between polytopes, 27
 - class, 27
- join
 - in lattice, 8
 - of simplicial complexes, 39
- \mathcal{K} -extension, 265
 - universal, 265
- Kepler–Poinsot polyhedra, 5, 16, 212, 217–220
- Klein’s map, 18, 474
 - realizations of, 139
- lattice
 - cubic, 167
 - body-centred, 167
 - face-centred, 167
 - identification, 166
 - reciprocal (or dual), 167
- line segment, 7, 11, 221
- link, 39
- locally toroidal regular polytope
 - of rank 4, 360–444
 - of rank 5, 361, 450–459
 - of rank 6, 361, 459–470
 - of type $\{3, 3, 3, 4, 3\}$, 363, 459–462
 - of type $\{3, 3, 4, 3, 3\}$, 363, 462–465
 - of type $\{3, 4, 3, 3, 4\}$, 267, 269, 275, 281, 284, 363, 465–470
 - of type $\{3, 4, 3, 4\}$, 269, 270, 272, 275, 281, 285, 363, 450–459, 516, 517
 - of type $\{3, 6, 3\}$, 363, 387–392, 417–423, 430, 437–441
 - of type $\{4, 4, 3\}$, 162, 363–369, 376–377, 382–386, 451, 459

- locally toroidal regular polytope (*contd.*)
 of type $\{4, 4, 4\}$, 267, 269, 275, 276, 363, 369–386, 462, 466
 exceptional case, 376
 of type $\{6, 3, 3\}$, 102, 363, 387–409, 423–425, 429–430, 437–444
 of type $\{6, 3, 4\}$, 268, 363, 387–409, 423–425, 443
 of type $\{6, 3, 5\}$, 363, 387–409, 423–425
 of type $\{6, 3, 6\}$, 363, 387–392, 400–417, 426–429, 441–443
- luggir, 306
- map, 17
 chiral, 19
 equivelar, 20
 regular, *see* regular map
- meet, 8
- mirror, 10, 83, 124
- mixing
 mix
 of C-groups, 125, 185–192
 of polytopes, 116, 125, 186–192, 479–480, 501
 operation, 183–192
 on polyhedron, 192–201
- Mostow rigidity, 182
- node, 65, 84
 initial, 247
- octahedron, 3, 11, 200, 218, 452
- operation
 basic, 308
 duality, 192
 facetting, 194, 214, 215, 432
 halving, 197, 383
 skew, 199
 mixing, 183–192
 on polyhedron, 192–201
 Petrie, 192, 196
 skewing, 199
 twisting, 244–246
- orbit space, 149
- order complex, 39–42, 192
 augmented, 39
- pentagram, 2
- Petersen graph, 138, 165, 502, 509
 locally, 509
- Petrial, 192
- Petrie
 dual, 192
 operation, 192, 196
 polygon, *see* Petrie polygon
 property, 17
- Petrie polygon, 7
 of map, 17, 196
 of polytope, 163, 184
 convex, 94, 236
- Platonic solids, 2, 11
- polarity, 28, 37
- polygon, 16, 25
 abstract, 25
 convex, 8
 generalized polygons, 27
 infinite, *see* apeirogon
 regular, *see* regular polygon
 star-polygon, 16
- polyhedron, 25
 abstract, 25
 convex, 8
 infinite, *see* apeirohedron
 regular, *see* regular polyhedron
 toroidal, 18
- polytopal, 26
- polytope, 22
 n-polytope, 25
 abstract, 22, 25
 convex, 7
 abstract, 22–31
 chiral, 38
 complex regular, 293
 convex, 7
 cubical, 268
 dual, 9, 28
 finite, 25
 locally, 25
 flat, 109, 115–120, 275, 372, 508, 514
 (*k, m*)-flat, 109
 geometric, 122
 group of, 27
 incidence polytope, 22
 infinite, *see* apeirotope
 locally of topological type *X*, 361
 neighbourly, 249, 268, 271, 404
 weakly, 267
 projective, 162–165, 287, 502
 locally, 284, 461, 463, 467, 502–509, 516
 regular, *see* regular polytope
 self-dual, 28
 simplicial, 268
 spherical, 153
 locally, 152–162
 symmetric, 123
 symmetry group of, 9, 123
 topological model of, 161, 367

- toroidal, 154, 165–175
 - higher, 445, 450–470
 - locally, *see* locally toroidal regular polytope
- poset, 22
- pre-polytope, 43
- primitive, 291
- proper central involution, 249, 255

- quotient, 42–49
 - criterion, 56
 - lemma, 56
 - polytope, 44, 58–60, 272
 - space, 149

- radical, 298
- rank, 22
 - co-rank, 23
 - of Coxeter group, 65
 - rank function, 23
- rap-map, 43
- realization, 121–127
 - blend, 122, 125
 - centre of, 127
 - cone, 127–140
 - cross-polytope realization, 135
 - degenerate, 122
 - dimension of, 122
 - discrete, 142
 - faithful, 122
 - linear combination, 122, 126
 - of 24-cell, 138
 - of $2^{\mathcal{K}, \mathcal{G}(s)}$, 261–264
 - of $2^{\mathcal{K}}$, 259–261
 - of $\mathcal{L}_{m, \mathcal{H}}^3$, 484–490
 - of $6T_{s, t}^4$, 417
 - of $pT_{(s, 0)}^4$ ($p = 3, 4, 5$), 396–398
 - of n -cube, 136
 - of dodecahedron, 137
 - of finite regular polytope, 127–140
 - of hemi-dodecahedron, 138
 - of icosahedron, 137
 - of Klein's map, 139
 - of regular apeirogon, 140
 - of regular apeirotope, 140–147
 - of regular polygon, 135
 - pure, 126
 - scalar multiple of, 122, 126
 - simplex realization, 128
 - symmetries of, 123
 - symmetry group of, 123
 - translation-free, 143
 - trivial, 122
 - vertex-faithful, 122
 - vertex-set of, 121
- reduced sequence, 98
- reflexion group, 64, 290, 298
 - complex
 - locally finite, 306
 - locally unitary, 306
 - strongly locally finite, 327, 334
 - with involutory generators, 298–319
 - Coxeter, *see* Coxeter group
 - euclidean
 - discrete infinite, 73, 89
 - finite, 71–72, 83–94
 - irreducible, 73
 - reducible, 75
 - preserving figure, *see* symmetry group
 - unitary
 - n -generator, 293
 - blend of, 415
 - completely reducible, 290
 - finite, 290–298, 321–327, 334–336, 339–341, 343–344, 347–355, 357–359
 - imprimitive, 291
 - infinite discrete, 309–312, 327–331, 344, 350, 354–355
 - irreducible, 290
 - primitive, 291
 - real, 294
 - with involutory generators, 294–298
 - Weyl, *see* Weyl group
- reflexion in hyperplane
 - complex, 298
 - unitary, 290
 - real, 68
 - euclidean, 10
- reflexion in subspace, 10, 123
- regular, 9, 31
 - combinatorially, 11, 31, 152
 - directly, 38
 - geometrically, 156
 - semi-regular, 15
- regular apeirogon, 15, 25, 27
 - helical, 217, 222
 - linear, 217, 221
 - realizations of, 140
 - zigzag, 217, 222
- regular apeirohedron
 - in \mathbb{E}^3 , 220–236
 - blended, 221–223, 226–229
 - planar, 221
 - pure, 223–226, 230–236
- regular apeirotope
 - 4-apeirotopes in \mathbb{E}^3 , 236–243
 - realizations of, 140–147
- regular honeycomb
 - euclidean, 15, 81, 254
 - symmetry group of, 67, 73

- regular honeycomb (*contd.*)
 hyperbolic, 78, 81, 204, 254, 362, 384, 431–437, 445–449
 symmetry group of, 67, 78, 431–432, 445–449
 with finite cells, *see* regular tessellation
- regular map, 17–20, 179
 Dyck's map, 18, 140, 399, 474
 Klein's map, 18, 139, 474
 non-orientable, 180
 of hyperbolic type, 179
 polyhedral models of, 140, 268
 polytopal, *see* regular polyhedron
 toroidal, 18, 364, 390–391
- regular polygon
 blended, 135, 217, 222
 convex, 3, 6, 11, 27
 helical, 217
 in \mathbb{E}^3 , 217
 infinite, *see* regular apeirogon
 pure, 217
 realizations of, 135
 skew, 217, 222
 star-polygon, 5, 16, 135
- regular polyhedron
 convex, 1–4, 11, 217–220
 Coxeter's $\{4, 2p | 4^{p-2}, 2s\}$, 256, 259, 264
 Coxeter's $\{4, p | 4^{\lfloor p/2 \rfloor - 1}\}$, 140, 184, 196, 256, 260
 Coxeter's skew, 140, 196
 history of, 1–7
 in \mathbb{E}^3 , 217–236
 infinite, *see* regular apeirohedron
 Kepler–Poinot, 5, 16, 212, 217–220
 on surface, *see* regular map
 Petrie–Coxeter, 18, 196
 polyhedral models of, 140, 268
 related to a linear group, 471–490
 skew, 7, 140, 196
 star-polyhedron, 5, 16, 212, 217–220
 toroidal, 18, 364, 390–391
- regular polytope
 abstract, 31–38
 group of, 31–38, 49–58
 amalgamation of, 96–101
 classical, 206
 complex regular, 293
 convex, 7–15, 31, 81, 208
 symmetry group of, 10, 67, 71
 free extension of, 106–109
 higher toroidal, 445, 450–470
 history of, 1–7
 infinite, *see* regular apeirotope
 locally of topological type X , 361
 projective, 162–165, 287, 502
 locally, 284, 461, 463, 467, 502–509, 516
- quotient polytopes of, 58–60
 realizations of, *see* realization
 related to a linear group, 490–501
 self-dual, 37
 spherical, 153
 locally, 152–162
 star-polytope, 16, 31, 206–217
 symmetries of, *see* symmetry group
 topological model of, 161, 367
 toroidal, *see* regular toroid
 locally, *see* locally toroidal regular polytope
 universal, 78–83
 in class $\langle \mathcal{P}_1, \mathcal{P}_2 \rangle$, 96–101
 of type $\{p_1, \dots, p_{n-1}\}$, 78–83
 with given facet and vertex-figure, 97
- regular solids, 2, 11
- regular tessellation
 euclidean, 15, 81, 254
 planar, 2, 15, 221–223
 symmetry group of, 67, 73
 hyperbolic, 81
 symmetry group of, 67, 78
 on space-form, 151
 euclidean, 165–177
 hyperbolic, 178–182
 spherical, 162–165
 on surface, *see* regular map
 polytopal, *see* regular polyhedron
 on torus, *see* regular toroid
 spherical, 162–165
 with finite or infinite cells, *see* regular honeycomb
- regular toroid, 154
 cubic, 165–169, 172–175, 258, 269
 on 2-torus, 18, 364, 390–391
 other, 170–175, 275
- representation
 character norm, 131
 character of, 131
 complex conjugate, 130
 contragredient, 68, 302
 degree of, 129, 133
 isomorphic, 131
 of Coxeter groups, 64–70
- ridge
 of abstract polytope, 23
 of convex polytope, 8
- root, 75
 lattice, 75
 D_n , 167, 170
 system, 75
- Schläfli determinant, 208, 306, 314
 Schläfli symbol
 of abstract polytope, 30

- of complex regular polytope, 293
- of convex polytope, 11
- of map, 17
- of star-polytope, 207
- section, 9, 23
 - k -section, 23
 - proper, 23
- self-Petrie, 193
- semi-regular, 15
- soggi, 35
- simplex, 8, 11
 - adjacent, 39
 - base, 40
 - dissection, 432, 505
 - type of, 39
- simplicial complex
 - of chains, *see* order complex
 - of chambers, *see* chamber complex
- k -skeleton, 29
 - dual, 29
- skewing operation, 199
- space
 - complex projective, 291
 - euclidean, 148
 - hyperbolic, 148
 - real elliptic, 150
 - real projective, 149
 - spherical, 148
 - unitary, 290
- space-form, 148–152
 - affinely equivalent, 151
 - euclidean, 149, 175–177
 - hyperbolic, 149, 178–182
 - isometric, 150
 - isometry type of, 150
 - orientable, 150
 - similar, 151
 - spherical, 149, 162–165
 - tessellation on, 151
 - volume of, 151
- star, 113
- starry, 207, 213
- subfacet, 23
- supporting hyperplane, 8
- symmetries of geometric polytope, 123
- symmetry group
 - of polytope
 - complex regular, 293
 - convex regular, 9, 67, 71
 - geometric, 123
 - of realization, 123
 - of regular 4-apeirotope in \mathbb{E}^3 , 236–243
 - of regular honeycomb or tessellation
 - euclidean, 67, 73
 - hyperbolic, 67, 78, 431–432, 445–449
 - on space-form, 156
 - of regular polyhedron in \mathbb{E}^3 , 217–220, 226–236
- tessellation
 - chiral, 178
 - cubic, 166, 258
 - euclidean, 15
 - face-to-face, 15, 152
 - on manifold, 152
 - regular, *see* regular tessellation
 - with finite or infinite cells, *see* honeycomb
- tetrahedron, 3, 11, 200, 218
- thin, 21, 27
- tile, 152
- Tits cone, 70
- Todd–Coxeter algorithm, 272, 282, 451, 460, 463, 467, 502
- toroid, 154
 - chiral, 177
 - regular, *see* regular toroid
- torus, 150
- triangle group, 77
 - generalized, 320–332
- turn, 313
- twisting operation, 244–246
- type
 - of map, 17
 - of polytope, 30
- universal polytope, *see* regular polytope, universal
- vertex
 - antipodal, 249, 255
 - of abstract polytope, 23
 - of convex polytope, 8
 - of map, 17
- vertex-figure
 - of abstract polytope, 23
 - of convex polytope, 8
 - replacement, 210
- wall, 40
- Weyl group, 75
 - affine, 76
- Wythoff
 - construction, 11, 124, 192, 207
 - space, 124
 - essential, 131
- zigzag, 192
 - k -zigzag, 196