Cambridge University Press & Assessment 978-0-521-81513-0 — Geometric Spanner Networks Giri Narasimhan, Michiel Smid Index More Information

Index

Ackermann function, 228-233 acyclic connected graph, 6 adjacency list, 20 adjacency matrix, 20 algebraic computation-tree algorithm, 245 algebraic computation-tree model, 18, 24, 26, 29, 41, 73.399.416 closest pair problem, 50-51 computation trees, 41-43 decision trees, 43 lower bounds for algebraic decision tree algorithms, 43 - 51lower bounds for spanner constructions, 51-57 sorting problem, 50-51 algebraic decision tree model, 41, 43, 49 time complexity in, 48, 50 algorithms algorithms and data structures, 18-19 all-nearest neighbors problem, 190-193 divide-and-conquer technique, 29 external memory, 477 k closest pairs, sequence of, 187-190 lower bounds for algebraic decision tree algorithms, 43 - 51plane sweep, 70 randomized, 78 sorting, 50 all-nearest neighbors problem, 190-193 all-pairs-shortest-path problem, 242 ancestor, 20 lowest common, 21-29 proper, 20 approximation algorithm, 242 faster approximation of stretch factor of Euclidean graph, 248–253 first approximation of stretch factor of Euclidean graph, 243-248

balanced binary search trees, 18, 99, 132, 416 base-separated, 265, 266 Big-Oh bounds, 11 binary tree, 20 bounding box, 151 bucketing distances, 416

canonical nodes. *See* nodes Cartesian product, of *d* intervals, 143 centroid edge, 30 centroid node, 29 Chernoff bounds, 88 cleanup phase, 273 clusters, 328 center, 364-373 cover, 362-364 graph, 328-329 complete graph, 3, 19 conditional probabilities, 86 cone, 64, 71 angular diameter of, 93 apex of, 64 covering d-dimensional hypercube with, 93-95 simplicial. See simplicial cones and frames connectivity, 4, 427 cut vertices connecting of, 224-227 existence of, 222-224 cycle, 19 d-dimensional hyperrectangle, 99 d-dimensional unit cube, 112 decision problem, 43 degree, 4 Delaunay triangulation, 470 descendent, 20 proper, 20 detour, 476-477 diameter, 4 α -diamond property, of graph, 471 α -diamond, of line segment, 471 Dijkstra's algorithm, 31, 139, 142, 242, 329 dilation. See stretch factor directed t-spanner, 9 paths, 9 directed graph, 19 embedding of, 19 directed path, 9, 74-75 distance enumeration approximation of, 139-142 exact, 142-144 distance range hierarchy, 386 distortion. See stretch factor doubling dimension, of metric space, 174 doubling metrics, 174 DRH theorem, 400 for spanners, 411-412 dumbbell nodes, 208, 214 dumbbell potential, 274, 276 dumbbell trees, 197, 214, 238 as spanners, 210-215 construction of, 209-210

Cambridge University Press & Assessment 978-0-521-81513-0 — Geometric Spanner Networks Giri Narasimhan, Michiel Smid Index More Information

INDEX

dumbbells, 197-198, 296 of approximately same length, 205-206 dumbbell theorem, 197, 215-217 dumbbell trees. See dumbbell trees empty-region property, 205-207 heads, 198, 262-263 length, 196 length-grouping property, 202-205 nested, 279 packing results for dumbbells, 198-202 properties of, 200-202 pseudo, 262, 274, 283, 298-300, 302, 304-306 dynamic programming, 464-466 edge, 19 charging path of, 280 connected by, 19 downstream, 225 forbidden, 126 lateral, 263. See also lateral edges nonforbidden, 126 non-lateral graph of, 276 non-lateral, 263, 297. See also non-lateral edges nulled out by, 277-278 upstream, 225 element uniqueness problem, 43, 50, 245 empty-region property, 197 computation of, 205-207 Euclidean distance 20 Euclidean graphs, 20 approximating stretch factor of, 243-253, 425-426 hierarchy of, 388-390 Euclidean graphs, approximating stretch factor of, 425-426 faster approximation of, 248-253 first approximation algorithm of, 243-248 Euclidean metrics, 8, 124, 172, 174 Euclidean minimum spanning tree, 12 Euclidean planar graph, 242 Euler tour, 8, 24-25 Euler's gamma-function, 112 Euler's theorem, 9 fault-tolerance, 4. See also fault-tolerant spanners of network. 5 fault-tolerant spanners among obstacles, 472-473 based on well-separated pairs, 434-437 definition of, 427-429 EFTS, 429-432 FTS, 429-432 of low degree and low weight, 437-441, 468-469 path greedy, 438-441 plane, 470-472 simple transformation of, 430-434

497

Fermat problem, 7 Fibonacci heaps, 18, 242 flat faces, 262 θ -frame application of, 98-99 construction of, 93-97 definition of, 93 Fréchet and Hausdorff distance measures, of plane curves, 476 Gabriel graph, 471 gap property, 108-111, 127 geometric lemma, 114-116 lower bound, 111-112 upper bound for points in the unit cube, 112-114 Gap Theorem, 109, 257, 260, 320 proof of, 111 gap-greedy algorithm, 121-124 condition for spannerhood, 120-121 efficient implementation of, 128-137 generalizations to higher dimensions, 137 generalizing skip lists, 78 genus, 4 geographic neighborhood graph, 65 geometric dilation, concept of, see detour geometric network, 3, 9, 20 t-spanner, on US cities, 10 graph algorithms, 30 graphs acyclic connected, 3 coloring graphs, of bounded degree, 30-31 connected, 7, 9, 12, 390, 468-469 α -diamond property of, 471 κ-good polygon property of, 471 notions from graph theory, 19-21 representation of, 20-21 sparse, 20 star. 474 Θ -graphs application of, 98-99 construction of θ -frames, 93–98 construction of 69-73 d-dimensional, 104 higher-dimensional, 103-106 planar, 19 range trees, 99-103 simplicial cones and frames, 92-93 spanners from, 63-73 stretch factor bounding of, 65-69 greedy algorithm, 281 heaps, 18 hierarchical decomposition, 399-400 comparison of shortest-path distances in the spanner G, 396-399 hierarchy of Euclidean graphs, 388-390 partitioning of edge sets, 386-388 properties of, 390-395

querying of, 395–396 Hopcroft's problem, 476–477

single-source, 473-474

with few edges, 469-470

with O(kn) edges, 437

VFTS, 429-430

Cambridge University Press & Assessment 978-0-521-81513-0 — Geometric Spanner Networks Giri Narasimhan, Michiel Smid Index More Information

498

INDEX

hypercube, 155, 157, 162, 165, 201, 209, 320, 450 covering, with cone, 93-95 d-dimensional, 94, 96, 143 subhypercubes, 94-95 triangulation of, 95-96 unit, 96 hypercylinders, 262, 291-292, 302 hyperrectangle, 155, 160-161, 165, 209 I/O-efficient algorithms, 477 in-block range minimum queries, 28 indirect addressing operation, 24, 29 infinite stretch factor, 6, 475 inorder traversal, of tree, 21 integer weight function, 354, 355-357, 379 k t-approximate closest pairs, sequence of, 139 Kruskal's algorithm, 12, 13, 36 κ-good polygon property, of graph, 471 lateral edges, 271-273 processing one edge of E, 300-301 layer 3 lists, 131 leaf, 20 Leapfrog Theorem, 115, 262-264, 301, 306-309, 315, 330, 378 bounding the weight of lateral and non-lateral edges, 273-294, 297-306 cleanup phase in, 264-273 condition for, 260-262 relation to gap property, 259-260 variant of, 307-309 length of a path, 5, 20 length-grouped, 264, 265, 266 length-grouping property, 197, 214 computation of, 202-205 linear decision tree algorithms, 44-46 linked lists, 18 load factor, 4 locating centers, 474 lower bounds for algebraic decision tree algorithms, 43 - 51for pairwise distinct points, 52-53 for spanner constructions, 51-57 general, 46-50 lowest common ancestor, of any two nodes, 21-24 faster algorithm for queries of, 24-29 Markov's inequality, 462 metric space, 173 mindist-structure T, 132, 134, 137 mingap function, 56

near-parallel, 264–266, 273, 307 neighborhood, 143–144

multicriteria optimization problems, 6

monotone path, 235

nested-dumbbells, 265-271 network analysis, significance of, 5 network design desirable properties of, 6 problems, 5-6 network design problem, 5 nodes, 20 canonical, 101 dumbbell, 208 head, 208 internal, 20 lowest common ancestor of, 21-29 non-lateral edges, 271-273 analysis of Φ_f , 289–295 charging path for edge e, 277-280 choosing of subsets, 282-286 decomposition of the charge path P, 286-289 lemmas on intervals, 280-282 processing one edge of E, 276-277 non-lateral graph, 279 normalized block queries, 28-29 2-OPT, 114, 116-119 worst-case analysis, 116-118 2-optimal tour, 116-117 optimal length tour, 8 orthogonal range searching, 99 packing arguments arguments, 165, 330, 338-339, 358, 371, 373 results, 196, 198-202, 357-359 pair queries, 168 answering of, using centroid edges, 169-170 answering of, using path decomposition, 170-172 pairwise distinct points, 52-57 parent, 20 Patching Lemma, 459-461 path connected by, 19 cycle, 19 directed t-spanner, 9 directed, 9, 74-75 length of, 5 simple, 19 path-greedy algorithm, 9, 13 analysis of simple form of, 319-327 faster algorithm. See faster algorithm with indirect addressing implementation of clsuter graph approximation, 332-338 cluster graphs, notions of, 330-332 clustering weighted graphs, 330-332 constructing cluster algorithms of partial spanners, 340

constructing cluster graphs of partial spanners, 338–340 first improvement to, 327–330

Cambridge University Press & Assessment 978-0-521-81513-0 — Geometric Spanner Networks Giri Narasimhan, Michiel Smid Index More Information

INDEX

path-greedy spanner improved weight analysis of, 325-326 probablistic analysis of, 321-325 perturbation step, 444-446 plane sweep algorithm, 70 point location query, 98 polynomial equations, system of, 46-48 polynomial-time approximation schemes, 8, 443-444 postorder traversal, of tree, 21 potential function Φ , 274 preorder traversal, of tree, 21 Prim's algorithm, 37-38 proper ancestor, 20 proper descendent, 20 pruning spanners distance range hierarchy of, 404-406 general framework for, 401-403 pruning algorithm based on the distance range hierarchy, 406-408 pruning algorithm based on well-separated pairs, 403-404 PTAS. See polynomial-time approximation schemes quadtree structure, construction of, 448-450 radial distance, 274 radial potential, 274 radial weight, 274 range minimum problem, 24 solving of, 26-29 range minimum query, in array, 25-27 range trees, 124 d-dimensional, 100-101 definition, 100 for supporting deletions, 102-103 in range query operations, 101-102 rectifiable curves, 475 reintegralize function, 379 running time, of an algorithm, 18 second shortest path, 261 separation ratio, 152 separator node, 30 short path approximations, in spanners approximate shortest path queries, for separated points, 416-422 arbitrary approximate shortest path queries, 422-425 bucketing distances, 416 shortcuts, 474-476 short-cutting operations, 8 short-cutting trees Ackermann function and its inverse, 228-233 generalization of larger monotone diameters, 227-228 monotone diameters 1 and 2, 220-221 monotone diameters 2k, 233-237 monotone diameters 3, 221-227 using O(n) edges, 237–238

499

simplex, 95 simplicial cones and frames, 92-93 sink spanners. See spanners sink, 109, 126 skip lists spanners, 81-85, 88-89 bounding the spanner diameter of, 86-89 d-dimensional, 106 skip lists, 18, 79-81 generalizing, 78 solution space, 41 sorting problem, 41 spanners, 5, 9 algorithm, 12 among obstacles, 472 approximating shortest paths in. See short path approximations, in spanners based on WSPD, 154-155, 168 based on Θ -graph, 63–73 bounded degree d-dimensional, 105 diameters of, 11, 73, 185, 239 directed, 9 distance range hierarchy for, 408-412 dumbbell trees as, 209-210 experimental work related to, 478-479 fault-tolerant. See fault-tolerant spanners gap-greedy, 144-145 of bounded degrees, 73-78 first construction, 178-180 second construction, 180-183 of low degree, 468-469 open problems with, 479-481 path-greedy. See path-greedy spanner plane, 470-472 pruning. See pruning spanners q-sink t-, 104–105 single-source, 473 sink, 74-77, 104-105 skip list. See skip lists spanners sparse, 5, 11 transformation of bounded degree, 76-78 transformation of bounded outdegree to bounded degree, 105 weight analysis of, 348-350 with few edges, 469-470 with logarithmic spanner diameter, 184-186. See also skip lists spanners with low spanner diameter, 238-239 spanning tree, 6 Kruskal's algorithm, of minimum, 12-13, 36 minimum, 11-12, 35, 108, 262, 298, 301, 320, 330, 377, 434 computation of, approximate, 193-194 Prim's algorithm, of minimum, 37-38 properties of, 6 Sparse Ball Theorem, 298, 303, 309-315 proof of, 315 recurrence relation for Steiner points, 310-315 sparse graphs, 20 sparse network, 4 sparse spanner network, 5 sparse spanners, 5

Cambridge University Press & Assessment 978-0-521-81513-0 — Geometric Spanner Networks Giri Narasimhan, Michiel Smid Index More Information

500

INDEX

sparse t-spanner, 69 split tree, 168, 171, 180, 199, 210, 244 computation of, in $O(n \log n)$ time, 158–162 definition of, 155-158 height of, 156 partial, 158 star graph, 474 Steiner minimum tree, 6-7, 264, 298, 303 Steiner points, 4, 6-7, 292, 310-315 Steiner trees, 7 Steiner t-spanner, 51-54, 56 stretch factor, 4, 15 approximation algorithm of Euclidean graphs. See approximation algorithm bounding of, to Θ -graph, 65–69 constant, 469 decreasing the, 474 of Euclidean graphs, 425-426 of Gabriel graph, 471 infinity, 6, 475 minimum, 478 of minimum spanning tree, 469 of plane graph, 471 of triangulations, 471 single-source, 473 structure theorem, 463-464 subhypercubes. See hypercube subtree. See tree T-monotone path, 219-222, 226-227, 233-235, 238 t-approximate minimum spanning tree, 193 time complexity, 42-43 T-monotone diameter, 38, 219–222, 225–226, 228, 233-238 translated query halfplane, 70-71 traveling salesperson problem, 8-9, 110-111 worst-case analysis, of the 2-OPT algorithm for, 116-118 traveling salesperson tour, 6, 8-9 traversals inorder, 21 postorder, 21 preorder, 21 tree, 3, 20 arbitrary rooted, 24 computing stretch factors of, 245-248 nesting, 262 short cutting problems on, 219 split. See split tree subtree, 20-21, 71, 170, 181, 213, 223, 286 traversing binary, 21 triangle inequality, 19, 31, 173, 249, 291

triangulations, 9 Delaunay, 9, 11, 470 greedy, 9 minimum weight, 9 t-spanner path, 9 t-spanners. See spanners undirected graph, 19 embedding of, 19 weighted, 19 unit disk graph, 173 unit disk metrics, 173 vertex, 20, 73, 105 border, 224-226, 228, 234, 244 centroid, 220-221, 223 degree of, 19 disjoint, 438-439 faults, 427-428 indegree, 19 outdegree, 19 separator, 246 source vertex, 473-474 super, 386 vertical distance, 274 vertical potential, 274 vertical spans, 282, 287, 289, 293, 295 vertical weight, 274 vertices, 19 Voronoi diagram, 9 weak spanner property, 211 weighted graph, 3, 6, 329, 338, 473 clustering of, 330-332 general, 358 undirected, 19, 35-36, 354 well-separated pair decomposition, 215, 434 computation of pair separating two points, 168-172 computation of, 162-168 definition of, 151-154 extension to other metrics, 172-174 size of, 153 spanners based on, 154-155 split trees, 155-162 well-separated pair, application of application to other proximity problems, 186-194 spanners of bounded degrees, 178-184 spanners with logarithmic spanner diameter, 184-186 WSPD. See well-separated pair decomposition YES-leaf, 49-50

YES-instances, 43, 50