

Index of authors

- Abbott, W. S. 77
 Adam, D. 137, 153, 154
 Afifi, A. 27, 71t
 Agresti, A. 4, 11, 27, 46, 156
 Aitchison, J. 32, 106, 152, 153, 154
 Amemiya, T. 4, 25, 80, 99, 145, 146, 155
 Armenian, H. K. 156
 Bakker, F. M. 71t
 Baltas, G. 135
 Barnes, P. 91
 Beggs, S. 137
 Ben-Akiva, M. 4, 136
 Bergmann, B. 32
 Berkson, J. 49, 151, 152, 153, 154
 Birnbaum, A. 76
 Bishop, Y. M. M. 59
 Bliss, C. I. 152, 153, 155
 Borger, J. 71t
 Börsch-Suppan, A. 148
 Breslow, N. 4, 97, 99, 157
 Brown, J. A. C. 32, 152, 153, 154
 Clark, V. 27, 71t
 Champernowne, D. G. 156
 Cornfield, J. 157
 Cox, D. 4, 71t, 108, 154, 155
 Cramer, J. S. 28n, 67, 69, 94, 122, 140n
 Daganzo, C. 147
 Davidson, R. 57, 58
 Davies, A. 71t
 Day, N. 97
 Debreu, G. 129n
 Domencich, T. A. 131
 Donner, A. 58
 Doyle, P. 135
 Dronkers, J. 71t
 Du Pasquier, L.-G. 151
 Efron, B. 68, 69, 70, 73
 Farrell, M. J. 153
 Fechner, G. T. 20, 129, 152
 Finney, D. 4, 27, 77, 152, 153, 154, 155
 Fisher, R. A. 25t, 36, 155
 Fisk, P. 23, 156
 Ford, I. 82
 Franses, P. H. 4
 Frerichs, R. 27
 Gabler, S. 71t
 Gaddum, J. H. 152, 153
 Gail, M. 80, 98
 Gaudry, M. 136, 148
 Gauss, C. F. 36
 Gilliatt, R. 26
 Goldberger, A. S. 11
 Gourieroux, C. 4, 80
 Greene, W. H. 29
 Griliches, Z. 81
 Gumbel, E. J. 132, 145
 Hajivassiliou, V. 148
 Hauck, W. W. 58
 Hausman, J. A. 77, 00, 145, 147
 Heckman, J. J. 29
 Hewlett, F. 71t
 Hill, M. A. 122
 Hosmer, D. W. 4, 15, 27, 63, 67, 72, 74, 155

Index of authors

167

- Hsiao, C. 77
- Imbens, G. W. 99
- Johnson, N. L. 23, 133, 145
- Katsuura, M. 27
- Kay, R. 66, 91
- Kotz, S. 23, 133, 145
- Lachenbruch, P.A. 89
- Ladd, G. W. 11, 89
- Lancaster, K. L. 137
- Lancaster, T. 32
- Layton, A. P. 27
- Lee, L.-F. 80
- Lemeshow, S. 4, 15, 27, 63, 64, 67,
 71t, 72, 74, 155
- Lennox, C. 91
- Lerman, S. R. 4, 98, 136, 148
- Lilienfeld, D. E. 156
- Little, S. 66, 91
- Luce, R. 129, 157
- Maddala, G. S. 4, 29, 106, 155
- Malthus, T. R. 150
- Manski, C. F. 98, 99, 130, 135,
 148
- McCullagh, P. 4, 14
- McFadden, D. 4, 32, 113, 126,
 128n, 130, 131, 135, 145, 146,
 148, 155, 157
- McKelvey, R. D. 68, 106, 155
- McKinnon, J. G. 57, 58
- Menard, S. 4, 46, 67
- Miner, J. R. 151
- Mood, A. M. 131
- Mot, E. S. 140n
- Nelder, J. A. 4, 14
- Nold, F. 80
- Oosterbeek, H. 27, 71t
- Orcutt, G. H. 32
- Ostwald, W. 152
- Paap, R. 4
- Pakes, A. 148
- Palepu, K. G. 29, 92
- Pearl, R. 150, 151
- Pearson, K. 151, 155
- Pollard, D. 148
- Pregibon, D. 57, 63, 74
- Prentice, R. 94
- Pudney, S. 4
- Pyke, R. 94
- Quetelet, A. 150, 151, 152
- Rao, C. R. 49
- Rasch, G. 156
- Reed, L. J. 150, 151, 152, 153
- Reid, F. 32
- Ridder, G. 122
- Ross, S. M. 17
- Ruud, P. A. 00
- Scott, A. J. 99
- Silber, J. H. 27, 40
- Silvey, S. 106
- Snell, E. J. 4, 71t
- Sun, B. H. 77
- Suppes, P. 129, 157
- Stigler, S. M. 152
- Theil, H. 108, 155, 156
- Thurstone, L. 129
- Tobin, J. 29
- Tsiatis, A. A. 62, 63
- Verhulst, P.-F. 150, 151
- Webbink, D. 71t
- Weber, W. 20
- Weibull, W. 132
- Wild, C. J. 99
- Wilson, E. B. 152, 154
- Windmeijer, F. A. G. 6, 67, 75n
- Winsor, C. P. 24, 154
- Wise, D. A. 147
- Wooldridge, J. M. 29
- Worcester, J. 154
- Xie, Y. 98
- Yatchev, A. 81
- Yates, F. 25t, 155
- Yule, G. U. 151, 152
- Zavoina, W. 68, 106, 155

Index of subjects

- adverse selection 27
- aggregation 32
- asymptotic behaviour of sample
 - observations 63
- asymptotic properties of maximum
 - likelihood estimates 37, 40
- autocatalytic reactions 149, 152

- bad loans 95–96
- bank loans example
 - description of data 00
 - Hosmer–Lemeshow test 64–66
 - one-sided sample reduction 95–96
 - percentage correctly predicted 66–67
- base-line model *see* null model
- Bayes' theorem 89, 93
- bias
 - from neglecting misclassification 78–79
 - from omitted variables 55, 82–87, 119
- bio-assay 2, 4, 9–10, 15, 17, 20, 72, 77, 152–153
- BMDP 4, 27, 155
- bounded logit model *see under* logit model
- bounded probability model 77

- car ownership example
 - binary logit analysis 50–55
 - description of data 5–6
 - effect of omitting variables 54–55, 85–87, 119
 - Efron's R^2 71t
 - goodness-of-fit measure 66
 - goodness-of-fit tests 61
 - multinomial logit analysis 117–122
 - outliers 75–76
 - score vector 50
 - test for pooling states 125
 - t-test of significance of parameters 51
- case–control studies 4, 47, 80, 99–103, 156
- categorical regressor variables *see under* regressor variables
- causality 1, 20
- censored distribution 29
- cheques 140–144
- chi-squared
 - distribution of LR test statistics 38, 44
 - estimation criterion 48–49
 - Pearson goodness-of-fit statistic 48–49, 58–59, 63, 73
- choice axiom 129–130
- choice-based sampling 97–99
- choice set 107, 127, 128, 129, 139
- coefficient of determination *see* R^2
- collinearity of regressor variables 42, 116
- conditional logit model *see under* logit model
- conditioning on the covariates 39, 92
- constant utility 129
- consistency of maximum likelihood estimates 37, 59, 60
- controlled experiments 38, 70
- convergence 37, 45, 50, 51, 113
- convergence criterion 37, 45

- convolution theorem 131, 145
 correlated disturbances 144–148
 covariance matrix *see* variance
 covariate pattern 63
 covariates *same as* regressor
 variables 1, 15–16
 curtailed equation 80–81, 83–84
 cut-off value 28, 30, 66–67, 85, 89,
 91, 94, 106, 100
- decision theory 28
 decomposition of sums of squares 68
 degrees of freedom of chi-squared 44,
 60, 63
 derivative of aggregate frequency w.
 r. t. regressor 30
 derivative of loglikelihood w. r. t.
 parameters *see* score vector
 derivative of probability w. r. t.
 regressor
 in binary logit 13, 14
 in bounded logit 78
 in conditional logit model
 137–138
 in standard multinomial logit
 109–110
 upon omitting variables 82
 derivative, vector notation 7
 deviance 62
 discrete choice 2, 4, 10, 18, 108, 129,
 135, 157
 discriminant analysis 20, 28, 88–92,
 96, 157
 discrimination 26, 27–29, 70
 distribution of regressor variables 31,
 33, 38–39, 42, 88, 91
 disturbance
 of latent variable regression
 equation 43
 of ordinary linear regression 2
 duration model 16–17
- ED50 *or* 50% effective dosage 14
 efficiency of maximum likelihood
 estimates 37
 elasticity 14–15, 30
 endogenous sample selection *or*
 stratification 39, 92, 97–99
 Engel curve 50, 82
 equality of means 44, 65, 68–69, 116,
 139
 errors of observation 76
- estimation by maximum likelihood 4,
 153
 from categorical variables 47–50
 of binary logit model 40–42
 of binary probability model 33–37
 of binary probit model 154
 of conditional logit model 138–139
 of nested logit model 146–147
 of multinomial probability model
 110–113
 of multinomial probit model
 147–148
 of standard multinomial logit
 model 113–117
 weighted 98
 estimation by maximum score 99
 estimation by minimum chi-squared
 154
 binary model 48–49
 multinomial model 117
 estimation by moments 99
 estimation by Ordinary Least
 Squares 10–11
 fitting logit transformation 51
 residuals 43–44, 68
 experimental data 38
 exponential growth 150
 exposure 99
 extreme value distribution
 type I 132–134, 146
 type B 145
- fractional polynomials 15
 F-test *see* tests and test statistics
- GAUSS 5, 37, 00n
 general logit model *see* logit model
 generic variables, parameters 127,
 136, 137, 141–142
 goodness-of-fit tests 57, 59–66
 applied to car ownership example
 61
 Hosmer–Lemeshow test 62–66
 in large samples 62
 LR tests 59–61
 of multinomial models 61–62
 Pearson chi-squared 48–49, 58–59,
 63, 73
 graph paper 154
 grouped observations 51–52
 growth curve 149–151

- Hessian matrix
 of binary logit model 41–42
 of conditional logit model 138–139
 of general binary model 35, 36
 of general multinomial model 111
 of standard multinomial logit model 114
- heteroskedasticity 11
- hit rate 66
- horseshoe crabs 27
- Hosmer–Lemeshow test *see* tests and tests statistics
- identification of parameters 17, 19–20, 21, 22, 23, 80, 105, 107–108, 112, 136
- IIA *see* independence of irrelevant alternatives
- impact of omitted variable 81–87
- income elasticity 53, 55, 120
- independence of irrelevant alternatives 109, 128, 129–130, 133, 137, 144–145, 148, 156
- independence of observations 34, 35, 110
- independent variables *see* regressor variables
- information matrix
 for categorical variables 48, 101
 of binary logit model 41–42
 of conditional logit model 138–139
 of general binary model 36
 of general multinomial model 111–113
 of standard multinomial logit model 114–116
- injuries from motor traffic example 102–103
- intercept 15, 21, 22, 90, 93–94, 98, 105, 107, 123, 127, 137, 139, 141
- investment switch example 94–95, 97
- kurtosis 25, 85
- Lagrange Multiplier test *see* tests and test statistics
- latent variable 20–21
- latent variable regression equation 20–22, 29, 68, 78, 80–81, 83–84, 104–105, 100, 134, 155
 curtailed 80–81, 83–84
 reference 80–81, 83–84
- law of proportionate effect 20
- leverage 74
- likelihood function 34
- limited dependent variables 10
- linear probability model 11
- linear regression *see* ordinary linear regression
- link function 14
- LM test *see* Lagrange Multiplier test *under* tests and test statistics
- log odds *same as* logit transformation 13
- log odds ratio 47, 101
- logistic
 distribution 23–26, 82, 83, 85, 106, 133
 function, curve 12–14, 65, 149–152
 regression, *same as* logit analysis 1, 4
- logit analysis 4
- logit model
 binary 9–15, 133, 153–154
 bounded 65, 77–79
 conditional 107, 127, 128–129, 135–139, 141–144
 general 126–130
 justification 16–20
 nested 146–147
 standard multinomial 106–110, 126–127, 128–129, 134n, 141–143
 universal *see* general
- logit transformation 13–14, 23, 25, 49–50, 51–52, 65, 90, 93, 100, 109, 117, 153–154
- LOGITJD 5, 50
- loglikelihood 34–35, 39, 66, 74–75, 110–111, 118
- log odds *see* logit transformation
- log odds ratio 47, 100
- LR *see* likelihood ratio test *under* tests and test statistics
- matched samples 99
- maximum likelihood *see* estimation by maximum likelihood
- maximum score estimation 99
- meta-analyses 85
- microsimulation 32, 122
- minimum chi-squared *see* estimation by minimum chi-squared

Index of subjects

171

- misclassification of outcomes 76–79
 misspecification 82, 84, 87
 modal split 107
 mode of payment example 140–144
 multinomial probit model 108, 147–148
 multinomial probability model
 goodness-of-fit test 61–62
 logit 106–110
 misclassification of outcomes 79
 multiple-choice question 18, 76
- nested hypothesis 38, 56–57, 144
 nested logit model *see under* logit model
 Newton-Raphson algorithm 36
 normal distribution 18, 23–26, 82n, 106, 133
 multinomial 90, 147
 of regressor variables 88, 90, 91
 normal equations 43
 normalization
 of parameters 22, 80–81, 105, 127, 134, 136
 see also standardization
 notation 6–8
 null model 44, 50, 52, 57, 60, 61, 116, 118
 number of iterations 37, 45, 51
- odds 13–14, 93, 100, 106, 108, 109
 odds ratio 47, 55, 100
 OLS *see* estimation by Ordinary Least Squares
 omitted variable effect 54–55, 79–87, 120–121
 car ownership example 54–55, 119
 ordered probability model 104–106, 108, 137, 155
 ordinary linear regression 1–2, 10, 15, 16, 29, 42, 50, 56, 62, 67–68, 79
 orthogonality (of residuals) 68–69, 71t
 outlier 6, 73–76
- parameter space 56
 Pearson
 chi-squared goodness-of-fit statistic *see under* tests and test statistics
 residual *see* quasi-residual, Studentized
 percentage correctly predicted 66–67
 point-of-sale payments 140–141
 polychotomous *or* polytomous *same as* multinomial 106
 pooling states, test for 122–125
 predicted probability 42
 prediction 26, 29–32
 by enumeration 31
 error 31
 of aggregates 30–32
 of individual outcomes 30
 rule 30
 probability model 2, 11
 probit model 23–25, 29, 82, 152–152
 multinomial 147–148
 probit transformation 23–25, 29, 152–154
 program packages 4, 37, 155
 proper regressor variables 22, 88, 90
 proportionate effect 20
- quadratic hill-climbing 36
 quantal variables 9
 quasi-elasticity
 of binary logit model 14–15, 30, 36, 53, 55
 of conditional logit model 138
 of ordered probability model 110
 of standard multinomial logit model 119, 143
 quasi-residuals 43–44, 73–74, 75, 116
 Studentized 43, 59, 73–74, 75
- R^2 *or* coefficient of determination 67–72
 for binary discrete variables, Efron 69–71, 73–74
 for binary discrete variables, McKelvey-Zavoina 68–69
 for ordinary linear regression 68
 random sample 38
 random utility 18–19, 129, 130–135, 147
 reduced form coefficients 20, 22, 108
 reduced sample 92, 94
 reference equation 80–81, 83–84
 reference state 108, 109, 117, 120n, 127, 142, 147

- regression *see* latent variable
 regression equation; logistic
 regression;
 ordinary linear regression
 regression sum of squares *see*
 decomposition of sum of squares
 regressor variables 1, 15
 categorical 4, 15, 47–50, 58–62,
 63, 69, 99–103, 117, 154
 distribution 31, 33, 38–39, 42, 88,
 91
 proper 22, 88, 90
 same as covariates 3, 18
 same as independent variables 3
 standardization 15
 relative risk 100
 rescaling factor of omitted variable
 81–82
 residual sum of squares *see*
 decomposition of sum of squares
 residuals
 ordinary linear regression 43–44,
 68
 see also quasi-residuals
 response *see* threshold model
 retrospective sample *see* sample,
 state-dependent
 risk 100
- sample
 choice-based *see* state-dependent
 full 92, 94
 matched 99
 one-sided reduction 92–97
 random 38
 reduced 92, 94
 selection 29
 size 40
 state-dependent 39, 97–99,
 101–103
 stratified 38–39
 retrospective *see* state-dependent
 sample survey 38–39, 70
 saturated model 59–61, 62
 saturation level 150
 score test *see* tests and test statistics
 score vector
 for categorical variables 48
 of binary logit model 40–41, 50
 of conditional logit model 138
 of general binary model 35
 of general multinomial model
 111–112
 of standard multinomial logit
 model 113–114
 scoring algorithm 36, 42, 50, 110, 113
 selection 26, 27–29, 89, 91
 see also discrimination
 share models 117, 155
 simulation of probabilities 148
 slope coefficients 22, 90–91, 93–94,
 98, 105, 123
 specific variables, parameters 127,
 136, 137, 141–142
 standard multinomial logit *see under*
 logit model
 standardization
 of extreme value distribution
 133–135
 of logistic distribution 23, 25
 of normal distribution 18, 23, 25
 of parameters *see* normalization
 of parameters
 of regressor variables 15
 of residuals 43
 starting values 37, 44, 50, 113
 state-dependent sample 39, 97–99,
 101–103
 stated preferences 136–137
 statistical tables 154–155
 stimulus and response *same as*
 threshold model 10
 stratified sample 38–39
 structural parameters 19, 22
 Student distribution 57
 Studentized residuals 43, 59, 73–74,
 75
 sum of squares *see* decomposition of
 sum of squares
 switching investment example 94–95,
 97
- tests and test statistics 56–65
 diagnostic tests 57
 for pooling states 122–125
 F-test 57
 Hosmer–Lemeshow test 62–66
 H–L test applied to bank loan
 example 64–66
 Lagrange Multiplier test 57
 likelihood ratio test 37–38, 44,
 56–62, 117, 118, 123–125,

Index of subjects

173

- LR test applied to car ownership
 example 52, 61, 118
 of independence of irrelevant
 alternatives 145
 Pearson chi-squared
 goodness-of-fit test 48–49,
 58–59, 63, 73
 score test 57, 58, 62
 t-test applied to car ownership
 example 51
 t-test of significance of
 parameters 51, 56–58
 Wald test 56–58
see also goodness-of-fit tests
 threshold model 9–11, 17–20, 153,
 154, 155
 ordered 104–106
 tobit 29
 tolerance level 17
 total sum of squares *see*
 decomposition of sum of
 squares
 transportation studies 39, 98, 107,
 127, 136, 137, 146, 156
- t-test of coefficients *see* tests and
 test statistics
- universal logit model *see* logit model,
 general
- utility (maximization) 2, 18–19, 108,
 120, 130–135, 136, 142–144
- variance
 of case-control estimates 101–103
 of estimates from reduced
 samples 96–97
 of functions of estimates 36
 of maximum likelihood estimates
 36, 42
 of prediction 31, 32
 vasoconstriction 27
- Wald test 56–58
 Weber–Fechner law 20
 weighted maximum likelihood
 estimation 98
- zero cell defect 46, 49, 58, 103, 117
 zero mean assumption 21