

Formula index

- Ag 146, 282, 284, 379, 547
Al 134, 146, 379, 386, 448, 499, 515
Alq₃ 516
AlO_x 287, 288, 289, 290
Al₂O₃ 289, 293
Am 379
AmFe₂ 405
AmN 433
AmO₂ 433
AuFe 218, 432
AuMn 432
- Ba₂FeMoO₆ 416
BaFe₁₂O₁₉ 174, 201, **242**, **265**, 376,
377, **426**, 462, 427, 536, 537
BaM₂Fe₁₆O₂₇ 427
Ba₂M₂Fe₁₂O₂₂ 427
Ba₂M₂Fe₂₄O₄₆ 427
Ba₃M₂Fe₂₄O₄₁ 427
BiFeO₃ 420
Bk 379
BkO₂ 433
- C₁₃H₁₆O₄N₃ 437
Ca 134, 282, 414, 436
Ca₃Al₂(OH)₁₂ 425
CaC₂ 436
CaCu₅ 399, 400
CaF₂ 433
CaFe₂FeO(Si₄O₇)(OH) 567
Ca₂FeMoO₆ 416
Ca₂FeReO₆ 416
CaFe Si₂O₆ 567
Ca₃Fe₂(SiO₄)₃ 567
CaRuO₃ 413
Ca₃Si₃Al₂O₁₂ 425
CdI₂ 421
Ce 134, 379, 379, 399, 402, 403, 405
Cf 379
Cl 428
Cm 379
CmN 433
Co 146, 148, 149, 150, 152, 154, 170,
174, 183, 190, 191, 213, **242**, **265**,
175, 282, 284, 284, 288, 289, 293,
303, 314, 347, 375, 377, 379, 385,
386, **390**, 399, 400, 402, 403, 406,
499, 415, 499, 502, 504, 510, 511,
515, 516, 537, 538, 548, 566
Co₈₀B₂₀ 390
CoCl₂ 544, 545
Co₉₀Cr₁₀ 194
Co₆₇Cr₂₀Pt₁₁B₆ 391
CoF₂ 428
CoFe 282, 284, 289, 450, 506, 515,
525, 425, 547, 558
CoFeB 521, 525
Co₅₀Fe₅₀ 504
CoFe₂O₄ 174, **265**, 291, 334, 423
Co₂MnGe 394
Co₂MnGa 394
Co₂MnSi 378, 394, 394, 504, 515
Co₂MnSn 394
Co₈₄Nb₁₀B₆ 299
CoO 206, 175, 334, 417
CoPd 191, 271
Co₈₀Pd₂₀ 543
CoPt 191, **242**, **265**, 272, 375, 377,
378, **391**, 392, 392, 536, 548
Co₃Pt 392
CoS₂ 431
Cr 152, 194, 196, 282, 283, 283, 284,
345, 347, 375, 379, 379, 386, 391,
397, 412, 536, 537, 538, 566
CrN 207
CrO₂ 150, 154, 182, **242**, **265**, 293,
376, 377, **412**, 412, 502, 502, 504,
515, 521, 536
Cr₂O₃ 419, 420
CsO₂ 436
CuCr₂S₄ 423
CuCr₂Se₄ 423
CuGeO₃ 228
Cu_xNi_{1-x} 150, 151
CuMn 218, **432**
Cu₉₉Mn₁ 376
Cu₂MnIn 394
- Dy 134, 375, 379, **398**, 399, 402, 403,
405, 471
DyCl₃ 552
DyFe₂ 405
- Er 379, 399, 402, 403, 405
ErCl₃ 545
Eu 134, 208, 376, 379, 399, 403, 410,
411
EuO 291, **410**, 410, 411, 434
EuS 291, 411
EuSe 411
Eu_xSr_{1-x}S 432
EuTe 411
- F 428
Fe 145, 148, 149, 150, 152, 153, 154,
170, 174, 183, 190, 191, 213, **242**,
265, 282, 283, 284, 288, 289, 301,
314, 318, 347, 375, 377, 379, **384**,
385, 386, 401, 402, 404, 407, 408,
409, 448, 450, 415, 416, 418,
421–426, 430, 499, 502, 504, 515,
547, 548, 566, 567, 574
Fe₃Al 378
Fe₃Al₂(SiO₄)₃ 567
Fe₈₀B₂₀ 183, 211, 212, 389, 390
Fe₃C 408
FeCO₃ 567
FeCo 191, 280, 293, 378, 386, 387,
536
Fe₆₅Co₃₅ 375, **385**, 386, 453
Fe₇₀Co₃₀ 302
Fe_{100-x}Co_x 196, 213
Fe_xCo_{1-x} 386
(Fe_{80-x}Co_x)B₂₀ 196, 213
FeCoNi 536
Fe₅₀Co₃₀Ni₂₀ 194
(FeCoNi)₈₀B₂₀ 390
Fe₅₅Co₁₃Ni₁₈Al₁₀Cu₄ 386
Fe₄₉Co₂₄Ni₁₅Al₈Cu₃Nb₁ 386
Fe₃₁Co₃₈Ni₁₄Al₇Cu₃Ti₇ 386
Fe_{4.3}Co_{68.2}Si_{12.5} 189
Fe₅Co₇₀Si₁₅B₁₀ 390
Fe₃₆Co₅₂V₁₂ 386
Fe₄₉Co₄₉V₂ 450
Fe_{73.5}Cu₁Nb₃Si_{15.5}B₇ 301
Fe_{73.5}Cu₁Nb₃Si_{13.5}B₉ 390, 450
FeF₂ 428
FeF₃ 211, 212, 376, **429**
(Fe_xMg_{1-x})₂SiO₄ 566

- FeMn 196, 278, 396
 FeMo 416
 Fe₄N 375, **407**
 Fe₉₇N₃ 408
 Fe₉₀N₁₀ 408
 Fe₁₆N₂ 408
 Fe₄N 408
 Fe₃N 408
 Fe_{100-x}N_x 408
 FeNi 387
 FeNi₃ 387
 Fe_{1-x}Ni_x 375, 388, 389, 499, 566
 Fe₆₀Ni₂₇Al₁₃ 386
 Fe₉₀Ni₁₀B₂₀ 242, **265**, 375
 Fe₄₀Ni₃₈Mo₄B₁₈ 450
 Fe₄₀Ni₄₀P₁₄B₆ **389**
 FeO 206, 417
 Fe₂O₃ 139, 196, 278, 293, 321, 334, 376, **418**, 419, 420, 421, **423**, 424, 530, 536, 537, 567
 Fe₃O₄ 201, **242**, **265**, 303, 376, 377, **422**, 423, 567
 FeO(OH) **420**, 421, 567
 Fe_{1-x}(OH)₃ 421
 Fe(OH)₂ 421
 FePd 272, 392
 FePt 191, 239, 378, 392
 Fe₃Pt 378
 Fe₃PtN 408
 FeS 431, 566, 567
 FeS₂ 431, 566
 Fe₃S₄ 423, 431, 567
 Fe₇S₈ 376, **430**, 431, 567
 FeSe_{1-x} 431
 FeSe₂ 431
 Fe₃Se₄ 431
 Fe₇Se₈ 431
 FeSi 300
 Fe₃Si 378
 Fe₉₄Si₆ 385, 386
 Fe₈₅Si₁₀Al₅ 450
 Fe₇₄Si₁₆Al₁₀ 385
 FeSiO₃ 567
 Fe₂SiO₄ 567
 Fe₇Si₈O₂₂(OH)₂ 567
 Fe₃Si₂O₅(OH)₄ 567
 Fe₃Si₄O₁₀(OH)₂ 567
 FeTe₂ 431
 FeTiO₃ 420, 567
 Fe_{2.4}Ti_{0.6}O₄ 567
 Fe_{1.4}Ti_{0.6}O₃ 567
 FeV 152

 GaAs 337, 434, 508, 514, 516, 529, 541
 (GaMn)As 434

 (Ga₉₂Mn₈)As 376
 GaN:Mn 434
 Ga₂O₃ 312
 Gd 134, 154, 183, 314, 379, 399, 402, 403, 405, 406
 Gd₈₀Au₂₀ 211
 Gd_{100-x}Co_x 406
 GdCo₂ 274, 303
 GdCo₅ 201, 400
 Gd_{1-x}Co_x 407
 Gd₂Co₁₇ 404
 Gd₂₅Co₇₅ 217, 375, 406
 GdFeO₃ 415
 Gd_xLa_{80-x}Au₂₀ 220
 GdN 411

 Hf 379
 Ho 379, 398, 399, 402, 403, 405

 IrMn 525
 IrMn₃ 196, 278, 375, 395, **396**

 KO₂ 436
 K₂NiF₄ 228, 428

 La 152, 379, 402, 403
 La₈₀Au₂₀ 432
 (La₇₀Ca₃₀)MnO₃ 143, 187, 188, 376, 415, 502, 521
 LaF₃ 428
 LaFeO₃ 420
 LaMnO₃ 415
 La₇₀Sr₃₀MnO₃ 187, **414**, 415
 LaTiO₃ 415
 Li 134
 LiFeO 423
 LiHoF₄ 229
 Lu 379, 402, 403

 MgAl₂O₄ 422
 MgCu₂ 404
 MgFe₂O₄ 423, 567
 MgO 287, 288, 289, 290, 291, 521, 523, 524, 525, 539
 Mn 196, 347, 375, 379, 392, 393, **395**, 398, 428, 432, 434, 566
 Mn₁₂ acetate 298
 MnAl 392
 MnAs 393
 MnBi 375, **392**, 393, 395
 MnCo₃ 139, 567
 MnF₂ 139, 196, 375, **427**, 428
 MnFe₂O₄ 423, 567
 (Mn_xGa_{1-x})As **434**
 Mn₄N 408
 MnO 206, 417

 Mn₂O₃ 420
 MnS₂ 206, 431
 MnSb 393
 MnSi 398
 MnTe₂ 206
 Mn₂VAl 394
 MnZn 451, 452
 Mo 134, 145, 379, 388, 409, 416

 N₂ 338
 NbTi 340
 Nd 134, 336, 379, 399, 401, 402, 403, 405, 409, 410, 471, 566
 NdFeB 470, 473, 486, 492, 579
 Nd₂Fe₁₄B **242**, **265**, 302, 318, 332, 333, 375, 377, **401**, 471, 473, 532, 579
 Nd₁₄Fe₈₀B₆ 300
 Ni 148, 149, 150, 151, 152, 153, 154, 170, 174, 181, 183, 190, 191, 194, 196, **265**, 269, 272, 314, 347, 377, 379, **386**, 393, 448, 417, 499, 502, 504, 566, 574
 NiAl 294
 NiAs 393, 431
 Ni₈₀B₂₀ 390
 NiF₂ 428
 NiFe **242**, **265**, 284, 300, 449, 506, 515, 525, 547
 Ni₃₆Fe₆₄ 450
 Ni₅₀Fe₅₀ 450, 453
 Ni₇₈Fe₂₂ 548
 Ni₈₀Fe₂₀ **242**, 282, 449, 504
 Ni₈₀Fe₂₀ 377, **387**
 Ni₇₇Fe_{16.5}Cu₅Cr_{1.5} 450
 Ni₃Fe 378
 Ni₃FeN 408
 NiFe₂O₄ 174, 291, 423, 567
 NiMn 278, 396
 Ni₃Mn 392
 Ni₂MnGa 394
 NiMnSb 375, 378, **393**, 394, 405, 504
 Ni₂MnSn 394
 NiO 206, 278, 375, **417**
 NiS₂ 431
 NiZn 451, 452
 Np 379
 NpFe₂ 405
 NpO₂ 433

 O₂ 338, 376, 381, **435**, 436

 Pa 379
 Pd 134, 146, 379, 547
 Pd₂M Sb 394
 Pd₅₂Pt₁₈Mn₅₀ 278, 396

- Pm 379
 Pr 379, 399, 402, 403, 405, 409, 410
 Pt₃Co 378
 PtMn 178, 396
 PtMnSb 191, 394
 Pu 379
 PuFe₂ 405
 PuN 433
 PuO₂ 433

 RbO₂ 436
 RCO₂ 405
 R₂Co₁₇ 400
 R₂Co₁₄B 402
 RFe₂ 403, 405
 RFe₃ 403
 R₂Fe₂₃ 403
 R₂Fe₁₇ 403
 RFe_{12-x}X_x 409
 R₃(Fe, X)₂₉ 409
 R₂Fe₁₄B 402
 RFeO₃ 415
 R₃Fe₅O₁₂ 425
 RNi₂ 143, 405
 Rb₂CoF₄ 428
 RhMn₃ 178, 396
 Ru 280, 282, 379, 398, 413, 525
 RuO₂ 413

 SiFe 449
 Sm 379, 399, 400, 402, 403, 405, 409, 410, 566
 SmCo 470
 SmCo₄B 400
 SmCo₅ **242, 265**, 346, 375, 377, **399**, 400, 471, 473, 541, 548
 Sm₂Co₁₇ 340, 377, 404, 471, 473, 490
 Sm₂Fe₁₇ 404, 409

 Sm₂Fe₁₇C₃ 409
 Sm₂Fe₁₇H_x 409
 Sm₂Fe₁₇N₃ **265**, 409
 Sm (FeCoCuZr)₇₋₈ 400
 Sm₂Fe₁₇N₃ 265, 375, 377, **408**
 Sm₂Fe₁₇N₃Fe 302, 303
 Sm_xFe_(100-x)N_{3x} 302
 Sr 413, 414, 416
 Sr₂CrReO₆ 416
 SrCu₂O₃ 228
 Sr_{n-1}Cu_{n+1}O_{2n} 228
 SrFe₁₂O₁₉ 471, 472, 473, 427
 Sr₂FeMoO₆ 375, **415**, 416'
 Sr₂FeReO₆ 416
 Sr₂FeWO₆ 416
 SrRuO₃ 182, **375, 413**
 Sr₄Ru₃O₁₀ 413

 Tb 379, 471, 399, 402, 403, 404, 405
 (Tb₃₀Dy₇₀)Fe₂ 405
 TbFe₂ 201, **404**, 405
 Tb₃Fe₅O₁₂ 190
 Tb₂₅Co₇₅ 278
 ThMn₁₂ 409
 Th₂Ni₁₇ 403
 Th₂Zn₁₇ 403, 409
 Ti 134, 152, 347, 379, 409, 410, 422
 TiFe 420
 TiFe₂O₄ 567
 TiO₂ 412, 413, 428
 Ti₂O₃ 420
 Ti_nO_{2n-1} 413
 TiO₂Co 434
 Tl₂Mn₂O₇ 414, 502
 Tm 134, 379, 399, 402, 403, 405

 UAs 433
 UFe₂ 405

 UN 433
 UO₂ 433
 UP 433
 US 376, **433**
 USb 433
 USE 433
 Ute 433

 V 152, 183, 347, 379, 386, 409
 VO₂ 413
 V₂O₃ 420
 V(TCNE)_x 437

 W 379

 Y 134, 152, 379, 402, 403, 424, 425
 Yb 154, 208, 379, 402, 403
 YCo₅ 169, 174, 400
 YCo₂ 274, 303, 405
 Y₂Co₁₇ 375, **402**, 404
 YFe₂ 152, 405
 Y₂Fe₁₇ 404, 409
 Y₂Fe₁₇C₃ 409
 Y₂Fe₁₇H_x 409
 Y₂Fe₁₇N₃ 409
 Y_{1-x}Fe 194
 Y₂Fe₅O₁₂ 377
 Y₃Fe₅O₁₂ 190, 201, **424**
 YMnO₃ 415
 YTiO₃ 415

 Zn 134, 146, 379, 547
 ZnFe₂O₄ 423
 ZnO:Co 434
 ZnS 434
 ZnZr₂ 381
 Zr 379
 ZrZn₂ 150, 405

Index

- 3*d* elements, 378
 3*d* ions, 115*t*
 4*f* elements, *see* rare-earths
 4*f* ions, 114*t*
 4*f*–3*d* alloys, 154
 5*f* band, 182
 5*f* elements, *see* actinides
- AC-core, 458*f*
 actinides, 182, 295, 405*t*, 433
 active recoil, 469
 actuators, 486
 moving-iron, 487
 moving-magnet, 487
 rotary, 487
 voice-coil, *see* voice-coil motors, 532
 adiabatic demagnetization, 112
 adiabatic process, 113
 advection, 571
 advection–diffusion equation, 553
 AFC bilayer medium, 537
 airgap, 467, 481
 akaganéite, 421
 aliasing effect, 280
 almandine, 567
 alnico magnets, 293, 386, 471, 473
 amakinite, 421
 amorphous ferrimagnet, 217
 amorphous ferromagnetic wire, 189
 amorphous magnets, 209, 210*f*, 210, 211*f*, 211, 212*f*, 212, 213*f*, 213, 214*f*, 214, 215*f*, 215, 216*f*, 216, 217*f*, 217, 218*f*
 Ampère's law, 30
 Ampère, André-Marie, 3
 ampere, definition, 30
 Anderson criterion, 145
 Anderson model, 144
 andradite, 567
 Andreev reflection, 503
 angular momentum, 63
 operator, 67
 orbital, 64
 quantum mechanics of, 67
 quenched, 115
 spin, 65
- anisotropy, 10, 168–174, 599
 circumferential, 189
 cobalt, 169
 cubic, 170
 energy, 10
 exchange, 275
 exchange-related, 236
 hexagonal, 170
 induced, 168, 172
 iron, 169
 local single-ion, 212
 magnetocrystalline, 168, 169, 197, 232, 297
 nickel, 169
 perpendicular, 252
 random, 300
 shape, 168, 197, 270, 297
 single-ion, 122, 172, 173
 strain, 272
 stress-induced, 172
 surface, 236, 271, 295, 297
 temperature-dependence, 173
 tetragonal, 170
 two-ion, 172, 173
 anisotropy averaging, 300
 anisotropy field, 171
 antenna, 457
 antibody, 558
 antiferromagnet, 11
 antiferromagnetic domains, 197
 antiferromagnetic interaction, 137
 antiferromagnetic minerals, 567*t*
 antiferromagnetic order
 body-centred cubic lattice, 205
 face-centred cubic, 205
 simple cubic lattice, 204
 antiferromagnetic resonance, 305, 315
 antiferromagnetism, 195, 196*f*, 196, 196*t*, 197*f*, 197, 198*f*, 198, 199*f*, 199, 200, 201*f*, 201*t*, 202*f*, 202, 203*f*, 203, 204*f*, 204, 205*f*, 205, 206*f*, 206, 207*f*, 207, 208*f*, 208, 209*f*, 209, 210*f*, 210, 211*f*, 211, 212*f*, 212, 213*f*, 213, 214*f*, 214, 215*f*, 215, 216*f*, 216, 217*f*, 217, 218*f*, 218, 219*f*, 219, 220*f*, 220, 221*f*, 221, 222, 222*t*, 223*f*, 223, 224, 224*t*, 225, 225*t*, 226*f*, 226, 227, 227*t*, 228*f*, 228, 229*f*, 229, 230
- applications
 dynamic, with active recoil, 485–491
 dynamic, with mechanical recoil, 481–485
 high-frequency, 457–462
 low-frequency, 454–457
 medical, 561
 microwave, 459
 static, 453, 473–481
 applied field, 38, 55
 approach to saturation, 258, 260
 Arago, Dominique-François, 3
 archaeometry, 572
 Arrott–Belov plots, 132
 artificial antiferromagnet, 199, 287
 artificial ferrimagnet, 281
 asperomagnetism, 216
 asperomagnets, 220
 atomic physics, 97
 Aurora Borealis, 575
- band structure, Fe, 148*f*
 Barkhausen jump, 250, 257
 Barkhausen noise, 538
 bearings, 483
 Bernal structure, 211, 389
 Bernal, J. D., 211*f*
 Bernoulli, Daniel, 2
 Berry phase, 73
 Biot–Savart law, 26, 340
 bitter magnets, 340
 Bloch equations, 324
 Bloch line, 243
 Bloch $T^{3/2}$ power law, 166
 Bloch wall, 235, 240, 317
 width, 267
 Bloch's theorem, 81
 Bloch–Bloembergen equations, 326
 blocking temperature, 278, 296
 blood oxygen-level dependent imaging, 564
 Bohr magneton, 5, 64
 Bohr model, 64

- Bohr radius, 65, 99
Bohr–van Leeuwen theorem, 76
Boltzmann statistics, 94
bonding
 covalent, 93
 ionic, 93
 metallic, 93
Boolean logic, 526
Born–Oppenheimer approximation, 158*f*, 182
boundary conditions, 47
Brillouin function, 109, 196, 202
Brillouin light scattering, 349
Brillouin theory, 107
Brillouin, Léon, 108
Brown's micromagnetic equations, 239
Brown's paradox, 245
Brown's theorem, 245, 247
Brown, William Fuller, 239*f*
Brownian motion, 545
bulk-material growth, 334
- C and S configurations, 295
C and S states, 251
canonical momentum
 operator, 88
canted antiferromagnet, 418
carbon atom, ground state, 103
carbon nanotubes, 516
cellular biology, 556
chains, magnetic, 227
characteristic length scales, 265
charge, magnetic, 34, 232
charge avoidance principle, 238
charge transfer insulator, 380
chemical potential, 59, 82, 285, 505
chemical shift, 319
circular birefringence, 192
circular dichroism, 192
circulators, 460, 461
close-packed structures, 377
closure domains, 232
Co–Fe alloys, 450
Cobalt, 150, 375, 390
coercivity, 9, 253
 intrinsic, 41
 mastery of, 9, 17
coherence radius, 236, 266, 293
coherent reversal process, 233
coherent rotation, 250
cold crucible, 553
commutation rules, 69
compensation point, 406
compensation-point writing, 540
complementary metal-oxide semiconductor logic, 494
condon domains, 244
conductance quantum, 500
conductance ratio, 506
conduction
 ballistic, 499, 515
 diffusive, 497
 hopping, 501, 515
 tunnelling, 501
conduction electron spin resonance, 311
conduction mechanisms, 497
conjugate field, 133, 223
constants and conversion factors, 600
constitutive relations, 43
continuous medium approximation, 25
contrast agents, 563
coordination
 octahedral, 117
 tetrahedral, 117
core losses, 17
corkscrew rule, 25
correlation length, 223
Cotton–Mouton effect, 193
Coulomb gauge, 88
Coulomb interaction, 156
couplings, 483
covalency, 119
critical behaviour, 167, 223
critical exponents
 dynamic, 223
 static, 133, 224
cross-tie wall, 243
crystal abundance, magnetic elements, 566*t*
crystal field, 114, 114*t*, 115, 115*t*, 116, 116*t*, 117*f*, 117, 118*f*, 118, 119*f*, 119, 120*f*, 120, 120*t*, 121*f*, 121, 122*f*, 123*f*, 123–125, 125*t*, 126, 209, 310, 599
 cubic parameter, 122
 interaction, 115
 notation, 118
 stabilization energy, 120
 uniaxial parameter, 124
crystal growth
 Bridgeman method, 334
 Czochralski method, 334
 flux method, 334
crystal-field excitations, 349
cubic antiferromagnets, 204
Curie constant, 11, 78*f*, 131
 molar, 126
 numerical value, 109
Curie groups, 382
Curie law, 11, 78*f*, 108
 classical form, 111
Curie temperature, 9, 130
 nickel, 9
 paramagnetic, 197, 216
Curie-point writing, 540
Curie–Weiss law, 11, 131, 150, 197
curling, 253
curling modes, 251, 254
cusp field, 478
cyclotron frequency, 74, 89
cyclotron orbits, 74
cyclotron radiation, 74
cyclotron radius, 74, 267
- damping, 315, 513
Datta–Das transistor, 529
DC servomotor, 488
de Broglie relation, 62
de Gennes factor, 126, 142
de Hass–van Alphen effect, 90
Debye–Waller factor, 329
delocalized-electron model, 95
 ΔE effect, 174, 178
demagnetizing factor, 36, 169, 293
 powder, 39
demagnetizing field, 35, 231, 313
demagnetizing tensor, 36
density functional theory, 159
density of states, 79
Descartes, René, 2
diamagnetism
 Landau, 86
 of common ions, 76*t*
 orbital, 75
differential scanning calorimetry, 369
differential thermal analysis, 369
diffraction methods, 344
digital recording, 530
dimensions, 592
dipolar coupling, 282
dipole field, 27, 28
dipole selection rule, 307
Dirac notation, 69
direct exchange, 156
dispersion relation
 electrons, 166
 magnons, 166
 phonons, 166
 spin waves, 315
displacement
 electrical, 42
dissipation, 530
DMS, 434
DNA, 560
domain measurements, 353, 355*f*, 355, 356*f*, 356, 357*f*, 357, 358*f*, 358, 359*f*, 360*f*
 Bitter method, 354
 magnetic force microscopy, 355
domain rotation, 244

- domain theory, 239, 240*f*, 240, 241*f*, 241, 242, 242*t*, 243*f*, 243, 244
- domain walls, 240
71°, 232
90°, 232, 279
109°, 232
180°, 240
dynamics, 317
energy, 295
geometrically constrained, 294
mass, 257, 318
mobility, 257
motion, 244, 256, 261
transverse, 294
velocity, 256, 317, 318*f*
vortex, 294
width, 242, 294
- domain-wall energy, 242
- domain-wall equation, 242
- domain-wall parameters, 242*t*
- domain-wall pinning, 244, 245*f*, 245, 246*f*, 246, 247*f*, 247, 248*f*, 248, 249*f*, 249, 250*f*, 250, 251*f*, 251, 252, 253*f*, 253, 254*f*, 254, 255*f*, 255, 256, 257*f*, 257, 258*f*, 258, 259*f*, 259, 260*f*, 260, 261*f*, 261, 262
- domains, 8, 231, 232*f*, 233*f*, 233–235, 236*f*, 236, 237, 238*f*, 238, 239*f*, 239, 240*f*, 240, 241*f*, 241, 242, 242*t*, 243*f*, 243, 244, 245*f*, 245, 246*f*, 247*f*, 247, 248*f*, 248, 249*f*, 249, 250*f*, 250, 251*f*, 251, 252, 253*f*, 253, 254*f*, 254, 255*f*, 255, 256, 257*f*, 257, 258*f*, 258, 259*f*, 259, 260*f*, 260, 261*f*, 261–263
- antiferromagnetic, 278
- bubble, 253
- closure, 239
- head-to-head, 294
- maze, 273
- stripe, 273
- Doppler shift, 330
- Döring mass, 318
- double exchange, 187
- dynamo
liquid-metal, 572
self-exciting, 571
- Dzyaloshinski–Moriya interaction, 139
- Earnshaw’s theorem, 484, 549
- Earth’s crust, 565
- Earth’s dynamo, 570
- Earth’s magnetic field, 297, 555, 568
fluctuations, 575
reversal, 572
secular variation, 569, 572
- easy direction, local, 213
- economics, 16
- effective Bohr magneton number, 109, 114
- effective mass, 84
- effective spin, 150
- efficiency, 474
- Einstein–de Hass effect, 66
- elastic constants, 238
- electric field gradient, 209
- electric motors, 455
- electrical conduction, 82
- electrical steel, 385, 448
- electrodeposition, 293, 547
magnetic field effects, 548
- electromagnet, 4, 341, 453, 534
- electromagnetic devices, 372
time dependence, 372
- electromagnetic waves, 4
- electron paramagnetic resonance, 305, 307, 308*f*, 308, 309*f*, 309, 310*f*, 310, 311*f*, 311, 312*f*
- electron spin resonance, 305
- electronic structure, 353
- electronic structure calculations, 158
- electrons
delocalized, 94
localized, 94
- electrons in solids, 92–95, 95*t*
- electropermanent magnet, 483
- elemental abundance, 16
- energy
anisotropy, 236
demagnetizing, 237
elastic, 177
exchange, 235
in an external field, 55
magnetostatic, 50, 51*f*, 51, 52*f*, 52, 53*f*, 53, 54*f*, 54–56, 57*f*, 57, 58*f*, 58, 59
magnetostriction, 237
micromagnetic, 234, 235, 236*f*, 236, 237, 238*f*, 238, 239*f*, 239
strain, 237
Zeeman, 106
- energy product, 18, 54, 467, 470
limit, 19
units, 18*f*
- entropy, magnetic, 121
- EPR, absorption line, 308*f*
- Euler equation, 241
- European Framework Programmes, 570
- Ewing, James, 7
- exchange, 128–134, 134*t*, 135–146, 146*t*, 147*f*, 147, 148*f*, 148–150, 150*t*, 151–166, 166*t*, 167–183, 183*t*, 184–190, 190*t*, 191, 191*t*, 192, 193, 193*t*, 194
- antisymmetric, 139
- biquadratic, 140
- direct, 140
- double, 143
- in insulators, 138
- in metals, 140
- indirect, 280
- interlayer, 282*t*
RKKY, 142, 209
- exchange averaging, 300
- exchange bias, 274, 276*f*, 279
materials, 278*t*
- exchange bias systems, 277
- exchange constant, 137
- exchange field, 510
- exchange integral, 137
- exchange interactions, 135–144
- exchange length, 236, 265
- exchange parameter, 135
- exchange spring, 303
- exchange stiffness, 235, 255, 273
- exchange-correlation potential, 160
- excitations, measurement, 368, 369*f*, 369, 370*f*
- experimental methods, 333, 334*f*, 334, 335*f*, 335, 336, 337*f*, 337, 338, 339*f*, 339, 340, 341*f*, 341, 342*f*, 342, 342*t*, 343, 344*f*, 344, 345*f*, 345, 346*f*, 346, 347, 347*t*, 348*f*, 348, 349*f*, 349, 350*f*, 350, 351*f*, 352, 352*t*, 353*f*, 353, 354*f*, 355*f*, 355, 356*f*, 356, 357*f*, 357, 358*f*, 358, 359*f*, 360*f*, 360, 361, 362*f*, 362, 363*f*, 363, 364*f*, 364, 364*t*, 365*f*, 365, 366, 367*f*, 367, 368, 369*f*, 369, 370*f*, 370, 371*f*, 371, 372*f*, 372, 373
- extended X-ray absorption fine structure, 350
- fanout, 526
- Faraday balance, 361
- Faraday effect, 3, 189, 356, 460
longitudinal, 191*f*
polar, 191*f*
transverse, 191*f*
- Faraday’s law, 23
- Faraday rotation, 190*t*, 462, 578
- Faraday, Michael, 3, 189
- fayalite, 567
- Fermi energy, 79
- Fermi surface, 79
Co, 149*f*
Fe, 149*f*
Ni, 149*f*

- Fermi temperature, 79
 Fermi velocity, 79
 Fermi wavevector, 79
 Fermi–Dirac statistics, 79, 82, 95
 ferrihydrite, 421
 ferrimagnet, 12
 ferrimagnetic Néel temperature, 202
 ferrimagnetism, 200, 201*f*, 201*t*, 202*f*, 202, 203*f*, 203
 ferrite, 423*t*, 440
 M, 426
 microwave, 447
 soft, 451
 spinel, 423
 W, 427
 X, 427
 Y, 427
 Z, 427
 ferrite magnets, 472*t*
 ferrofluids, 545, 553
 ferromagnetic $3d$ elements, 150*t*
 ferromagnetic correlation length, 214
 ferromagnetic interaction, 137
 ferromagnetic liquids, 128
 ferromagnetic metals, 135, 147
 ferromagnetic resonance, 255, 305, 313, 314, 314*t*, 315*f*, 315, 316*f*, 316, 317*f*, 317, 318*f*, 318, 447
 ferromagnetism, 128–134, 134*t*, 135–146, 146*t*, 147*f*, 147, 148*f*, 148–150, 150*t*, 151–166, 166*t*, 167–183, 183*t*, 184–190, 190*t*, 191, 191*t*, 192, 193, 193*t*, 194
 ferrosilite, 567
 ferroxyhite, 567
 field-gradient force, 71, 543, 549, 557, 558
 field-effect transistor, 494
 field-reprogrammable gate array, 525
 figure of merit, 444
 fine structure, 310
 fine-structure constant, 91
 finnet, 390, 450, 453
 fluctuation dissipation theorem, 222
 flux concentration, 476
 flux losses, 467
 fluxgate, 343, 456
 flux quantum, 363
 force, magnetic, 59
 Franklin, Benjamin, 3
 free atoms, 92
 free energy
 Gibbs, 57
 Helmholtz, 57, 113
 Landau, 131
 free-induction decay, 327
 free-electron model, 78
 frustration, 203*f*; 203, 204*f*; 204, 205*f*, 205, 206*f*; 206, 207*f*; 207, 208*f*, 208, 209*f*, 209
 furnace
 induction, 553
 RF levitation, 554
 g -factor, 65
 effective, 308, 310
 Landé, 104
 gadolinium, 131
 Galvani, Luigi, 3
 garnet, 424
 Gauss, 568
 Gauss's theorem, 29
 generators, 490
 geometric factor, 474
 goethite, 567
 giant magnetoimpedance sensor, 519
 giant magnetostriction, 405
 Gilbert damping, 316
 Gilbert equation, 256, 316
 Gilbert, William, 2, 542
 glass, 211
 glass former, 211
 glass transition, 211
 global plate tectonics, 573
 goethite, 420
 Gongliang, Zheng, 1
 Goodenough–Kanamori rules, 139
 Goss texture, 449
 Goudsmit, Samuel, 5, 7
 Gouy balance, 543
 grain-oriented Si steel, 449
 graphene, 516
 greenalite, 567
 greigite, 423, 567
 grunerite, 567
 Guillaume, Charles, 175
 gyromagnetic ratio, 64, 65, 306
 Hadfield, Robert, 448
 Hahn, Erwin, 327
 Halbach cylinder, 32, 475
 Haldane gap, 228
 half-metals, 150, 154, 288, 412, 414, 416
 half-Heusler alloys, 394*t*
 half-select principle, 523
 Hall angle, 187
 Hall coefficient, 85
 Hall effect, 84
 anomalous, 187
 planar, 185
 quantum, 85
 sensor, 343
 Hamiltonian
 crystal-field, 116
 cubic crystal field, 124
 Dirac, 91
 free-electron, 78
 Heisenberg, 138
 hyperfine, 320
 spin, 126
 uniaxial crystal field, 124
 Zeeman, 70, 71, 306
 Handrich model, 213
 hard-disc drive, 532, 539
 hard magnets, applications, 464, 465, 465*t*, 466–468, 468*t*, 469–493
 hardness parameter, 265
 Harris–Plischke–Zuckermann model, 214
 Hartree–Fock approximation, 101
 Hartree–Fock method, 159
 heat-assisted magnetic recording, 537
 hedenbergite, 567
 hedgehog, 229
 Heisenberg exchange, 204
 Heisenberg Hamiltonian, 5
 Heisenberg model, 167, 221, 226
 three-dimensional, 224
 two-dimensional, 270
 Heisenberg, Werner, 5
 helimagnets, 207
 Helmholtz coils, 32
 hematite, 418, 567
 heme, 563
 Heusler alloys, 394
 hexagonal ferrites, 469
 hexathiophene, 516
 Ho, Cheng, 1
 holding magnets, 483
 hopping integral, 156
 horse power, 455
 horseshoe magnet, 2
 hot spots, 288
 Hubbard model, 157
 Hund's rules, 103
 hydrogenic atom, 97, 98*f*, 98, 99*f*, 99, 99*t*, 100*f*, 100, 100*t*, 101*f*
 Hamiltonian, 97
 Schrödinger equation, 98
 hyperfine field, 311
 hyperfine interaction, 310, 320, 351
 hyperfine structure, 311
 hypenik, 450
 hypothermia, 560
 hysteresisgraph, 366
 hysteresis, 7, 8*f*, 8, 9, 10*f*; 10–12, 231, 232*f*, 233*f*, 233–235, 236*f*; 236, 237, 238*f*, 238, 239*f*; 239, 240*f*, 240, 241*f*, 241, 242, 242*t*, 243*f*, 243, 244,

- hysteresis (*cont.*)
 245*f*, 245, 246*f*, 247*f*, 247, 248*f*,
 248, 249*f*, 249, 250*f*, 250, 251*f*, 251,
 252, 253*f*, 253, 254*f*, 254, 255*f*, 255,
 256, 257*f*, 257, 258*f*, 258, 259*f*, 259,
 260*f*, 260, 261*f*, 261–263, 616*t*
 loop, 9, 258
 rotational, 276*f*
- ilmeneite, 567
 ilvanite, 567
 immunoassay, magnetic, 558
 impurities in ferromagnets, 152
 incommensurate magnetic order,
 208
 inductors, 454, 458
 initial magnetization curve, 258
 interfaces, 283
 INTERMAGNET, 570
 intermetallic compounds, 378, 398,
 399*f*, 399, 400, 400*t*, 401, 402*f*,
 402, 403*f*, 403, 404, 404*t*, 405,
 405*t*, 406
 intersital compounds, 379, 407, 408,
 408*t*, 409, 409*t*, 410
 invar, 450
 invar effect, 175*f*
 ionic insulators, 379
 ionic radii, 380*t*
 ions in solids, 114, 114*t*, 115, 115*t*, 116,
 116*t*, 117*f*, 117, 118*f*, 118, 119*f*,
 119, 120*f*, 120, 120*t*, 121*f*, 121,
 122*f*, 123*f*, 123–125, 125*t*, 126
 iron, 150, 375, 384, 566, 567
 iron group metals and alloys, 384–386,
 386*t*, 387*f*, 387, 388*f*, 388, 389,
 390*f*, 390–392, 392*t*, 393, 393*t*,
 394, 394*t*, 395, 395*t*, 396, 396*t*,
 397*f*, 397
 Ising model, 221
 isolators, 461
 isomer shift, 331
 ITER, 555, 570
- j*–*j* coupling scheme, 101
 Jaccarino–Walker model, 145
 jacobite, 567
 Jahn–Teller effect, 120
 Joule effect, 176
 Joule, James, 176
 Jullière model, 288
- Karlquist equations, 534
 keeper layer, 536
 Kelvin force, 59
 Kennelly convention, 590
- Kerr effect, 273, 356
 longitudinal, 191*f*
 MOKE, 190
 polar, 191*f*
 transverse, 191*f*
 Kerr rotation, 190, 191*t*
 Kerr, John, 190
 Kittel equation, 313
 klystron, 479
 Knight shift, 322
 Kohler's rule, 183, 185, 186
 Kohn–Sham method, 160
 Kondo effect, 145, 298
 Kondo scattering, 146
 Kondo temperature, 146, 146*t*
 Korringa relation, 323
 Kramers doublets, 124
 Kramer's theorem, 124
 Kramers–Kronig relations, 445
 Kronecker delta, 117
 Kua, Shen, 1
- L*–*S* coupling scheme, 101
 labelling, magnetic, 558
 ladder operators, 70, 307
 ladders, magnetic, 228
 lamination, 441, 442
 Landau theory, 131
 Landau, Lev, 8, 132
 Landau–Lifschitz equation, 316
 Landau–Lifschitz–Gilbert equation, 446,
 512
 Landauer formula, 500
 Langevin function, 109, 111, 546
 Langevin theory, 110
 Langevin, Paul, 110
 lanthanide contraction, 208
 Larmor precession, 75, 255, 305, 307,
 321
 frequency, 75
 Laves phase, 404
 layer
 antiferromagnetic, 277
 ferromagnetic, 277
 free, 280, 286
 pinned, 276, 280, 286
 ruthenium, 281
 spacer, 280, 286
 LBMO, 414
 LCMO, 414
 lepidocrocite, 421, 567
 level crossings, 126
 levitation, 542
 diamagnetic, 551
 frogs, 551
 magnetic, 549–555
- radio-frequency, 553
 static, 549
 Li ferrite, 440
 Lifschitz, Evgenii, 8
 ligand field, 118
 lines of force., 27
 lithography
 electron-beam, 339
 optical, 339
 local density approximation, 160
 local spin density approximation, 160,
 353
 localized-electron model, 94
 lodestone, 1, 422
 logic, 525
 longitudinal recording media, 391
 Lorentz
 cavity field, 49
 force, 4, 30, 74, 548
 Lorentz microscopy
 Foucalt, 358
 Fresnel, 358
 loss angle, 444
 losses, 441–447
 anomalous, 442
 eddy-current, 442
 high-frequency, 443
 hysteresis, 442
 low-frequency, 441
 loudspeakers, 486
 low-spin state, 121
 lower critical dimension, 227*t*
 LSMO, 414
- Mössbauer effect, 329
 Mössbauer spectroscopy, 329, 352
 macrospin, 12, 295, 313
 macrospin dynamics, 513
 maghemite, 423, 567
 Maglev, 484
 Transrapid, 550
 Magnelli phases, 413
 magnesoferrite, 567
 magnet, fridge, 478*f*
 magnetars, 578
 magnetic after-effect, 262
 magnetic amplifiers, 456
 magnetic annealing, 476
 magnetic battery, 467
 magnetic bearings, 402, 484
 magnetic biochip, 560
 magnetic charge, 34, 232
 magnetic circuits, 54, 466–468, 468*t*, 469
 magnetic circular birefringence, 459
 magnetic circular dichroism, 193, 350
 magnetic dipole, field, 27–28

- magnetic field, 28, 29*f*, 29, 30*f*, 30, 31*f*, 31, 32*f*, 32–34, 35*f*, 35, 36, 37*f*, 38*f*, 38, 39*f*, 39, 40, 41*f*, 41, 42*f*, 596*t*, 597, 597*t*
- B**, 28
- calculations, 43, 44*f*, 44–48, 49*f*, 49, 50
- due to electric currents, 26
- due to magnetic moments, 26
- energy, 53
- external, 38
- generation, 340
- H**, 33
- internal, 38
- local, 48
- measurement, 342
- uniform, 31
- magnetic field gradient, 478
- magnetic field strength, 33
- magnetic flux, 29
- density, 29
- quantum, 29
- sources, 31
- magnetic hinge, 485
- magnetic image, 48*f*
- magnetic imaging, 561
- magnetic impurities, 144
- magnetic induction, 29
- magnetic ink, 530
- magnetic linear dichroism, 193
- magnetic liquids, 543–547, 547*t*
- magnetic materials, 374, 375*t*, 376, 377*f*, 377, 377*t*, 378*f*, 378, 378*t*, 379*f*, 379, 379*t*, 380, 380*t*, 381*f*, 381, 382, 383*f*, 383, 384*f*, 384–386, 386*t*, 387*f*, 387, 388*f*, 388, 389, 390*f*, 390–392, 392*t*, 393, 393*t*, 394, 394*t*, 395, 395*t*, 396, 396*t*, 397*f*, 397, 398, 399*f*, 399, 400, 400*t*, 401, 402*f*, 402, 403*f*, 403, 404, 404*t*, 405, 405*t*, 406–408, 408*t*, 409, 409*t*, 410, 411, 411*t*, 412–416, 416*t*, 417, 417*t*, 418, 419*f*, 420, 420*t*, 421, 421*t*, 422, 423, 423*t*, 424, 425*f*, 425–427, 427*t*, 428, 428*t*, 429–431, 431*t*, 432, 433, 433*t*, 434*f*, 434, 435, 436*f*, 436*t*, 437, 438
- hard, 8
- soft, 8, 390, 448, 449, 449*t*, 450, 450*t*, 451, 452, 452*t*
- magnetic media, 536
- magnetic memory, 522, 523*f*, 523, 524*f*, 524, 525*f*, 525
- magnetic microsystems (MEMS), 491
- magnetic mirror, 48
- magnetic models, 221, 222, 222*t*, 223*f*, 223, 224, 224*t*, 225, 225*t*, 226*f*, 226, 227, 227*t*, 228*f*, 228, 229*f*, 229, 230
- magnetic moment, 24, 25*f*, 25, 26*f*, 26, 27*f*, 27, 28*f*, 28
- current loop, 25
- density, 25
- nuclear, 24, 63
- orbital, 24, 64, 88
- spin, 24, 65, 91
- magnetic multilayers, 274
- magnetic nanoparticles, 545
- magnetic periodic table, 12
- magnetic point groups, 600
- magnetic potential
- scalar, 46
- vector, 45
- magnetic pressure, 554
- magnetic quantum length, 267
- magnetic racetrack memory, 525
- magnetic random-access memory, 522, 523
- magnetic recording, 494*f*, 494, 495*f*, 495, 496*f*, 496, 497*f*, 497, 498*f*, 498, 499*f*, 499, 499*t*, 500, 501*f*, 501, 502, 502*t*, 503*f*, 503, 504*f*, 504, 504*t*, 505*f*, 505, 506*f*, 506, 507*f*, 507, 508*f*, 508, 509*f*, 509, 510*f*, 510, 511*f*, 511, 512*f*, 512, 513*f*, 513, 514*f*, 514, 515*f*, 515, 516*f*, 516, 516*t*, 517, 517*t*, 518*f*, 518, 519*f*, 519, 520*f*, 520, 521, 522*f*, 522, 523*f*, 523, 524*f*, 524, 525*f*, 525, 526*f*, 526, 527*f*, 527, 528*f*, 528, 529*f*, 529, 530*f*, 530, 531*f*, 531, 531*t*, 532*f*, 532, 533*f*, 533, 534, 535*f*, 535, 536*f*, 536, 537*f*, 537, 538*f*, 538, 539*f*, 539–541
- density, 18
- density, units, 19*f*
- history, 530
- superparamagnetic limit, 19
- magnetic resonance, 305*f*, 305, 306*f*, 306, 307*f*, 307, 308*f*, 308, 309*f*, 309, 310*f*, 310, 311*f*, 311, 312*f*, 313, 314, 314*t*, 315*f*, 315, 316*f*, 316, 317*f*, 317, 318*f*, 318, 319, 319*t*, 320, 320*t*, 321*f*, 321, 322*f*, 322, 322*t*, 323, 324*f*, 324, 325, 326*f*, 326, 327*f*, 327, 328*f*, 328, 329, 330*f*, 330, 330*t*, 331, 332
- magnetic resonance imaging, 306, 561
- functional (fMRI), 563
- magnetic Reynolds number, 577
- magnetic semiconductors, 434*f*
- magnetic sense in animals, 556
- magnetic sensors, 516*f*, 516, 517, 517*t*, 518*f*, 518, 519*f*, 519, 520*f*, 520, 521, 522*f*, 522
- thin-film, 559
- magnetic separation, 480
- electromagnetic, 481
- high-gradient, 480
- open-gradient, 480
- magnetic shielding, 453
- active, 343
- Faraday cage, 343
- passive, 343
- magnetic shift register, 524
- magnetic steel, 449*t*
- magnetic symmetry, 382
- magnetic tunnel junctions, 287
- magnetic tunnel transistor, 529
- magnetic tweezers, 557, 558
- magnetic valence model, 151
- magnetic viscosity, 261
- Magnetische Verein, 568
- magnetism in biology and medicine, 555–558, 559*f*, 559–565
- magnetism, history of, 7
- magnetite, 1, 6, 201, 422, 567
- biogenic, 422
- magnetization, 25
- creep, 262
- local, 25
- macroscopic, 25
- spontaneous, 25
- sublattice, 196, 202
- switching, 306
- time dependence, 260
- magnetization dynamics, 445
- magnetization measurements, 360, 361, 362*f*, 362, 363*f*, 363, 364*f*, 364, 364*t*, 365*f*, 365, 366, 367*f*, 367, 368
- closed circuit, 366
- flux method, 362
- force method, 361
- open circuit, 361
- magnetization processes, 244
- magnetization reversal, 244, 245*f*, 245, 246*f*, 247*f*, 247, 248*f*, 248, 249*f*, 249, 250*f*, 250, 251*f*, 251, 252, 253*f*, 253, 254*f*, 254, 255*f*, 255, 256, 257*f*, 257, 258*f*, 258, 259*f*, 259, 260*f*, 260, 261*f*, 261, 262
- coherent, 255
- incoherent, 255
- small elements, 249
- thin films, 249
- magnetization rotation, 261
- magnetizing force, 33
- magneto-optic phenomena, 193*t*
- magneto-optic recording, 539
- magneto-optics, 189
- magnetocaloric effect, 179
- Ni, 181

- magnetocardiography, 561
magnetocrystalline anisotropy, 314
 origin, 169
magnetochemistry, 547, 548,
 548*t*, 549
magnetoencephalography, 561
magneto hydrodynamics, 570
magnetoimpedance, 188
magnetometer
 alternating gradient force, 361
 extraction, 362
 fluxgate, 456
 SQUID, 363
 torque, 362
 vibrating sample, 363
magnetoplumbite, 426
magnetoresistance, 84, 187, 284, 286
 anisotropic, 181, 184, 283
 classical, 184
 colossal, 181
 giant, 283*f*, 283
 tunnelling, 288
magnetorheological fluids, 547
magnetostatic limit, 233
magnetostatic modes, 314
magnetostatics, 24, 25*f*, 25, 26*f*, 26, 27*f*,
 27, 28*f*, 28, 29*f*, 29, 30*f*, 30, 31*f*, 31,
 32*f*, 32–34, 35*f*, 35, 36, 37*f*, 38*f*, 38,
 39*f*, 39, 40, 41*f*, 41, 42*f*, 42, 43, 44*f*,
 44–50, 51*f*, 51, 52*f*, 52, 53*f*, 54*f*,
 54–56, 57*f*, 57, 58*f*, 58, 59, 61, 596*t*,
 597, 597*t*
magnetostriction, 174, 232
 forced volume, 175
 iron, 267
 linear, 176
 measurement, 368
 spontaneous volume, 174
 tensor, 177
magnetostriction averaging, 301
magnetotactic bacteria, 555
magnetotaxis, 555
magnetotransport, 181
magnetron, 479
magnon, 165
many-electron atom, 100, 101*f*, 102*f*,
 102, 102*t*, 103, 104*f*, 104, 105, 105*t*,
 106*f*, 106, 107*f*
 Hamiltonian, 100
 multiplets, 102
 terms, 102
many-electron states, 121
market, 13*f*, 13, 14*f*, 14, 15*f*, 15, 16*f*,
 16
 applications, 15
 material, 14
 soft magnets, 448*f*
- materials growth, 333, 334*f*, 334, 335*f*,
 335, 336, 337*f*, 337, 338, 339*f*, 339,
 340
matrix, hermitian, 68
matrix mechanics, 62
Matteucci effect, 177
Matthiesen's rule, 183
Maxwell relations, 58
Maxwell resistance, 499
Maxwell's equations, 3, 41–43, 233, 553
Maxwell, James Clerk, 3
mean free path, 83, 498
 spin-dependent, 499, 510
mechanical recoil, 469, 481
melt spinning, 334
memory, 286
 DRAM, 522
 ferrite core, 522
 flash, 495
 MRAM, 522
 nonvolatile, 522
 semiconductor, 522
 SRAM, 522
Mermin–Wagner theorem, 167, 228,
 270
Messmer, Anton, 3
metal–insulator–metal junctions, 287
metal–insulator–superconductor
 junctions, 292
metallic glass, 334
metallic radii, 379*f*, 379*t*
metamagnetic transition, 12
metamagnetism, 199
meteorites, 388, 431
metglas 2605SC, 389
metglas 2628SC, 450
metglas 2826, 389
micromagnetism, 231, 232*f*, 233*f*,
 233–235, 236*f*, 236, 237, 238*f*, 238,
 239*f*, 239, 240*f*, 240, 241*f*, 241, 242,
 242*t*, 243*f*, 243, 244, 245*f*, 245,
 246*f*, 247*f*, 247, 248*f*, 248, 249*f*,
 249, 250*f*, 250, 251*f*, 251, 252, 253*f*,
 253, 254*f*, 254, 255*f*, 255, 256, 257*f*,
 257, 258*f*, 258, 259*f*, 259, 260*f*, 260,
 261*f*, 261–263
microwave ferrites, 459
microwave oven, 479
microwaves, X-band, 307
mild steel, 448, 449
minerals
 magnetically-ordered, 567*t*
 oxide, 566
 rock-forming, 566
 silicate, 566
 sulphide, 566
minnesotaite, 567
- mixed sensor, 521
mixed valence, 143, 187
Mn–Zn ferrite, 440, 452
mobility, 83
molecular field, 129, 196
molecular field theory, 213
 antiferromagnetism, 196*f*, 196, 197*f*,
 197, 198*f*, 198, 199*f*, 199, 200, 201*f*
 ferromagnetism, 129
molecular-field approximation, 227
momentum, operator, 67
Monsma transistor, 529
Moore's law, 495
Morin transition, 418
morphic effect, 178
Moses effect, 544
motional narrowing, 329
motors, 487
 brush, 489*f*
 brushless, 489*f*
 DC, 488
 induction, 455
 Lavet, 490*f*
 linear, 489
 pancake, 489
 spindle, 489, 532
 stepping, 490
 synchronous, 489
 variable-reluctance, 456
Mott criterion, 182
Mott insulator, 380
Mott's two-current model, 183, 283, 497
Mott–Hubbard insulator, 182
multiferroics, 384
multipole field, 477
 external, 478
mumetal, 388, 450
muon spin rotation, 331
- Néel lines, 243
Néel point, 195
Néel temperature, 12, 197
Néel wall, 243
Néel, Louis, 6, 195
nanoparticles, 264, 295–298
 acicular, 293
 synthesis, 339
nanoscale magnetism, 264, 265*f*, 265,
 266, 266*t*, 267–282, 282*t*, 283, 284,
 284*t*, 285–290, 291*f*, 291–304
nanostructures
 bulk, 299–303
 hard/soft, 301
 magnetic, 265*f*
 single-phase, 299
 two-phase, 301
nanowires, 264, 293

- natural remanence, 567
 neomax, 401
 network modifiers, 211
 Neumann's principle, 382
 neurons, 560
 neutron diffraction, 347
 neutron scattering lengths, 347*t*
 neutron scattering, inelastic, 165, 200, 348
 neutron stars, 577
 Ni-Fe alloys, 449
 Ni-Zn ferrite, 440, 452
 nickel, 150, 375, 388
 nitromag, 408
 noise, 516, 519
 1/*f*, 520
 electrical, 519
 magnetic, 521
 pink, 520
 random telegraph, 521
 shot, 520
 white, 520
 nonlocal transport, 504
 nonuniform field, 464
 generation, 477
 notation, 580
 nuclear magnetic resonance, 305, 318*f*,
 318, 319, 319*t*, 320, 320*t*, 321*f*, 321,
 322*f*, 322, 322*t*, 323, 324*f*, 324, 325,
 326*f*, 326, 327*f*, 327, 328*f*, 328, 329,
 352
 nuclear magneton, 311
 nuclear quadrupole resonance, 322
 nucleation, 253
 domain, 244, 245*f*, 245, 246*f*, 246,
 247*f*, 247, 248*f*, 248, 249*f*, 249,
 250*f*, 250, 251*f*, 251, 252, 253*f*, 253,
 254*f*, 254, 255*f*, 255, 256, 257*f*, 257,
 258*f*, 258, 259*f*, 259, 260*f*, 260,
 261*f*, 261, 262
 nucleation field, 253
 nuclei, 320*t*
 numerical methods
 finite difference, 371
 finite element, 371
 static field, 370
 octahedral site, 117*f*
 Oersted fields, 509, 524
 Oersted, Hans-Christian, 3, 189
 Ohm's law, 83
 olivines, 566
 one-dimensional Heisenberg chain
 model, 228
 one-dimensional Ising model, 227
 one-network structures, 212
 one-sided magnet, 478
 operator, 67
 angular momentum, 88
 rotation, 73
 orange-peel effect, 282
 orbital, 99
 orbital order, 207
 order parameter, 133, 223
 spin glass, 225
 ordered superstructure, 378
 Orgel diagrams, 121*f*
 oriented magnet, 471
 oxides
 antiferromagnetic, 417, 417*t*, 418,
 419*f*, 420, 420*t*, 421, 421*t*, 422, 423,
 423*t*, 424, 425*f*, 425–427, 427*t*, 428,
 428*t*, 429–431, 431*t*
 ferromagnetic, 410, 411, 411*t*,
 412–416, 416*t*
 packing fraction, 211
 pain relief, 560
 paleomagnetism, 572
 Paracelsus, 542
 paramagnetic liquid tubes, 544
 paramagnetic liquids, 543
 paramagnetism
 Curie-law, 77
 local moment, 106, 107, 108*f*, 108,
 109, 110*f*, 110, 111*f*, 111, 112, 113*f*,
 113
 partition function, 107, 113
 patterned media, 537
 Pauli exclusion principle, 100
 Pauli spin matrices, 68
 Peierls distortion, 228
 Pauli susceptibility, 81
 percolation threshold, 565
 permalloy, 172, 387, 440, 449
 permalloy sensor, AMR, 537
 permanent magnet, 41, 262
 permanent magnet applications, 465*t*
 permanent magnet flux sources, 341,
 402, 475
 variable, 481
 permanent magnet materials, 469–473
 permanent magnet motors, 402
 permanent magnets, 270
 permeability, 39, 439
 complex, 444
 free space, 40
 initial, 439
 maximum, 439
 recoil, 469
 relative, 439
 permeameter, 366
 permeance, 468
 permeance coefficient, 467
 permendur, 385, 440, 450
 permittivity, 191
 permittivity tensor, 191
 perovskite, 413, 414
 double, 416
 perpendicular media, 537
 perpendicular recording, 533
 perpendicular recording media, 391
 perpetual motion, 542
 phase shifters, 461
 phase transition, 129, 222*t*
 photoemission spectroscopy, 353
 photons, 192
 pinning
 strong, 216, 257
 weak, 216, 257
 planar defect, 257
 planetary and cosmic magnetism, 565,
 566, 566*t*, 567, 567*t*, 568, 569, 569*t*,
 570–572, 573*f*, 573, 574*f*, 574–578
 planetary magnetism, 574
 point groups, 382
 magnetic, 383
 polar, 382
 Poisson's equation, 46, 233
 polar wander paths, 573*f*
 polarization
 electrical, 42
 magnetic, 42
 of electrons, 71
 polarized light, 192
 poles, North and South, 34
 polymer bonded magnets, 471
 potential coil, 367
 pressure, magnetic, 256
 Pry and Bean model, 442, 443*f*
 pseudo spin valve, 286
 pseudospin, 108
 pulse transformers, 458
 pulsed NMR, 326
 pyrite, 431
 pyrrhotite, 430, 567
 Q-factor, 452
 quadrupole field, 477
 quadrupole moment, 123, 125, 209
 quality factor, 252, 444
 quantum computing, 528
 quantum dots, 298
 quantum mechanical operators, 598
 quantum number
 orbital, 66
 orbital magnetic, 64
 spin, 65
 spin magnetic, 65
 quantum oscillations, 89
 quantum phase transition, 229

- quantum wells, 434
quenching angular momentum, 415
- radar, 305
radial distribution function, 209
raising and lowering operators, 164
Raleigh laws, 259
random anisotropy, 213
random-access memory
 dynamic (DRAM), 494
 static (SRAM), 494
rare-earth, 399
rare-earth ions, 123, 125*t*
rare-earth metals, 142, 208, 398, 399*f*,
 399, 400, 400*t*, 401, 402*f*; 402–404,
 403*f*; 404*t*, 405, 405*t*, 406
rare-earth permanent magnets, 471
Rashba effect, 92
read head, 537
reciprocity, 51
recoilless fraction, 329
recording media, 270
reduced magnetization, molecular field
 theory, 598*t*
relativity, 92
relaxation, nuclear, 323
relaxation time
 $T_{1\rho}$, 326
 T_1 , 308, 323
 T_2 , 323, 324
reluctance, 453, 468
remanence, 9
remanence enhancement, 300, 301
renormalization group method,
 224
resistance mismatch, 507
resistivity, metals, 183*t*
resistivity ratio, 284
resonant filters, 458, 462
Reynold's number, magnetic, 554
rhodochrosite, 567
rigid-band model, 150
RKKY interaction, 141, 280
rock magnetism, 565
rolloff frequency, 451
rotating frame, 325
rotors, 488
 squirrel-cage, 455, 488
Ruddlesden–Popper phases, 413
rutile, 412, 428
Rydberg, 65, 99
- s–d* exchange, 145
s–d model, 141
S-state ions, 309
Scalar potential, 46
scalable technology, 496, 510, 539
- CMOS, 494
dipole field, 491
scaling, electromagnetic interactions, 492*t*
scanning electron microscopy, 355
 electron-optic method, 356
 magneto-optic method, 356
scattering, spin-flip, 285
Schottky barrier, 507
Schrödinger equation, 62
 time-dependent, 63
seals, 546
second harmonic generation, 193
self-energy, 51
sendust, 385
sensors, 286, 485
 AMR, 516
 anomalous Hall, 518
 GMR, 518
 Hall, 525
 magnetic-field comparison, 517*t*
 planar Hall, 518
 TMR, 518
 variable reluctance, 485
SFMO, 415
shape anisotropy, 168, 293
Sharvin resistance, 499
sheets, magnetic, 228
Shubnikov groups, 384
Shubnikov–de Hass effect, 90
Si steel, 449
SI units, 590
siderite, 567
Simmons's formula, 288
single-domain particle, 233, 244, 536
 radius, 245, 267
singular-point detection method, 365
skin depth, 441
Slater determinants, 158
Slater–Pauling plot, 151
smythite, 431
Snoek's relation, 447, 451
soft iron, 440, 450, 453
soft magnetic particles, 236, 451, 546
soft magnetic underlayer, 535
soft magnets, applications, 390, 439,
 440, 440*t*, 441–449, 449*t*, 450, 450*t*,
 451, 452, 452*t*, 453*f*, 453–463
solar and stellar magnetism, 575
solenoid, long, 32
solid solution, 378
Sommerfield convention, 590
space groups, 383
 magnetic, 384
specific heat, 58
 electronic, 82
 magnetic, 130, 133, 179, 219
 nickel, 9
- spectrochemical series, 119
speromagnetism, 216
speromagnets, 220, 429
spherical harmonic, 98
spin, 5, 63
 operator, 68
spin accumulation, 285, 504, 529
spin accumulation voltage, 505
spin amplifier, 529
spin correlation, 179
spin currents, 513
spin density wave, 397
spin diffusion length, 285, 498
 semiconductors, 509
spin echo, 327
spin electronic device, 515
spin electronic materials, 515
spin electronics, 494*f*, 494, 495*f*; 495,
 496*f*; 496, 497*f*; 497, 498*f*; 498,
 499*f*; 499, 499*t*, 500, 501*f*, 501, 502,
 502*t*, 503*f*; 503, 504*f*; 504, 504*t*,
 505*f*, 505, 506*f*; 506, 507*f*; 507,
 508*f*; 508, 509*f*; 509, 510*f*; 510,
 511*f*; 511, 512*f*; 512, 513*f*; 513,
 514*f*; 514, 515*f*; 515, 516*f*; 516,
 516*t*, 517, 517*t*, 518*f*; 518, 519*f*;
 519, 520*f*; 520, 521, 522*f*; 522, 523*f*;
 523, 524*f*; 524, 525*f*; 525, 526*f*; 526,
 527*f*; 527, 528*f*; 528, 529*f*; 529,
 530*f*; 530, 531*f*; 531, 531*t*, 532*f*;
 532, 533*f*; 533, 534, 535*f*; 535, 536*f*;
 536, 537*f*; 537, 538*f*; 538, 539*f*;
 539–541
spin filter, 288, 291
spin flop, 198
spin freezing temperature, 216
spin gap, 412*f*
spin glass, 12, 218, 219*f*; 219, 220*f*; 220,
 221*f*; 432
 behaviour, 219
 canonical, 218
 dilute alloy, 219
 re-entrant, 220
spin Hall effect, 513
spin Hamiltonian, 310
spin injection, 504
spin lifetime, 508
spin locking, 328
spin polarization, 293, 307, 353, 501,
 502
 Andreev reflection, 504*t*
 calculated, 502*t*
spin reorientations, 402
spin temperature, 327
spin-transfer torque, 509
spin transistors, 496, 528
spin valves, 280, 286

- spin wave, 162
 antiferromagnetic, 199
 energy gap, 165
 measurement, 369
 spin-accumulation voltage, 285
 spin-diffusion length, 267, 285
 spin-disorder scattering, 183
 spin-flip scattering, 166
 spin-glass theory, 225
 spin-lattice relaxation, 308, 323
 spin-orbit coupling, 103, 187
 constants, 105*t*
 spin-orbit interaction, 66
 spin-Peierls effect, 228
 spin-polarized currents, 497*f*, 497, 498*f*,
 498, 499*f*, 499, 499*t*, 500, 501*f*, 501,
 502, 502*t*, 503*f*, 503, 504*f*, 504,
 504*t*, 505*f*, 505, 506*f*, 506, 507*f*,
 507, 508*f*, 508, 509*f*, 509, 510*f*, 510,
 511*f*, 511, 512*f*, 512, 513*f*, 513,
 514*f*, 514, 515*f*
 spin-selective scattering, 511
 spin-spin relaxation, 323
 spin-wave dispersion
 antiferromagnetic, 200
 spin-wave dispersion relation, 163
 Tb, 165
 spin-wave stiffness, 163, 315
 spindle motors, 402
 spinel, 422, 423
 spinor, 68, 73
 SPIONs, 546
 spontaneous magnetization, 8
 standing spin waves, 315
 static scaling hypothesis, 224
 stator, 488
 Stern–Gerlach experiment, 72, 507
 Sternheimer factors, 322
 Stevens operators, 124
 Stoner criterion, 134, 135, 145
 Stoner excitations, 166
 Stoner, Edmund, 148*f*
 Stoner–Wohlfarth
 asteroid, 249, 523
 coercivity, 253
 particles, 249
 Stoner–Wohlfarth model, 247, 259, 293
 stray field, 35, 231, 245*f*
 strip-out, 253
 strong ferromagnet, 148, 150
 Sturgeon, William, 4
 substrates, 87
 Sun, 575
 sunspots, 576
 superconducting solenoids, 340
 superconductivity gap, 292
 superexchange, 138
 superlattice, 274
 superalloy, 388
 superparamagnetic blocking, 296
 superparamagnetic blocking radius, 267
 superparamagnetic excitations, 298
 superparamagnetic limit, 534
 superparamagnetic particles, 297
 superparamagnetism, 12, 296, 545
 surface reconstruction
 magnetic, 424
 surface-charge density, 232
 susceptibility, 11, 39, 597
 AC, 366
 aluminium, 597*t*
 complex, 445
 copper sulphate, 597*t*
 Curie, 109
 Curie–Weiss, 132
 diamagnetic, 76
 dimensionless, 597
 external, 39
 ferrimagnetic, 202
 gadolinium sulphate, 597*t*
 generalized, 133
 initial, 366
 internal, 39
 mass, 86
 measurement, 365
 molar, 86
 of antiferromagnet, 197*f*
 of compounds, 87*t*
 of metals, 134*t*
 of the elements, 86
 Pauli, 81, 92, 134
 perpendicular, 198
 powder average, 198
 tensor, 447
 units, 87
 van Vleck, 112
 water, 597*t*
 switchable magnets, 483
 switching, 317
 switching dynamics, 255
 taenite, 388
 Tanabe–Sugano diagrams, 121
 tape recording, 531, 537
 Tedrow–Meservey experiment, 292, 503
 terfenol, 457
 terfenol-D, 405
 tesla, 31
 tetrahedral site, 117*f*
 therapy, magnetic, 560
 thermal analysis, 368
 thermodynamics
 first law, 57
 third law, 58
 thermogravimetric analysis, 369
 thermomagnetic analysis, 361, 369
 thermomagnetic recording, 393, 539
 thermopiezic analysis, 369
 thermoremanent magnetization, 297, 566
 thin films, 264, 267–274
 anisotropy, 270
 bilayer, 276
 Curie point, 269
 domain structure, 270
 epitaxial, 268
 Fe, 269
 heterostructures, 274–278, 278*t*,
 279–282, 282*t*, 283, 284, 284*t*,
 285–290, 291*f*, 291, 292
 magnetization, 269, 273
 oriented, 268
 Pd, 269
 stray field, 270
 thin-film growth, 335
 electrodeposition, 338
 electron-beam evaporation, 335
 Franck–van der Merwe, 336
 ion-beam deposition, 338
 molecular-beam epitaxy, 336
 pulsed-laser deposition, 336
 reactive sputtering, 338
 sputtering, 337
 Stransky–Krastanov, 337
 thermal evaporation, 335
 Volmer–Weber, 337
 thin-film head, 538
 thin-film stack, 286
 Thompson, William, 184
 Thouless–Kosterlitz transition, 229
 three-dimensional Heisenberg
 ferromagnet, 229
 time-varying field, 465
 titanohematite, 566, 567
 titanomagnetite, 566, 567
 toggle-mode switching, 524*f*
 tokamak, 555
 topology, 204
 torque, 51, 306
 transducers, 457
 transformers, 454
 transport
 current in plane, 284
 perpendicular to plane, 285
 trevorite, 567
 trigonometric relations, 595
 trolite, 431, 567
 tunnel barriers, 287, 288, 291
 AlO_x, 287
 MgO, 287
 tunnelling, 500
 coherent, 290

- two-dimensional electron gas, 80
two-dimensional Heisenberg model, 228
two-dimensional Ising model, 229
two-dimensional xy model, 229
two-electron model, 155
two-hemisphere model, 254
two-network structures, 217
type I bcc order, 205
type I fcc order, 206
type II bcc order, 205
type II fcc order, 206
type III fcc order, 206
- Uhlenbeck, George, 5, 7
ulvospinel, 567
undulator, 479
uniform field, generation, 473
units
 cgs, 591
 SI, 30
universality, 223
upper critical dimension, 224
- vacuum, ultra-high, 268
van den Berg construction, 238f
- variable flux sources, 481
variable-range hopping, 501
vector potential, 45
vector relations, 595
vectors
 axial, 26
 polar, 26
Verdet constant, 190
Verwey transition, 422
vic alloy, 386
video recording, 530
Villari effect, 177
virtual bound state, 152
voice-coil actuators, 402
vortex configurations, 236, 295
- Walker breakdown, 318
wandering-axis ferromagnet, 214
wave mechanics, 62
wavelength, Fermi, 267
weak ferromagnet, 148, 150
weak itinerant ferromagnet, 135
Weiss coefficient, 129
Weiss, Pierre, 5, 129, 195
- Wiedemann effect, 177
wigglers, 478
Wigner–Eckhart theorem, 124
Williams–Comstock model, 535
work, magnetic, 55, 58
working point, 41
write head, 532, 534
- X-ray absorption spectroscopy, 350
X-ray diffraction, 345
 iron, 345
 cobalt, 346
 hematite, 418
 nickel, 345
 magnetite, 422
 xy model, 221
- YAG, 425
YIG, 424, 440, 452, 461, 462
Young’s modulus, 178
- Zaanen–Sawatzky–Allen diagram, 381f
Zeeman energy, 51
Zeeman interaction, 104
Zeeman splitting, 70, 306
zero-field splitting, 310