

Index

- absorber, 92, 97, 98, 113, 188
 absorption, 4, 7, 65, 67, 87, 92, 94, 96, 98, 100, 106,
 109, 110, 112, 113, 126, 131, 138, 146, 177, 182
 coefficient, 90, 91, 94, 115
 coefficient ratio, 115, 155, 160, 161, 196
 continuous, 96
 line, 100, 131, 136, 168
 matrix, 109
 profiles, 91, 95–101, 105, 108, 110, 114, 115, 122,
 123, 132, 136, 143, 147, 155, 161, 162, 188
 properties, 41, 87, 193
 abundance, 147, 188
 angular momentum, 92, 127, 131–133
 orbital, 128
 spin, 128
 total, 128, 130, 136
 Arago, Dominique François Jean, 3
 ASP, 79, 81–84
 astronomical
 observations, 64
 astrophysical
 applications, 12, 91, 102
 context, 113
 literature, 7, 44, 159, 167
 main problem, 147, 165
 measurements, 165
 parameter, 150
 sign convention, 98, 100
 terminology, 149
 terms, 103, 146
 unknown, 189
 astrophysics, 7, 12, 97, 128
 atmosphere, 6, 67, 151, 154, 158, 160, 161, 166–170,
 174, 176, 178, 187, 193, 194, 196, 203, 208–210,
 212, 218
 Earth's, 65, 67, 70
 magnetic, 145, 160
 magnetized, 39
 Milne – Eddington, 159, 160
 model, 149, 150, 157, 167, 168, 170, 174, 176, 178,
 180, 183, 189, 192–196, 199–201, 203, 211,
 214, 217
 solar, 7, 67, 90, 96, 193
 stellar, 4, 7, 22, 37, 89, 95, 114, 153

 atom, 91, 95, 97, 114, 127–129, 147
 atomic
 coupling conditions, 129, 132,
 135
 dimensions, 129
 parameters, 147, 186, 188
 physics, 143, 188
 reference system, 92, 132
 system, 128, 136
 transitions, 95, 127, 131
 π , 132, 134
 σ_b , 132, 134, 135
 σ_r , 132, 134, 135
 vapor, 121, 124, 146
 axis, 62, 68
 X, 14, 29, 33, 49, 52–54, 58, 103, 172
 Y, 14, 33, 172, 192
 Z, 12, 15, 21, 58, 103, 105
 fast, 30, 53, 54, 61, 79
 slow, 30
 azimuth, 103, 110, 119

 Babinet compensator, 56
 Bartholin, Erasmus, 2
 beam, 3, 4, 7, 17–19, 22, 26–28, 30–32, 37, 40, 42,
 45, 48, 50, 57–60, 70, 73, 89, 102, 106, 109–112,
 114, 117, 146, 147, 153
 extraordinary, 40, 41, 43, 58, 59
 ordinary, 41, 56, 59
 polarized, 5, 29, 117
 polychromatic, 20, 21
 quasi-monochromatic, 22, 25, 92
 splitter, 56, 59, 60, 69, 73, 81, 82
 binding condition, 16, 17, 19, 24, 77, 78,
 209
 Biot, Jean Baptiste, 3
 birefringence, 3, 41, 61, 70, 87, 109
 negative, 44
 positive, 44, 56
 birefringent
 crystal, 59
 device, 61
 layers, 61
 tunable filter, 166

- birefringent plate
 double, 56–60, 69, 73
 Bohr magneton, 130
 Boltzmann
 constant, 97
 equation, 113, 147, 188
 Brewster, David, 3
- calcite, 2
 calibration, 65, 70, 72, 80, 165, 176, 194
 Cartesian components, 10, 12, 14, 19, 25, 29, 33, 34, 50, 105, 106
 Chandrasekhar, Subrahmanyan, 4, 6
 circular
 analysis, 59
 analyzer, 54, 55
 component, 123
 oscillator, 92
 polarizer, 55
 coherence, 136, 146, 153
 time, 20
 coherency
 matrix, 14, 16, 17, 19, 22, 24, 26, 89, 96
 elements, 14, 23, 26, 35, 36
 variations, 105, 106
 complete redistribution, 114, 146
 conductivity, 10, 91
 tensor, 88–90
 conjugate, 13, 14, 17, 23, 90, 104
 continuity, 19, 190, 191
 contribution functions, 168–172, 174, 175, 177, 186, 187
 convention, 17, 34, 39, 40, 88, 131, 137, 204, 209, 210
 convolution, 20, 98, 99, 146, 154, 190
 correlation, 14, 23, 26, 114, 146
 cross-talk, 62, 68, 69, 73, 74, 176, 184, 195, 196, 200
 crystals, 2, 3
 liquid, 61, 62, 82
 piezo-elastic, 79
 uniaxial, 3
- damping, 92–95, 122, 147, 160, 196
 degrees of freedom, 16, 201
 demodulation, 56, 57, 68
 matrix, 75, 77, 78
 density, 91, 113, 114, 147
 charge, 90
 energy, 13
 depolarization, 114
 detection, 9, 79, 81
 detector, 10, 13, 21, 56, 58, 59, 65, 72, 73, 80, 81
 pixels, 57, 72, 80, 190
 response of, 10
 determinant, 14, 23, 160
 device, 13, 28–30, 33, 36, 37, 39, 49, 50, 52, 54, 74
 charged coupled (CCD), 72
 diagnostics, 124, 147, 149, 162, 163, 165, 166, 189
 diattenuation vector, 46, 48, 50, 51, 53, 55, 56, 60–62, 68, 69, 78, 79, 110
- dichroism, 41, 109
 dielectric, 70, 91
 permittivity, 10, 37, 38, 87
 tensor, 38, 89
 diffraction, 26
 Dirac
 comb distribution, 190
 delta distribution, 20, 98, 170
 Dirac, Paul Adrien Maurice, 6
 disperser, 188
 dispersion, 7, 65, 87, 94, 96, 100, 106, 109, 112, 126, 138, 177
 anomalous, 94
 coefficient, 90, 91, 94
 isotropic, 110
 normal, 94
 profiles, 91, 94–101, 105, 108, 110, 115, 122, 123, 132, 136, 143, 147, 188
- Doppler
 effect, 97
 formula, 200
 shifts, 146, 147
 width, 97, 100, 146, 147, 160, 196
- eigenfunctions, 12
 eigenvalues, 38, 129, 213, 215
 electric
 dipole, 91, 96, 132, 136
 displacement, 37–39, 41, 42, 91, 94
 polarization, 91
 electric field, 9, 11–13, 21, 26, 30, 33, 34, 37–39, 41, 61, 91–93, 128
 components, 19, 20, 50, 53, 87, 90, 94, 105, 106
 vector, 10, 14, 15, 23, 25, 26, 29, 31, 36, 39, 49, 54, 105
 electron, 6, 91–93, 121, 122, 128
 electron pressure, 147, 149, 157, 186
 ellipse, 4, 15, 16
 emission, 48, 92, 102, 112, 113, 131, 153, 177
 coefficient, 167
 profiles, 114
 terms, 112, 114
 vector, 114
 emitter, 113
 empolarizing capabilities, 48, 110
 energy, 1, 14, 22, 23, 64, 113, 129, 154, 166
 eigenstates, 129
 electromagnetic, 10, 13, 88–90, 96, 113, 153
 flow, 14, 16, 37, 38
 flux, 13
 jumps, 127
 kinetic, 92, 113
 level, 129, 130
 propagation, 37, 42
 removal, 87, 109
 transport, 7
 equivalent response functions, 211
 equivalent width, 153, 154, 174, 192, 194
 evolution operator, 152, 154, 156, 157, 159, 166, 180, 183

- exponential
 argument, 12, 13
 attenuation, 156, 166, 167
 complex, 12, 14, 20
 decay, 90
 of a matrix, 156, 157, 159
- Faraday pulsation, 109
 Faraday rotation, 109
 Faraday, Michael, 5
 Faraday–Voigt function, 99, 142, 184
 Fievez, M., 5
 flat-field, 74
 accuracy, 72
- Fourier
 domain, 57
 integral, 20
 transform, 20, 22, 62, 67, 88, 93, 189
- free parameters, 56, 70, 71, 82, 199–204, 208–215
 uncertainty, 207
- frequency, 9, 12, 21, 79, 96, 97, 99, 113, 114, 123, 150
 angular, 12, 61
 central, 19, 20
 content, 20
 distribution, 95
 domain, 68
 interval, 64
 Larmor, 123, 130
 resonant, 93–95
 shifts, 98, 100, 123, 130, 132
 spatial, 189
- Fresnel, Augustin-Jean, 3, 4
- gain, 45, 48, 66, 68, 72
 gain-table, 72–74
 gas pressure, 157
- Gaussian
 distribution, 154
 function, 188
 system of units, 122
- gradients, 114, 173, 218
 magnetic, 172
 velocity, 150, 151, 163, 172, 187, 200
- Hale, George Ellery, 6
 Hamiltonian, 128–130
 harmonic functions, 20, 88
 harmonic perturbation, 189
 heavenly bodies, 6
 Heisenberg's uncertainty principle, 19
 Hermitian matrix, 23
 Hessian matrix, 204, 205, 207–209, 211–213, 215
 Huygens, Christian, 2
- Iceland spar, 2, 3
 identity matrix, 24, 50, 67, 106, 115
 image smearing, 67, 68
 integrability, 21, 201
 intensity, 14, 25, 28, 31–34, 50, 59, 60, 90, 155
 astrophysical specific, 13, 22, 64, 106
 continuum, 163, 169, 178, 192
- images, 67
 input, 48
 measurements, 32, 170
 output, 46, 48
 spectrum, 66
 total, 3, 7, 14, 17, 32–34, 45, 83, 110, 114
- interference, 3, 26
 interpolation, 209–212
 iterative procedures, 200, 201, 204
- Jefferies, John, 7
- Jones
 formalism, 26
 vector, 106
- Jones, Robert Clark, 5
- Joule currents, 88
- Kirchhoff's law, 113
 Kronecker delta, 77, 207
- Lagrange multiplier, 47, 77, 78
 Landé factor, 130, 131, 133, 135, 136, 141, 142, 146
 effective, 140, 142, 143
- Landi Degl'Innocenti, Egidio, 7
 Landi Degl'Innocenti, Maurizio, 7
 level population, 136, 147, 188
- light, 1, 2, 5, 6, 9, 10, 12, 21, 22, 36, 37, 40, 45, 49,
 53, 54, 59, 65–67, 70, 71, 80, 87, 96, 102, 111,
 113, 114, 117, 119, 126, 146, 153, 155, 160, 163,
 165, 166, 168, 170, 176
 monochromatic, 9, 17–19, 24, 25
 natural, 3, 25, 26, 28, 29, 46, 48, 52
 polarized, 4, 6, 7, 26, 90, 118, 122, 159, 161
 circularly, 16, 53
 elliptically, 15, 53, 125, 126
 linearly, 16, 28, 31, 50, 55, 126
 partially, 5, 24–26, 29, 52, 66
 totally, 15, 25, 26, 28, 30, 111
 polychromatic, 14, 19, 89
 quasi-monochromatic, 19, 22, 24, 27, 33, 35, 92,
 93, 103
 solar, 3
 spectrum of, 20
 speed of, 10
 stray-, 201
 theories, 2, 3
 unpolarized, 24, 25, 28, 110, 117, 118, 155, 193
 visible, 13
- line of sight (LOS), 12, 15, 97, 100, 103, 209, 213
 velocity, 150, 157, 200, 210
- linear, 36, 37, 50, 98, 106, 146, 170
 analyzer, 29–31, 33, 36, 50, 52–59, 68, 69
 approximation, 102, 178, 191
 combination, 14, 17, 26, 32, 49, 66, 92, 211, 218
 components, 33, 126
 differential equation, 147, 176
 expansion, 178
 functional, 190
 operator, 152, 190, 191
 oscillator, 92
 perturbations, 180

- polarizer, 30, 50, 52–54, 71
 partial, 53
 retarder, 29–31, 33, 36, 53, 54, 56, 68
 stratification, 180
 system of equations, 56, 75
 transformation, 45
- linearity, 19, 191
 linearization, 176
- Lites, Bruce W., 7
- local thermodynamic equilibrium (LTE), 113, 114,
 121, 136, 146, 155, 183, 185, 188, 192
- Lockyer, Sir Joseph Norman, 6
- Lord Kelvin (William Thomson), 5
- Lord Rayleigh (John William Strutt), 6
- Lorentz
 electron theory, 91, 96, 112, 121, 127, 133, 135
 force, 121, 122
 units, 123, 132–134, 136
- Lorentz, Hendrik Antoon, 5
- Lorentzian profile, 94
- LS* (Russell–Saunders) coupling, 127–132, 135, 136,
 143
- magnetic field, 5, 11, 12, 37, 95, 121–123, 126,
 129–131, 134, 138, 139, 145, 146, 157, 161, 162,
 165, 170, 174, 193, 199, 200, 213
 azimuth, 124, 150, 180
 extraterrestrial, 2
 inclination, 124, 150, 209
 longitudinal, 160, 170, 199
 solar, 7
 stellar, 7
 strength, 123, 124, 130, 143, 165, 172, 174, 178,
 184, 194, 210
 sunspot, 6, 7
 vector, 124, 126, 147, 150, 154, 160, 185, 186, 213
- magnetic permeability, 10, 37, 43, 87
- magneto-optical effects, 7
- magnetograph, 166, 194
- Malus, Etienne-Louis, 3
- Marquardt method, 204, 205, 208, 211
 error calculation, 206
 fudge factor λ , 205
- material (constitutive) equations, 10, 88
- material velocities, 150, 154, 200
- Maxwell's equations, 7, 13, 37, 88, 90
- Maxwell, James Clerk, 5
- Maxwellian distribution, 97, 100, 113, 146
- mean
 depth of formation, 171, 175, 187
 free path, 90, 97, 103, 116, 150, 154
 frequency, 21
 penumbral model, 157
 period, 20
 quadratic distance, 201
 velocity, 100, 163
- measurement, 1, 9, 13, 20, 21, 29, 32, 55–57, 61, 67,
 69, 73–75, 78, 84, 129, 165, 166, 170, 175,
 200
 accuracy, 64, 66
 domain, 68
- errors, 202, 204
 height of formation, 196
 height of formation, 196
 polarimetric, 19, 79, 81, 82
 signal-to-noise ratio, 74, 75, 80
 theoretical description, 189–192, 194
 uncertainties, 76
- medium, 10, 36–39, 41–44, 49, 87–91, 95–97, 100,
 102, 103, 109–114, 116–119, 146, 147, 149, 151,
 153, 157, 159, 160, 163, 165, 166, 168, 170, 176,
 178, 184, 199–202
 absorptive, 111
 anisotropic, 39–41, 48, 88–90, 115, 121
 biaxial, 39
 conducting, 88, 90
 dispersive, 111
 homogeneous, 10
 inhomogeneous, 103
 isotropic, 5, 10, 39, 40, 57, 94, 116, 117, 121, 122,
 146, 149, 155, 189
 non-conducting, 88, 89
 plane-parallel, 146
 semi-infinite, 153
 stratified, 102, 114, 146
 uniaxial, 39–41
- Milne–Eddington
 inversion technique, 196, 201, 218
 model, 7, 200, 203, 208
 parameters, 160
- Minkowsky's metric, 111
- mirror
 metallic, 70
 revolution symmetry, 70
- modulation, 53, 61, 67
 cycle, 81, 82, 84
 equation, 74
 frequency, 68, 79, 82
 matrix, 56, 74–82, 84
 scheme, 74–78, 82
 spatial, 55, 56, 59, 61, 69, 73
 spatio-temporal, 69, 81, 82
 temporal, 55, 61, 62, 67, 69, 73
- modulators, 60
 electro-optical, 61
 piezo-elastic, 61, 79, 80
- Mueller matrices, 5, 45, 46, 48–55, 58–61, 65, 67, 70,
 71, 74, 109, 110
- Mueller, Hans, 5
- multiplicity, 188
- Newton's second law, 93, 121
- Newton, Sir Isaac, 2, 65
- nodes, 209–211, 215, 218
- non-linear, 78, 113, 147, 176, 202, 204
- notation, 45, 58, 124, 126, 210
 block component, 45
 complex, 13
 convention, 44, 74
 simplified, 190, 203
 spectroscopic, 136

- observables, 127, 129, 165, 166, 201, 202
 observational
 evidence, 2
 viewpoint, 13
 observer, 12, 15, 116, 153, 163, 166, 173, 202
 optical
 aberrations, 59
 anisotropy, 37, 40, 121, 160
 axis, 30, 32, 39–41, 43, 52–54, 56–59, 79, 82,
 117–119, 126, 161, 170
 cement, 59
 depth, 115, 116, 147, 149–153, 157, 159, 163, 167,
 168, 170, 172, 178, 183–186, 196, 201, 203,
 208–212, 214, 218
 design, 82
 elements, 65, 71
 layers, 185
 path, 57, 150, 156, 159, 166, 187, 194, 200, 208
 region, 9
 system, 29, 30, 36, 48, 51, 52
 train, 54, 65, 66
 orthogonal matrix, 38, 206, 212, 215
 oscillator strength, 97, 123, 147, 188
- Pauli matrices, 24, 106
 Pauli, Wolfgang Ernst, 3
 Perrin, Francis, 5
 phase, 9, 22, 96
 addition, 25
 difference, 14, 16, 22, 29, 34, 40, 41
 factor, 12, 89
 lag, 30
 relationship, 14
 shift, 54, 58, 89, 109
 velocity, 37, 39
 photons, 64, 80, 90, 92, 97, 100, 103, 113, 114, 116,
 132, 146, 150, 154, 165–168, 170, 181, 186, 193
 Planck
 constant, 129
 function, 114, 147, 155, 161, 183, 186
 Poincaré
 sphere, 18, 24, 25, 45–49, 53
 vectors, 45
 polarimeter, 49, 54–56, 59–62, 65, 66, 68, 69, 74, 75,
 79, 81–83
 design, 62, 65, 74
 polarimetric
 accuracy, 62, 64, 75, 79, 83
 analysis, 65, 70, 74, 81
 efficiencies, 75–78, 81, 83, 84
 observations, 66
 signal, 49, 53, 55, 56, 60, 61, 67, 80
 state, 80
 polarimetry, 1, 6, 13, 65
 astronomical, 65
 solar, 61, 64, 67
 Stokes, 74
 polarizance vector, 48, 53, 60, 110
 polarization, 1–5, 9, 16, 19, 24, 30, 32, 33, 48, 51, 59,
 60, 87, 125, 155, 162
 -free, 70
 analysis, 61, 64, 66, 70, 74, 79
 broad-band, 66
 by reflection, 3
 calibration, 70
 circular, 49, 54, 118
 net, 151, 163
 degree of, 19, 24, 25, 28, 48, 52, 53, 66, 72, 74,
 110, 111
 detector, 72
 devices, 40
 elliptical, 90
 environmental, 64–66, 74
 instrumental, 65, 70
 linear, 49, 50, 118
 partial, 4, 19
 seeing-induced, 65–67, 69
 spectrograph, 71
 state, 6, 16, 18, 28, 29, 32, 36, 45, 49, 51–53, 96,
 109, 110, 117, 121, 132, 166, 171
 measurements, 29
 orthogonal, 28, 41
 transformation, 36, 45, 50, 96
 telescope, 70
 tensor, 13, 14, 16, 22, 23
 vector, 25, 28, 32, 45, 53
 polarized
 components, 5, 33
 circularly, 33–35
 elliptically, 132
 linearly, 33, 59, 123
 Poynting vector, 13, 37, 38
 principal
 axes, 103
 components, 93, 105, 124
 directions, 38, 40, 88–91, 96
 permittivities, 39
 phase velocity, 39
 plane, 39, 42, 43
 ray velocity, 39
 reference frame, 38, 92, 93
 probability, 25, 167, 168, 170
 probability of transition, 136
 product
 matrix, 44, 54, 60
 scalar, 11, 34, 37, 44, 104, 191, 204
 tensor, 44
 vector, 11, 122
 propagation
 direction of, 2, 3, 10, 11, 13, 15, 25, 40, 42, 49, 97,
 100, 124–126, 150
 matrix, 48, 109, 110, 112, 114–116, 124, 126,
 137–139, 147, 149, 150, 156–160, 165, 176,
 177, 181, 183, 184, 186, 188, 202
- quadrature, 167, 178
 quantities
 atmospheric, 191, 192, 195
 energy, 13, 22
 measurable, 13
 physical, 13, 157, 158, 165, 166, 173–176, 178,
 184, 194, 200, 203, 208–215, 217

- quantum
 detectors, 72
 electrodynamics, 7, 129
 mechanics, 2, 6, 87, 92, 95, 96, 121, 123, 127, 131, 132, 142
 numbers, 129, 130, 135, 136, 142, 147
 magnetic, 130, 132, 135, 137
 orbital, 137
 states, 62, 92, 113, 129
 quartz, 56, 57
 quasi-singular matrix, 208, 212, 213
- Rachkovsky, D. N., 7
- radiation, 10, 12, 33, 55, 57, 59, 70, 91, 113, 114
 and matter interaction, 10, 87, 91, 112, 137
 continuum, 96, 110, 146
 electromagnetic, 1, 19
 field, 6, 102, 103, 113, 136, 146
 monochromatic, 23
 polarized, 4, 6, 165
 circularly, 34, 132
 totally, 19
 unpolarized, 182
- radiative energy, 88, 90, 146
- radiative equilibrium, 4
- radiative transfer, 6, 22, 33, 87, 112, 113, 116, 124, 147, 208
 equation, 4, 6, 7, 102, 112, 113, 117, 147, 176, 202
 inversion of, 202
 solution of, 149–151
 geometry, 103
 polarized, 7, 113, 149, 155
- radio observations, 9
- ray, 2, 3, 70, 103
 γ , 9, 10
 direction, 37, 43, 88, 89, 103
 extraordinary, 2, 3, 41, 57
 ordinary, 2, 41, 57
 path, 89, 102, 105, 106, 112, 114, 115, 117, 118
 velocity, 37, 39
 X, 9
- redshift, 98, 100
- reduced
 splittings, 139, 140
 variables, 98
- reference frame, 38, 49, 50, 90–92, 110
- reflection, 3, 59, 70
 oblique, 70
 total, 42
- refraction
 double, 2, 3, 41, 57
 Snell's law, 41
- refractive index, 10, 37, 39, 42, 43, 59, 65, 67, 87, 91, 94, 95, 102, 103, 146
 complex, 89, 91
 extraordinary, 40, 41, 43
 imaginary part, 89, 90, 122
 ordinary, 41
 principal, 39
 real part, 89, 122
- resolution, 1, 67, 190
 element, 64, 67, 68, 72
 spatial, 67, 79, 151, 154, 201
 spectral, 64, 69, 75, 166
 temporal, 64
- response functions, 176, 178, 185, 187, 189, 193, 196, 203, 208
 equivalent, 209, 211, 212, 215, 218
 generalized, 191, 192, 195, 196
- retardance, 30, 41, 53, 56, 57, 61, 62, 65, 79, 81, 82, 87
- retardation, 25, 57
 plates, 61
- reversibility, 177
- rotation, 2, 33, 45, 49, 50, 61, 81, 110
 angle, 50
 clockwise, 15
 counter-clockwise, 15
 matrix, 53, 54, 103
 optical, 3
- Saha equation, 113, 147, 188
- scattering, 6, 66, 67, 92, 112–114, 136, 146
- Schuster, Arthur, 6
- Schwarz's inequality, 23, 47
- Schwarzschild, Karl, 6
- selection rules, 132–134
- sign convention, 13, 16, 24, 125
- singular value decomposition (SVD), 212, 214, 215
- sinks, 14, 22, 181
- SIR inversion technique, 209, 216, 218
- Skumanich, Andrew P., 7
- solar
 observations, 67, 71
 parameters, 188
 photosphere, 6, 113, 114, 171, 185
 physics, 6
 surface, 67
- source function, 115, 147, 150, 151, 159–161, 177, 183, 185, 186, 193, 202
 effective, 177
- sources, 14, 22, 181
- spectral
 content, 22, 67, 68
 coverage, 64
 features, 62
 range, 65
 region, 9
- spectral line, 5, 66, 96, 97, 113, 124, 127, 139, 142, 145, 150, 151, 163, 166, 169, 171, 173, 184, 193
 absorption, 100
 formation, 7, 95, 96, 115, 117, 131, 137, 160, 168, 174
 depth of, 175, 187
 height of, 173–175
 polarization, 66
 unpolarized, 121
 widening, 6
- spectrograph, 59, 65, 72

- spectropolarimetric
 data, 216
 observations, 59, 212
 spectropolarimetry, 1
 spectroscopic observations, 59, 66
 spectroscopy, 1, 6
 spectrum, 5, 7, 19, 20, 94, 96, 157, 166, 170, 190, 191, 193
 π , 134, 135, 142
 σ , 135
 amplitude, 20, 68
 continuous, 96
 finite band-width, 20
 infrared, 9
 observed, 20, 168, 183, 188
 phase, 20, 62, 68
 ultraviolet, 9
 visible, 9
 stationarity, 19, 22
 statistical weight, 188
 Stenflo, Jan Olof, 7
 Stokes
 analyzer, 74
 formalism, 4, 26, 153
 parameters, 4, 5, 16, 17, 19, 22–27, 29, 33, 35, 50, 55, 57, 62, 66, 72, 75, 96, 103, 106, 109, 110, 117, 119, 153, 154, 157, 175, 178, 189, 201, 202
 addition of, 26, 27
 cross-talk, 67, 68
 decoupling, 119
 linear combination of, 49, 66
 measurement of, 29, 32, 60, 61, 67, 74, 75, 81
 observed, 66, 68
 physically meaningful, 24
 solar, 66
 transformation, 36
 uncertainty, 75, 76, 206
 variations of, 106
 polarimeters, 79
 profiles, 149–151, 153, 154, 160, 162, 163, 172, 183, 187, 191, 200, 201
 observed, 178
 perturbations, 177
 sensitivities, 175, 178, 180, 185
 spectrum, 147, 154, 165, 166, 172, 174–176, 178, 180, 183–185, 187–191, 201, 202, 213, 218
 derivatives, 203
 observed, 185, 199
 sensitivities, 208, 209, 212
 theorems, 4
 vector, 27, 29, 44–46, 48, 50, 52, 56, 67, 102, 107, 109, 112–114, 146, 147, 177
 Stokes I , 17, 32, 62, 74, 83, 118, 150, 154, 161, 162, 166, 170, 186, 187, 192, 194
 Stokes Q , 32, 33, 61, 62, 79, 83, 118, 150, 162, 166, 170, 187
 Stokes U , 32, 33, 61, 62, 83, 118, 150, 162, 166, 170, 187
 Stokes V , 17, 32, 33, 59, 61, 62, 69, 74, 83, 118, 150, 151, 163, 166, 170, 174, 185, 187, 194, 199
 Stokes, George Gabriel, 4
 Sun, 1, 5–7, 59, 64, 66, 67, 71, 113, 130, 143, 157, 163, 165, 174, 178, 188
 sunspot, 66, 174
 penumbra, 216
 spectrum, 6
 Tait, Peter Guthrie, 5
 telescope, 59, 65, 66, 70
 temperature, 5, 82, 97, 113, 114, 146, 147, 149, 155, 157, 165, 178, 183–187, 192, 193, 200, 208–210, 213, 218
 THEMIS telescope, 70
 thermal motions, 97, 100, 123, 146
 thermodynamic
 equilibrium, 113, 114, 136, 146, 185
 properties, 145–147
 variables, 113, 147, 149
 TIP and LPSP, 79, 82, 83, 216
 tolerance, 213, 215
 trace (of a matrix), 14, 22, 106
 transmittance, 45, 48, 50, 51, 66
 maximum, 48, 50, 53, 55
 minimum, 48, 50
 trial-and-error, 199, 202
 turbulence, 70, 154
 macro-, 150, 153, 154, 157, 188, 189, 196, 199
 micro-, 97, 146, 150, 157
 Unno, Wasaburo, 7
 Unno – Rachkovsky
 profiles, 163
 solution, 160
 Voigt function, 99, 142, 184
 VTT telescope, 71
 wave
 components, 14
 dispersion, 88
 electromagnetic, 9–11, 13, 14, 36, 92
 equation, 10–12, 36, 37, 88, 103, 146
 intensity, 14
 monochromatic, 9, 12, 14–17, 19–21, 88
 normal, 37, 43, 57, 58
 number, 12, 88
 orthogonally polarized, 34, 39
 plane, 9–12, 14, 16, 19, 21–24, 31, 33, 34, 88, 89
 plates, 53, 54, 59, 65, 79, 81
 polychromatic, 20, 22
 quasi-monochromatic, 21–24, 31, 33, 34, 89
 radio, 9, 10
 standing, 10
 theory, 2, 3
 time-harmonic, 9, 12, 16, 19, 88
 transversality, 4, 118, 126
 vector, 12
 wavefront, 2, 12, 67
 direction, 37, 39, 40
 normal, 12, 34, 37, 41, 43, 89, 103
 velocity, 37

- wavelength, 1, 9, 12, 41, 65, 71, 82, 99, 123, 124, 126, 150, 151, 168, 172, 175, 185, 186, 191
asymmetry, 172
blaze, 72
central, 139, 143, 160, 163, 172, 187
continuum, 168
core, 168
dependence on, 64, 65, 71, 87, 91, 96
distribution, 95
resonant, 123
samples, 166, 170, 171, 183, 187, 190, 201
sampling interval, 192, 194
shifts, 98, 100, 123, 125, 132, 151, 154, 162, 163
span, 71, 151, 166, 190
symmetry, 173, 187
Wollaston, William Hyde, 3
- χ^2 merit function, 201–204, 206
- Young, Thomas, 3
- Zeeman**
components, 121, 125, 134, 135, 137–139, 147
intensities, 136
effect, 1, 2, 5, 6, 129, 133
anomalous, 121
normal, 121
multiplet, 127
pattern, 123, 132–134, 136, 137, 139, 142, 143
splitting, 123, 124, 132–136, 138, 162, 172
sub-levels, 146
triplet, 123, 127, 133, 141, 162
effective, 139, 143, 144
- Zeeman, Pieter, 5
ZIMPOL, 79, 80, 83, 84