

Cambridge University Press

978-0-521-81832-2 - Many-Body Methods in Chemistry and Physics: MBPT and Coupled-Cluster Theory

Isaiah Shavitt and Rodney J. Bartlett

Index

[More information](#)

Author index

- Adamowicz, L., 365, 400, 496
 Adams, B. G., 263, 410, 496
 Ahlrichs, R., 163, 496
 Allen, W. D., 474, 502
 Arponen, J. S., 327, 367, 496
 Auer, A. A., 346, 429, 496, 504
- Baker, H. F., 293, 496
 Balková, A., 410, 411, 474, 496, 497
 Bandyopadhyay, D., 488, 504
 Bartlett, R. J., 1, 11, 80, 129, 153, 154, 156, 159, 160, 162–164, 182, 185, 202, 227, 263, 301, 315, 316, 318–321, 324–328, 336, 342–344, 346, 352, 361, 364, 365, 367, 387, 396, 400, 402, 407, 410–414, 417, 421–423, 426–429, 431, 436, 437, 441–448, 450, 452–454, 460, 461, 471, 474, 477, 480, 493–498, 501–504, 507, 508, 510–519
 Baumgartner, G., 346, 496
 Bauschlicher Jr, C. W., 342, 498, 499
 Bernholdt, D. E., 346, 496
 Berthier, G., 162, 511
 Bethe, H. E., 25, 499
 Bibireata, A., 346, 496
 Binkley, J. S., 12, 80, 499, 515
 Bishop, R. F., 327, 496
 Bloch, C., 52, 186, 187, 464, 499
 Bomble, Y. J., 429, 499
 Brändas, E. J., 185, 497, 499
 Brandow, B. H., 121, 165, 198, 499
 Brillouin, L., 33, 499
 Brown, F. B., 474, 515
 Brueckner, K. A., 1, 41, 53, 172, 499
 Bruna, P. J., 162, 500
 Buenker, R. J., 162, 500
 Burton, P. G., 162, 500
 Byers-Brown, W., 365, 400, 504
- Campbell, J. E., 293, 500
 Čárský, P., 474, 504, 514
 Chan, G. K.-L., 343, 344, 500
 Chattopadhyay, S., 472, 500
- Chaudhuri, R., 477, 485, 500
 Chiles, R. A., 420, 500
 Cho, R. W. H., 429, 514
 Choppella, V., 346, 496
 Christiansen, O., 419, 444, 456, 495, 500, 506
 Čížek, J., 2, 41, 91, 106, 134, 162, 184, 263, 301, 348, 350, 402, 407, 500, 514
 Cociorva, D., 346, 496
 Coester, F., 2, 501
 Cole, S. J., 153, 154, 163, 164, 315, 318, 320, 321, 497, 519
 Comeau, D. C., 431, 501
 Crawford, T. D., 426, 427, 453, 501, 518
- Dalgaard, E., 431, 454, 501
 Dalgarno, A., 365, 400, 501
 Datta, B., 472–474, 510
 Daudey, J.-P., 490, 491, 501, 510
 Davidson, E. R., 12, 161, 162, 435, 501, 508
 de Merás, A. S., 453, 461, 506
 Dirac, P. A. M., 1, 501
 Ditchfield, R., 387, 402, 501
 Dunning Jr, T. H., 344, 501
 Durand, Ph., 490, 491, 510
 Dykstra, C., 420, 500
 Dyson, F. J., 1, 501, 502
- Emrich, K., 431, 502
 Epstein, P. S., 80, 502
 Epstein, S. T., 365, 400, 456, 504
 Ermler, W. C., 153, 154, 163, 164, 497, 516
 Evangelista, F. A., 474, 502
- Fan, P.-D., 429, 503
 Feynman, R. P., 1, 502
 Foley, H. M., 365, 400, 518
 François, J. P., 142, 510
 Frantz, L. M., 1, 165, 167, 502
 Freeman, D. L., 167, 175, 503
- Gao, X., 346, 496
 Gauss, J., 316, 319, 343, 344, 351, 352, 365, 387, 396, 402, 410, 412, 414, 417, 421,

- 429, 441, 444, 445, 448, 499, 500, 502,
506, 508, 517–519
- Gerratt, J., 390, 393, 502
- Gijbels, R., 162, 510
- Goldstone, J., 1, 53, 152, 172, 175, 499, 503
- Goscinski, O., 185, 499, 503
- Grabowski, I., 421, 429, 430, 497, 505
- Gwaltney, S. R., 428, 503
- Hald, K., 444, 508
- Handy, N. C., 129, 315, 316, 342, 400, 421,
498, 503, 515
- Haque, M. A., 485, 503
- Harris, F. E., 167, 175, 503
- Harrison, R., 346, 496
- Hättig, C., 456, 500
- Hausdorff, F., 293, 503
- Head-Gordon, M., 129, 301, 315, 316, 319,
327, 421, 429, 503, 514, 515, 519
- Helgaker, T., 402, 419, 502, 506
- Heully, J.-L., 490, 501
- Hirao, K., 432, 503, 512
- Hirata, S., 346, 414, 421, 429, 441–444,
446–449, 497, 503, 504
- Hirschfelder, J. O., 365, 400, 504
- Horowitz, J., 52, 186, 499
- Hose, G., 227, 504
- Hsieh, H. C., 153, 154, 163, 164, 497
- Hubač, I., 351, 352, 474, 504, 513, 514, 519
- Hubbard, J., 1, 504
- Huby, R., 41, 504
- Hugenholtz, N. M., 1, 118, 165, 504
- Hylleraas, E. A., 25, 504
- Ivanov, S., 421, 497
- Jana, D., 488, 504
- Jankowski, K., 263, 429, 430, 474, 496, 505,
506
- Janssen, C. L., 346, 505
- Jayatilaka, D., 352, 505
- Jeziorski, B., 227, 301, 465, 505, 514, 515
- Jordan, P., 1, 505
- Jørgensen, P., 361, 367, 419, 431, 444, 453,
456, 461, 495, 500, 505, 506, 508
- Kaldor, U., 227, 504, 505
- Kállay, M., 342–344, 346, 429, 499, 500, 506
- Karplus, M., 456, 508
- Kelly, H. P., 1, 162, 506
- Klein, O., 1, 505
- Knowles, P. J., 342, 498
- Kobayashi, R., 419, 453, 461, 506
- Koch, H., 367, 419, 431, 444, 453, 461, 495,
500, 506
- Koch, S., 54, 163, 475, 506, 508
- Kohn, W., 413, 506
- Kowalski, K., 429, 430, 505, 506, 514
- Krishnamoorthy, S., 346, 496
- Krishnan, R., *see* Raghavachari, K.
- Krishnan, S., 346, 496
- Krogh, J. W., 343, 344, 507
- Krylov, A. I., 441, 462, 507
- Kucharski, S. A., 202, 227, 315, 321, 324–328,
336, 342, 344, 411, 426–428, 437, 444,
445, 471, 497, 498, 507, 508, 512
- Kümmel, H., 2, 501
- Kutzelnigg, W., 8, 54, 163, 327, 475, 496,
506–508
- Kvasnička, V., 52, 508
- Laidig, W. D., 365, 400, 496
- Lam, C.-C., 346, 496
- Langhoff, P. W., 456, 508
- Langhoff, S. R., 161, 342, 498, 508
- Larsen, H., 444, 508
- Lauderdale, W. J., 410, 414, 417, 502, 508, 518
- Lee, J. S., 448, 518
- Lee, T. J., 352, 365, 505, 508, 516
- Lee, Y. S., 315, 508
- Levinson, C. A., 1, 499
- Levy, B., 162, 511
- Li, X., 346, 351, 410, 466, 467, 469, 471, 472,
508, 509, 514
- Lindgren, I., 2, 52, 186, 187, 198, 478, 481,
482, 509
- Lipscomb, W. N., 390, 518
- Lischka, H., 163, 496
- London, F., 387, 402, 509
- Löwdin, P.-O., 8, 413, 418, 419, 509, 510
- Lu, Q., 346, 496
- Mahapatra, U. S., 472–474, 500, 510
- Malinowski, P., 490, 511
- Malrieu, J.-P., 490, 491, 501, 510
- Manne, R., 167, 172, 173, 510
- March, N. H., 53, 69, 510
- Martin, J. M. L., 162, 510
- Meissner, L., 162, 444, 480, 490, 492, 510, 511
- Meunier, A., 162, 511
- Meyer, W., 162, 511
- Mills, I. M., 390, 393, 502
- Mills, R. L., 1, 165, 167, 502
- Møller, C., 80, 511
- Monkhorst, H. J., 167, 175, 227, 361, 429–431,
465, 490, 501, 503, 505, 511, 518, 520
- Morrison, J., 2, 52, 187, 481, 509
- Mukherjee, D., 11, 255, 472–474, 477, 478,
480, 485, 488, 500, 503, 504, 510, 511,
513, 517
- Mukhopadhyay Jr, D., 485, 500, 511
- Mukhopadhyay, S., 478, 480, 517
- Musiak, M., 328, 336, 342, 343, 344, 407, 410,
429, 437, 444, 445, 448, 471, 493–495,
497, 507, 511, 512, 518
- Nakatsuji, H., 431, 432, 503, 512
- Neogrády, P., 351, 352, 513, 519
- Nesbet, R. K., 80, 418, 419, 513
- Noga, J., 315, 316, 318, 320, 321, 327, 361,
362, 411, 497, 498, 513, 519
- Nooijen, M., 11, 255, 346, 367, 414, 429,

- 441–448, 454, 460, 461, 490, 496, 503,
504, 511, 513, 514, 516, 518
- Ohta, K., 432, 512
- Olsen, J., 343, 344, 444, 495, 500, 506–508
- Ostlund, N. S., 2, 3, 518
- Pal, S., 477, 513
- Paldus, J., 2, 41, 91, 106, 134, 184, 263, 301,
346, 351, 402, 410, 425, 429, 430, 466,
467, 469, 471, 472, 474, 496, 500, 501,
505, 508, 509, 514, 515
- Perera, S. A., 448, 454, 460, 461, 514, 516, 518
- Petraco, N. D. K., 471, 514
- Peyerimhoff, S. D., 162, 500
- Piecuch, P., 429, 430, 503, 514
- Pittner, J., 474, 504, 514
- Pitzer, R. M., 346, 390, 496, 518
- Plesset, M. S., 80, 511
- Pluta, T., 387, 514
- Pople, J. A., 12, 80, 129, 162, 301, 315, 316,
319, 421, 499, 503, 514, 515
- Pulay, P., 393, 515
- Purvis III, G. D., 11, 153, 154, 156, 160, 163,
164, 263, 422, 423, 441, 474, 497, 498,
515
- Raghavachari, K., 129, 162, 301, 315, 316, 319,
421, 503, 514, 515
- Raimes, S., 53, 515
- Ramanujam, J., 346, 496
- Rayleigh, Baron, 37, 515
- Redmon, L. T., 46, 517
- Reid, C. E., 185, 515
- Rendell, A. P., 365, 508
- Replogle, E. S., 421, 515
- Rice, J. E., 365, 516
- Rittby, M., 410, 414, 441, 477, 513, 516
- Rosenberg, B. J., 163, 164, 516
- Rozyczko, P. B., 454, 460, 461, 516
- Russ, N. J., 453, 518
- Ruud, K., 402, 502
- Sadayappan, P., 346, 496
- Sadlej, A. J., 387, 514
- Salpeter, E. E., 25, 499
- Salter, E. A., 364, 365, 367, 400, 516
- Sambe, H., 456, 516
- Sampanthar, S., 53, 69, 510
- Sandars, P. G. H., 192, 195, 198, 516
- Sasaki, F., 12, 516
- Schaefer III, H. F., 346, 365, 400, 474, 502,
503, 505, 516
- Scheiner, A. C., 365, 516
- Schrödinger, E., 37, 516
- Scuseria, G., 365, 516
- Seeger, R., 12, 80, 162, 515
- Sekino, H., 402, 422, 423, 431, 441, 450, 454,
461, 498, 501, 515–517
- Sham, L. J., 413, 506
- Shamasundar, K. R., 11, 255, 513
- Shavitt, I., 46, 80, 153, 154, 156, 159, 160,
162–164, 182, 185, 263, 497, 498, 514,
516, 517
- Shepard, R., 474, 515
- Sibiryakov, A., 346, 496
- Siegbahn, P. E. M., 162, 517
- Silver, D. M., 1, 498
- Silver, D. W., 12, 162, 501
- Simons, J., 361, 505
- Sinha, D., 477, 478, 480, 500, 513, 517
- Snijders, J. G., 445, 513
- Staemmler, V., 163, 496
- Stanton, J. F., 352, 396, 410, 414, 417, 421,
422, 423, 426, 427, 429, 431, 436, 441,
444, 445, 448, 453, 460, 498, 499, 501,
502, 508, 517, 518
- Sternheimer, R. M., 365, 400, 518
- Stevens, R. M., 390, 518
- Stewart, A. L., 365, 400, 501
- Stolarczyk, L. Z., 490, 518
- Surján, P. R., 342, 346, 506
- Swain, S., 186, 518
- Szabo, A., 2, 3, 518
- Szalay, P. G., 351, 367, 410, 441, 518
- Takahashi, M., 429, 514
- Tam, M. C., 453, 518
- Taylor, P. R., 342, 498, 499
- Thouless, D. J., 257, 300, 413, 419, 518
- Tobita, M., 448, 518
- Trucks, G. W., 129, 316, 319, 327, 364, 365,
367, 400, 421, 497, 503, 515, 516, 519
- Urban, M., 301, 315, 318, 320, 321, 351, 352,
361, 362, 513, 519, 520
- Van Vleck, J. H., 46, 519
- Van Voorhis, T., 327, 519
- Watts, J. D., 301, 316, 319, 327, 365, 410, 412,
414, 417, 421, 497, 498, 502, 508, 518,
519
- Wick, G. C., 1, 68, 519
- Wigner, E. P., 1, 24, 33, 505, 519
- Wilson, S., 153, 154, 519
- Włoch, M., 437, 444, 507
- Young, W. H., 53, 69, 510
- Živković, T. P., 429, 430, 520

Subject index

- A and B matrices**, 392, 400–404, 425–426
 complex case, 393, 402–404
- annihilation operator, 55–67
 pseudo-, 72
- active holes, 476, 489
- active particles, 476, 489
- anticommutation relations, 57–59
- antisymmetrized Goldstone diagrams (ASGs), 121–123
 energy, third-order
 canonical HF case, 133
 non-HF case, 133
 energy, fourth-order
 single-excitation diagrams, 142
 double-excitation diagrams, 142
 triple-excitation diagrams, 143
 quadruple-excitation diagrams, 144
- QDPT level-shift operator
 second-order, 206
 third-order, 221
 folded, 224
- QDPT wave operator
 second-order, 208, 209
- wave function, second-order
 canonical HF case, 137
 non-HF case, 138
- antisymmetrizer, 4
- ASG, *see* antisymmetrized Goldstone diagrams
- atomic units, 2, 64
- avoided crossings, 491
- B-CC, *see* Brueckner-orbitals CC
- Baker–Campbell–Hausdorff expansion, 293
- basis set
 complete, 387
 complex, 402
 derivative integrals, *see* derivative integrals
 perturbed, 387, 390, 392, 394–399, 404–405
- Bloch equation, 52, 186
 generalized, 52, 186, 463–465
 alternative forms, 464, 465
 derivation, 187–188
- in Fock-space MRCC, 483–488
 matrix form, 189–191
 normal-product form, 194–195
 order-by-order expansion, 189
 schematic representation, 198–203
 secondary term, 200
 with folded resolvent lines, 202
- bond breaking, 185, 427, 429, 441, 447–448, 462
- bonnes fonctions*, 187, 464, 472
- bracket insertion, *see* insertion
- Brillouin theorem, 9, 132, 237
 inapplicable to ROHF, 132, 300
- Brillouin–Wigner perturbation theory (BWPT), 33–34
 non-extensivity, 34–36
- Brueckner orbitals, 10, 413, 418–421
 advantages, 420–421
 conditions, 419
 iterative process, 419–420
 stationarity condition, 419
- Brueckner-orbitals CC (B-CC), 421
 broken-symmetry cases, 421
- BWPT, *see* Brillouin–Wigner perturbation theory
- C-conditions, 466–467
- CC, *see* coupled cluster
- CCD (CC doubles), 163, 258–271, 342
 algebraic derivation, 263–271
 amplitude equations, 288–289
 iterative solution, 290
 configuration-space derivation, 258–263
 diagrammatic derivation, 279–291
 linearized, 263
- CCSD (CC singles and doubles), 163, 299–308, 342, 343, 425
 computational cost, 308
 equations, 301
 linearized, 375
 role of \hat{T}_1 , 300–301
 role of the **A** and **B** matrices, 425
 \hat{T}_1 equations, 304

- ASG diagrams, 302
 generation of ASG diagrams, 303
 \hat{T}_2 equations, 307
 ASG diagrams for \hat{T}_1 contributions, 305
 generation of ASG diagrams for \hat{T}_1 contributions, 306
- CCS (CC singles), 442
- CCSDT (CC singles, doubles and triples), 308–321, 342, 343
- CCSD(T), 319–320, 342, 343
- CCSD[T], 317–319
- CCSDT-1, 163, 315–321, 342
 computational cost, 316
 iterative procedure, 316, 317
- CCSDT-2, 320
 computational cost, 321
- CCSDT-3, 320–321
 computational cost, 321
- CCSDT- n , comparison of included terms, 321
- computational considerations, 315–318
 computational cost, 316–317
 equations, 309
- ACCS(T), 426, 427
- role of \hat{T}_3 , 308–309
- \hat{T}_1 equations, 310
 ASG diagram for \hat{T}_3 contributions, 310
- \hat{T}_2 equations, 311
 ASG diagrams for \hat{T}_3 contributions, 310
- \hat{T}_3 equations, 313
 ASG diagrams, 312
 perturbation-theory order of terms, 314
- CCSDTQ, 321–328, 342, 343, 381
- CCSDT(Q_f), 343
- CCSDT[Q], 342
- CCSDTQ-1, 322–325, 342
 computational cost, 325
- CCSDTQ-2 approximation, 325
 computational cost, 325
 equations, 321–322
 factorized quadruples (Q_f) approximations, 325–328
- ACCS(T)(Q_f) approximation, 427–428
- \hat{T}_2 equations
 ASG diagram for \hat{T}_4 contributions, 322
- \hat{T}_3 equations, 322
 ASG diagram for \hat{T}_4 contributions, 322
- \hat{T}_4 equations
 ASG diagram, 323
- CCSDTQP, 342–344
- CCSDTQPH, 343, 344
- CI, *see* configuration interaction
- CID (CI doubles), 13, 159, 163, 342
- CIS (CI singles), 10
- CISD (CI singles and doubles), 9, 159, 163, 342
 quadratic, 301
 with Davidson correction, 163
- CISDT, 159, 342
- CISDTQ, 159, 342
- CISDTQP, 342, 471
- cluster operators, 255–258
 amplitudes, 255–258
 diagrammatic representation, 273–275, 285
 in state-universal MRCC, 465
 relative importance of \hat{T}_n contributions, 308–309
- CMS, *see* model space, complete
- commutator
 simplification, 293
 vacuum expectation value, 101
- computational results
 C_2 excitation energies by IH-CC and EOM-CC, 495
- C_2 ionization potentials by IP-EOM-CC, 446, 447
- CH⁺ electron affinities by EA-EOM-CC, 446, 448
- CH⁺ excitation energies by EE-EOM-CC, 441–442
- CH₂ excitation energies by EE-EOM-CC, 443
- CN electron affinity by GMBPT and CCSD, 417
- comparison with experiment, limitations, 444
- comparison with full CI, 340–346, 442–444, 447, 448, 495
 advantages, 444
- FH and H₂O by CI, MBPT and CC, 342
- H₂O excitation energies by IH-CC and EOM-CC, 495
- H₂O in 39-STO basis, 153–156, 159–164
- H₂O in SU-CC, 471
- N₂ dissociation with RHF and UHF
 references, 343–344
- N₂ excitation energies by IH-CC and EOM-CC, 495
- N₂ potential-energy curves, 345
- Ne excitation energies by IH-CC and EOM-CC, 495
 using full-CI Hamiltonian matrix, 444
- configuration interaction (CI), 9–10
 extensivity correction
 dressing, 490
 quadruples, 162
 full CI, 10, 159, 340–346, 430
 multireference, 8, 490
 MRCISD, 472
 non-extensivity, 12, 161
 quadratic CISD, 301
 relationship to RSPT, 159–164
 configuration state functions, 472
- conjugate diagrams, 134, 135, 142, 416
- connectivity conditions, *see* C-conditions
- continued fractions, 185
- contractions, 68–69
 diagrammatic representation, 92–95
 relative to Fermi vacuum, 74–75
- core ionization, 488

- core states, 192, 193, 228
correlation energy, 8, 85, 131, 153
 derivative, 396–405
 imaginary component, 401
Coulomb integral, 7
Coulomb operator, 7, 76
coupled cluster, 251–430
 CC effective Hamiltonian (\mathcal{H}), 292
 connected form, 294
 diagrams and intermediates, 328–340
 simplification, 293–294
 CC energy functional (\mathcal{E}), 366–367
 as basis for noniterative approximations, 426–429
 stationarity condition, 366–367
 computational considerations, 411
 diagrams
 general form, 295
 rules of interpretation, 296
 systematic generation, 297–299
 doubles model, 258
 effective Hamiltonian incorporating \hat{T}_1 (\tilde{H}), 418–419
 diagrammatic representation, 418–419
 iterative process, 419
 energy, 302
 complex case, 401
 energy derivative, 396–405
 imaginary component, 401
 equations, 258–328
 characteristics, 254
 complex solutions, 429
 connected form, 292–295
 nature of solutions, 429–430
 number of solutions, 430
 relationship of solutions to full CI, 429, 430
 standard solution, 429
 systematic derivation, 292–328
 exponential *Ansatz* and extensivity, 254–255
 foundations, 251–291
 full CC, 430
 history, 2
 Λ -based noniterative approximations, 426–429
 orthogonally spin-adapted, 410
 relationship to MBPT, 272–279
 factorization of disconnected diagrams, 275–279
 relative importance of \hat{T}_n contributions, 308–309
 role of single excitations, 300–301
 wave function, 254–258
 with arbitrary reference function, 411–414
 coupled-cluster linear response, 431
 coupled-perturbed Hartree–Fock (CPHF), 387–393
 complex case, 402
 CPHF, *see* coupled-perturbed Hartree–Fock
 creation operator, 55–67
 pseudo-, 72
 Davidson correction, 161–163
 DEA-EOM-CC, *see* equation-of-motion CC, double electron attachment
 degenerate perturbation theory, 186
 denominator, *see* resolvent
 density matrix, 352–361
 diagrammatic representation, 355–361
 energy weighted, 394
 one-body, 352
 diagrams for ph terms, 357
 diagrams for pp terms, 358
 MBPT diagrams, 360
 relaxed, 386, 401, 426
 response, *see* response density matrix
 response treatment, 381–385
 transition, 436
 two-body, 353–355
 density-functional theory, 413
 derivative integrals, 391, 392, 396
 avoiding transformation, 391, 395, 404–405
 destruction operator, *see* annihilation operator
 diagram summation techniques, 177–180
 diagrammatic methods, 90–164
 history, 1
 diagrammatic notation, 90–129
 CC, 273–275
 CC effective Hamilton, 328
 EOM-CC, 437
 Λ operator, 368
 QDPT, 195–198
 reduced density matrix, 340, 355–361
 DIP-EOM-CC, *see* equation-of-motion CC, double ionization potentials
 dipole moment, 362, 450
 dipole operator, 436
 dipole polarizability, 362, 450
 dipole strength, 436, 461
 direct CI, 472
 disconnected clusters, 15
 disconnected diagrams, 136, 137
 \mathcal{E} , *see* coupled cluster, CC energy functional
 EA-EOM-CC, *see* equation-of-motion CC, electron attachment
 EE-EOM-CC, *see* equation-of-motion CC, excitation energies
 effective Hamiltonian
 incorporating \hat{T}_1 (\tilde{H}), 418
 of CC (\mathcal{H}), 292
 for model state α (\mathcal{H}^α), 468
 of QDPT and MRCC (\hat{H}^{eff}), 51, 187, 188, 194, 465
 in valence-universal MRCC, 477
 electron affinities, *see* equation-of-motion CC, electron attachment
 electron correlation, 7–9, 16
 dynamic, 8, 462
 nondynamic, 8, 462
 electron-repulsion integral, 65, 111
 antisymmetric, 63, 65, 111, 182–184
 spin-free, 182–184

- EOM-CC, *see* equation-of-motion CC
 Epstein–Nesbet partitioning, 80
 EPV terms, *see* exclusion-principle violating terms
 equation-of-motion CC, 431–461
 biorthogonality relationship, 434
 CI-like character, 433, 435
 computational considerations, 446
 de-excitation operator (\hat{L}_k), 434
 left eigenfunctions of \mathcal{H} , 434
 diagrammatic notation, 437–440
 double arrows, 196
 double electron attachment, 446–448
 double ionization, 446
 EA-EOM-CCS, 448
 EA-EOM-CCSD, 448
 EA-EOM-CCSDT, 448
 EA-EOM-CCSDT-3, 448
 EE-EOM-CCS, 442, 443
 EE-EOM-CCSD, 442, 443
 inadequacy for doubly excited states, 442, 444
 EE-EOM-CCSDT, 442, 443
 EE-EOM-CCSDT-3, 442, 443
 EE-EOM-CCSDTQ, 443
 EE-EOM-CCSDTQP, 443
 electron attachment, 445–449
 diagrammatic equations for
 EA-EOM-CCSDT, 447
 electron-attachment operator (\hat{R}), 445
 energy derivatives, 444
 EOM-CC *Ansatz*, 432–436
 EOM-CC equations, 435
 excitation energies, 437–444
 algebraic EE-EOM-CCSDT equations, 439
 diagrammatic equations for
 EE-EOM-CCSDT, 437–440
 left-eigenfunction equation, 440
 excitation operator (\hat{R}_k), 433
 right eigenfunctions of \mathcal{H} , 433
 excited-state properties, 436
 frequency-dependent properties, 454–461
 higher-order properties, 449–454
 initial state, 432
 ionization potentials, 445–449
 as limits of Rydberg series, 445
 diagrammatic equations for
 IP-EOM-CCSDT, 446
 ionization operator, 445
 IP-EOM-CCS, 447
 IP-EOM-CCSD, 445, 447
 IP-EOM-CCSDT, 445, 447
 IP-EOM-CCSDT-3, 447
 IP-EOM-CCSDTQ, 447
 IP-EOM-CCSDTQP, 447
 similarity-transformed, 448
 target state, 432
 unbalanced truncation, 444
 VU-CC analogy, 488–490
 equivalent diagrams, 112, 115
 exchange integral, 7
 exchange operator, 7, 76
 excitation energies, *see* equation-of-motion CC, excitation energies
 exclusion-principle-violating (EPV) terms, 150–156
 conjoint, 151, 155, 156
 disjoint, 151, 155, 156
 in expectation values, 349, 350
 expectation value
 CC wave function, 347–352
 one-body operator, 352–354
 two-body operator, 353–355
 extensivity, 11–15, 156–157
 disconnected clusters, 15–17
 exponential *Ansatz*, 254–255
 lack of in truncated CI, 12
 N He atoms, 12–15, 34–36, 45–46
 unlinked diagrams, 156–159
 extrapolation techniques, 185
 factorization of quadruple-excitation diagrams, 180–182
 factorization theorem, 158, 165–172
 factorized-denominator diagrams, 416
 FCC, *see* coupled cluster, full CC
 FCI, *see* configuration interaction, full CI
 Fermi level, 72
 Fermi vacuum, 72
 in Fock-space MRCC, 475
 in Hose–Kaldor approach, 227
 in QDPT, 192–194
 Fock operator, 4, 7, 76
 normal-product form, 85, 280
 perturbed, 386–387
 Fock space, 54, 445, 475
 sectors, 476
 Fock-space MRCC, 463, 475–495
 intermediate Hamiltonian, *see*
 intermediate-Hamiltonian MRCC
 valence universal, *see* valence-universal MRCC
 folded diagrams, 200, 201, 215–220
 folded resolvent lines, 202, 210–211
 denominator, 202
 Fourier series, 456–458
 FS-CC, *see* Fock-space MRCC
 gauge-including atomic orbitals (GIAOs), 402, 403
 GIAO, *see* gauge-including atomic orbitals
 GMBPT, *see* many-body perturbation theory, generalized
 Goldstone diagrams, 111–113, 119
 antisymmetrized, *see* antisymmetrized Goldstone diagrams
 Green’s function methods, 445
 \mathcal{H} , *see* coupled cluster, CC effective Hamiltonian
 \tilde{H} , *see* coupled cluster, effective Hamiltonian incorporating \hat{T}_1

- \hat{H}^{eff} , *see* effective Hamiltonian, of QDPT and MRCC
- \hat{H}^{int} , *see* intermediate Hamiltonian
- half-vertices, 111
- Hamiltonian, 9, 18
- normal-product form, 83–85, 280–281
 - partitioning, 75–80
 - zero-order, 18, 75
- Hartree–Fock
- gradients, *see* reference function, derivative
- Hartree–Fock (HF) theory, 4
- average-interaction approach, 6–7
 - canonical, 4, 133
 - multiconfigurational, 6
 - noncanonical, 128, 129, 132, 133, 411
 - restricted, 5, 257, 343
 - open-shell, 5, 10, 257, 300, 316, 406, 410, 413–414, 417–418, 421–425, 431
 - open-shell high-spin case, 185, 410, 424
 - unrestricted, 5, 183, 257, 343, 386, 406, 417–418, 421–425, 431
 - high-spin case, 185, 410
- Hellmann–Feynman theorem, 362, 366, 367, 394, 395
- HF, *see* Hartree–Fock
- Hilbert space, 54
- Hilbert-space MRCC, 463, 465–474
- state-specific, *see* state-specific MRCC
 - state-universal, *see* state universal MRCC
- HK, *see* Hose–Kaldor approach
- hole lines, 197
- hole states, 72
- Hose–Kaldor approach, 227–250
- cancellations, 235–236
 - classification of one-electron states, 228
 - diagrams, first-order, 230–232
 - diagrams, second-order, 232, 236
 - disconnected diagrams, 235
 - Fermi-vacuum states, 227
 - level-shift operator, second-order ASG skeletons, 233
 - level-shift operator, third-order, 236–250
 - contribution status of diagrams, 242–250
 - contribution status of skeletons, 242–250
 - linked ASG skeletons, 239–242
 - linked Hugenholtz skeletons, 238
 - representative classes, 237
 - unlinked ASG skeletons, 243–245
 - unlinked Hugenholtz skeletons, 239
 - model states, 228
 - one-electron interaction, 228–230
 - wave operator, second-order ASG skeletons
 - for principal term, 234
 - for renormalization term, 234
- HS-CC, *see* Hilbert-space MRCC
- Hugenholtz diagrams, 118–123, 125–128
- CC, 285
 - fourth-order energy
 - canonical HF case, 141
 - non-HF case, 146
 - QDPT level-shift operator
 - second-order, 206
 - third-order, 223
- Hugenholtz skeletons, 120
- classification, 139
 - connection patterns, 139
 - conversion to ASG skeletons, 238–242
 - fourth-order
 - canonical HF case, 140
 - non-HF case, 145
- Hylleraas variation principle, 25–27
- hyperpolarizability, 362, 450
- IH, *see* intermediate Hamiltonian
- IH-CC, *see* intermediate-Hamiltonian MRCC
- IMS, *see* model space, incomplete
- independent particle approximation, 3–7
- insertion, 139, 148, 153, 158, 166, 172
- interaction line, *see* vertex
- interchange theorem, 365, 393, 396, 400, 401
- intermediate Hamiltonian (IH), 490
- intermediate-Hamiltonian MRCC, 463, 490, 494
- augmented model space, 491
 - diagrammatic representation, 494
 - excitation energies
 - comparison of results, 495
 - function-space partitioning, 491
 - IH-CCSD, 494
 - IH-CCSDT, 495
 - diagrammatic representation, 494
 - intermediate space, 491
 - main model space, 491
 - projectors on subspaces, 491
 - similarity transformation method, 492–494
- intermediate normalization, 20, 186, 463
- in valence-universal MRCC, 477, 480
- intruder states, 193, 466, 472, 490–491
- ionization potentials, *see* equation-of-motion CC, ionization potentials
- IP-EOM-CC, *see* equation-of-motion CC, ionization potentials
- Jeziorski–Monkhorst *Ansatz*, 465, 473
- Kohn–Sham reference state, 413
- Koopmans’ theorem, 447, 448
- ladder diagrams, 116, 120, 142, 177
- Λ equations, 375
- diagrams for Λ_1 equations, 370
 - diagrams for Λ_2 equations, 372
 - diagrams for Λ_3 equations, 374
 - disconnected diagrams, 371–373
 - disconnected term, 369
 - effective-Hamiltonian form, 376–379
 - correspondence table, 378
 - diagrams for Λ_1 equations, 376
 - diagrams for Λ_2 equations, 377
 - diagrams for Λ_3 equations, 377
 - \hat{T} -free form, 379, 380
 - correspondence table, 379

- Λ equations, 367
 - Λ operator, 365, 366
 - diagrams, 368
 - relationship to \hat{T}^\dagger , 374–375
 - level-shift operator (\hat{W}), 49, 188
 - diagrams, 203–227
 - first order, 203
 - schematic, 196
 - second-order, 205–207
 - third-order, 220–225
 - modified, 194
 - Li–Paldus approach, *see* state-universal MRCC
 - linked diagrams, 1, 136
 - in QDPT, 198
 - linked-diagram theorem, 2, 139, 152–153, 158–159
 - proof, 165–176
 - London orbitals, *see* gauge including atomic orbitals

 - magnetic perturbation, 402, 403
 - magnetic susceptibility, 402
 - many-body methods
 - history, 1
 - motivation, 10–11
 - many-body perturbation theory energies
 - fourth-order
 - principal term, 138
 - renormalization term, 139
 - generalized (GMBPT), 418
 - many-body perturbation theory (MBPT), 153, 156
 - comparison with CC, 341–344
 - computational aspects, 177–184
 - diagram summation techniques, 177–180
 - energy, third-order, 132
 - EPV terms, 154–156
 - generalized (GMBPT), 129, 411, 414
 - history, 1
 - relationship to CI, 159–164
 - many-body perturbation theory energies
 - first-order, 131
 - second-order, 131–132, 154, 163, 342
 - comparison with CI, 159
 - third-order, 134, 154, 163, 342
 - comparison with CI, 159
 - fourth-order, 138–152, 154, 163, 342
 - approximation of CI, 160
 - ASG diagrams for principal term, 140, 144
 - cancellation of unlinked diagrams, 146–150
 - Hugenholtz diagrams for principal term, 141
 - Hugenholtz skeletons for principal term, 140
 - in canonical HF case, 139–144
 - linked quadruples contribution, 154
 - non-HF case, 144–146
 - principal term, 146, 154
 - renormalization term, 138, 154
 - role of EPV terms, 150, 156
 - singles contribution, 154
 - doubles contribution, 154
 - triples contribution, 154
 - without triples, 163, 342
 - fifth-order, 342
 - sixth-order, 342
 - many-body PT wave functions
 - first-order, 135–136
 - second-order wave function, 136–138
 - matrix elements
 - evaluation, 86–89
 - of operator products, 102–105, 118–123
 - MBPT, *see* many-body perturbation theory
 - MBPT(4)SDQ, *see* many-body perturbation theory energies, fourth-order without triples
 - MBPT(n) ($n = 2, 3, \dots$), *see* many-body perturbation theory energies
 - MCHF, *see* Hartree–Fock theory, multiconfigurational
 - MCSCF, *see* self-consistent field, multiconfigurational
 - MO coefficients, *see* transformation matrix
 - model functions, *see* model states
 - model space, 51, 186
 - complete, 193, 466
 - disadvantages, 193, 466, 490–491
 - in valence-universal MRCC, 477
 - in Hose–Kaldor approach, 228
 - selection, 228
 - in QDPT, 192–194
 - in state-universal MRCC, 465–467
 - in valence-universal MRCC, 475
 - incomplete, 466
 - in QDPT, 227–250
 - in valence-universal MRCC, 477
 - quasicomplete, 480
- model states, 51, 186
- Møller–Plesset partitioning, 80
- Møller–Plesset perturbation theory, 80
- MRCC, *see* multireference coupled cluster
- MRCI, *see* configuration interaction, multireference
- multiplicity, *see* spin multiplicity
- multireference coupled cluster, 462–495
- multireference methods, 6, 11, 431
 - configuration interaction, *see* configuration interaction, multireference
 - coupled cluster, *see* multireference coupled cluster
 - perturbation theory, *see* quasidegenerate perturbation theory
-
- N He atoms example
 - in BWPT, 34–36
 - in CC, 251–254
 - in CI, 12–15
 - in MBPT, 157–159
 - in RSPT, 46
- N -dependence of diagrams, 157–159

- natural orbitals, 10, 413
 non-HF case, 129, 132, 133, 136, 138, 144–146
 normal order, *see* normal product
 normal product, 67–68
 relative to Fermi vacuum, 74–75
 with contractions, 69
 relative to Fermi vacuum, 75
 notation, 2–3
 excitation level, 3
 nuclear magnetic resonance (NMR) chemical shifts, 402
 nuclear magnetic shielding, 402
- Ω , *see* wave operator
 one-body basis, 54
 one-body operators
 diagrammatic representation, 92–100
 product, 100–105
 one-body states
 core, 193
 valence, 193
 virtual, 5, 193
 open-shell perturbation theory, *see* degenerate perturbation theory
 open-shell states, 185, 410
 difficulties for single-reference methods, 431–432, 462
 high-spin, 185, 410
 in state-universal MRCC, 471
 in valence-universal MRCC, 475
 low-spin, 185, 410, 440
 EOM-CC, 441
 open-shell singlets, 185, 410
 EOM-CC, 440–441
 zero-order approximation, 440
 ROHF, 5
 spin-multiplicity monitoring, 421–425, 441
 UHF, 5
 operators
 hole–hole, 94
 hole–particle, 98
 normal-product form, 80–83
 one-body, 80–81
 two-body, 81–83
 not in normal-product form representation, 123–128
 particle–particle, 92
 particle–hole, 97
 representation, 59–65
 invariance under unitary transformation, 65–67
 orbital energy, 5, 75, 76
 orbital relaxation, 385–396, 425, 488
 orbitals
 including spin, *see* spinorbitals
 localized, 5, 411
 spatial, 5, 182–184, 407–410
 orthogonal space, 186
- Padé approximants, 185
 particle–hole formalism, 71–75
 particle lines, 197
 particle states, 72
 passive lines, 197, 204
 perturbation operator, 19, 75–78
 GMBPT, 412
 normal-product form, 83–85, 194–195
 periodic, 455
 RSPT, 128–129
 perturbation theory
 many-body, *see* many-body PT
 perturbation theory (PT)
 convergence, 11, 194
 diagrammatic expansion, 130–164
 formal, 18–53
 general derivation, 29–33
 other approaches, 53
 similarity transformation, 46–53
 time-dependent, 454–461
 phase factor, 106–111
 in QDPT, 211–215
 physical vacuum, 67, 72
 Planck’s constant, 3
 polarizability
 frequency-dependent, 459–461
 tensor, 362
 potential-energy curve, 344, 345
 potential-energy surface, 5, 344, 431, 462
 appropriateness of SS-CC, 472
 discontinuities, 491
 gradient, 361, 363, 365, 381, 387–405, 448
 Hessian, 361, 381
 principal term of m th-order energy, 39
 projection operator, 27–29
 on complementary space, 463
 on model space, 186, 463
 on orthogonal space, 186
 sector projectors, 476
 properties
 as energy derivatives, 361–365
 vs. as expectation values, 362–363
 excited states, 436
 frequency-dependent using EOM-CC, 454–461
 higher-order, 362
 using EOM-CC, 449–454
 in CC theory, 347–405
 response treatment, 361–365
 pseudolinearity, 329, 376
- QCISD, *see* configuration interaction, quadratic
 QDPT, *see* quasidegenerate perturbation theory
 QHF, *see* quasi-Hartree–Fock theory
 QRHF, *see* quasi-Hartree–Fock theory, restricted
 quadruples corrections, 162
 quasidegenerate perturbation theory (QDPT), 51, 185–250
 classification of one-electron states, 193
 convergence, 194

- diagrammatic notation, 195–198
 folded diagrams, 215–220, 225, 226
 schematic representations, 215–217, 225, 226
 formal, 185–191
 incomplete model space, *see* Hose–Kaldor approach
 schematic representations, 198–203, 205, 207
 similarity transformation, 46–53
 quasienergy, 455
 quasi-equivalent external lines, 283
 quasi-Hartree–Fock (QHF) theory, 395
 restricted, 410, 414
 quasiloop, 135
 quasi-operator, 72
- Rayleigh–Schrödinger perturbation theory, 18–27, 37–40
 bracketing procedure, 41–42
 extensivity, 45–46
 fourth-order energy
 renormalization term, 39
 non-diagonal case, 40–41
 summary of formal results, 43–44
 reaction operator, *see* level-shift operator
 reference energy, 73, 79
 derivative, 393–396
 reference function
 perturbed, 385–396
 reference state, 71–73, 78
 arbitrary, 411–415
 Kohn–Sham determinant, 413
 non-diagonal case, 40–41, 415
 QRHF, 414
 ROHF, 413–414
 renormalization term, 34, 39, 139, 146–150
 representation by insertion, 139
 resolvent, 31–32, 130
 denominator, 39
 and folded resolvent lines, 202
 effective (\mathcal{R}), 364
 EOM-CC states, 452
 frequency-dependent, 460
 line, 130–131, 149
 folded, 202
 non-diagonal case, 40
 quasidegenerate case, 52, 189
 resonance, 458
 response density matrix, 381–385
 anti-Hermitian part, 403
 asymmetry to time inversion, 382
 excited states, 436
 Hermitian average, 401
 non-Hermiticity, 382–385, 399–400
 one-body, 381–383, 396
 diagrams, 381–382
 two-body, 383, 396
 diagrams, 384
 permutational symmetry, 383
 RHF, *see* Hartree–Fock theory, restricted
 ring diagrams, 117, 120, 142
- ROHF, *see* Hartree–Fock theory, restricted, open-shell
 RSPT, *see* Rayleigh–Schrödinger perturbation theory
 Rydberg states, 445
- \tilde{S} operator, *see* valence-universal MRCC, auxiliary operator
 SCF, *see* self-consistent field
 Schrödinger equation
 connected form, 295
 normal-product form, 85, 280
 time-dependent, 455
 second quantization, 54–89
 history, 1
 sectors of rock, space, 445, 473–477, 486, 493
 self-consistent field, 4
 multiconfigurational, 6
 semicanonical transformation, 129, 315, 413–415
 size extensivity, *see* extensivity
 size-consistency, 12
 Slater determinants, 4
 diagrammatic representation, 91–92
 SOS form, *see* sum over states form
 spin
 eigenvalues, 422
 expectation value, 422
 computation, 422–425
 projected value, 422
 raising and lowering operators, 423
 spin contamination, 417, 421
 spin-flip CC, 441, 462
 spin multiplicity, 421
 monitoring, 421–425
 spin summations, 182–184
 in CC, 406–411
 Brueckner orbital case, 410
 diagrams for CCD, 407
 low-spin open-shell case, 410
 orthogonally spin-adapted case, 410
 QRHF case, 410
 ROHF case, 410
 UHF case, 410
 spinorbital basis, *see* one-body basis
 spinorbitals, 4, 182–184
 canonical HF, 5
 localized, 5, 411
 noncanonical HF, 5
 semicanonical, 129, 315
 SRCC, *see* coupled cluster
 SS-CC, *see* state-specific MRCC
 state-specific MRCC, 463, 471–474
 Brillouin–Wigner form, 474
 comparison of results, 474
 equations, 473–474
 extensivity, 474
 redundancy, 473
 sufficiency conditions, 473, 474
 state-universal MRCC, 463, 465–471
 coupling term, 469

- diagrammatic notation, 467
 disconnected clusters, 467
 equations, 468–469
 extensivity, 467
 internal excitations exclusion, 465
 local active spinorbitals, 467
 matrix elements, 469–471
 STEOM-CC, *see* equation-of-motion CC, similarity-transformed
 SU-CC, *see* state-universal MRCC
 sum-over-states (SCS) form, 449, 454, 460
 symmetry-adapted cluster CI, 431
 symmetry breaking, 5, 402, 431
 symmetry restriction, 5
- \hat{T}_1 operator
 alternative treatment, 418–421
 role, 300–301, 425–426
 terminology, 3
 Thouless theorem, 257, 300, 413, 414, 419
 time axis, 90, 91
 time ordering, 90–91
 transformation matrix, 51, 53, 187, 387, 464, 473
 perturbed, 388
 transition moment, 436
 two-body operators
 diagrammatic representation, 111–129
 product, 113–118
- UHF, *see* Hartree–Fock theory, unrestricted
 unlinked diagrams, 125, 128, 136, 139, 146–150, 156–159, 172
 and extensivity, 156–159
 in QDPT, 198
 unlinked skeletons, 139
 unrestricted summation, 104, 115
- vacuum expectation value, 67, 70, 113–118
 vacuum gap, 125, 140
 valence lines, 195
 folded, 199
 valence states, 192, 193, 228
 valence-universal MRCC, 475–490
 auxiliary operator (\tilde{S}), 478–483
 diagrammatic representation, 480
 normal order of products, 480–482
 Bloch equations, 483–488
 diagrammatic representation, 484, 485, 487
 hierarchical solution, 485
 effective Hamiltonian, 477
 diagrammatic representation, 486
- EOM-CC analogy, 488–490
 factorization of disconnected diagrams, 480–482
 intermediate normalization validity, 477, 480, 487
 model space, 475
 complete, 486
 incomplete, 487
 quasicomplete, 480
 sector projectors, 476
 spectator amplitude, 488
 selective summation, 488
 subsystem embedding condition, 485, 486
 consistency requirement, 487
 wave operator, 477–483
 simplifications, 482–483
- vertex
 one-body, 93
 interpretation, 95–97
 two-body, 111, 118
 interpretation, 111–113, 119, 121
 virtual states, 192, 193, 228
 VU-CC, *see* valence-universal MRCC
- \hat{W} operator
 in MBPT and CC, 84, 280
 in QDPT and MRCC, *see* level-shift operator
 in single-reference RSPT, 38
 wave operator (Ω), 48, 51, 53, 186, 254, 433, 463–464
 diagrams, 203–227
 first-order, 204–205
 schematic, 197
 second-order, 207–211
 third-order, 225–227
 in state-specific MRCC, 472
 in state-universal MRCC, 465
 in valence-universal MRCC, 475, 477–483
 weight factor, 112, 115
 in QDPT, 211–215
- Wick's theorem, 69–70
 generalized, 85–86
 proof, 70–71
 relative to Fermi vacuum, 74–75
 Wigner's $2n + 1$ rule, 24–25, 327
- Z-vector method, *see* interchange theorem
 zero-order approximation, 6
 in QDPT, 203
 multiconfigurational, 6
 zero-order energy, 79
 zero-order function, *see* reference state