

Cambridge University Press

978-0-521-82106-3 - Developmental Psychophysiology: Theory, Systems, and Methods

Edited by Louis A. Schmidt and Sidney J. Segalowitz

[Index](#)[More information](#)

## Index

- ABRs. *See* auditory brain stem responses (ABRs)
- acetylcholine, 178, 179, 288, 324
- ACTH. *See* adrenocorticotrophic hormone (ACTH)
- activation, of LHPA system, 344–346
- adrenocorticotrophic hormone (ACTH), 322, 345, 346, 349
- adults
- alpha responses, 48
  - auditory AFCs of, 28
  - beta EEG activity range, 19, 132, 152
  - EEG band frequency ranges, 132
  - EFs in, 55
  - ERP component identification, 116–117
  - ERP development, 72–78
  - ERP time domain components, 28
  - future oriented processing
    - startle blink modulation, 228–231
    - triphasic heart response, 225–228
  - gamma EEG activity, 19, 49–50, 132
  - single-sweep theta amplitudes, 38
  - startle response data collection, 264–266
- AFCs. *See* amplitude-frequency characteristics (AFCs)
- alcoholism, in non-human primates
- type I, 328
  - type II, 325, 327–328
- alpha EEG activity, 152
- adult ranges, 19, 132
  - age-related, pre-stimulus activity, 45
  - and averaged ERPs, 44–45
  - boundary debate, 132
  - children
    - theoretical considerations, 49
    - vs. adults, 48
- developmental changes, 48–49
- event-related, age neurodynamics
- maximal peak-to-peak amplitudes, 45–46
  - phase-locking, 46–47, 49
  - pre-stimulus/event-related relationships, 48
- functional relevance, 43–45
- amplitude-frequency characteristics (AFCs),
  - of ERPs, 22–23, 28
  - of adults, 28
  - calculations of, 55–56
- amygdala
- and emotional processing, 320, 322
  - and glucocorticoids, 331
  - GR/MR receptors, 320
  - prefrontal cortical area connection, 332
- analysis of variance (ANOVA) approach, 85, 310, 400
- Anthony, B. J., 229, 276–277
- anxiety
- bias related to, 278
  - and cortisol, 320, 328, 427, 431
  - and CRH, 323
  - from maternal separation, 324–325
  - minimization of, 431–433
  - and serotonin, 329
  - vulnerability to, 7, 279
- anxiety disorders, 137, 259, 279, 319
- argentine vasopressin (AVP) cells, 344
- artifacts
- and attrition, 113–115
  - body movement artifacts, 131
  - contained in electrodes, 82
  - controlling for, 435–440
    - encouraging lavatory use, 439–440
    - frequent breaks, 437–438

- artifacts (*cont.*)
  - motor movements/associated movements, 438
  - positioning, 438–439
  - elimination of, 394–398
  - elimination with children, 80–81, 113–115
  - eye movements, 107, 108, 110, 131, 272
  - minimization of, 57, 95, 440
  - reduction training, 436–437
  - referencing and detection of, 130–132
  - during respiration measurement, 381
- attention. *See also* focused attention;
  - peripheral stimulus localization
  - casual/focused, information processing of, 187
  - and infant EEG/cognitive development, 163–164
  - infant heart rate phases, 185–198
    - behaviorally defined, 187–188
    - distractibility, 188–193
    - recognition memory, 193–198
  - and Nc component, 194–197
  - and recognition memory, 193–198
  - and theta activity, 34
- attention deficit-hyperactivity disorder, attrition
  - and artifacts, 113–115
  - risks, with children/infants, 111, 129, 274, 436, 443
- auditory brain stem responses (ABRs), 72, 75
- auditory event-related potentials, 70, 72–78
- auditory startle response, 229
- autism spectrum disorder
- autonomic orienting response habituation paradigm, 390, 392
- BAEPs. *See* brainstem auditory evoked potentials (BAEPs)
- Bakeman, R., 393
- Balaban, M. T., 272, 276
- Balan, P., 89
- Bauer, L. O., 223
- beat-by-beat heart rate patterns, 214, 219, 233, 239
- Beek, B. van, 405
- behavior
  - non-human primates, characteristics
  - anxiety/CSF 5-HIAA levels, 329–330
  - maternal separation, 324–325
  - peer-rearing, 325
  - stress paradigm causation, 324
- type II alcoholism, 325
- psychopathology/brain and, 330–334
- Berg, W. K., 233, 236, 240, 244, 272, 432, 436
- Berger, H., 153, 154
- Binnie, C. D., 287
- Blumenthal, T. D., 270, 271
- body movement artifacts, 108, 131
- Boelhouwer, A.J.W., 267
- Böhmelt, A. M., 259
- Bornstein, M. H., 201
- Bos, A. R., 267
- Boucsein, W., 286, 296, 305, 306
- Boxtel, A. van, 267
- Bradley, M. M., 229
- brain. *See also* amygdala; parasympathetic nervous system; paraventricular nucleus (PVN), of hypothalamus; prefrontal cortical structures; sympathetic nervous system
  - behavior/psychopathology and, 330–334
  - cerebral cortex, 178
  - influence on heart rate, 17
  - response susceptibility, 17
  - stress-related areas of, 330
- brain electrical source analysis (BESA), 402
- brain function
  - and G × E interactions, 4, 5
  - middle level (*See* endophenotypes)
  - and theta activity, 34
- brain imaging systems, 8–9
- brainstem auditory evoked potentials (BAEPs), 400
- Butler, G. H., 229
- Byrd, D. L., 432, 436
- calculations
  - AFCs of ERPs, 55–56
  - of EFs, 60–61
  - ERD/ERS, 59
  - of phase-locking
    - PLF, 60
    - SSWI method, 59–60
- capacitance coupling, 298–299
- caps, 224
  - “distractor” during placement, 130
  - Electro-cap I, 128, 130
  - placement on toddlers, 129
  - preparing children for, 224
- cardiac cycle (interbeat-interval), 176, 378, 403
- cardio-inhibitory system, 178

- Casey, B. J., 201  
 Ceponiené, R., 89  
 cerebrospinal fluid (CSF), 326–327  
 Cheour, M., 89  
 Cheour-Luhtanen, M., 89  
 children  
     alpha responses, 48  
     artifact elimination, 80–81, 435–440  
     attrition/data loss risks, 129  
     attrition risks, 111, 129, 274, 436, 443  
     auditory theta response organization, 41  
     cap preparation for, 224  
     and cortisol levels, 322  
     cortisol measurement, 332  
         baseline determination, 350–351  
         stress response assessment, 350  
         trait *vs.* state, 351–352  
     EDA study compliance problems, 311–313  
     ERP recording issues  
         artifact elimination, 80–81  
         averaging data, 81–82  
         electrode placement/stillness of child, 78–79  
         filtering data, 82–83  
         PCA/source modeling, 86–87  
         reference electrode choice, 79–80  
     ERP time domain components, 28  
     establishing trust/rapport with, 431–433  
     and 5-HTT gene/shyness/behavioral inhibition, 2, 5  
     future oriented processing recording in, 215–225  
     genetic “blueprinting” *vs.* environmental shaping, 3  
     giving/explaining task instructions, 440–441  
     maintaining cooperation/curtailing fatigue, 433–435  
     neurocognitive development of, 49–50  
     P300 ERP component/delta responses, 33  
     recruitment considerations, 443–445  
     response to oddball paradigm, 120  
     shy, and cortisol levels, 332  
     single-sweep theta amplitudes, 38  
     special population needs, 441–443  
     spontaneous EEG activity/developmental changes, 17–18  
     startle response data collection, 264–266  
     testing issues  
         contingent negative variation, 223–225  
         heart rate response, 219–222  
         measure-specific suggestions, 219  
         movement/motor artifact  
         startle blink modulation, 222–223  
         state, 216–218  
         *vs.* adults, alpha activity, 48  
 Christie, M. J., 286, 306  
 Clifton, R. K., 226  
 cognitive development  
     of early childhood, 165  
     of infants, 163–164  
     of middle childhood, 165–166  
     Piaget’s stages, 158  
     of toddlers, 164  
 cognitive-emotional appraisal, 320  
 cognitive stimulus processing, 18, 31, 35  
 Collins, P., 141, 194–197  
 computerized sampling, of EMG blink response, 267–268  
 conditioned stimulus (CS), 213  
 Conner, S., 223  
 constructivism/constructivists, 3–4  
 contingent negative variation (CNV), 213, 214, 223–225, 230, 242–243  
 continuous wavelet transform (CWT), 27, 58–59  
 corticotropin-releasing hormone (CRH)  
     defined/described, 320  
     influence of early life trauma, 326–327  
     influence on anxiety, 323  
     instigation of GCs, 344  
     reciprocity with NPY, 330  
     role in emotions, 320–324  
 cortisol, 388–389  
     and anxiety/stress levels, 320, 328, 427, 431  
     assay/sample data analysis, 357–360  
     assay/sampling problems, 352–357  
         batching, 357  
         interfering substances, 356  
         saliva stimulants/collection materials, 354–356  
         storing/mailng, 356–357  
         variability, 353–354  
 children/infant measurement, 332, 350–352  
     baseline determination, 350–351  
     stress response assessment, 350  
     trait *vs.* state, 351–352  
     defined/described, 320  
     and DHEA, 346  
     elevated levels, influence of, 330–331  
     influence on CRH, 322  
     level variability, 350, 353–354, 358

- cortisol (*cont.*)  
 primate stress induced increases, 326  
 role in emotions, 320–324  
 salivary assays, 343–344, 349
- CRH. *See* corticotropin-releasing hormone (CRH)
- Cuthbert, B. N., 229
- Cutmore, T. T., 129
- CWT. *See* continuous wavelet transform (CWT)
- data analysis/interpretation, 394–410  
 electrophysiological analysis techniques, 398–410  
 EEG power/asymmetry/coherence, 398–400  
 EMG amplitude, 408–409  
 ERP waveforms/components/sources, 400–403  
 heart period/heart period variability, 403–405  
 impedance cardiogram, 382–383, 405–408  
 SCR/level, 409–410  
 epoch selection/artifact elimination, 394–398
- data loss risks, with infants, 129
- Dawson, M. E., 259, 287, 305, 306, 308, 309, 310
- Dehane-Lambertz, G., 90
- dehydroepiandrosterone (DHEA), 346
- delta EEG activity, 153  
 adult ranges, 132  
 functional relevance, 31–33
- Dennis, S. S., 227
- depressive disorders, 279, 319
- deterministic *vs.* nondeterministic protocols, 390
- developmental disorders
- Dierker, L., 279
- differences, individual  
 model for addressing, 427–431  
 as product of experimental/state/trait effects, 425–427
- digital filtering, 23, 56–57
- discrete wavelet transform (DWT), 24, 57–58
- distractability, of infants, 188–193
- diurnal rhythms, of LHPA system, 347–348
- dopamine, 323, 326
- Down syndrome, 103
- Dunham, D. N., 223
- DWT. *See* discrete wavelet transform (DWT)
- eccrine sweat glands, 287, 288–292, 386–388
- ECG analysis. *See* electrocardiogram (ECG) analysis
- EDA. *See* electrodermal activity (EDA)
- Edelberg, R., 286, 291, 299, 300
- EEG activity. *See* electroencephalogram (EEG) activity
- Eeg-Olofsson, O., 157
- EFs. *See* enhancement factors (EFs)
- Einthoven, W., 176
- elasticized webbing, 128
- Electro-cap lycra cap, 128, 130
- electrocardiogram (ECG), 8–9, 378–380  
 development of, 176  
 heart period/interbeat interval, 378  
 and heart rate psychophysiology, 175–181  
 three lead configuration, 176
- electrodermal activity (EDA), 8–9  
 children compliance problems, 311–313  
 data quantification, 308–310  
 influence of anxiety/stress levels, 431  
 interpretation, 310–311  
 responsiveness developmental changes, 313–315
- electrodermal effector system  
 eccrine sweat glands, 287, 288–292  
 measurements  
 endosomatic/exosomatic, 288  
 skin conductance level, 288  
 skin resistance level, 288  
 tonic/phasic, 287  
 terminology, 287–288
- electrodermal response (EDR), 286, 288, 310
- electrodes  
 direct scalp placement, 128–129, 224  
 electrode paste, 304–305  
 eye placement, 225, 384  
 facial muscle placement, 384  
 infant face placement, 266  
 infant placement issues, 130  
 placement/attachment, 305–307  
 skin contact, 301–303  
 spot, for impedance cardiography, 383
- electroencephalogram (EEG), 8–9, 15, 370–377. *See also* alpha EEG activity; delta EEG activity; gamma EEG activity; theta EEG activity
- developmental changes  
 childhood, 155–158

- infants, 154–155  
development literature, 153–158  
dimension descriptions, 18  
and EOG activity, 131  
event-related oscillations, 16–17  
hemispheric asymmetries, in autism  
influence of anxiety/stress levels, 431  
limitations, 151–152  
measurement headgear, 128  
power/asymmetry/coherence, 398–400  
recognition memory measurements,  
    194  
relationship to ERPs, 104–106  
research/recording considerations, 128–130  
rhythms of, 152–153  
scalp measurement limitations, 143  
spontaneous activity/developmental  
    changes, 17–18  
electroencephalogram (EEG) findings  
    (social/emotional development)  
in study of social/emotional development,  
    135–139  
    EEG asymmetry and approach/  
        withdrawal tendencies, 135–138  
    EEG band power, 138–139  
electroencephalogram (EEG) processing/  
    analysis techniques, 130–134  
    advanced techniques, 141–143  
    band power analysis, 132–134  
    preprocessing: referencing/artifact  
        detection, 130–132  
in study of social/emotional development,  
    135–139  
electromagnetic interference (EMI), 129,  
    393  
electromyographic (EMG) analysis, 8–9,  
    383–388  
    amplitude, 408–409  
    facial movements/emotional expressions,  
        384  
    startle reflex, data collection  
        computer sampling, 267–268  
        recording issues, 264–266  
        signal control, 268–271  
electrooculogram (EOG), 131, 176, 271,  
    377–378  
ELISAs. *See* enzyme-linked immunosorbent  
assay (ELISAs)  
EMG analysis, *See* electromyographic (EMG)  
    analysis  
EMI. *See* electromagnetic interference (EMI)
- emotional development. *See also*  
    maternal-infant affect synchrony  
complexities in studying, 127–128  
role of cortisol/CRH, 320–324  
studies, EEG findings, 135–139  
    asymmetry and approach/withdrawal  
        tendencies, 135–138  
    band power, 138–141  
emotional startle modulation protocol,  
    390–391  
endophenotypes, 6  
    function/structure measurements, 7–9  
    importance of, 7  
    inadequacy of behavioral measures, 7  
enhancement factors (EFs), 40, 55, 60–61  
environment, for positive testing, 431–433  
enzyme-linked immunosorbent assay  
    (ELISAs), 353  
epoch selection, 394–398  
EPSP. *See* excitatory postsynaptic potentials  
    (EPSP)  
Epstein, H. T., 157  
ERD. *See* event-related desynchronization  
    (ERD)  
ERPs. *See* event-related potentials (ERPs)  
error-related negativity (ERN) component,  
    141, 430  
ERS. *See* event-related synchronization (ERS)  
Essex, M. J., 271  
euphoria, 322  
event related desynchronization (ERD),  
    25–27, 59  
event related oscillations  
    analysis/measurement, 22–23  
    frequency domain, 22–23  
    single sweep phase-locking, 27, 29  
    time-domain, 22  
conceptual framework, 15–17, 18  
    event-related potentials, 15–16  
methodological framework, 18–22  
    single-sweep ERP analysis, 20–22  
    time-domain/time frequency ERP  
        properties, 18–20  
event related potentials (ERPs), 15–16. *See also*  
    auditory event-related potentials;  
    contingent negative variation; delta  
    responses; visual event related  
    potentials  
adult development, 72–78  
advanced analysis techniques, 141–143  
AFCs of, 22–23, 28

- event related potentials (ERPs) (*cont.*)  
 age related changes, 119–120  
 and atypical development, 120–122  
 auditory response in infants, 87–93  
 averaged, and alpha oscillations, 44–45  
 children/infants recording issues  
   artifact elimination, 80–81  
   averaging data, 81–82  
   electrode placement/stillness of child, 78–79  
   filtering data, 82–83  
   PCA/source modeling, 86–87  
   reference electrode choice, 79–80  
 components, 18, 400–403  
   ERN, 141  
   E-wave, 223  
   N1b ERP components, 74  
   Nc, 195  
   N290 component, 117–118  
   N170 components, 117–118  
   N400–700 ERP components, 18, 22,  
     28  
   N1/N2 ERP components, 28, 74  
   O-wave, 223, 230, 242  
   P400, 117–118  
   P3a, 77, 84  
   P3b, 140  
 defined/described, 72–78, 104–106  
 and emotional development, 139–141  
 experimental setups, 27–31  
   behavioral data, 28  
   frequency domain analysis, 28  
   time-domain averaged ERPs, 28  
   time-frequency analysis, 29–30  
 influence of anxiety/stress levels, 431  
 mismatch negativity component, 75–77  
 neurophysiological bases, 105–106  
 oddball/passive elicitation, 28  
 origins of, 16, 17  
 recognition memory measurements, 194  
 recording issues in children/infants, 78–87  
 relationship to VEPs/EEG, 104–106  
 scalp measurements/neural generators,  
     73–74  
 single-sweep analysis, 20–22  
 sources, 400–403  
 time-domain analysis, 22  
 time-domain averaging, 28  
 time-domain/time-frequency properties,  
     18, 20  
 waveforms, 105  
 component identification/quantification,  
     115–116  
 meaning of, 116–118  
 WT partitioning of, 23  
 E-wave component, 223, 230, 242  
 excitatory postsynaptic potentials (EPSP), 73  
 exocrine glands, 288  
 exogenously-administered prednisone, 322  
 exosomatic measurement, electrodermal  
   effector system can, 288  
 experimental design/data acquisition, 368–394  
   laboratory safety issues, 369  
   physiological measures, 369–389  
     cortisol response (*See cortisol*)  
     electrocardiogram (*See*  
       electrocardiogram)  
     electroencephalogram (*See*  
       electroencephalogram)  
     electromyogram (*See electromyographic*  
       analysis)  
     electrooculogram, 131, 271, 377–378  
     impedance cardiogram, 382–383  
     respiration, 380–381  
     skin conductance, 386–388. (*See also* skin  
       conductance level; skin conductance  
       responses)  
   psychological measures, 389–394  
     laboratory stimulation, 390–393  
     observational studies, 393–394  
 extra-cellular electrical field patterns, 74  
 eye movement artifacts, 107, 108, 110  
 fear  
   by children, 2  
   facial displays of, 140  
   minimization of, 431–433  
   neurobiological models of, 139  
   and phobias, 259  
   of testing procedures, 224  
   of unfamiliar, 135  
 fear potentiated startle reflex, 258–259,  
     277–279, 384  
 Feldman, R., 202  
 Fellman, V., 89  
 fight/flight/freeze reactions, 344  
 Filion, D. L., 287  
 finite impulse response (FIR) filtering, 270  
 focused attention, 187  
 Fowles, D. C., 286, 296, 299, 313  
 Fox, N. A., 2, 202, 274, 431  
 Frick, J. E., 201

*Index*

455

- Friederici, A. D., 90
- functional magnetic resonance imaging (fMRI), 8–9, 331–332
- functional relevance
- of alpha activity, 43–45
  - of delta activity, 31–33
  - of gamma activity, 49–50
  - of theta activity, 34
- future oriented processes. *See also* S1-S2 paradigm
- in adults
  - startle blink modulation, 228–231
  - triphasic heart response, 225–228
- in children/infants
- contingent negative variation, 223–225
  - heart rate response, 219–222
  - movement/motor artifact, 218–219
  - startle blink modulation, 222–223
  - state, 216–218
- physiological correlates of
- adults/children/infants, 215–225
  - beat-by-beat heart rate patterns, 214
  - event related potentials, 214
  - startle blink modulation, 214
- planning of, 246–247
- working memory, 244–246
- galvanic skin response (GSR), 288. *See also* psychogalvanic response
- gamma band responses (GBRs) analysis, 30–31
- gamma EEG activity
- adult ranges, 19, 49–50, 132
  - averaged responses, 51
  - developmental, and processing strategies, 51–53
  - functional relevance, 49–50
  - phase-locking, 51
  - spontaneous/pre-stimulus, early development, 50–51
- Garner, E. E., 240, 244
- GBRs analysis. *See* gamma band responses (GBRs) analysis
- GCs. *See* glucocorticoids (GCs)
- gene-environment interplay, 5–6
- genetic typing, 5
- Geodesic Sensor Net (GSN)(elasticized webbing), 128, 130
- glucocorticoids (GCs)
- and amygdala, 331
- GR/MR receptors, 320, 346–347
- instigation of CSH, 344
- LHPA system production of, 343
- and memory, 328, 332
- and neurotransmitters/neuropeptides, 323
- and stress response, 320, 322, 344
- Gottman, J. M., 393
- Graham, Frances, 228, 273, 276–277
- Greenbaum, C. W., 202
- Griffin, C. J., 244, 245
- Grillon, C., 279
- Grings, W. W., 286
- Grossman, P., 405
- GR receptors, 320
- Gruzelier, J. H., 287
- $G \times E$  interactions, 4, 5, 6
- Haan, M. de, 431
- Hagne, I., 154
- Hamer, D., 2
- Hayatama, T., 226–227
- Hawk, L. W., 265
- heart period (HP), electrocardiogram, 378, 403–405
- heart period variability (HPV), 173, 198–202, 379, 403–405
- and photoplethysmography, 380
  - and RSA, 380
  - and voluntary breathing, 367
- heart rate (infant). *See also* cardiac cycle; respiratory sinus arrhythmia
- attention phases, 185–198
  - behaviorally defined, 187–188
  - distractibility, 188–193
  - brain influences on, 178–179
  - and cognitive activity, 173
  - and electrocardiogram, 175–181
  - in psychophysiology, 179–181
  - quantification of, 176–178
  - studies of, 181–185
  - variability studies, 198–202
- heart rate patterns
- beat-by-beat, 214, 219, 233, 239
  - second-by-second, 222, 246–247, 249
- Henderson, H., 2, 141
- Henry, J. R., 133, 156, 157
- hippocampus, 320, 330
- Hugdahl, K., 286, 305
- hyperpolarization. *See* inhibitory postsynaptic potentials (IPSP)
- hypothalamus, paraventricular nucleus (PVN), 322, 344

Cambridge University Press

978-0-521-82106-3 - Developmental Psychophysiology: Theory, Systems, and Methods

Edited by Louis A. Schmidt and Sidney J. Segalowitz

Index

[More information](#)

456

Index

- ICA. *See* Independent Components Analysis (ICA)
- immunofluorescence assays, 353
- impedance cardiogram, 382–383, 405–408
- Independent Components Analysis (ICA), 141, 225, 397, 402
- infants
  - advantages/disadvantages of measurement methods, 128–130
  - attrition/data loss risks, 129
  - attrition risks, 111, 129, 274, 436, 443
  - cortisol measurement, 332, 350–352
    - baseline determination, 350–351
    - stress response assessment, 350
    - trait *vs.* state, 351–352
  - distractibility of, 188–193
  - EEG and cognitive development
    - attention tasks, 163–164
    - working memory/inhibitory control tasks, 161–163
  - EEG developmental changes, 154–155
  - EEG frequency bands, 158–159
  - electrode placement issues, 130, 266
  - ERP auditory response development, 87–93
  - ERP recording issues
    - adding electrodes, 111–112
    - age appropriateness, 111–112
    - artifact elimination, 80–81, 113–115
    - averaging data, 81–82
    - awakeness/attentiveness, 108–111
    - electrode placement/stillness of child, 78–79
    - filtering data, 82–83
    - PCA/source modeling, 86–87
    - physical stillness, 111–112
    - reference electrode choice, 79–80
    - task-performance equality, 112–113
    - time defined brief/repeatable events, 106–108
  - future oriented processing recording in, 215–225
  - heart rate
    - attention phases, 185–198
    - brain influences on, 178–179
    - and cognitive activity, 173
    - and electrocardiogram, 175–181
    - in psychophysiology, 179–181
    - quantification of, 176–178
    - studies of, 181–185
    - variability studies, 198–202
  - MMN component development, 88–93
  - startle response data collection, 265–266
  - testing issues
    - contingent negative variation, 223–225
    - heart rate response, 219–222
    - measure-specific suggestions, 219
    - movement/motor artifact, 222
    - startle blink modulation, 222–223
    - state, 216–218
  - infinite impulse response (IIR) filtering, 270
  - inhibition, of LHPA system, 344–346
  - inhibitory postsynaptic potentials (IPSP), 73
  - interaction
    - definition, 5–6
    - statistical meaning, 4–5
  - interbeat-interval (cardiac cycle), 176, 378, 403
  - interbeat-interval (IBI), electrocardiogram, 378, 404
  - inverse problem, of scalp EEG measurement, 143
  - James, D. A., 129
  - John, E. R., 157
  - Kagan, J., 201
  - Kuperman, S., 223
  - Kushnerenko, E., 89
  - laboratory safety issues, 369
  - laboratory stimulation, psychophysiology lab, 390–393
  - Lang, P. J., 229
  - learning disabilities, 229
  - Lewis, T. L., 350
  - life-traumas
    - influence on neurobiological systems, 326–327
  - limbic-hypothalamic-pituitary adrenocortical (LHPA) system
    - activation/inhibition, 344–346
    - description, 343
    - diurnal rhythms of, 347–348
    - negative feedback regulation, 348
    - neurobiology of, 344–349
    - plasma/urinary/salivary cortisol measures, 349
    - production of GCs, 343
    - receptors of, 346–347
    - stress response stability, 352
  - Lindsley, D. B., 133, 156, 157
  - Lipp, O. V., 230

*Index*

457

- low resolution brain electromagnetic tomography analysis (LORETA), 402
- Luu, P., 141
- lycra cap, 128
- Lykken, D. T., 286, 310
- magnetoencephalographic (MEG) measurements, 49
- MANOVA approach, 400
- Margerison, J. H., 287
- Marshall, D. H., 133
- maternal-infant affect synchrony, 202
- maternal separation stressor, 324–325, 326
- Matousek, M., 157
- McFadden, M., 90
- Meaney, Michael, 6
- MEG measurements, *See* magnetoencephalographic (MEG) measurements
- memory. *See also* recognition memory
- and theta activity, 34
  - working, during future-oriented processing, 244–246
- Merikangas, K. R., 279
- mismatch negativity (MMN) component, 75–77
- in auditory ERP of socially withdrawn children, derivation of, 140
  - infant development, 88–93
  - and LORETA,
  - and oddball paradigm, 75
  - primary auditory cortex indexing of change-detection mechanism
- Mizumo, T., 154, 156
- MMN component. *See* mismatch negativity (MMN) component
- Molfese, D. L., 86
- Molfese, V. J., 86
- MR receptors, 320, 346–347
- Mulcahy, R. F., 227
- Näätänen, R., 89
- N1b ERP components, 74
- Negative central (Nc) ERP component, 195
- negative feedback regulation, LHPA system, 348
- Nelson, C. A., 194–197
- N170 ERP components, 117–118
- N400–700 ERP components, 18, 22, 28
- neuropeptide Y, 324
- and positive central states, 327
- reciprocity with CRH, 330
- Nichols, K. E., 2
- N1/N2 ERP components, 28, 74, 93–95
- norepinephrine, 323, 326, 332
- observational studies, 393–394
- oddball elicitation, 28, 34, 75, 120, 139, 391
- Ohm's law, 292–295
- Ohyama, M., 226–227
- Orehkova, E. V., 133
- Ornitz, E. M., 276
- O-wave component, 223, 230, 242
- P3a component, 77, 84
- paired-comparison recognition memory paradigm, 193–194
- palmar sweat gland activity. *See* electrodermal activity
- parasympathetic nervous system, 178
- paraventricular nucleus (PVN), of hypothalamus, 322
- P3b component, 140
- peak-valley estimation technique, 404–405
- Pelham, W. E., 265
- PEP/LVET ratio. *See* pre-ejection period to left-ventricular ejection time (PEP/LVET ratio)
- peripheral stimulus localization, 190
- categories, 191–192
  - studies of, 191
- P2 ERP component, 93–95
- P300 ERP component, 18, 22, 28, 31, 33
- P400 ERP component, 117–118
- P1 ERP components, 74, 93–95
- P400–700 ERP components, 22, 28
- PET. *See* positron emission tomography (PET)
- Petersen, I., 157
- phase-locking
- alpha activity, 46–47, 49
  - calculation
  - PLF, 60
  - SSWI method, 59–60
  - gamma activity, 51
  - single sweep, 27
  - theta activity, 40
- phase-locking factor (PLF), 60
- phasic measurement, electrodermal effector system, 287, 288
- photoplethysmography, 380

- physiological measures, 369–389  
 cortisol response (*See cortisol*)  
 electrocardiogram (*See electrocardiogram*)  
 electroencephalogram (*See electroencephalogram*)  
 electromyogram (*See electromyographic analysis*)  
 electrooculogram, 131, 271, 377–378  
 finger/ear pulse, 380  
 impedance cardiogram, 382–383  
 respiration, 380–381
- Piaget, Jean, 3, 158
- Pillai's Trace statistic, 400
- Pine, D., 2
- plasma measures, LHPA system, 349
- PLF. *See phase-locking factor*
- Porges, S. W., 198
- positron emission tomography (PET), 8–9, 331–332
- postsynaptic potentials, excitatory/inhibitory, 73
- prednisone, exogenously-administered, 322
- preejection period (PEP) time-based measures, 382, 407
- preejection period to left-ventricular ejection time (PEP/LVET ratio), 407
- prefrontal cortical structures, and emotional processing, 320
- prepulse inhibition effect, 258, 276
- primates, non-human  
 alcoholism  
 type I, 328  
 type II, 325, 327–328  
 and behavioral characteristics  
 anxiety//CSF 5-HIAA concentrations, 329–330  
 maternal separation, 324–325, 326  
 peer-rearing, 325, 327  
 stress paradigm causation, 324  
 type II alcoholism, 325  
 environment-behavior-neuropharmacology links, 326–330  
 MR/GR distribution, 320  
 research advantages, 319
- principal component analysis (PCA), infant data, 86–87
- problem solving tasks, 7
- psychogalvanic response (PGR), 288
- psychopathology  
 of anxiety, 330
- brain/behavior and, 319, 330–334  
 and chronic stress, 325  
 and cognitive dysfunction, 258
- Putnam, L. E., 229, 230
- pyramidal cells, 74, 105, 128, 152
- Quigley, K. S., 286
- radioimmune assays (RIAs), 353
- Ramsay, D. S., 350
- Ray, W. J., 286
- receptors, of LHPA system, 346–347
- recognition memory  
 and attention, 193–198  
 EEG/ERP measurement, 194  
 paired comparison paradigm, 193–194
- referencing  
 and artifact detection, 130–132  
 and signal-to-noise enhancement, 95
- respiration measurement, 380–381, 404–405
- respiratory sinus arrhythmia (RSA), 173, 179, 199–200, 202, 379, 404, 405
- response susceptibility, of brain, 17, 18
- response times (RTs)  
 children vs. adults, 28
- reticular activating system, 178, 187, 203
- RIAs. *See radioimmune assays (RIAs)*
- Richards, J. E., 191, 193–194, 201
- Rohrbaugh, J. W., 223
- Roy, J.-C., 287
- RSA. *See respiratory sinus arrhythmia (RSA)*
- salivary cortisol assays, 343–344, 349
- SAM system. *See sympathetic-adrenomedullary (SAM) system*
- Schell, A. M., 259, 287
- schizophrenia spectrum disorders, 258
- Schmidt, L. A., 2, 274
- SCL. *See skin conductance level (SCL)*
- SCR. *See skin conductance response (SCR)*
- second-by-second heart rate patterns, 222, 233, 246–247, 249
- serotonin, 323, 326, 329
- Seuss, P. E., 201
- shyness  
 of children, and cortisol levels, 332
- endogenously driven temperamental, 2
- and short allele of 5-HTT gene, 2, 5
- temperamental, 2, 3, 334

*Index*

459

- signal control, of EMG response, 268–271  
 single sweep analysis, of ERPs, 20–22, 27,  
     29  
 single-sweep wave identification (SSWI), 27,  
     59–60  
 skin. *See also* Ohm's law; Wheatstone bridge  
     electrical aspects/recording apparatus,  
     292–301  
     capacitance coupling, 298–299  
     computerized data collection, 300–301  
     displaying SRRs/balancing SCL, 295–298  
     electrical circuits, 292–295  
     filtering electrical noise, 300  
     making contact with, 301–307  
         electrode paste, 304–305  
         electrode placement/attachment,  
         305–307  
         electrodes, 301–303  
     measurement preparation, 306  
 skin conductance level (SCL), 288, 290–292,  
     386–388  
 skin conductance response (SCR), 288, 291,  
     386–388, 409–410  
     and attentional processes, 311  
     displaying  
         capacitance coupling, 298–299  
         Wheatstone bridge, 295–298  
     low frequency components, 300  
     phasic SCRs, 386–387  
     proportionality of, 300  
     specific SCRs, 308  
 skin resistance level (SRL), 288, 290–292,  
     386–388  
 Smith, J. R., 133, 157  
 SOA. *See* stimulus onset asynchrony (SOA)  
 social/emotional development  
     complexities in studying, 127–128  
     studies, EEG findings, 135–139  
         asymmetry and approach/withdrawal  
             tendencies, 135–138  
         band power, 138–139  
 S1-S2 paradigm, 213–214. *See also* future  
     oriented processes  
     hierarchy (hypothesis), 231–252  
     future directions with, 250–252  
     Level 1: non-anticipatory simple  
         association, 233–235  
     Level 2: non-preparatory passive  
         association, 235–238  
     Level 3: underdeveloped active  
         preparation, 238  
 Level 4: fully-developed active  
     preparation, 247–248  
     overview of, 248–250  
     response inhibition, 239–243  
     working memory, 244–246  
 testing issues  
     contingent negative variation, 223–  
     225  
     heart rate response, 219–222  
     measure-specific suggestions, 219  
     movement/motor artifacts, 218–219  
     startle blink modulation, 222–223  
     state, 216–218  
 source modeling, 78, 86–87  
 spatial processing  
     and theta activity, 34  
     visuo-spatial processing, 113  
 spot electrodes, 383  
 SRL. *See* skin resistance level (SRL)  
 SSWI. *See* single-sweep wave identification  
 SSWI method. *See* single sweep wave  
     identification (SSWI) method  
 startle reflex, 214, 222–223, 225, 228–231,  
     241  
     amplitude/magnitude, 274  
     developmental issues, 275–280  
         attentional influences, 276  
         fear potentiation, 277–279  
         lead stimulation, 275  
         prepulse inhibition effect, 276  
     electromyogram measurement, 384  
     elicitation, 260–264  
         auditory stimulation, 261–262  
         cutaneous stimulation, 262–263  
         visual stimulation, 262, 267  
     fear potentiation of, 258–259, 277–279,  
     384  
     infant/child research gap, 260  
     prepulse inhibition, 258  
     recording/processing/scoring, 264–275  
         scoring methods, 272–275  
 startle reflex, auditory, 229  
 startle reflex, data collection  
     electromyogram  
         computer sampling, 267–268  
         recording issues, 264–266  
         signal control, 268–271  
     other methods  
         electrooculogram, 271  
         video recording, 271–272  
 Stern, R. M., 286, 305

- Stewart, P. A., 223  
 stimulus onset asynchrony (SOA), 76, 88  
 Strange Situation paradigm, 350  
 stress response. *See also* fight/flight/freeze reactions; Strange Situation paradigm; Trier Social Stress Test (TSST)  
 children/infant assessment, 350  
 and glucocorticoids/CRH, 320, 322, 344  
 LHPA stability, 352  
 non-human primate behaviors, 324–326  
 sweat glands. *See* eccrine sweat glands  
 sympathetic-adrenomedullary (SAM) system, 344, 348  
 sympathetic nervous system, 178, 288  
 Szyf, Moshe, 6  
 temperamental shyness, 2, 3, 334  
 temperamental variability, 319  
 theta EEG activity, 152–153. *See also* single sweep analysis, of ERPs  
 adult ranges, 19, 132  
 auditory, in children, 41  
 averaged, and cognitive stimulus processing, 35  
 event-related, developmental neurodynamics  
 enhancement factors, 40  
 maximal peak-to-peak, 38–40  
 pre-stimulus/event-related theta relationship, 40–41  
 theta response phase-locking, 40  
 functional relevance, 34  
 pre-stimulus, developmental reduction, 35–38  
 response system development, 41–42  
 time-domain ERP components, 16  
 time-domain properties, of event-related potentials, 18, 20  
 time-frequency properties, of event-related potentials, 18–20  
 toddlers  
 and cap placement, 129  
 and EEG/cognitive development, 164  
 research considerations, 128  
 tonic measurement, electrodermal effector system, 287, 288  
 Tower of London (TOL) sorting task, 7, 246, 250  
 Trainor, L., 90  
 Trier Social Stress Test (TSST), 352  
 Tucker, D. M., 141  
 type II alcoholism, 325, 327, 328  
 unconditioned stimulus (US), 213, 235  
 urinary measures, LHPA system, 349  
 variability. *See also* heart period variability (HPV); heart rate variability; respiratory sinus arrhythmia (RSA)  
 in beat-to-beat timing, 219  
 of cortisol, 350, 353–354, 358, 426  
 infant heart rate studies, 199–202  
 in psychological/physiological state, 425–426  
 recording time issues, 22  
 of SC signals, 388  
 of site/participant, 409  
 in skull thickness/conductivity, 399  
 temperamental variability, 319  
 Venables, P. H., 286, 306  
 VEPs. *See* visual evoked potentials (VEPs)  
 video recording, 271–272, 393  
 visual event related potentials  
 developmental study recipe, 106–119  
 experimental design; age appropriateness, 113; artifacts/attrition, 113–115;  
 awake/attentive infant/child, 108–111;  
 task performance equality, 112–113;  
 time defined, brief/repeatable events, 106–108  
 results report, 115–116  
 reference, 116  
 relationship to ERPs, 104–106  
 visual evoked potentials (VEPs), and ERPs, 104–106  
 waveforms, individual/groups  
 component identification quantification, 115–116  
 event related potential, 105  
 meaning of, 116–118  
 statistical analyses, 83–86  
 wavelet transform (WT), 23–25, 57–59  
 discrete vs. continuous, 23

Cambridge University Press

978-0-521-82106-3 - Developmental Psychophysiology: Theory, Systems, and Methods

Edited by Louis A. Schmidt and Sidney J. Segalowitz

Index

[More information](#)

*Index*

461

Wheatstone bridge, 295–298, 299,  
300  
Wientjes, C., 405  
Williams syndrome,  
Wisconsin Card Sorting Task (WCST),  
7

withdrawal behaviors, 325  
WT. *See* wavelet transform (WT)  
Yamaguchi, H., 226–227  
Yartz, A. R., 265  
Yirmiya, N., 202