

Index

- absolute zero, 83
active source region, 111
AE (auroral electrojet) index, 180–182, 294
aeromagnetic survey, 241, 243, 244
AF demagnetization, 60
airport runway, 258
Alfvén wave, 134
ALL-IGRF.TAB coefficient table, 64, 316, 321
ANALYZ program, 292, 295, 320
anisotropy (magnetic), 191
annual/semiannual change, 48, 49
Ap activity index, 69, 175–177, 179, 180, 183, 232, 238, 268, 269
apparent polar wander, 61, 62
archeomagnetism, 59, 60, 257
Archimedes spiral, 128, 130, 139
area traverse, 241
argument of complex number, 287
astatic magnetometer, 195
asthenosphere, 52
Astronomical Unit (AU), 112
atmosphere pressure, 108, 262
atmospheric explosion, 108
aurora, 142–144, 147, 152–155, 160
auroral electrojet, 149, 155, 158–160
auroral oval, 154, 156
auroral substorm, 157
Austral, 4, 152
average value, 291
Barkhausen noise, 192
balloon magnetometer, 222
bar magnet compass, 190
Bartels rotation number, 177
bin size, 292
Birkland current, 147, 149, 150, 158
black body radiation, 115
blocking temperature, 59
body fields, 267
body magnets, 277
Bohr model, 8
Boreal, 4, 152
bow shock, 137
breakup phase, 156
Bremsstrahlung radiation, 161, 162
Carrington rotation number, 118, 121, 132, 177
Cartesian coordinate system, 289
centered dipole, 35
Centigrade scale, 83
central meridian, 118, 129
centrifugal force, 102
Chapman–Ferraro current, 136
Chapman function, 77–79, 86, 104
Chemical Remanent Magnetization (CRM), 59
chromosphere, 115
chron, 57
colatitude, 9
collision frequency, 80
collisionless plasma, 130, 133
communication system, 237
compass, 4, 5
complex number, 285, 286
conductivity, 78, 197, 246–248, 250
conjugate point, 14
continental drift, 14, 52, 254–256
coordinate system, 113
core–mantle (CM) boundary, 52, 54, 56
corona, 115, 127
coronal hole, 116, 121, 122, 132, 138
coronal mass ejection, 127
correlation coefficient, 294, 295, 320
cosmic noise absorption, 163
cosmic radiowave noise, 160
cosmic rays, 111
counter electrojet, 89

- crochet, 104
- cross product, 290
- cross-tail current, 144, 145
- crust, 52, 246
- cryogenic (SQUID) magnetometer, 212–215
- Curie temperature, 51, 59, 192, 254
- curl, 290
- cusp of magnetosphere, 148
- daily variation, 68
- day number, 318
- DAYNUM** program, 318
- declination, 5–7, 41, 46, 56
- Definitive Geomagnetic Reference Field (DGRF), 31, 321
- degree and order, 19
- dependent variable, 280
- Depositional Remanent Magnetization (DRM), 59
- derivative of function, 288
- dip, 6, 7
- dip equator, 35, 89, 162
- dip latitude, 6, 94
- dipole, 8, 112
- dipole moment, 3, 8, 10, 193
- directly driven process, 143
- disturbance prediction, 269
- diurnal variation, 68
- divergence, 290
- domain, 280
- domain theory, 58, 191
- dot product, 290
- DST (storm-time) index, 50, 181–185, 258, 294, 317, 318
- DSTDEMO** program, 184, 186, 294, 317, 318
- dynamo current, 79, 81
- e* (natural number) value, 283
- Earth center, 52
- Earth conductivity, 246–248, 250–252
- Earth core dynamo, 55
- Earth current, 196–198
- earthquake prediction, 277
- Earth radius, 112
- Earth temperature/heating, 84, 260, 263
- eccentric axis dipole, 37, 38, 154
- eccentric axis dip pole, 39
- eclipse effect, 107
- ecliptic plane, 113
- electric dipole, 3, 9
- electric field, 10
- electric potential, 10
- electric power grid, 235–237
- electron spin, 190
- electron volt, 124
- equatorial electrojet, 88, 89, 162
- equivalent current, 96, 97
- Ethesian winds, 261
- exchange interaction, 51, 191
- excursion of field, 57
- expansion phase, 156
- external current, 48
- external source, 19
- extra low frequency (ELF), 174
- factorial, 282
- ferromagnetic material, 190, 199
- field-aligned current, 100, 108, 142, 143, 147–150, 155
- field strength, 7
- five quietest days, 71
- flare effect, 104, 107, 122–124, 127
- fluxgate magnetometer, 201
- foF2 critical frequency, 75
- Forbush effect, 112
- forecasting centers, 309–312
- forward computation/model, 250
- fossil magnetization, 58
- Fourier analysis, 22, 23, 26, 92
- Fourier Analysis of Residuals (FAR), 103
- FOURSQ1** program, 68, 92, 109, 285, 317, 319
- frauds, 271
- frozen-in field, 131
- function, 280
- gamma, 7
- Gauss, 7, 194
- Gauss coefficients, 21, 25, 27, 29, 30, 35, 37, 45–48, 261
- Gaussian (normal) distribution, 292, 293
- geomagnetic coordinate, 4, 34, 315
- geomagnetic depth sounding, 246
- geomagnetic dipole equator, 34
- geomagnetic disturbance index, 317
- Geomagnetic Information Node (GIN), 304, 308
- geomagnetic jerk, 46
- geomagnetic latitude/longitude, 34, 35
- geomagnetic pole, 34, 35

- geomagnetic storm, 108, 132, 139, 145, 164, 185, 238
- geomagnetic time, 40, 41
- geomagnetically induced current, 237
- GEOMAG** program, 31, 65, 316
- geostationary orbit, 112
- Global Positioning System (GPS), 219, 239, 240, 258
- global temperature, 23, 24, 259, 260
- GMCORD**, 34, 37, 44, 65, 281, 315–317
- gradient, 10, 289
- gradient magnetometer, 213
- gradual ejection, 128
- gravitational accretion, 54
- gravitational force, 103
- Greenwich Mean Time (GMT), 40
- growth plane, 140
- gyrofrequency, 79, 80
- gyromagnetic ratio, 203, 205
- gyroradius, 130, 154
- gyrotheodolite, 219
- H α emission, 123
- half-life, 112, 153
- Hall conductivity, 80, 81
- Hall current, 87
- Harang discontinuity, 156
- HDZ* system, 5, 6
- heat (calories), 83, 84
- heating of atmosphere, 23, 24, 83, 84, 259, 260, 263
- HILDCAA, 138
- hydromagnetic (hm) wave, 134, 173
- hysteresis, 192, 199, 201
- IGRF field model, 31, 35, 64, 240, 316, 321
- IGRF geomagnetic poles, 35
- impulsive ejection, 128
- inclination (dip), 6, 7, 14, 193
- independent variable, 280
- indices, 175, 176
- induced current, 46
- imaginary number, 285, 286
- induction loop magnetometer, 198, 199
- initial phase of storm, 140
- inner core, 52, 55
- integral-from-*a*-to-*b*, 288
- integration of a function, 288
- INTERMAGNET, 6, 219, 226, 233, 270, 304, 308
- internal source, 19
- International Association of Geomagnetism and Aeronomy (IAGA), 297
- International Council for Science (ICSU), 296
- International Geomagnetic Reference Field (IGRF), 31, 35, 64, 240, 316, 321
- International Geophysical Year (IGY), 297
- International Lithosphere Program (ILP), 297
- International Magnetosphere Study (IMS), 297
- International Space Environment Service (ISES), 309
- International System (SI) units, 7
- International Union of Geodesy and Geophysics (IUGG), 296
- International Union of Geological Sciences (IUGS), 297
- interplanetary magnetic field (IMF), 111, 113, 121, 128, 135, 138, 141
- interplanetary shock, 128
- invariant latitude, 15
- inverse computation/model, 250
- ion, 74
- ionosonde, 75
- ionosphere (*D*, *E*, and *F* regions), 6, 67, 74, 75, 114, 143, 147, 152, 158, 164, 222
- ionospheric current, 86, 143, 152
- ionospheric electron density, 238
- irrational number, 283
- isoclinic, 44
- isodynamic, 44
- isogonic, 44
- isomagnetic, 41
- isoporic, 44
- Josephson junction, 212
- joule heating, 108, 150, 171
- Jupiter, 62
- Kelvin scale, 83
- Kelvin–Helmholtz instability, 168
- Kp magnetic index, 68, 71, 73, 100, 175, 177–180, 232, 271, 294

- Lagrangian point, 270
- Laplacian, 289–291
- Larmor frequency, 80, 204, 207, 262
- Larmor radius, 80, 130
- least squares prediction, 295
- Legendre polynomial, 19–21, 23–26, 29, 97, 281
- Legendre wavelength, 166
- life form magnetic effect, 262
- limit of a function, 287
- linear correlation, 294
- linear function, 281
- lithosphere, 52
- loading/unloading process, 143
- local anomalies, 46
- locally measured dip pole, 35
- Local Mean Time (LMT), 40
- Local Time (LT), 40, 41
- lodestone, 4, 190
- logarithm, 283, 284
- Lognormal distribution, 293, 294, 317
- longitudinal conductivity, 80
- low latitude boundary layer (LLBL), 139, 149
- L*-shell parameter, 15, 17
- lower mantle, 52
- lunar magnetic variation, 105
- lunar–tidal force, 85
- lunar time, 85, 103, 104, 106
- Mach number, 132, 134
- magnet, 4
- magnetic dipole moment, 13, 37, 193, 203
- magnetic flux density, 7
- magnetic observatory location, 217, 218
- magnetic pole, 35, 193
- Magnetic Resonance Imaging (MRI), 263
- magnetic storm, 143
- magnetic survey, 241
- magnetite, 51, 192, 241, 265, 266
- magneto-hydrodynamic (mhd) wave, 134
- magnetosonic wave, 134
- magnetosphere, 111, 139, 229, 230
- magnetospheric model, 150
- magnetostriiction, 192
- magnetotactic bacteria, 263
- magnetotail, 139, 143–146
- magneto-telluric sounding, 247, 248
- main field, 15
- main phase of storm, 140, 141
- Mars, 62
- Maunder diagram, 118
- Maunder minimum, 120
- Maxwell's equations, 11, 13, 16, 18, 29, 30, 63, 196, 280
- mean free path, 129
- mean value, 7, 291, 293, 320
- median value, 291, 319
- Mercator map projection, 41
- mesoscopic magnetization, 192
- mesosphere, 82
- micropulsations, 143, 160, 168, 171–173
- Milky Way, 114, 115
- mirror method, 94
- modulus, 286
- Moon, 62, 102–104, 112, 113, 127
- M* region, 122
- MT inversion, 248
- multipole, 30
- National Geomagnetic Information Center (NGIC), 304
- natural number (*e*), 283
- Natural Remanent Magnetization (NRM), 58
- navigation, 258
- Neptune, 62
- nondipole field, 44, 47
- normal (Gaussian) distribution, 292, 293
- north pole, 4
- Oberhauser effect, 205
- ocean and island effect, 104
- ocean bottom mapping, 253, 254
- octupole, 9, 30
- Ohm's law, 79
- optically pumped magnetometer, 205–209
- order and degree, 17, 19
- organizational services, 306–308
- orthogonal direction, 4
- outer core, 52, 54, 55
- ozone heating, 82
- ozone hole, 83
- paleomagnetic reversal, 254
- paleomagnetism, 3, 19, 58, 195, 254, 256
- parallel conductivity, 80, 81
- partial derivative, 288
- partial ring current, 142, 143, 147, 168
- pauses in atmosphere, 82
- pearl pulsation, 172
- Pederson conductivity, 80, 81, 87

- permeability, 13, 193
- photosphere, 121, 122
- Pi fixed value, 283
- pipeline induction/corrosion, 233–235
- plage, 122, 123
- Planck's constant, 210
- plasma, 74
- polar-cap absorption, 162
- polar current, 101, 164, 166
- polar cusp, 139
- polar rain, 154
- polar wander, 254, 255
- pole, 4
- poleward leap, 144
- POLYFIT** program, 35, 281, 315, 319
- polynomial function, 281, 319
- potential function, 18, 19
- precessional drift, 44
- Primary Remanent Magnetization (PRM), 58
- production rate in ionosphere, 76
- product of terms, 282
- Project Magnet, 243
- prominance, 122, 123
- proton event, 163
- proton magnetometer, 203
- pseudologarithm, 284
- pulsating auroral patches, 156
- pulsations, 143, 160, 168, 171–173
- Pythagorean Theorem, 284
- quadrupole, 9, 30
- quiet daily variation (Sq), *see* Sq
- radian, 284
- radiation (Van Allen) belt, *see* Van Allen belt
- radioactive decay, 60
- radio wave, 75, 124, 126
- rainfall, 259–261
- range of values, 280
- rational number, 283
- real number, 283, 285, 286
- recombination coefficient in ionosphere, 76
- reconnection, 138
- recovery phase of storm, 140, 156
- recursion formula, 21
- Regional Warning Center (RWC), 309–312
- Region 1 and 2 current, 148, 149
- relaxation time, 59
- remanent magnetization, 58
- repeat station, 217
- resistivity, 79
- Reynolds number, 133
- right-hand system, 4, 54, 89
- ring current, 42, 145, 148, 182
- riometer, 160, 162, 163
- rocket magnetometer, 222
- rubidium magnetometer, 205–209
- SAR (subauroral red) arc, 147
- satellite, 222–225
- satellite damage, 230
- satellite tracking, 232
- saturable core magnetometer, 201
- Saturn, 62
- scalar function, 289
- scalar potential, 18
- Schumann resonance, 174
- Scientific Committee on Solar-Terrestrial Physics (SCOSTEP), 297
- Scientific Committee on Space Research (COSPAR), 297
- scientific notation, 282
- seafloor spreading, 56, 59, 253
- secondary remanent magnetization, 58
- sectoral harmonics, 23, 24
- sector boundary, 131, 259,
- secular variation, 31, 44, 45, 61
- self-excited dynamo, 54, 56
- semidiurnal tide, 103
- shock, 132–134
- short-wave fadeout, 104
- siderial day, 114
- skin depth, 246
- slope of function, 287
- slow tail, 174
- Snapshot method, 94
- Solar corona, 113
- solar eclipse, 75, 127
- solar energetic particle ejection (SEP), 124, 128
- solar flare/subflare, 123, 124, 126
- solar magnetic field, 121, 129
- solar mass ejection (SME), 127
- solar proton event, 126
- solar quiet (Sq), *see* Sq
- solar radiation, 84, 122
- solar sector, 130, 131, 139, 265
- solar-terrestrial activity, 111, 118

- Solar-Terrestrial Energy Program (STEP), 297
- solar wind, 111, 128–130, 135–139, 143, 164, 165, 229, 264, 265
- solar zenith angle, 77
- SORTVAL** program, 292, 319, 320
- source distribution mechanism, 293
- South Atlantic/South American anomaly, 41, 167, 230, 231
- south pole, 4
- Space Weather Disturbance Tables, 271–276
- spectral composition, 68
- spherical coordinate system, 6, 289
- spherical harmonic analysis (SHA), 3, 23, 24, 29, 92, 137, 164, 251, 320
- spherics, 171, 174
- SPH program, 25, 65, 320, 321
- SPIDR (Space Physics Interactive Data Resource), 304, 305
- spin angular momentum, 203
- spinner magnetometer, 200
- SQ1MODEL** program, 74, 109, 245
- Sq (solar quiet), 68–70, 72–74, 77–79, 89–104, 107–109, 166, 183, 234, 251, 316, 317, 319
- standard deviation, 291, 293, 320
- standard error of estimate, 320
- standoff position, 136, 137, 141
- storm current wedge, 143
- storm-time index (Dst), *see Dst*
- stratosphere, 82
- Studies of the Earth's Deep Interior (SEDI), 297
- subchron, 57
- substitute conductivity, 252
- substorm, 142–144, 163
- sudden commencement, 140
- sudden impulse (SI) of storm, 141
- summation of terms, 282
- Sun, 112–114, 116, 129
- SUN-MOON** program, 77, 103, 104, 109, 113, 114, 318
- sunspot number/cycle, 116, 117, 119, 122, 127, 179, 259, 263
- superchron, 57
- superconductor (SQUID) magnetometer, 212–215, 226, 266
- tail current, 144, 145
- tail of magnetosphere, 139, 143–146
- tectonic plates, 257
- telluric current, 196–198
- temperature, 83
- ten centimeter flux, 127
- tensor conductivity, 79, 81
- Tesla unit, 7
- tesseral form, 24
- thermal demagnetization, 60
- thermosphere, 82, 83, 152
- thermospheric heating/wind, 152, 230
- thermotidal motion, 84
- theta aurora, 155
- total electron content (TEC), 75, 238
- total field, 5, 7
- transfer function, 247, 281, 287
- transverse conductivity, 80
- travelling surge, 156
- trigonometric function, 284
- troposphere, 82
- ultralow frequency (ULF), 168
- unipolar region, 121
- unit pole, 193
- Universal Time (UT), 40
- upper mantle, 52, 251, 252
- Uranus, 62
- UV (ultra violet) effect, 82
- Van Allen (radiation) belt, 165, 167, 168
- variables, 280
- variometer, 194, 195
- vector, 4, 286, 289
- Venus, 62
- virtual current, 144
- virtual pole, 61
- vortex index, 262
- weather, 259
- Weber, 7
- westward drift, 45, 46, 89
- World Data Center, 221, 243, 269, 298–302
- World Magnetic Model (WMM), 303
- X-ray radiation, 116, 122, 124, 222, 271
- x-type neutral point, 138
- XYZ system, 5, 6
- Zeeman effect, 120, 204, 207, 208, 210, 211, 226
- zonal form, 23, 24