

Taxonomic index

- Acanthisitta chloris*, see rifleman
- Acanthisittidae*, 25, 207
- Acanthiza chrysorrhoa*, 27, 207
 - lineata*, 27, 207
 - murina*, 27
 - nana*, 27
 - pusilla*, 40, 239
 - reguloides*, 27, 207
 - uropygialis*, 27
- Acanthizinae*, 27, 33
- Acanthizini*, 27
- Accentor*, alpine, 32, 84, 93, 99, 209, 239
- Accipiter cooperii*, see hawk, Cooper's
- Accipitridae*, 25, 33, 34, 207
- Accipitrinae*, 25, 33, 34
- Aceros comatus*, 23
- Acrocephalinae*, 31, 33
 - Acrocephalus melanopogon*, see warbler, moustached
 - sechellensis*, see warbler, Seychelles
 - vauhanni*, 31
- Aegithalidae*, 31, 209
 - Aegithalos caudatus*, see tit, long-tailed
- Agelaius phoeniceus*, see blackbird, red-winged
- Aimophila ruficauda*, 34
- Alauahio, Maui, 209, 239
- Alaudidae*, 34
 - Amaurornis flavirostra*, 25
- Amytornis barbatus*, 26
 - dorotheae*, 26
 - goyderi*, 26
 - housei*, 26
 - purnelli*, 26
 - striatus*, 26
 - textiles*, 26
 - woodwardi*, 26
- Amytornithinae*, 26
- Ani, greater, 25
 - groove-billed, 25, 173, 188–191, 195, 207, 232, 239
 - smooth-billed, 25, 188–190, 195, 207, 240
- Anorrhinus austeni*, 23
 - galeritus*, 23
 - tickelli*, 23
- Anseranas semipalmata*, see goose, magpie
- Anseranatidae*, 33, 181, 206
- Anseriformes, 181, 192, 193
- Anteater-chat, northern, 30
- Anthochaera carunculata*, 27
 - lunulata*, 27
- Aphelocephala leucopis*, 27
 - nigriceps*, 27
- Aphelocoma*, 18, 19, 21, 134, 139, 145, 234
 - insularis*, see scrub-jay, island
 - californica*, see scrub-jay, western
 - coerulea*, see scrub-jay, Florida
 - ultramaria*, see jay, Mexican
 - unicolor*, see jay, uncolored
- Apodidae*, 25
- Apostlebird, 28, 208, 230, 239
- Apteryx mantelli*, see kiwi
- Apus horus*, 25
- Aracari, collared, 23
 - fiery-billed, 23
- Artamini*, 29
 - Artamus cinereus*, 29, 208
 - cyanopterus*, 29
 - leucorhynchus*, 29, 208
 - maximus*, 29
 - minor*, 29
- Babbler, Arabian, 32, 44, 86, 95, 96, 100, 101, 121, 124, 127, 190, 201, 209, 222, 239
 - arrowmarked, 32, 209
 - bare-cheeked, 209
 - blackcap, 32, 209
 - black-lored, 32, 209
 - brown, 32, 209
 - chestnut-crowned, 28, 207
 - common, 32, 209, 239
 - grey-crowned, 28, 57, 208
 - Hall's, 28, 207
 - jungle, 32, 44, 209, 239
 - large grey, 32, 209
 - New Guinea, 28, 207
 - striated, 32
 - white-browed, 28, 208
- yellow-billed*, 31
- yellow-eyed*, 31
- Baeolophus bicolor*, 34
 - wollnebrii*, 31
- Barbet, Ancheta's, 22
 - bearded, 23
 - black-backed, 23

280 Taxonomic index

- Barbet, Anchieta's (*cont.*)
 - black-billed, 23
 - black-breasted, 23
 - black-collared, 23
 - black-throated, 22
 - bristle-nosed, 22
 - brown-breasted, 23
 - Chaplin's, 23
 - D'Arnaud's, 23, 206
 - double-toothed, 23
 - green, 22
 - grey-throated, 22
 - naked-faced, 22
 - pied, 22
 - red-and-yellow, 23, 206
 - red-faced, 23
 - spot-flanked, 22
 - toucan, 23, 206
 - Vieillot's, 23
 - white-eared, 22
 - white-headed, 23
 - Whyte's, 22
 - yellow-breasted, 23
- Bateleur, 25
- Bee-eater, black-headed, 24
 - blue-cheeked, 24
 - blue-headed, 24
 - blue-tailed, 24
 - blue-throated, 24
 - carmine, 24, 207
 - chestnut-headed, 24
 - cinnamon-chested, 24
 - European, 24, 58, 86, 97, 207, 239
 - little, 24
 - little green, 24, 207
 - rainbow, 24, 207
 - red-throated, 24, 78, 122, 207, 240
 - rosy, 24
 - swallow-tailed, 24
 - white-fronted, 24, 53, 58, 61, 78, 173, 193, 205, 207, 230, 240
 - white-throated, 24
- Blackbird, Austral, 32
 - Bolivian, 32
 - red-winged, 60, 240
- Blue-flycatcher, African, 29
- Bluebird, eastern, 30
 - western, 30, 38, 41, 45, 51, 55, 57, 58, 60, 61, 77, 87, 97, 99, 100, 107–109, 111, 208, 240
- Bobolink, 32
- Booby, blue-footed, 105, 239
- Bradornis mariquensis*, 34
 - pallidus*, 30
- Brushrunner, lark-like, 26
- Bubalornis niger*, see buffalo-weaver, red-browed
- Bubo lacteus*, 25
- Bucconidae, 23, 206
- Bucephala clangola*, see goldeneye
- Buceros hydrocorax*, 23
 - rhinoceros*, 23
- Bucerotidae, 23
- Bucerotiformes, 10
- Bucorvidae, 24, 206
 - Bucorvus leadbeateri*, 24, 206
- Buffalo-weaver, red-billed, 91, 99
 - red-browed, 84, 91, 99, 100, 240
- Bunting, chestnut-eared, 34
- Buphagus africanus*, 30
 - erythrorynchus*, 30
- Bush baby, 106, 241
- Bush-crow, Stresemann's, 29
- Bushtit, 31, 44, 209, 239
- Butcherbird, grey, 29
 - hooded, 29
 - pied, 29
- Buteo galapagoensis*, see hawk, Galápagos
 - jamaicensis*, 34
 - swainsoni*, 34
- Cacholote, rufous, 26
- Cactus-finch, common, 32, 209
- Calcarius pictus*, see longspur, Smith's
- Callithrix jacchus*, see marmoset, common
 - kuhli*, 241
- Calocitta colliei*, 28
 - formosa*, 28, 208, 240
- Campylorhynchus*, 10, 14, 16–21, 52, 88, 95, 234
 - albobrunneus*, 31
 - brunneicapillus*, see wren, cactus
 - chiapensis*, 31
 - fasciatus*, 30, 208
 - griseus*, see wren, bicolored
 - gularis*, 31, 209
 - jocosus*, 31
 - megalopterus*, 31, 208
 - nuchalis*, see wren, stripe-backed
 - rufinucha*, 31
 - turdinus*, 31
 - yucatanicus*, 31
 - zonatus*, 31, 209
- Canis aureus*, 241
 - familiaris*, see dingo
 - lupus*, see wolf, gray
 - mesomelas*, 241
 - simensis*, see wolf, Ethiopian
- Capitoninae, 23
- Cardinal, northern, 34
- Cardinalini, 32, 34
- Cardinalis cardinalis*, 34
- Caryothraustes poliogaster*, 32
- Cassowary, 178, 179, 239
- Casuarius casuarius*, see cassowary
- Catharacta lönbergi*, see skua, brown
 - maccormicki*, 34

- Ceratogymna atrata*, 23
 - bucinator*, 23
 - subcylindricus*, 23
- Certhia familiaris*, *see* treecreeper
- Certhiidae, 30, 34, 208
- Cervus elaphus*, *see* deer, red
- Ceryle rudis*, *see* kingfisher, pied
- Cerylidae, 24, 207
- Chaetops frenatus*, 30, 208
- Chaetura andrei*, 25
 - brachyura*, 25
 - pelagica*, 25
 - vauxi*, 25
- Charadriidae, 33
- Charadriinae, 33
- Chat, anteater, 208
 - white-fronted, 27
- Chersomanes albofasciata*, 34
- Chough, white-winged, 2, 11, 28, 69–70, 78–79, 83, 86, 88, 96, 99–101, 119–120, 122, 170–172, 190, 193, 195, 208, 230, 233, 240
- Chrysomma sinense*, 31
- Chthonicola sagittatus*, 27
- Ciconiiformes, 7, 10
- Cinclosoma cinnamomeum*, 28
- Cinclosomatinae, 28
- Cinnycerthia peruviana*, 31
- Cinnyricinclus leucogaster*, 30
- Climacteridae, 26, 207
- Climacteris erythrops*, 26, 207
 - melanura*, 26, 207
 - picumnus*, *see* treecreeper, brown
 - rufa*, 26, 207
- Clytomyias insignis*, 26
- Coati, 218, 241
- Coccyzus americanus*, *see* cuckoo, yellow-billed
- Colaptes campestris*, 22
- Coliidae, 24, 207
- Coliiformes, 10, 119–121
- Coliinae, 24
- Colius*, 117
 - castanotus*, *see* mousebird, red-backed
 - colius*, *see* mousebird, white-backed
 - leucocephalus*, 24
 - striatus*, *see* mousebird, speckled
- Collocalia spodiopygios*, 25
- Columbiformes, 192
- Conopophila rufogularis*, 27
- Coot, American, 192, 239
 - giant, 25
 - red-knobbed, 25
- Coraciidae, 7
- Coraciiformes, 10
- Coracina maxima*, 29, 208
- Corcoracinae, 28
- Corcorax melanorhamphos*, *see* chough, white-winged
- Corvida, 13, 14, 21, 48, 234, 237
 - Corvinella corvina*, 28, 208, 240
 - melanoleuca*, 28
 - Corvinae*, 28, 234
 - Corvini*, 28
 - Corvus brachyrhynchos*, 28, 208, 239
 - caurinus*, 28, 208
 - corone*, 28, 239
 - Coryphistera alaudina*, 26
 - Corythaixoides concolor*, 25
 - leucogaster*, 34
 - Cosmopsarus regius*, 30, 208
 - Cotinginae, 25
 - Coturnix chinensis*, *see* quail, button
 - Cowbird, bay-winged, 32, 209
 - Cracticus cassicus*, 29
 - nigrogularis*, 29
 - torquatus*, 29
 - Crake, black, 25
 - Criniferinae, 25, 34
 - Crocuta crocuta*, 241
 - Crotophaga ani*, *see* ani, smooth-billed
 - major*, 25
 - sulcirostris*, *see* ani, groove-billed
 - Crotophagidae, 25, 207
 - Crotophaginae, 188–190
 - Crotophagini, 25
 - Crow, American, 28, 56, 198, 199, 208, 239
 - carrion, 28, 36, 40, 239
 - northwestern, 28, 208
 - Cryptomys anselli*, *see* mole-rat, common
 - damarensis*, *see* mole-rat, Damaraland
 - darlingi*, *see* mole-rat, Mashona
 - mechowi*, *see* mole-rat, Zambian
 - Crypturellus boucardii*, 240
 - Cuckoo, guira, 25, 84, 91, 188–190, 195, 207, 232, 239
 - yellow-billed, 192, 240
 - Cuckoo-shrike, ground, 29, 208
 - Cuculiformes, 188, 192
 - Curaeus curaeus*, 32
 - Cyanocorax affinis*, 29
 - beecheii*, 29, 208, 239
 - chrysops*, 208
 - cristatellus*, 28
 - dickeyi*, 29, 208
 - melanocyaneus*, 29, 208
 - sanblasianus*, 29, 208
 - violaceus*, 28
 - yncas*, 29, 208, 239
 - yucatanicus*, 29, 208
 - Cyanopica cyana*, 28, 208
 - Cynomys ludovicianus*, 241
 - Cyphorhinus arduus*, 31
 - Dacelo leachii*, 24, 206
 - novaeguineae*, 24, 206, 239

282 Taxonomic index

- Daphoenositta*, 10
 - chrysoptera*, 28, 208
 - miranda*, 28
- Deer, red, 102–103, 241
- Delichon urbica*, 31
- Dendrocopos medius*, 33
- Dicurinae, 29
- Dicurini, 29
- Dicrurus macrocercus*, 29
- Dingo, 182, 241
- Dioptrornis chocolatinus*, 30
- Dog, African wild, 127, 211, 214, 216, 220, 223, 241
- Dolichonyx oryzivorus*, 32
- Donacobius atricapillus*, 31, 209
- Donacobius, black-capped, 31, 209
- Dromaius novaehollandiae*, 239
- Drongo, black, 29
- Dryoscopus cubla*, 29
- Dunnock, 5, 33, 81, 84, 88, 92, 99, 164, 173, 209, 226, 229, 230, 239
- Eagle, bald, 34
- Eagle-owl, Verreaux's, 25
- Eclectus roratus*, 33, 207, 239
- Elephant, African, 210, 241
- Elk, *see* deer, red
- Elminia longicauda*, 29
- Emberiza fucata*, 34
- Emberizinae, 32–34
- Emberizini, 33, 34
- Emu, 178, 179, 239
- Entomyzon cyanotis*, 27
- Eopsaltria australis*, 28
 - georgiana*, 28
 - griseogularis*, 28
- Ephthianura albifrons*, 27
- Eremomela, greencap, 31
 - Senegal, 31
- Eremomela pusilla*, 31
 - scotops*, 31
- Eriothacus rubecula*, 34
- Erythrocerus mccalli*, 29
- Eucalyptus*, 199, 200, 206
- Euphonia laniirostris*, 32
- Euphonia, thick-billed, 32
- Eurocephalus anguitimens*, 28, 208
 - rueppelli*, 28
- Fairy-wren, blue-breasted, 26, 207
 - broad-billed, 26
 - Campbell's, 26
 - emperor, 26
 - lovely, 26
 - orange-crowned, 26
 - purple-crowned, 26, 207
 - red-backed, 26
 - red-winged, 26, 201, 202, 207
 - splendid, 1, 26, 77, 83, 86, 96, 146, 152, 201, 202, 207, 235, 240
- superb, 26, 51, 82, 83, 86, 96, 99, 100, 138–140, 146, 149, 153, 201, 202, 207, 233, 235–236, 240
- variegated, 26
- Wallace's, 26
- white-shouldered, 26
- white-winged, 26, 230, 240
- Falco columbarius*, 33
 - peregrinus*, 25
 - sparverius*, 34
- Falcon, peregrine, 25
- Falconidae, 25, 33, 34
- Falcunculini, 28
- Falcunculus frontatus*, 28
- Figbird, green, 29
- Finch, zebra, 105, 240
- Flicker, campo, 22
- Flycatcher, chestnut-capped, 29
 - Mariqua, 34
 - pale, 30
 - rusty-margined, 25
 - white-bearded, 25, 207
- Forest-flycatcher, African, 30
- Fraseria ocreata*, 30
- Friarbird, little, 27
- Fringillidae, 32–34, 209
- Fruitcrow, purple-throated, 25
- Fulica americana* *see* coot, American
 - cristata*, 25
 - gigantea*, 25
- Furnariidae, 26
- Furnariinae, 26
- Galago crassicaudatus*, *see* bush baby
- Galbalcyrhynchus purusianus*, 23
- Galbula ruficauda*, 23
- Galbulidae, 23
- Galliformes, 192
- Gallinula chloropus*, *see* moorhen, common
 - mortierii*, *see* native hen, Tasmanian
 - tenebrosa*, 25, 207
- Gallinule, purple, 25, 207
- Geococcyx californianus*, *see* roadrunner, greater
- Geocolaptes olivaceus*, 22
- Geospiza fortis*, 32, 209
 - scandens*, 32, 209
- Gerbil, Mongolian, 211, 220, 222, 224, 241
- Gerygone, brown, 27
 - yellow-bellied, 27
- Gerygone chrysogaster*, 27
 - mouki*, 27
- Globicephala melas*, *see* whale, pilot
- Glossy-starling, long-tailed, 30
 - red-shouldered, 30
- Go-away-bird, grey, 25
 - white-bellied, 34
- Goldeneye, 90, 239
- Goose, magpie, 33, 90, 181–182, 193–195, 206, 239
- Goshawk, pale chanting, 33, 95, 118, 127, 240

- Grallina cyanoleuca*, 29
- Grasswren, black, 26
 - carpentarian, 26
 - dusky, 26
 - Eyrean, 26
 - grey, 26
 - striated, 26
 - thick-billed, 26
 - white-throated, 26
- Grebe, Australasian, 25
 - horned, 34
- Greenbul, spotted, 31
 - swamp, 31
- Grosbeak, black-faced, 32
- Ground-finch, medium, 32, 209
- Ground-hornbill, southern, 24, 206
- Ground squirrel, Belding's, 211, 220, 222, 223, 241
- Grouse, red, 240
- Gruiformes, 7, 182
 - Guira guira*, *see* cuckoo, guira
 - Guirini, 25
 - Gymnobucco bonapartei*, 22
 - calvus*, 22
 - peli*, 22
 - Gymnorhina tibicen*, *see* magpie, Australian
 - Gymnorhinus cyanocephalus*, *see* jay, pinyon
- Halcyon chelicuti*, 24
 - cinnamominia*, 207
- Halcyonidae, 24, 206
 - Haliaeetus leucocephalus*, 34
- Hammerkop, 34
- Hawk, Cooper's, 34, 105, 239
 - Galápagos, 33, 85, 94, 95, 99, 101, 127, 200, 207, 239
 - Harris's, 25, 107, 108, 113, 118, 135–136, 139, 140, 207, 239
 - red-tailed, 34
 - Swainson's, 34
- Helmetshrike, chestnut-fronted, 30, 208
 - Retz's, 30, 208
 - white, 30, 208
 - yellow-crested, 29
- Helogale parvula*, *see* mongoose, dwarf
- Heterocephalus glaber*, *see* mole-rat, naked
- Hihi, *see* stitchbird
- Hirundinidae, 31, 34
- Hirundininae, 31, 34
 - Hirundo atrocaerulea*, 34
 - rustica*, 31
 - Hoatzin, 24, 117–118, 201, 202, 207, 239
 - Honeyeater, black-chinned, 27
 - black-headed, 27
 - blue-faced, 27
 - brown-headed, 27
 - crescent, 107, 239
 - golden-backed, 27
 - New Holland, 27
- rufous-throated, 27
- striped, 27
- strong-billed, 27
- varied, 27
- white-lined, 27
- white-naped, 27
- white-plumed, 27
- white-throated, 27
- yellow-faced, 107, 240
- yellow-tufted, 27
- Hoopoe, 87, 98, 239
 - African, 24
- Hornbill, Assam, 23
 - black-and-white-casqued, 23
 - black-casqued, 23
 - brown, 23
 - bushy-crested, 23
 - Luzon, 24
 - red-billed dwarf, 23
 - rhinoceros, 23
 - rufous, 23
 - Sulawesi, 23
 - Tarictic, 24
 - trumpeter, 23
 - white-crowned, 23
- House-martin, northern, 31
- Hyaena brunnea*, *see* hyena, brown
- Hyena, brown, 211, 220, 222, 241
 - spotted, 210, 211, 215, 217, 218, 224, 241
- Icterini, 32
 - Ictinia mississippiensis*, 25
 - Ixonotus guttatus*, 31
- Jacamar, chestnut, 23
 - rufous-tailed, 23
 - three-toed, 23
- Jacamaralcyon tridactyla*, 23
- Jackal, black-backed, 241
 - golden, 241
- Jay, Beechey, 208, 239
 - black-chested, 29
 - brown, 29, 208, 230, 239
 - bushy-crested, 29, 208
 - curl-crested, 28
 - gray, 29, 59, 239
 - green, 29, 59, 208, 239
 - Mexican, 18, 28, 58, 82, 85, 99, 133–134, 139, 140, 144–146, 148, 201, 205, 208, 235, 236, 240
 - pinyon, 18, 29, 56, 58, 119, 208, 240
 - plush-capped, 208
 - purplish-backed, 29
 - San Blas, 29, 208
 - Siberian, 2, 29, 40, 44, 45, 52, 58, 82, 229, 240
 - tufted, 29, 208
 - unicolored, 18, 28, 208, 240
 - violaceous, 28
 - Yucatan, 29, 208

284 Taxonomic index

- Kestrel, American, 34
- Kingfisher, forest, 24
 - Micronesian, 207
 - pied, 5, 24, 53, 55, 69, 77, 78, 95, 107, 108, 122–123, 125, 130–131, 140, 173, 207, 222, 240
 - striped, 24
- Kite, Mississippi, 25
- Kiwi, 178, 179, 239
- Kookaburra, blue-winged, 24, 206
 - laughing, 24, 56, 78, 87, 97–99, 107, 108, 110, 112–113, 198, 206, 239
- Lagopus scoticus*, 240
- Lamprologus brichardi*, 69, 122
- Lamprotornis caudatus*, 30
 - nitens*, 30
 - pulcher*, 30, 208
 - superbus*, 30
- Laniidae, 20, 28, 208
- Lanius*, 16–21
 - cabanisi*, 28
 - excubitoroides*, 28, 208
- Lapwing, southern, 33
- Laridae, 25, 34, 192, 207
- Larinae, 25, 34
- Lark, spike-heeled, 34
- Leontopithecus rosalia*, see tamarin, golden lion
- Leptopterus chabert*, 29
- Lichenostomus chrysops*, see honeyeater, yellow-faced
 - melanops*, 27
 - penicillatus*, 27
 - versicolor*, 27
- Lion, African, 95, 211, 214, 215, 217, 220, 222, 241
- Logrunner, 28
- Longspur, Smith's, 33, 84, 99, 240
- Loxodonta africana*, see elephant, African
- Lybiidae, 22, 206
 - Lybius bidentatus*, 23
 - chaplini*, 23
 - dubius*, 23
 - guifsobalito*, 23
 - leucocephalus*, 23
 - melanopterus*, 23
 - minor*, 23
 - rolleti*, 23
 - rufribaces*, 23
 - torquatus*, 23
 - vieilloti*, 23
 - Lycaon pictus*, see dog, African wild
- Magpie, Australian, 29, 59, 135, 208, 239
 - azure-winged, 28, 208
 - Formosan, 28, 208
- Magpie-jay, black-throated, 28
 - white-throated, 28, 78, 88, 190, 195, 201, 202, 208, 223, 240
- Magpie-lark, 29
- Malaconotinae, 29
- Malaconotini, 29
- Maluridae, 26, 207
- Malurinae, 26
- Malurini, 26
- Malurus*, 40, 96, 144, 146, 234, 235
 - alboscapulatus*, 26
 - amabilis*, 26
 - campbelli*, 26
 - coronatus*, 26, 207
 - cyaneus*, see fairy-wren, superb
 - cyanocephalus*, 26
 - elegans*, see fairy-wren, red-winged
 - grayi*, 26
 - lamberti*, 26
 - leucopterus*, see fairy-wren, white-winged
 - melanocephalus*, 26
 - pulcherrimus*, 26, 207
 - splendens*, see fairy-wren, splendid
- Manorina*, 82, 88, 94, 98, 99
 - flavigula*, 27
 - melanocephala*, see miner, noisy
 - melanophrys*, see miner, bell
 - melanotis*, see miner, black-eared
- Marmoset, common, 211, 216–218, 224, 241
 - Wied's black tufted-ear, 241
- Marmot, alpine, 211, 220, 222, 241
 - Marmota marmota*, see marmot, alpine
- Marshbird, brown-and-yellow, 32, 209
- Martin, brown-chested, 34
- Meerkat, 70, 125–127, 152–154, 211, 213, 216–218, 220–222, 224, 225, 241
- Melanerpes*, 124
 - cactorum*, 22
 - candidus*, 22
 - chrysauken*, 22
 - cruentatus*, 22
 - flavifrons*, 22
 - formicivorus*, see woodpecker, acorn
 - lewis*, see woodpecker, Lewis'
 - striatus*, 22
- Melanodryas cucullata*, see robin, hooded
- Melierax canorus*, see goshawk, pale chanting
- Meliphagidae, 27, 94, 207
 - Melithreptus affinis*, 27
 - albilineata*, 27
 - albogularis*, 27
 - brevirostris*, 27
 - gularis*, 27
 - laetior*, 27
 - lunatus*, 27
 - validirostris*, 27
 - Meriones unguiculatus*, see gerbil, Mongolian
- Merlin, 33
- Meropidae, 15–16, 24, 207, 234

- Merops*, 15, 17
 - albicollis*, 24
 - apiaster*, 24, 207, 239
 - breweri*, 24
 - bullockoides*, *see* bee-eater, white-fronted
 - bulockii*, *see* bee-eater, red-throated
 - hirundineus*, 24
 - leschenaulti*, 24
 - malimbicus*, 24
 - muelleri*, 24
 - nubicus*, 24, 207
 - oreobates*, 24
 - orientalis*, 24, 207
 - ornatus*, 24, 207
 - persicus*, 24
 - philippinus*, 24
 - pusillus*, 24
 - viridis*, 24
- Messelirrisoridae*, 15
- Microtus ochrogaster*, 241
 - pinetorum*, 241
- Mimini*, 30
 - Mimus gilvus*, 30
 - longicaudatus*, 30
 - saturninus*, 30
 - Miner, bell, 2, 27, 61, 65, 85, 99, 107–109, 111–112, 114, 136–137, 140, 207, 234, 239
 - black-eared, 27, 107, 108, 239
 - noisy, 2, 27, 85, 99, 107, 108, 113, 206, 207, 240
 - yellow-throated, 27
 - Mistletoe, 38, 41
 - Mitrospingus cassinii*, 32
 - Mockingbird, chalk-browed, 30
 - Charles, 30
 - Galápagos, 30, 55, 58, 83, 85, 100, 201, 202, 208, 239
 - hood, 30
 - long-tailed, 30
 - tropical, 30
 - Mohoua albicilla*, 28
 - ochrocephala*, 28
 - Mohouini, 28
 - Mole-rat, common, 153, 211, 216, 217, 241
 - Damaraland, 152, 153, 211, 213, 216, 217, 241
 - Mashona, 144, 153, 211, 216, 217, 241
 - naked, 144, 147–148, 153, 211, 213, 216–218, 221, 224, 241
 - Zambian, 211, 216, 217, 241
 - Molothrus badius*, 32, 209
 - Monarchini, 29
 - Monasa morphoeus*, 23, 206
 - Mongoose, banded, 211, 213, 216, 217, 220, 221, 241
 - dwarf, 144, 147–148, 211, 213, 216, 217, 220, 241
 - Moorhen, common, 25, 57, 77, 84, 92, 99, 144, 149, 156, 183–185, 192, 193, 195, 207, 232, 236, 239
 - dusky, 25, 207
 - Motacilla capensis*, 32
 - Motacillinae*, 32
 - Mousebird, blue-naped, 24
 - red-backed, 24, 121, 240
 - red-faced, 24
 - speckled, 10, 24, 121, 207, 240
 - white-backed, 24, 121, 240
 - white-headed, 24
 - Mungos mungo*, *see* mongoose, banded
 - Muscicapidae*, 30, 34, 208
 - Muscicapinae*, 30, 34
 - Muscicapini*, 30, 34
 - Muskox, 210, 241
 - Musophagidae*, 25, 34
 - Myiozetetes cayanensis*, 25
 - Myrmecocichla aethiops*, 30, 208
 - Nasua narica*, *see* coati
 - Native hen, Tasmanian, 33, 84, 183–185, 193–195, 207, 230, 240
 - Neafrapus boehmi*, 25
 - cassini*, 25
 - Neoaves, 7
 - Neosittini, 28
 - Nesomimus macdonaldi*, 30
 - parvulus*, *see* mockingbird, Galápagos
 - trifasciatus*, 30
 - Nothoprocta cinerascens*, *see* tinamou, brushland
 - ornata*, *see* tinamou, ornate
 - Notiomystis cincta*, *see* stitchbird
 - Nunbird, white-fronted, 23, 206
 - Nuthatch, brown-headed, 18, 30, 208, 239
 - pygmy, 18, 30, 208, 240
 - Oenanthe lugubris*, 30
 - Opisthoicomidae*, 24, 207
 - Opisthomomus hoazin*, *see* hoatzin
 - Orcinus orca*, *see* whale, killer
 - Oreosper boliviensis*, 32
 - Oriolini, 29
 - Orthonychidae, 28
 - Orthonyx temminckii*, 28
 - Ostrich, 33, 117, 178–181, 195, 206, 240
 - Ovenbird, 12, 34, 240
 - Ovibos moschatus*, *see* muskox
 - Oxpecker, red-billed, 30
 - yellow-billed, 30
 - Pachycephalinae, 28
 - Panthera leo*, *see* lion, African
 - Parabuteo unicinctus*, *see* hawk, Harris's
 - Paradise-flycatcher, African, 29
 - Paradise-kingfisher, buff-breasted, 24
 - Pardalote, striated, 34
 - Pardalotidae*, 27, 33, 34, 207
 - Pardalotinae, 34
 - Pardalotus striatus*, 34
 - Paridae, 31, 34, 209
 - Parinae, 31, 34
 - Paroreomyza montana*, 209, 239

286 Taxonomic index

- Parrot, eclectus, 2, 33, 82–83, 85, 88, 93, 107, 108, 114, 207, 239
 Parulini, 34
Parus bicolor, *see* titmouse, tufted
caeruleus, *see* tit, blue
major, *see* tit, great
niger, 31, 209
Passer domesticus, 32
 Passeri, 234
 Passerida, 13, 14, 21
 Passeridae, 32, 33, 209
 Passeriformes, 192, 234
 Passerinae, 32
Penelopides exarhatus, 23
manilloe, 24
panini, 24
Perisoreus canadensis, *see* jay, gray
infuscatus, *see* jay, Siberian
 Petroicidae, 28, 33, 207
Phacellodomus rufifrons, 26
Phaeoptilus tapera, 34
Phelpsia inornata, 25, 207
Philemon citreogularis, 27
Philetairus socius, *see* weaver, sociable
 Phoeniculidae, 15–16, 24, 206, 234
Phoeniculus, 15
bollei, *see* woodhoopoe, white-headed
castaneiceps, *see* woodhoopoe, forest
damarensis, 24
purpleurus, *see* woodhoopoe, green
somaliensis, *see* woodhoopoe, black-billed
Pholidornis rushiae, 31
Phoradendron villosum, *see* mistletoe
Phylidonyris lanceolata, 27
novaehollandiae, 27
pyrrhoptera, *see* honeyeater, crescent
 Piapiac, 29
 Picathartidae, 30, 208
 Picidae, 22, 33, 206
 Piciformes, 10, 185
Picoidea, 16
borealis, *see* woodpecker, red-cockaded
pubescens, *see* woodpecker, downy
villus, *see* woodpecker, hairy
 Pied-babbler, southern, 32
 Pine, pinyon, 119
Platysteira peltata, 29
tonsa, 29
 Ploceinae, 32
Plocepasser mahali, *see* sparrow-weaver, white-browed
Podiceps auritus, 34
 Podicipedidae, 25, 34
 Pomatomidae, 10, 28, 207
Pomatomus halli, 28, 207
isidorei, 28, 207
ruficeps, 28, 207
superciliosus, 28, 208
temporalis, *see* babbler, grey-crowned
Porphyrio porphyrio, *see* pukeko
Porphyryula martinica, 25, 207
 Prairie dog, black-tailed, 211, 220, 222, 241
 Primates
Prionops alberti, 29
plumatus, 30, 208
retzii, 30, 208
scopifrons, 30, 208
Prunella, 88
collaris, *see* accentor, alpine
modularis, *see* dunnock
 Prunellinae, 32, 33
Psaltriparus minimus, *see* bushtit
Pseudoleistes virescens, 32, 209
Pseudonigrita arnaudi, 32, 209
Pseudoseisura cristata, 26
Psilorhinus morio, *see* jay, brown
 Psittacidae, 33, 207
Psophia leucoptera, *see* trumpeter, pale-winged
 Psophiidae, 25, 207
Psophocichla litsipsirupa, 34
Pteroglossus frantzii, 23
torquatus, 23
Ptilostomus afer, 29
 Puffback, black-backed, 29
 Pukeko, 25, 84, 91, 99, 144–146, 170, 182–185, 192–195, 207,
 230, 233, 240
 Pycnonotidae, 31
 Quail, button, 182, 239
 Quail-thrush, cinnamon, 28
Querula purpurata, 25
 Rallidae, 25, 33, 192, 207
 Ramphastidae, 23, 206
 Ramphastinae, 23
 Reed-warbler, Pitcairn, 31
Remiz pendulatus, *see* tit, penduline
 Remizinae, 31
Rhea americana, *see* rhea, greater
 Rhea, greater, 33, 178–181, 195, 239
 Rheidae, 33
 Rhinopomastidae, 15, 16
Rhinopomastus, 15
 Rifleman, 25, 83, 87, 98, 207, 240
 Roadrunner, greater, 192, 239
 Robin, European, 34
 grey-breasted, 28
 hooded, 33, 206, 207, 239
 white-breasted, 28
 yellow, 28
 Rockjumper, rufous, 30, 208
Saguinus fuscicollis *see* tamarin, saddle-back
oedipus, *see* tamarin, cotton-top
 Saxicolini, 30, 34
Schetba rufa, 30

- Scopidae, 34
- Scopus umbretta*, 34
- Scrub-jay, Florida, 1, 18, 28, 41, 57, 77, 82, 83, 87, 97, 98, 119, 124, 131–133, 138–140, 152, 153, 173, 190, 199, 201, 202, 206, 208, 239
 - island, 18, 239
 - western, 18–20, 28, 119, 133, 139, 240
- Scrubwren, large-billed, 27
 - white-browed, 2, 33, 56, 58, 78, 86, 95, 99, 100, 153, 167–169, 207, 240
- Seiurus aurocapillus*, *see* ovenbird
- Semnornis ramphastinus*, 206
- Sericornis frontalis*, *see* scrubwren, white-browed
 - magnirostris*, 27
- Sericornithini, 27, 33
- Shrike, grey-backed fiscal, 28, 208
 - long-tailed fiscal, 28
 - magpie, 28
 - white-crowned, 28, 208
 - white-rumped, 28
 - yellow-billed, 28, 208, 230, 240
- Shrike-tit, crested, 28
- Sialia mexicana*, *see* bluebird, western
 - sialis*, 30
- Sipodotus wallacii*, 26
- Sitella, black, 28, 208
 - varied, 28
- Sitta*, 18
 - pusilla*, *see* nuthatch, brown-headed
 - pygmaea*, *see* nuthatch, pygmy
- Sittidae, 30, 208
- Sittinae, 30
 - Skua, brown, 85, 94, 99, 207, 239
 - south polar, 34
 - Slaty-flycatcher, Abyssinian, 30
 - Smicrornis brevirostris*, 27
 - Social-weaver, grey-headed, 32, 209
 - Sparrow, house, 32
 - stripe-headed, 34
 - white-throated, 240
 - Sparrow-weaver, white-browed, 32, 77, 134–135, 140, 208, 240
 - Spermophilus beldingi*, *see* ground squirrel, Belding's
 - Sphecotheres viridis*, 29
 - Spinetail, bat-like, 25
 - Cassin's, 25
 - Spreo bicolor*, 30, 208
 - fischeri*, 30
 - Stactolaema anchietae*, 22
 - leucotis*, 22
 - olivacea*, 22
 - whytii*, 22
 - Starling, African pied, 30, 208
 - chestnut-bellied, 30, 208
 - Fischer's, 30
 - golden-breasted, 30, 208
 - superb, 30
 - violet-backed, 30
 - Stercorariini, 34
 - Sterna paradisaea*, 25
 - Sternini, 25
 - Stitchbird, 27, 85, 93, 94, 99, 100, 235, 240
 - Strigidae, 25
 - Strigimorphae, 7
 - Struthidea cinerea*, *see* apostlebird
 - Struthio camelus*, *see* ostrich
 - Struthionidae, 33, 206
 - Struthioniformes, 178
 - Stubtail, Asian, 31
 - Sturnidae, 30, 208
 - Sturnini, 30
 - Sula nebouxii*, *see* booby, blue-footed
 - Suricata suricatta*, *see* meerkat
 - Swallow, barn, 31
 - blue, 34
 - tree, 31, 235, 240
 - Swamphen, purple, *see* pukeko
 - Swift, alpine, 25
 - ashy-tailed, 25
 - chimney, 25
 - horus, 25
 - mottled, 25
 - short-tailed, 25
 - Vaux's, 25
 - Swiftlet, white-rumped, 25
 - Sylviidae, 31, 33, 209
 - Sylviinae, 14, 31
 - Tachybaptus novaehollandiae*, 25
 - Tachycineta bicolor*, *see* swallow, tree
 - Tachymarptis aequatorialis*, 25
 - melba*, 25
 - Taeniopygia guttata*, *see* finch, zebra
 - Tamarin, cotton-top, 211, 216, 217, 220, 221, 224, 241
 - golden lion, 211, 216–218, 220–222, 241
 - saddle-back, 224, 241
 - Tanager, dusky-faced, 32
 - golden-hooded, 32
 - plain-colored, 32
 - speckled, 32
 - turquoise, 32
 - Tangara guttata*, 32
 - inornata*, 32
 - larcata*, 32
 - mexicana*, 32
 - Tanysiptera sylvia*, 24
 - Terathopius ecaudatus*, 25
 - Tern, Arctic, 25
 - Terpsiphone viridis*, 29
 - Thescelocichla leucopleura*, 31
 - Thornbill, brown, 40, 239
 - buff-rumped, 27, 207
 - chestnut-rumped, 27
 - Papuan, 27

- Thornbill (*cont.*)
 - striated, 27, 207
 - yellow, 27
 - yellow-rumped, 27, 207
- Thornbird, plain, 26
- Thraupini, 32
- Thrush, groundscraper, 34
- Thryothorus pleurostictus*, 31
- Timaliini, 14, 31
- Tinamiformes, 178
- Tinamou, brushland, 178, 239
 - ornate, 178, 240
 - slaty-breasted, 179, 240
- Tit, black, 31, 209
 - blue, 62, 239
 - great, 62, 115, 239
 - long-tailed, 2, 31, 40, 44, 55, 58, 59, 61, 63, 86, 97, 150, 153, 154, 209, 239
 - penduline, 82, 240
- Tit-hylia, 31
- Titmouse, bridled, 31
 - tufted, 34, 46, 240
- Tockus camurus*, 23
- Todidae, 24, 206
- Todiramphus macleayii*, 24
- Todus mexicanus*, 24, 206
- Tody, Puerto Rican, 24, 206
- Trachyphonus darnaudii*, 23, 206
 - erythrocephalus*, 23, 206
 - margaritatus*, 23
- Treecreeper, 62, 240
 - black-tailed, 26, 207
 - brown, 26, 197, 201–203, 205–207, 230, 239
 - red-browed, 26, 207
 - rufous, 26, 207
- Tricholaema lacrymosa*, 22
 - leucomelas*, 22
 - melanocephala*, 22
- Troglodytes troglodytes*, *see* wren
- Troglodytinae, 14, 30, 34
- Trumpeter, pale-winged, 25, 88, 207, 240
- Turdinae, 30, 34
- Turdoides*, 10, 14, 44
 - affinis*, 31
 - bicolor*, 32
 - caudatus*, 32, 209, 239
 - earlei*, 32
 - gymnogenys*, 209
 - jardineii*, 32, 209
 - malcolmi*, 32, 209
 - melanops*, 32, 209
 - plebejus*, 32, 209
 - reinwardtii*, 32, 209
 - squamiceps*, *see* babbler, Arabian
 - striatus*, *see* babbler, jungle
- Tyrannidae, 25, 207
- Tyranninae, 25
- Upupa africana*, 24
 - epops*, *see* hoopoe
- Upupidae, 15, 16, 24
- Upupiformes, 10, 15
- Urocissa caerulea*, 28, 208
- Urocoliinae, 24
- Urocolius indicus*, 24
 - macrourus*, 24
- Urosphena squameiceps*, 31
- Vanellus chilensis*, 33
- Vanga, Chabert's, 29
 - rufous, 30
- Vangini, 29
- Varanus*, 182
- Vole, pine, 211, 218–220, 241
 - prairie, 211, 217–221, 241
- Wagtail, Cape, 32
- Warbler, hooded, 12, 34, 239
 - moustached, 33, 83, 87, 98, 240
- Seychelles, 2, 31, 41, 51, 53, 55, 57, 67–68, 78, 79, 84, 89, 90, 100, 105, 107–114, 144, 146, 148–149, 155, 156, 190–196, 205, 209, 215, 223, 235, 236, 240
 - speckled, 27
- Wattlebird, little, 27
 - red, 27
- Wattle-eye, black-throated, 29
 - white-spotted, 29
- Weaver, sociable, 32, 91, 107, 108, 111, 121, 240
- Weebill, 27
- Whale, killer, 210, 241
 - pilot, 146, 153, 154, 241
- Wheatear, Schalow's, 30
- White-eye, Mascarene grey, 31
 - Seychelles grey, 31
- Whiteface, banded, 27
 - southern, 27
- Whitehead, 28
- Wilsonia citrina*, *see* warbler, hooded
- Wolf, Ethiopian, 146, 153, 154, 211, 213, 241
 - gray, 211, 216, 217, 241
- Woodhoopoe, black-billed, 15, 24, 239
 - forest, 15, 239
 - green, 10, 24, 44, 58, 65, 107, 108, 110, 112, 120, 125, 127, 144, 146–148, 201, 206, 236, 239
 - violet, 24
 - white-headed, 15, 24, 240
- Woodpecker, acorn, 1, 2, 22, 41, 44, 51, 57, 64, 65, 77, 82, 84, 91, 99, 107, 108, 110, 112, 118–120, 123–127, 144, 149–155, 169–170, 173, 185–188, 193–195, 201, 204, 205, 206, 232, 233, 235–236, 239
 - downy, 18, 239
 - golden-naped, 22
 - ground, 22
 - hairy, 18, 239
 - Hispaniolan, 22

Taxonomic index 289

- Lewis', 119, 239
middle-spotted, 33
red-cockaded, 16–18, 22, 52, 53, 65, 82, 87, 97, 107–110,
137–139, 144, 150–151, 153–155, 197, 199–206, 234, 236,
240
white, 22
white-fronted, 22
yellow-fronted, 22
yellow-tufted, 22
Woodswallow, black-faced, 29, 208
dusky, 29
great, 29
little, 29
white-breasted, 29, 208
Wren, 44, 62, 240
band-backed, 31, 209
banded, 31
bicolored, 31, 57, 77, 85, 153, 201, 208, 239
Boucard's, 31
cactus, 16–20, 34, 239
fasciated, 30, 208
giant, 31
gray-barred, 31, 208
musician, 31
rufous-naped, 31
sepia-brown, 31
spotted, 31, 209
stripe-backed, 31, 53, 70, 85, 99, 153, 201, 209,
240
thrush-like, 31
white-headed, 31
yucatan, 31
Yellowhead, 28
Yuhina brunneiceps, see yuhina, Taiwan
Yuhina, Taiwan, 32, 192–193, 195, 196, 240
Zavattariornis stresemanni, 29
Zonotrichia albicollis, 240
Zosteropidae, 31
Zosterops borbonicus, 31
modesta, 31

Subject index

- acorn storage, 118, 120, 186
- alarm calling, 43, 44, 222
- Allee effect, 63
- alliances, *see* coalitions
- allogrooming, 210
- alloparental behavior, *see* helpers and helping
- altriciality, 7–10, 13–14
 - origins of, 6
- Australia, cooperative breeding in, 2, 12, 39, 48, 126, 233, 237
- avian radiation, 7
- begging behavior, 6, 10
- behavioral plasticity, 45, 62
- Bergmann's rule, 20
- best of a bad job, 35, 49, 50, 97, 149, 214, 215
- breeding constraints, 48, 50, 60, 63
- breeding failure, 11
- breeding vacancies, 212
- brood parasitism, 11, 90, 149, 178, 180, 181, 183, 185–186, 188–190, 192–194, 196
- brood reduction, 113
- challenge hypothesis, 131, 138
- clans, 61, 205
- climatic factors, 5, 12
- cloaca pecking, 92
- coalitions, 171, 172, 219
 - formation of, 68
- coercion, 68
- coloniality, 17, 83
- communal nesting, *see* joint nesting
- communal nests, 91–92, 121, 185
- communal roosting, 20, 44, 120–121, 125, 127
- comparative analyses, 228
- confidence of parentage, 80
- conservation biology, 197
- conspecific brood parasitism, *see* brood parasitism
- cooperative breeding
 - age of, 21
 - climate and, 39
 - definition of, 3, 5–6, 82, 210, 228–229
 - diet and, 117–118, 233
 - frequency and occurrence of, 13, 22–34
 - genetic basis of, 21
 - in Australia, 2, 12, 39, 48, 126, 233, 237
 - in South Africa, 12, 39, 126, 233
 - maintenance of, 11–12
 - obligate and opportunistic, 49, 170, 171, 230–231
 - paradox of, 67
 - phylogeny and, 234
 - regular vs. irregular, 11–12
 - route to, 35
 - savanna habitat and, 199
 - year-round residency and, 38–39
- cooperative defense, 48, 210
- cooperative hunting, 118
- cooperative polyandry, 177
- cooperative polygamy, 49, 54, 65
- copulation, intrasexual mounting, 91
- corticosterone, 132, 134, 136, 140, 224–225
- coteries, 65
- current functional utility, 54
- declining-population paradigm, 198
- delayed breeding, 215–219
- delayed dispersal, 3, 18, 35, 51, 212–215, 225
 - benefits of, 39–45
 - costs for offspring, 45–46
 - costs for parents, 46
 - diet and, 212–214
 - uncoupled from helping, 36, 58–59
 - where to wait, 37–38
 - without helping, 52
- delayed reciprocity, 55
- demographic factors, 13, 150
- demographic stochasticity, 204
- depart-and-search, 200–204
- despotic societies, 158
- digestion, solar-enhanced, 119
- dispersal
 - coalitions, 171, 223
 - decisions, 38–39
 - constraints on, 231
 - costs of, 52, 61, 212
 - habitat fragmentation and, 200
 - sex-biased, 59
 - strategies, 200–202
 - timing of, 63
- divorce, 40, 98
- incest avoidance and, 150, 154, 236

- DNA fingerprinting, 1, 142, 178, 189, 192, *see also* parentage analysis
- DNA–DNA hybridization, 182
- dominance hierarchies, 45
 - reproductive skew and, 166, 170, 171, 173
- doubly labeled water technique, 122, 125
- ecological constraints, 1, 3, 38, 50, 153, 177, 182, 194, 195, 236
 - reproductive skew and, 169
- ecological factors, 1, 5, 7, 11–13, 21, 213, 231, 233–234
- egalitarian societies, 90–92, 95, 158, 170, 215, 219
- egg destruction, 91–92, 180, 186, 194, 196, 232
- egg dumping, 90, 190
- egg hatchability, 149, 181, 236
- El Niño Southern Oscillation, 126
- environmental factors, 13, 21
- environmental stochasticity, 19, 126, 204
- estrogen, 132, 136, 140, 224
- evolutionary origins, 5–11, 36, 49
- evolutionary stasis, 15, 22
- exaptation, 7
- experience hypothesis, 50, 53–55, 68, 78, 119–120, 222, 231
- extended families, 205
- extra-group fertilizations, 40, 49, 53, 93, 115
- extra-group matings, 148, 236
- extra-group paternity, 148
- extrinsic constraints, 52, 53
- familiar neighbor hypothesis, 60
- Fisher's theorem, 102, 115
- fitness benefits, 68, 79, 232
 - delayed, 161
 - direct, 3, 43, 52, 53, 55, 57, 222–223, 231
 - future direct, 94
 - inclusive, 36–37, 51, 60, 90, 106, 115, 143
 - indirect, 35–39, 53, 55, 57, 222
 - of delayed dispersal, 39–45
 - paired comparisons, 56
 - reproductive skew and, 158
- fitness consequences, 48
- floaters, 37, 45, 50, 52, 67, 204, 212
- food storage, 118–119
- food supplementation, 69
- forced copulation, 93
- Gondwanaland, 126
- group augmentation, 55, 223
- group living
 - predation and, 213
 - resource distribution and, 213
- group size effects, 68
- habitat
 - degradation, 199
 - fragmentation, 4, 199–200, 202–204
 - loss, 4, 198–199
 - quality, variation in, 41, 51, 52
- saturation, 14, 38, 50–52, 80, 109, 145, 190, 193, 212, 231, 236
- specialization, 198
- Hamilton's rule, 43, 69, 142, 226
- haplodiploidy, 102, 143
- helpers and helping
 - addition experiments, 57
 - additive, 72–73
 - advertisement and, 222
 - age effects and, 68
 - benefits of, 219–225
 - casual, 98
 - compensatory, 72–76
 - costs and benefits of, 52, 69–71, 221, 223–224, 232
 - courtship and, 98
 - defection of, 96
 - lactation and, 219
 - model of, 71–75
 - origins of, 10–11
 - parental aggression and, 59
 - quality of, 70
 - redirected, 50, 58, 62, 63, 97
 - regular, 98
 - removal experiments, 56–57
 - sex bias in, 79, 227
 - unattached, 83, 98
 - uncoupled from delayed dispersal, 58–59
 - unrelated, 55
- heterogamety, 102
- historical perspective, 49–58
- homology, 6, 21
- hormones
 - binding proteins
 - deactivation of, 130
 - dominance and, 216–218
 - helpers vs. breeders, 131
 - parental, 129, 134
 - precursors to, 130
 - regulation of, 130
 - relatedness and, 140
 - reproductive, 128–129
 - stress, 129
 - target tissues, 128
 - testis size and, 131
- inbreeding depression, 143–145, 149, 150, 152, 155, 184, 205
- incest and incest avoidance, 2–3, 40, 46, 59, 78, 82, 88, 90, 92, 96, 100, 142, 186, 202, 205, 236
 - demographic consequences of, 155
 - dispersal and, 150–151
 - extra-pair matings and, 142, 146, 147
 - hatchability and, 149, 236
 - in humans, 155
 - mechanisms of, 150–154
 - reproductive skew and, 154–155, 165–166, 169, 171, 172, 175
 - sex-biased dispersal and, 152
- inclusive fitness, *see* fitness benefits

292 Subject index

- incubation
 - communal nesting and, 177
 - nocturnal, 188, 189, 192
 - length, 123
- indicator species, 205
- individual quality, 41
- individual reproductive decisions, 60
- infanticide, 189, 190, 219, 233
- information sharing, 48
- interspecific feeding, 11
- intrinsic benefits, 52
- island endemics, 198
- joint nesting, 3, 83, 89–91, 149, 151, 154, 177, 232
 - male parental care and, 194
 - phylogenetic origins of, 177
 - sexual conflict in, 177
- juvenile helpers, 57
- keystone species, 205
- kidnapping, 55
- kin discrimination, 213, 222, 236
 - reproductive skew and, 174
- kin neighborhoods, 62, 63, 213, 224
- kin preferences, 55, 63
- kin selection, 3, 68, 75, 76, 79, 143, 226, 231
- leks, 94, 230
 - hidden, 83, 96–97, 100
 - paradox, 88
- levels of analysis, 3, 6, 234
- life-history traits, 1, 4, 6, 12, 36, 41, 63, 79, 80, 113, 213, 230, 233–234, 237
- lifetime reproductive success, 44
- load-lightening, 98, 221
- local mate competition, 45, 106, 109
- local resource competition, 106, 107, 112, 115
- local resource enhancement, 106, 107, 109, 112, 115
- luteinizing hormone, 131, 134–136, 140, 216
- marginal-habitat hypothesis, 50, 52
- mate choice, 88–89, 98–99
 - genetic benefits and, 96, 100
 - reproductive skew and, 164–165, 172
- mate guarding, 147, 186, 233
- mate limitation, 51
- mating systems, 81, 89–98, 229–230
- microsatellite markers, 65
- molecular sexing, 103
- monogamy, 82
 - exclusive, 83, 97–98
- multiple mating, 92, 219
- natal philopatry, 35–36, 167
- nepotism, 36–37, 40, 41, 43, 46, 212–214, 219
 - concession of food and, 42–43
 - defensive behavior and, 43–44
- roosting behavior and, 44
- survival and, 42
- vs. territory quality, 44–45
- optimal outbreeding, 143
- outbreeding depression, 143
- paired comparisons, 62
- parentage analysis, 1, 3, 228, *see also* DNA fingerprinting
- parental facilitation, 161, 175
- parental investment, extended, 36, 44
- parsimony reconstruction, 14
- paternity, 91
 - guards, 89, 99
 - shared, 95
- pay-to-stay, 49, 53, 68, 76, 100, 222
- peace incentives, 160
- phenotype matching, 154
- philopatry, benefits of, 3, 51–52, 59, 67, 212, 236
- phylogenetic analyses, 8, 16, 17, 19, 36, 38, 228
 - limitations of, 21–22
- phylogenetic history, 6, 13–15
- physiological constraints, 3, 10, 20
 - helping and, 69
- physiological ecology, 117
- plural breeding, 83, 92, 93
- polyandry, 82, 98
 - cooperative, 2
 - egalitarian, 94–95, 100
 - flexible, 95–96
- polygyny, 5, 82, 92, 169
 - egalitarian, 83, 90
 - flexible, 83, 92, 100
 - nest defense and, 93
 - opportunistic, 185
- polygyny, 82
 - resource defense, 94
- population bottleneck, 155, 190
- population structure, 65, 142
- power struggles, 50, 186
- predation, sociality and, 12
- prolactin, 130, 132–133, 136–140, 224–225
- promiscuity, 138
- psychological castration, 69, 122, 135
- queuing, 41, 52, 93, 161
- RAPDs, 90
- rent, payment of, *see* pay-to-stay
- repayment model, 106
- reproduction, costs of, 160, 216
- reproductive competition, 150–152, 155
- reproductive skew, 2, 3, 81, 100, 157, 177, 183, 194–196, 215–219, 226, 228, 233
 - age and, 168
 - assessment and, 173
 - bidding wars, 161

- bribery and, 160
- competitive ability and, 162
- compromise and synthetic models, 162–164
- concession models, 158–159, 215, 218–219
- confounding variables and, 165–167
- dynamic models, 161
- ecological constraints and, 196
- eviction and, 173
- female control and, 167, 175
- group productivity effect, 158
- group size and, 162, 173–175
- group stability and, 159
- incest avoidance and, 165–166, 169, 171, 172, 175
- incomplete control and, 162, 173, 219
- manipulation and, 161
- mate choice and, 164–165, 172
- mechanisms of, 216–218
- multiple paternity and, 168
- null models, 169
- relatedness and, 159–161, 163, 167
- restraint models, 158–159
- sexual conflict and, 164–165
- transactional models, 158–162
- tug-of-war model, 162–163
- work incentive model, 164
- reproductive suppression, 135, 136, 154, 194, 217, 218, 226
- reproductive vacancies, 151, 152
- residual reproductive value, 77
- resource defense, 213
- resource-holding potential, 42
- safe-haven hypothesis, 41, 50
- selfish-herd effect, 43, 48
- sentinels and sentinel behavior, 12, 121, 213
- sex-biased dispersal, 59
- sex determination, 102
- sex ratio, 2, 102
 - adult, 63, 94
 - avian life-cycles and, 105
 - conflicts of interest and, 115
 - evolutionarily stable strategy and, 104
 - facultative adjustment of, 106
 - frequency-dependent selection and, 104, 106
 - genetic conflict and, 104
 - kin competition and, 104
 - laying order and, 113–114
 - mate competition and, 107
 - mechanisms of adjustment, 104, 114
 - parental condition and, 104
 - primary, 103, 105, 107, 115
- pseudoreplication and, 107, 114
- repayment and, 106
- secondary, 103, 115
- sexual dimorphism and, 105, 106
- sibling competition and, 105, 106
- sexual conflict, 81, 88–89, 100, 188
- sexual dimorphism, reverse size, 95
- sexual monomorphism, 81
- sexual selection, 81, 234–235
- shortage of mates, 63
- siblicide, 105, 113
- sibling rivalry, 40
- simultaneous breeder–helpers, 58
- singular nesting, 83
- skew, *see* reproductive skew
- skills hypothesis, *see* experience hypothesis
- small-population paradigm, 198, 204
- social conflict, 42
- social prestige, 68
- sociality, origins of, 10
- South Africa, cooperative breeding in, 12, 39, 126, 233
- spatial autocorrelation, 52
 - of territory quality, 41
- sperm competition, 99
- sperm depletion, 89
- stay-and-foray, 52, 59, 63, 200–204
- staying incentives, 158, 160, 164
- supersaturation hypothesis, 63, 65, 194
- tannins, 118, 124
- territory
 - abandonment, 150
 - budding, 40, 52, 90, 201
 - inheritance, 40, 51–52, 153, 202, 204, 212
 - variation in quality, 41, 52
- testis size, 136
- testosterone, 129–132, 134–141, 216, 224
- thermoneutral zone, 124
- thermoregulation, 120
- umbrella species, 205
- unselected hypothesis, 2, 3, 6, 139
- vigilance, 43, 48, 121, 127, 210
- why delay?, 54
- why help?, 52–58, 219–225
- why stay?, 54
- winter social behavior, 55, 59–62