

## Index

Page numbers in italics refer to figures, bold to tables, and in ordinary type to text and boxes.

- A73 motorway 145
- AADT (Annual Average Daily Traffic Volumes) 183–4
- Aapa mires habitat **158**
- abiotic basis 141
  - processes 96, 110, 281
- Abruzzo National Park 108, 119
- academics consulted 224
- access 4, 34–5, 46–7, 146
  - public 24–6, 211, 296
  - rural 175, 177–85, 185–7, 255
- accident rates, rural roads 175
- ACIs (Areas of Conservation Interest) **226**, **242**
- Acrocephalus schoenobaenus* (sedge warbler) **140**
- Action Plan, Guadiamar 277–80, 286–7
- Action Theme (AT) 4, 151–3
- acquisition 293–4, 296
  - contaminated Guadiamar 275
  - Florida 76, 92–3, 227, 234, 237–50
  - Netherlands 148
  - North America 202, 211–13, 217
- adaptive management 43, 54–5, 279, 296–301
- Adda River 191
- administrative problems 264–5, 268, 295, 297–8
  - Gelderland 148–9
  - Italy 111–15, 123–7, 297
  - North America 206–10
- administratively protected areas **163**–5
- Adriatic coast 119–20
- Adirondack Mountains 51
- aesthetic purposes 35
- aesthetics 30
- Africa: wintering storks 17
- agencies' roles 243–4
- agriculture 14–16, 25–6, 29–30, 76, 152, **162**, 249–50
  - development of 8–12, 251–65
- with econet **36**, **87**, 188, 191–2, 195–9, 285–6
- farmers and conservation agencies 147–9
- intensive 10, 15–16, 32, 130, 167, **233**, 295
  - Italy 116, 118–19, 122, 129, 191–8
  - and isolation 4–5, 188–9, 255–6
  - losses 108–10, 115–19, 275
  - and population 260–4, 297–8
  - rural roads 177–8, 179–80
  - soils 254–6
  - terraces 109, 258
  - Yungas 251–9, 260–4
- Agrio River 271, 273–5
- Alcarayón River 271
- Alcedo atthis* (kingfisher) 60
- Alligator Alley 79–80
- Alopochen aegyptiacus* (Egyptian goose) 129
- alpine grassland habitat 157–8
- alpine scrub habitat 158
- alpine species 101–6, 197–9
- Alps 111, 123
- amelioration, rural road network 73–93, 171–87, 299
- amenity corridors 105
- American Greenways Program 52
- American Revolutionary War 40
- American Wildlands Project 292
- Americans Outdoors in the USA (1987) 34, 45, 51
- amphibians 3, 12, 19, 86–93, **140**–1, 172–3
- Amsterdam conference 1924 9
- Amsterdam Vondelpark 9
- analyses 43, 132–45, 154–6, 191, 252–4, 292
  - species-specific 94–6, 104–6, 292
- Anas clypeata* (shoveler) 130
- Anatolic species 101–6
- Andalusia, Western 270–89, 298

## 324 INDEX

- Andalusian Environmental Information System 280–4
- Andalusian Regional Government 275–6, 282
- Andean grassland 251–2, 266
- Andean taruca (*Hippocamelus antisensis*) 251
- Andes 10, 251–69
- Annual Average Daily Traffic Volumes (AADT) 183–4
- ANPA (National Agency for Environmental Protection, Italy) 113, 128, 131
- Anser anser* (greylag goose) 129
- anthropic matrix 189–90, 198–9
- Anthus campestris* (tawny pipit) 135
- Apalachicola National Forest 76, 85, 90, 230, 232, 234
- Apennine wolf 111
- Apennines 108, 111–13, 116, 122, 129
- APN (Argentina National Parks Administration) 265–8, 293
  - Rangers School 268
- aquatic ecosystems 225, 228–9, 283
  - see also water
- aquifer 92, 229, 275, 281–2
- Aquila chrysaetos* (golden eagle and royal eagle) 19, 111
- Aracena Natural Park 271–2
- ArcInfo software 224
- Arctic species 101–6
- ArcView 159, 253
  - spatial modelling 88–90
- Ardanchón River 271
- Ardea cinerea* (grey heron) 129
- Ardeola ralloides* (squacco heron) 129
- Area Metropolitana de Lisboa 38–40
- Areas of Conservation Interest (ACI) 226, 227, 242
- Argentina 251–69, 290, 293, 295, 297–8
- Argentina National Parks Administration (APN) 265–8, 293
- Arnhem 9
- arsenic 282
- Asio otus* (long-eared owl) 130
- assessment 213
  - continuity 115–22
  - Estonia habitat 152–3
  - Florida 224–30
  - LARCH and sustainability 133–7
  - need 94–5, 100–4, 292
  - Northern Italian Lowlands 191–8
  - PVA (Population Viability Analysis) model 57, 58, 71
  - species 56–72
- AT (Action Theme) 4, 151–3
- Atlantic Ocean 31
- Atlantic salmon (*Salmo salar*) 7, 33
- Atlantic species 101–6, 157
- Aucilla River Wildlife Management Area 85, 90
- Audubon reserves 227
- Australia 8, 292
- Austria 294
- avocado (*Persea americana*) 257
- Avon Park Bombing Range 232
- Aythya ferina* (pochard) 130
- Aznalcóllar mine spill 271–5, 280–9
- badger (*Meles meles*) 7, 97–8, 140, 143–4, 146
  - 'badger' landscape model 142
- balancing problem 268, 297–301
- Baltic Sea 160
- Baltic States 17–18
  - see also Estonia; Latvia; Lithuania
- bananas (*Musa spp.*) 258, 262–3
- banded demoiselle (*Calopteryx splendens*) 133
- Banff National Park 91
- Baritu National Park 252–3, 266, 268
- barnacle goose (*Branta leucopsis*) 98
- barren lands 192
- barriers 2–3, 12, 28–9, 31–2, 73
  - cultural 295
  - fencing 8, 12, 79, 116
  - fields 141
  - Italy 108–15, 119–27, 129
  - rivers 21, 116, 130–1
  - roads 8, 12, 32, 73–93, 122, 129, 135
  - rural roads 171–87, 295–6
  - and target species 132–7, 141–6
  - to species 19, 104–6, 129–32
    - see also disturbance
- basin cluster analysis 194–5
- bats (*Chiroptera*) 97–8, 141
- beaches, recreational 179–80
- beaver (*Castor canadensis*) 132
- beetles, see carabid beetles
- Beetsterzwaag 180–2
- Belgium 27, 101–4
- belt-type corridors 30
- Bentivoglio 146–9
- Bern Convention and Appendix 1 101–4, 152
- bicycle 35, 44–5, 214–16
- Big Bend 85, 232
- Big Cypress National Preserve 76–7, 80, 89, 232
- biocorridors 27, 31–2
- biodiversity 7, 118, 267, 275–8, 291–2
  - data 132–52, 160–3
  - and greenways 36–40, 130, 237–9
  - loss 10–11, 107, 188–9, 199, 222
- biogeographical data 153–7, 189
- biophysics 276, 282–4
- Biosphere Reserve 152, 288
- biotic processes 96–7, 110
- biotopes 23–5, 157, 159–65, 298
- birds 64–9, 87, 90, 157, 251
  - breeding 98, 172–3
  - focal species 59, 152, 163, 191–9
  - increase 129–30

- migration 4, 17, 19
- mosaic dispersal 41, 96, 98–**104**, 198
  - see also individual species*
- Birds Directive, Annex 1 101–4
- bittern (*Botaurus stellaris*) 130, **133**, 135–7
- black bear (*Ursus americanus floridanus*) 76–83, 85, **87**, 91, 243
  - roadkill reduction 238, 247–8
  - 'black spots' 171–87
- black woodpecker (*Dryocopus martius*) 197
- black-tailed godwit (*Limosa limosa*) 130
- black-winged stilt (*Himantopus himantopus*) 130
- Blackwater Creek State Forest 85, 90, 230, 232–6
- blanket bogs 157
- blue tit (*Parus caeruleus*) 196–8
- bog habitats **158**, **162**
- Bolivian migrants 262
- Bologna and Modena 128–31, 133–4, 136–7, 293
- Bonelli's warbler (*Phylloscopus bonelli*) 196
- Bonn Convention 101
- boreal, Baltic coast meadows priority habitat **158**, **160**, **162**
  - species 101–6, 156
- Boston 8–9, 49–50
- Boston Park System 49–50
- Botaurus stellaris* (bittern) 130, **133**, 135–7
- bottlenecks 135, 137, 148–9, 185, 213
- bottom-up approach 54, 146–50, 207, 241
- bottomland hardwoods 235
- boulevards 8, 49
- Branta leucopsis* (barnacle goose) 98 (*Branta bernicla*)
- Branta bernicla* (dark-bellied brent goose) 98
- breeding 12, 17–18, 46, 98, 264
- Breskens 179–80
- Brevard County 244–5
- bridges 80, 89–90, 120–2
- brook lamprey (*Lampetra planeri*) 135
- Brooklyn 8–9
- Brooksville Ridge 232
- brown bear (*Ursus arctos*) 111, 132
- Bubulcus ibis* (cattle egret) 129
- Buenos Aires 260
- Buffalo 49
- buffer zones 5, 23–8, 42, 167–8, 258, 298
  - data 87–91, 152–6
  - Florida 73, 246–7
  - Northern Italy 123, 188–99
    - and rural roads 171–4
- building 124, 130, 168
- building blocks 225–9
- bullfinch (*Pyrrhula pyrrhula*) 197
- Buteo buteo* (buzzard) 196
- butterflies (*Lepidoptera*) 60, 104–5, **140**
- buzzard (*Buteo buteo*) 196
- Cadzand 179–80
- calcareous grassland habitat **158**, 160
- Calgary 212
- Calilegua National Park 252–3, 257–8, 265
- Calopteryx splendens* (banded demoiselle) **133**
- Camp Blanding Military Training Site 85, 89
- Canada 10, 202
  - see also cities*; Lake Ontario; Oak Ridges Moraine; towns; states
- canals 2, 12, 28–29, 31, 35, 51, 94, 116
  - corridors 28–29, 35, 51, **87**, 94
    - Italy 129, 137–9
    - North America 200, 294
- Canis lupus* (wolf) 19, 132
  - see also* Apennine wolf
- cantons 294
- canyons 117
- Capreolus capreolus* (roe deer) 19, 181, 185
- captive breeding 105
- carabid beetles 104–5
- CARA (Conservation and Reinvestment Act) 244
- carbon sink 251
- carbonate for contamination 282
- Caricion davalliana* **158**
- CARL proposals 84
- carnivores 14, 73, 101–4, 111, 152
- carrying capacity 4, 23, 61–72, 116–17
- Castor canadensis* (bearer) 132
- cattle egret 129
- CBD (Convention on Biological Diversity) 8
- Central and Eastern Europe 9, 15–16, 101–6
- Central Europe 29
  - see also cities; states*
- Certhia brachydactyla* (short-toed tree creeper) 196
- Certhia familiaris* (tree creeper) 197
- Cervus elaphus* (red deer) 19, 132, 142
- Champs Elysées 8
- channels 44, 198
  - see also stream*
- Chassahowitzka National Wildlife Refuge 85, 89
- Chattanooga Greenways Task Force 204, 218
- Chattanooga, Tennessee 200–1, 203–6, 214–18, 220–1
- Chattanooga – Hamilton County greenways network 204–6, 216
- Chicago, Illinois 200–1, **205**, 208–10, **215**–21
- Chicago River **205**, 209–10
- Chiroptera* (bats) 97–8, 141
- Ciconia ciconia* (stork) 17–18
- Cigüeña River 271
- Cilento-Vallo di Diano Park 113
- Cladium mariscus* (common sedge) **158**
- Clands 98 87
- clearance roadside 91
- Cleveland 49
- cluster analyses 194–5, 197
- CNIG (Portuguese National GIS agency) data 39–40
- Coastal Barrier Resources Act 227

## 326 INDEX

- coastal 163, 227–36
- barriers 119–20
- ecosystems 227, 235
- lagoons habitat 162
- priorities 227
- coastal dunes
  - decalciﬁed ﬁxed priority habitat 158
  - habitat 158, 160, 162
  - road access to 179–80
  - with herbaceous vegetation priority habitat 158
  - with *Juniperus* priority habitat 158
- coastlines 3, 19, 154, 162–3, 168–9, 298
- corridors 28, 38–40, 49–50, 169
  - and roads 179–80
- coherence 1, 16, 23, 26, 28–32, 37–40
  - networks 133–7, 146, 151–70
  - patches 99–100
- Coleoptera* (beetles) 104–5
- collectivisation 11
- collisions 172–3, 180
- colonisation 18, 56–8, 100–1, 129–30
- Columba palumbus* (woodpigeon) 198
- Columbia River 205, 210–11
- common sedge (*Cladium mariscus*) 158
- common spadefoot (*Pelobates fuscus*) 141
- community 210–11, 296–301
  - trails 52
- commuting corridor 97–8, 105
- compatibility 45–6
- compensation 299
- compensative areas 15–16, 167–8
- complex cultivation habitat 157, 162
- complementary policies 299
- comprehensive approach 241, 246, 290
- conflict 14, 202, 265
  - avoidance 90, 293
  - rural roads 171–87, 295–6
- conjunction corridors 30, 123–4
- connectivity 1–6, 14, 16–20, 23–4, 26–31
  - analysis 101–6, 243, 264–5
  - assessment 61–2, 133–7, 140–50, 258
  - Europe 94–106, 271–3, 278–89
  - Florida 73–6, 79–91, 222–50
  - highways 82–5
  - Italy 107–27, 146–9, 190–9
  - string of beads 140–1
  - and sustainability 40–4, 54–5, 290–300
  - of USA greenways 34–55, 201, 220–1
  - Yungas 255–9, 264–5
- consensus building 244, 277
- conservation 13–14, 25–30, 246–7, 291–301
  - corridors 82–5, 94–106, 214–16, 230–6
  - easements 92–3, 227, 238–9, 246–9, 296
  - Florida 82–90, 222–50
  - Guadiana 276, 278–89
  - Italy 109–10, 132–50, 188–99
  - laws 287–9
- size 2, 14, 24–6, 111
  - mosaic 132–8, 141–6, 198, 201–3
  - strategies 188–99, 224, 237–50
- Conservation Fund 52, 223
- Conservation and Reinvestment Act (CARA) 244
- construction industry 240
- constructions 191, 225
  - habitat 157, 160–2, 225
  - see also* urban; urbanisation
- contamination 23, 273–5, 277–82, 286–9
- contiguous areas 76–9, 113, 123, 233
- Continental region 102
- Continental species 101–4
- continuity 112–15
- Continuum Natural 38
- contour densities *see* slope steepness
- contrast biocorridors 26
- control, land use 24–8, 115, 132, 296, 298
  - US 54, 92–3
- Convention on Biological Diversity (CBD) 8
- co-occurrence 290–1
  - hypothesis of 37–40, 54
- co-operation 54–5, 149–50, 201, 291–5
  - Guadiana 276
  - in implementation 201, 210–11, 291–5
- co-ordination 53–4, 147–8, 209–12, 244, 276–8, 286–7
  - centre, Aznalcollar 273
  - lack of 206–8, 217, 243–4
- Co-ordination Trust for Public Land 204, 218–19
- Co-ordination of Information on the Environment (CORINE) 101–6, 115, 153, 193–9
- copper (*Lycanea phleas*) 140
- Corbett Wildlife Management Area 232
- core areas 3–5, 18, 23–8, 291
  - data 152–6
  - Estonia 169
  - Florida 84–93, 230–6
  - forest 100, 188–99
  - Italy 138–9, 144, 147, 190–9
  - Netherlands 132–7, 180–2, 182–5
  - rural roads 171–3
  - see also* hub
- CORINE (Co-ordination of Information on the Environment) 101–6, 115, 153, 193–9
  - hydrographic basins 103–9, 193–4
  - Landcover database 115, 153, 156–60
- cormorant (*Phalacrocorax carbo*) 130
- corridors 2–5, 15–16, 36–40, 49–55
  - aesthetics of 29, 35
  - belt-shaped 30
  - coastlines 28, 38–40
  - commuting 97–8, 105
  - conjunction 30
  - conservation 83–91, 94–106, 214–16, 230–6, 242–3
  - continuous 26, 30

- data 152–3
- design 128, 191–3
- dispersal 16–20, 95–106
- ecology 26–31, 35–7, 168–9
- education 29, 38, 126, 214–16, 246
  - support 286, 294
- European 94–106, 182–5, 190
- Florida 73–93
  - forest 28, 94, 100, 130, 137–46
  - functions 29–31, 94–106
  - Green, Guadianar 275–83
  - interrupted 26, 41, 73–93, 255–9
  - management 28–30, 38, 51, 104–6, 132, 152
    - Bologna 137–8, 145–9
  - matrix 195–9, 255–9
  - migration 42, 73, 84–6, 96–8, 101–4, 288
  - modal 26
  - parallel 173–4
  - physical structures 28–31, 35, 129–50
    - see also* canals; culverts; earth dikes; hedgerow; power lines; stone walls
  - planning 38–40, 42–8, 247–8
  - potential 192–9, 243
  - rivers 20–5, 28–29, 38–40, 43–4, 270–89
    - Guadianar 278–86
    - priorities 86–93
  - and rural roads 171–2, 182–5
  - stream valleys 30, 38–40, 43–4, 87, 137–9, 278–96
  - topography 30, 86–93, 94, 111, 114–17, 283–4
  - transverse 30, 138, 145, 173–4
  - typology 30, 95–106
  - upland Italy 112, 115–24
  - water flow 30, 43–4
  - watercourses 28, 41, 105, 144–6, 160
  - width 84, 137–8, 141, 145–6, 230
    - see also* contrast biocorridors; ecological networks; greenways
  - cost-effective 105, 110–13
  - costs 18, 122–3, 175, 199, 239–42, 246–7
  - Coturnix coturnix* (quail) 133
  - county 168, 244–5
  - ‘crested newt’ landscape model 140–2
  - crested tit (*Parus cristatus*) 196–7
  - croplands 225, 233, 255–9, 260–4, 267–9
  - crops 272–3, 275, 279
    - subsistence 255, 265
  - crossbill (*Loxia curvirostra*) 197
  - crossings 32, 149, 184–5
    - collisions 172–4, 180–6
    - structures 73–93, 129–30
  - crowberry (*Empetrum nigrum*) 158
  - CSIC (Higher Council for Scientific Research, Spain) 277, 282
  - culture 287–9, 291–8
    - and ecology 5–6, 13–14, 107–27, 168–70, 292
  - and history 168–70, 270–89, 292–5
  - Kolla 265–8
  - and landscape 1–6, 13, 29–33, 35–40, 44
  - and nature 107–27
    - resources 39–40, 54, 107–27
  - culverts 81, 89–90, 93
  - Cygnus olor* (mute swan) 130
  - cypress swamp 230, 235
  - Czech Republic 2, 11, 17–18, 26, 31, 292
    - dams 3, 19, 44, 130
  - Danube River 8
  - data 43, 87–91, 156–65, 191–3, 252–4
    - LARCH 63–4
    - PEEN (Pan-European Ecological Network) 152–6
  - DDRs (Donated Development Rights) 92, 296
  - decalcified fixed priority habitat 158
  - decentralisation 293–5
    - see also* local
  - decision tools, networks 154–6
  - deer 7
    - see also* Florida key deer; red deer; roe deer
  - degradation 76, 111, 116–19, 238, 288
    - and Guadianar River 270, 272
    - possible 201, 301
    - sub-tropical forest 251–9
  - delta 116
  - demarcation systems 288
  - Dendrocopos major* (greater spotted woodpecker) 196
  - Dendrocopos medius* (middle spotted woodpecker) 99
  - Denmark 24, 290, 292, 294–6, 298–9
    - biotypes 101–4
    - conservation in planning 14
    - farmers 10, 295
  - DEP (Department of Environmental Protection, Florida) 223, 237, 243, 246–7
  - desert 48
  - design 222–50, 236, 267–8, 296–301
    - defragmentation 110, 123–7
    - Estonia 165–70
    - Guadianar corridor 277–81, 286–7
    - and implementation 128–50, 151–70, 204–13, 291–5
    - national differences 26
    - of roads 54, 78–9, 84, 91–3, 171–87
    - of trails 211
  - destabilisation of landscapes 14–17
  - detrivores 20, 43
  - development 113, 217, 237–9, 248–9
    - buffers 73
    - economic 126–7, 260–4, 276, 293–6
    - regional 152, 168
    - social 109–11, 276, 284–6, 294
  - diffusion 27–8, 30

## 328 INDEX

- Digitised Map of Ecological Regions in Europe (DMEER) 156
- Directive 92/43 288
- discharge 44, 272
- discontinuous urban habitat 160
- discriminate analysis 194–7
- disease 30–1, 41, 189
- dispersal 2–5, 16–20, 104–6, 270
  - and corridors 30–1, 41–2, 73, 95, 98–106
  - one-step 99–100
  - range expansion 100
  - reproduction 100
- costs 18
- distance 60, 69, 100–2, 105–6
- indicator species 59–60, 64–71, 137
- mechanism 104–6
- model 138–46
  - rural roads 84–5, 174
- dissection 12, 171–87, 255
- disseminating results 149–50
- distribution 100, 105–6, 192–9, 288
  - pattern 50–1
- distribution-data-based approach 57–8, 155
- disturbance 30, 41, 44–7, 73, 174
  - abiotic 30, 43, 110
- Florida 226
  - human 28, 91, 118–22, 129, 201
  - light 12, 116, 119, 131, 172
  - noise 12, 131, 172–4, 182
    - Italy 116, 119–20, 122
  - trails 47, 132
  - Yungas 258
- diversity 146, 160–3, 291, 300
- dividing concept 9
- DMEER (Digitised Map of Ecological Regions in Europe) 156
- dogs 47
- Doñana National Park 270–2, 276–9, 288–9
- Donated Development Rights (DDRs) 92, 296
- Donkerbroek 182–5
- DOT (Department of Transportation, Florida) 73–4, 80, 82–6, 223, 237–9
- Drachten 180–2
- dragonflies 141
- drainage 8, 32, 37, 141
- driver visibility 91
- Dryocopus martius* (black woodpecker) 197–9
- dykes 129
- dynamic systems 23, 223, 289
  - landscape 4, 15, 24–5
  - rivers 4, 20–3, 223, 280–1
- earth dikes 272, 273, 292, 298
- Eastern and Central Europe 9, 101–6, 157
- Eastern Europe 14–16, 165, 297
  - see also cities; states
- ecoducts 32–3, 79, 122, 130–1
- ecological, corridors definition 27–8
  - illiteracy 213–14, 295–8
  - impact models 71
  - planning landscape 2, 13–24, 200–21, 223–36
- Ecological Network Action Plan, Italy 113
- ecological networks 3–33, 35–6, 42, 296–301
  - assessment 56, 59–60, 64, 115–24, 137–46, 242
  - comprehensive 290
  - design 132–49, 151–70, 190–9, 223, 236
  - Europe 123–4, 151–70, 287–9, 291
  - functions 56–71, 200–3
  - Guadiana River 270–89
  - implementation 124–6, 146–50, 200–21, 223
  - rural roads 171–87
  - selective 290
  - Yungas 251–68
    - see also planning
- Ecologically Scaled Landscape Indices (ESLIs) 56, 58–72
- econet see ecological networks
- economic benefit 42, 46–7, 171, 199, 214–16, 276–8
- Economic Benefits of Parks and Open Space 46
- economics 293–4
  - Yungas 251, 259–60, 262–5
- ecostabilisation 14–16
- ecosystems 1, 2, 20–3, 132–3, 246–7
- ecotones 16, 23–4, 28–9, 87
  - Italy 123, 137–9
- ecotourism 190
  - see also tourism
- Ecuador, bananas imported to Argentina 263
- edge effects 76, 88, 133, 201, 225, 233
- edges 298
- education 29, 38, 126, 214–16, 246
  - and support 286–8, 294, 297
- efficiency, spatial 46–7, 290–1
- Efficient Units of Environmental Continuity (EUEC) 111
- Eglin Air Force Base 85, 90, 230, 232, 234
- Egretta alba* (great white egret) 130
- Egretta garzetta* (little egret) 130
- Egyptian goose (*Alopochen aegyptiacus*) 129
- Eifel Forest 99
- El Nogalar Provincial Park 268
- Elbe River 8
- elevation data 156
- Emerald Necklace 9, 49
- Emerald Network 8, 101–4, 152
- Emilia-Romagna, Mountains 129
  - river corridors 145
- empirical assessment 57–8
- employment, Yungas public sector 262–4
- Empetrum nigrum* (crowberry) 158
- endangered species 101, 110, 161, 169–70
  - Florida, 87–8, 222, 234–6, 246

- endurance 149
- energetics, rivers 20, 280–4
- England 9
- enhancement money 247–8
- Entremuros 272–5
- ENVI2.7 software 191
- environmental, community 108, 301
  - conservation 13–14
  - continuity 108–27, 290–1
  - education 214–16, 286–8, 294
  - gradients 28
- Environmental Cultural Study 1976, Georgia 38
- Environmental Education and Communication Programme 286
- Environmental Information System, Guadiana subsystem 278–80, 282
- Environmentally Endangered Lands Program 245
- Environmentally Sensitive Areas (ESAs) 299
- Erdas Image 253
- erosion 14–15, 272
- ESAs (Environmentally Sensitive Areas) 299
- ESLIs (Ecologically Scaled Landscape Indices) 56, 58–72
- ESRIs 88, 224–30
- Estate San Andres 266–8
- Estate Santiago 266–8
- Estonia 26–7, 101–4, 292, 299
  - econet 155, 159–65, 165–70, 290
- Estonia Environmental Action Plan 168
- Estonia Environmental Strategy 168
- Estonia-Vision 2010 168–70
- estuaries 49–50, 158
- Etonia Creek State Forest 85, 89
- eucalyptus 258
- EUEC (Efficient Units of Environmental Continuity) 111
- EUNIS (European Nature Information System) 153–4
- Europe 9–10, 12–14
  - corridors 7–33, 94–106, 295
  - National Parks 24–5
  - planning 146–50, 151–3, 292–5
- European Commission Agricultural and Environmental Policy funding 129
- European Environment Agency 156
- European importance 151–3
- European Nature Information System (EUNIS) 153–4
- European polecat (*Putorius putorius*) 133
- European Spatial Development Perspective 14
- European stork (*Ciconia ciconia*) 17–18
- European Topic Centre on Nature Conservation 156
- European Union agri-environmental funding 286
- European Union Forestry funding 286
- European Union Habitats and Species Directive 4, 27, 42, 101–4, 152, 288
- Everglades – Big Cypress region 76–7, 80, 89, 232, 234, 244
- evolution potential 223
- exotic species 30–1, 41, 76, 78, 201
- expert 293
- expert decisions 153–6, 159, 161, 163, 168–70
- extinction 20, 64–70, 132, 280
  - islands 189–90
  - local 56–7, 189
  - risk 12, 18, 62–3
- 1000 Friends of Florida 223, 241, 244
- 2040 Framework 214
- Falco vespertinus* (red-footed falcon) 129
- FAO (Food and Agriculture Organization of the United Nations) 156
- farms 10–11, 292, 298–9
- FDEP (Florida Department of Environmental Protection) 223, 237, 243, 246–7
- FDOT (Florida Department of Transportation) 73–4, 80, 82–6, 223, 237–9
- features in prioritisation 86–90
- federal authorities 213, 224, 234–6, 244
- feeding optimisation 20–1
- Felis concolor coryi* (Florida panther) 76–9, 87, 91, 222, 242–3
- road density 228, 238, 247–8
- fencing 8, 12, 116, 186–7
  - directional 31–2, 79–90, 92, 143, 247–8
  - use 8
- FEN (Florida Ecological Network) 224, 232, 234–50, 292–3
- fens, calcareous 158
- habitat 158, 162
- FGP 1999 (Florida Greenways Plan 1999) 84, 92–3, 242–4, 248–50
- FGPT (University of Florida Greenways Planning Team) 84, 223–30
- fields 88–90, 147, 155, 157, 162
- Fifth Amendment to the Constitution, USA 239–40
- filter-feeders 20
- finance 119, 259–64, 298–9
- Finland 101–4
- fire 30, 73, 84–5, 266
- firecrest (*Regulus ignicapillus*) 197
- fish 3, 31–3, 44, 90, 141–6
  - migration 19–22, 32–3, 98, 101–4
- Fisheating Creek 232
- fishing 152, 190
- Flanders 26, 296–8
- Flemish Ecological Network 26
- flood control 45–7, 49–50, 84–5
- flood pulse concept 21
- floodplain 11, 21, 44, 99–100, 144–9
  - Bologna and Modena 129–39, 144–8
  - Florida 90, 92, 229, 233
- Guadiana 270, 272–4, 278, 280–1, 284

## 330 INDEX

- Florida 73–93, 222–50, 290
  - Audubon Society (Florida Forever) 239, 241, 244–6, 248
  - black bear (*Ursus americanus floridanus*) 76–83, 85, 87, 91, 222, 242–3
  - road density 228, 238–9, 247–8
  - Department of Environmental Protection (DEP or FDEP) 80, 223, 237, 243, 246–7
  - Department of Transportation (DOT or FDOT) 73–4, 82–6, 223, 237–9
  - Ecological Network (FEN) 224, 232, 234–50, 292–3
  - Fish and Wildlife Conservation Commission (FWC) 80–3, 225–9, 236, 242, 248–50
  - hotspots 226, 242
  - Fish and Wildlife Conservation Committee – Strategic Habitats Conservation Areas (FWCC–SHCAs) 87–91, 225–7, 242, 245
  - Forever (Florida Audubon Society) 85–6, 239, 241, 244–8
  - Advisory Committee 246
  - Game and Fresh Water Fish Conservation Commission *see* Florida Fish and Wildlife Conservation Commission (FWC)
  - GAP analysis 85–91, 248
  - Greenways Commission 30, 45–6, 224
  - Greenways Coordinating Council 224
  - Greenways Network Plan (FGP 1999) 84, 92–3, 242–4, 248–50
  - Greenways Program 223
  - Growth Management Study Commission 240–1, 248–9
  - key deer 87, 91
  - Natural Areas Inventory (FNAI) 87, 226–7, 229, 236, 242
    - Potential Natural Areas (PNAs) 226–7, 229, 233, 242
    - panther (*Felis concolor coryi*) 76–9, 87, 91, 222, 242–3
    - road density 228, 238–9, 247–8
  - Statewide Greenways Network Planning Project 82–93, 236, 242–4
    - Transportation Plan 1995 *see* FDOT
  - Florida's Legacy 246
  - fluctuation, population 2, 19, 28
  - flying, migration 3, 19, 102, 130
    - species 3, 19, 140
  - FNAI (Florida Natural Areas Inventory) 87, 226–7, 229, 236
    - PNA (Potential Natural Area) 226–7, 229, 233, 242
  - focal species 132–48, 188–99
    - Florida 86–7, 225–6, 229, 232, 242–3
  - Food and Agriculture Organization of the United Nations (FAO) 156
  - food chain 43–4
  - foothill ecotone 137–9
  - foraging 7, 17, 30, 91, 140
  - forest 49–50, 97, 152–4, 169, 190, 287–8
    - ancient oak 99
    - assessment 59, 64–72, 101–6, 132–7, 140, 253
    - British upland 11
    - broad-leaved 147
      - habitat 87, 156–7, 162, 188, 191–7, 235
        - on peat habitat 157, 162
      - changes 10, 223
      - coniferous habitat 158, 162, 235, 279
      - coniferous on peat habitat 158, 162
      - corridors 23, 28, 94, 100, 137–46
      - deciduous 61
    - Denmark 295
    - Florida 76, 78–9, 87, 92, 222, 226–30
    - Italy 108–9, 115–19, 137
      - Northern Lowland Project 188–99
    - loss 5, 11–15, 23, 251–9, 266–7, 272–3
    - matrix 255–6
    - Mediterranean 272–3, 279, 285
      - Mediterranean pine with endemic black pine priority habitat 158
    - mineral soil habitat 16
    - mixed and coniferous 191–7, 227–35
      - mixed habitat 157, 230
    - montane 252
    - mountain coniferous habitat 158
    - mountain endemic with *Juniperus* priority habitat 158
    - mountain mixed habitat 157
    - National Parks 25–7
    - native 253, 255
    - natural 24, 251–9
    - Netherlands 11, 130–1, 134–7, 179–85
    - old-growth 5, 23, 71
    - panthers 78, 251
    - peat soil habitat 16
    - piedmont 252, 258, 266
    - plantation 5, 23–4, 31, 230, 255, 257–8
      - habitat 157, 162, 195, 197, 225
    - reserves 219
    - species 97, 101–6, 191–5, 251
      - subtropical 251–9, 265–6
      - tropical 230, 235
      - upland, Britain 11
    - Forest Conservation Act, Tennessee 216
    - Forest Districts, Illinois 208
    - Forest Parks, USA 48
    - fractal dimension 58
    - fragmentation 4–5, 12–13, 41, 57–60, 301
      - assessment 63, 71, 110, 120, 251–69
      - Florida 76–9, 222, 240–1, 247, 249
      - Gelderland 130–7
      - Italy 109–27, 129, 133–7, 188–90, 195–7
      - linear 119–22

- Mediterranean forest 272–3, 279, 285
  - and mosaics 94, 99–100, 270, 280–1
  - rural roads 171–87
  - frameworks 3–6, 16, 214, 291
  - France 25–6, 298
  - Friends of the Chicago River 209–10
  - Friesland 180–5
  - fruit trees 109, 157, 255, 257–8
    - see also species*
  - functional 4–5, 9, 13–14
    - corridors 29–31, 36, 43–50, 82–5, 96–7
    - habitat patches 13, 60–2
    - network analysis 59–72
    - zoning 13–16, 165, 167
  - funding 243, 247–8, 290, 298–9
    - European 106, 129, 138, 147–50, 285–6
    - public and private 201, 204–13, 217–19, 276
      - of trails 211
      - transportation infrastructure 247–8
  - FWC (Florida Fish and Wildlife Conservation Commission) 80–3, 225–9, 236, 242, 248–50
  - hotspots 226, 229, 233
  - FWC–SHCA (Florida Fish and Wildlife Conservation Committee Strategic Habitats Conservation Areas) 87–9, 225–7, 242, 245
  - Galápagos 4
  - garden centres 12
  - garden warbler (*Sylvia borin*) 195–9
  - Gargano Park 112–13
  - Garrulus glandarius* (jay) 196
  - Gelderland 128, 130–7, 146–51, 293
    - species-related model 138–46
  - Generation 3 greenway 216
  - genetics 18, 19, 29–30, 42, 83–4
    - exchange 96, 173, 188, 288
  - geology 43
  - geomorphology 25–6, 111, 114–18, 283–4
  - Georgia 204–6, 216
    - Department of Natural Resources 38
  - Gerdyksterwei 180–2
  - Germany 14–15, 99, 176, 286, 294, 296
    - biotypes 101–4
    - flora 130
    - migrants 17–18, 99
    - National Parks 25–7, 296
  - GFC habitat 87
  - GIS applications 111, 191, 253–4
    - Florida Greenways model 223–30
    - techniques 58–9, 71, 155, 168
  - glacier habitat 158
  - goldcrest (*Regulus regulus*) 196–7
  - golden eagle (*Aquila chrysaetos*) 19
  - golden oriole (*Oriolus oriolus*) 198
  - GORredijk 180–2
  - Gran Sasso – Monti della Laga Park 113
  - Grand Canyon National Park 51
  - grass dykes 129, 138
  - grass snake (*Natrix natrix*) 141
  - grass-roots 204–6, 224, 277
    - support 4, 148–9, 217–21, 292–301
  - grassland 116, 118–19, 129, 140, 169
    - alpine 157–8
    - Andean 251–2
    - calcareous 158
    - habitats 97, 135, 140
      - PEEN values 157–8, 160, 162, 168
    - moist habitat 157, 160, 162
    - oligotrophic 140–6
      - and rat-run traffic 182–5
    - species 11, 59, 64–72, 97
      - target 101–6, 132–7
  - Great Britain 11, 25–6, 299
  - great crested newt (*Triturus cristatus*) 135–6, 140
  - Great Lakes 204–5
  - greater spotted woodpecker (*Dendrocopos major*) 196
  - great spotted woodpecker (*Picoides major*) 192, 198
  - great white egret (*Egretta alba*) 130
  - Greater Toronto Bioregion 203–5, 211–15
  - Greece 10, 25–6, 101–4
  - green belt 9, 29, 35, 48
    - Green Connections Forum 131, 147–9
    - Green Corridor 271–89
    - Green Swamp 85, 89, 232
    - green urban habitat 160
    - green woodpecker (*Picus viridis*) 192, 196
  - Greenline reserves 51
  - greenways 3–6, 34–55, 291, 294–5
    - co-occurrence 37–40, 290–1
    - corridors 29, 32, 84–91
    - definition 3–4, 34–7, 84
    - Florida 73–93, 222–50
      - history 8–9, 45, 48–51, 202
      - inventory 52
      - metropolitan 8–9, 124, 200–21, 294
      - typology 35–7
    - Greenways Advisory Committees, Toronto 213
    - Greenways and Natural Areas Collaborative (1997) 207
    - Greenways for the Southeast Tennessee River Valley (1995) 204–6
    - grey heron (*Ardea cinerea*) 129
    - greylag goose (*Anser anser*) 129
    - grey wagtail (*Motacilla cinerea*) 196
    - Groede 179–80
    - groves 11, 130, 255, 287–9, 288
    - growth management 214–15, 240–1, 247–50
    - Growth Management Study Commission 240–1, 248
    - Guadalquivir River junction 271–2
    - Guadiana River ecological network 23, 270–89
    - guidelines 54, 91–2, 152, 188
    - Gulf Coast 232, 234

## 332 INDEX

- habitat 54, 79, 97, 195, 246–7
  - in assessment 60–2, 65–7, 90, 101–4, 141–6
  - birds 191–9
  - classification systems 64–71, 154–70, 226–35
  - destruction 58, 172, 255–9
  - dissection 12, 73–6, 180, 255
  - disturbance 12, 73, 76
  - large organisms 102, 156
  - loss 4–13, 23–4, 73, 76–9, 222–3, 248–50
    - roads 172, 238, 240
  - mapping 152–70, 191–9, 225–36
  - native 223–5, 230, 233, 235, 242
  - network 60–3, 96–106, 140–9, 232–6
  - quality 4, 20–1, 23, 40, 172–4, 246–7
  - retention 29, 163, 235, 242, 299–301
  - specialists 73, 83–4
  - variation 130, 146, 155, 161–3, 192–9
- Habitats and Species Directive 4, 27, 42, 101–4, 152, 288
- harbour islands 49–50
- Haule 182–5
- Haulerwijk 182–5
- health 44–5, 275, 290, 301
- heat island 46–7
- heath habitat 158, 162
- heath and shrub habitat 158
- heathland 64–70, 134–7, 140
- heavy metals 273–5, 280–4, 287
- hedgerow 12, 19, 31, 129, 298–9
  - corridors 28, 42, 94, 100
  - Italy 129, 137–8, 142, 147, 196–9
  - Netherlands 11, 137
  - riparian zones 12, 19
- Hennepin Community Works 208
- herbivores 101–4
- herons (*Ardea* spp., *Ardeola* spp.) 129, 137
- herpetofauna 90, 101–4
- heterogeneity of landscape 13
- heterosis 18
- Higher Council for Scientific Research, Spain (CSIC) 277, 282
- highway–greenway interfaces 84–93
  - Highway–Greenway Interfaces, Identification and Prioritisation of 82, 85–93
- highways 61, 110, 120–2, 131
  - elevated 247–8
  - mortality 73, 77–93, 185, 247–8
  - rural 172–7, 177–85, 185–7
- Hiiumaa 167
- Himantopus himantopus* (black-winged stilt) 130
- Hippocamelus antisensis* (Andean taruca) 251
- Hippolais polyglotta* (melodious warbler) 196–8
- historic preservation 109–13, 198–9
- history, nature conservation 8–9, 292
- holm oak (*Quercus ilex*) 272–3
- home range 12, 16–17, 71, 124–6, 195
  - and size 111, 132–7
- homing fish 21–2
- homogenisation 12
- honesty 297
- honey buzzard (*Pernis apivorus*) 196
- horses 12, 47
- hotspots 86, 90, 226, 233, 267–8
- housing 147
- hub 84–91, 224–5
  - linkage 85–91, 114–15, 229–30, 233–6
- human 30–1, 91, 122–7, 297–301
  - dominance 1–6, 43–4, 243, 300
  - migration 240, 260–3
  - movement 40, 47, 290–2
    - rural roads 171–87
  - needs 45–8, 108–9, 290, 293–5
  - population density 14, 24–5, 28–9, 52, 130
  - population growth 207–8, 210, 260–3
    - Florida 73–6, 222–3, 238, 240–3, 249–50
- Hungary 17–18, 28, 299
- hunting 190, 258
- hydrographic basin 193–9
- hydrology 43–4, 49, 73, 115–17, 291
- hydromorphology 108, 115–17
- Hyla arborea* (tree frog) 141
- hypothesis of co-occurrence 37–40, 54
- IBA (Important Bird Areas) 152, 163
- ide (*Leuciscus idus*) 140
- ‘ide’ landscape model 143
- Identification and Prioritisation of
  - Highway–Greenway Interfaces 82, 85–93
- IGBP-DIS (International Geosphere–Biosphere Programme Data and Information System) 157
- immigration, rate 29–30, 63, 249–50, 262
- implementation 106, 199, 292–8
  - Bologna, Modena and Gelderland 128–50
  - Estonia 168–70
  - Florida greenways 222–50
  - Green Corridor 275–87
  - North American greenways 200–21
- Important Bird Area (IBA) 152, 163
- Important Plant Area (IPA) 152
- improved land 225
- inbreeding 18, 29–30, 78, 189, 270
- Inca communities’ tradition 266–8
- indicators 155, 163
  - fragmentation 115, 118–20
  - species 59–61, 155–6, 199
- Indigenous Protected Lands 265
- industrial areas 110–13, 167, 225
- infrared sensors 79
- infrastructure 24, 46, 88, 110–13, 123–4, 247
  - networks 5, 104–6, 116, 147, 291, 295–6, 299
- inland dunes habitat 158, 160, 162, 227
- inland waters 158, 160, 162–3
- insects 31, 59–69, 104–5, 172–3

- institutional structures 214, 216–19
- insufficient data 42–3, 46, 55, 228, 236, 292
- INTA (National Institute for Agricultural Technology, Argentina) 253, 269
- integration 27, 50–1, 237–50, 293–6, 298–9
  - approach 9, 13–14, 46, 130, 222, 241
  - conservation and transport planning 73–93
  - ecology and physical planning 113–15, 119, 146–9, 209
  - Guadiamar systems 276–86
  - land acquisition 222, 227, 241–2
  - nature and culture 107–27, 270–2
  - PEEN policy 152
  - rural roads 176–87, 299
  - state reserve system 236–50
- intensive land use 7, 10, 15–16, 130, 167, 233, 295
  - Italy 116, 122, 129, 198
- intensification 12, 15–16, 31–2
  - see also* agriculture
- interagency co-operation 243–6, 298–300
- Intermodal Transportation Efficiency Act (ISTEA) 223
- International Geosphere–Biosphere Programme Data and Information System (IGBP–DIS) 157
- international level 8, 291–2, 299–301
- International Seminar on Ecological Corridors and Restoration of Rivers and Riparian Zone 277, 287
- International Union for the Conservation of Nature and Natural Resources *see* IUCN
- interpretation, cultural resources 39–40
- intersections 90–3
- Interstate 75, 77, 79–80, 247
- inventory of greenways 52
- invertebrates 43, 95, 104–6
- involvement 47
- IPA (Important Plant Area) 152–3
- Ireland 293, 295
- irrigation 251, 267–8, 272–3
- Iruya departments 252–3, 257–64
- island theory 94
- isolation 1–5, 10–13, 24–5, 188–90
  - breakdown 30–1, 135–7
  - Doñana 270, 276
  - Florida 243, 248–50
  - road barriers 78, 83–4
  - Yungas 255
- ISTEA (Intermodal Transportation Efficiency Act) 223
- Italian crested newt (*Triturus carnifex*) 133, 134
  - ‘crested newt’ landscape model 140–2
- Italian Northern Lowland forest project 191–9
- Italy 107–27, 188–99, 292–4, 297
  - National Parks 25–6, 108
  - see also* Bologna and Modena
- IUCN (World Conservation Union) 25–7, 29, 288, 296
- jaguar (*Panthera onca*) 251, 268, 295
- jay (*Garrulus glandarius*) 196
- Jujuy 253, 256, 259–64, 268, 295
- Jungle, montane 252
- juniper tree (*Juniperus*) 158
- Juniperus* (juniper tree) 158
- Kansas City 49
- Kernel procedure 195–7
- key deer *see* Florida key deer
- key patch 58–9, 62–72
- key population 62
- key species 58, 60–4, 65–70
- key systems in planning 22–3
- kingfisher (*Alcedo atthis*) 60
- Kissimmee River 231–2
- knowledge, incremental 43
- Kolla people 266–8
- Lacerta agilis* (sand lizard) 65–70
- Laidevaha Bay 165
- Lake
  - Michigan 205
  - Okeechobee 232, 234
  - Ontario 201, 203–5, 211–13
    - Greenways Strategy (LOGS) 205, 212–13
  - Peipsi 160
  - Simcoe 212
  - Wales Ridge 85, 89, 232, 237
- lakes 42, 87, 163, 169, 230, 298
- Lampetra planeri* (brook lamprey) 135
- land cover borders 159, 162–3
- Land Trust Alliance 1999 246
- land use 14–16, 249–50, 291–301
  - change 1–4, 54–5, 75–6, 114–18, 223, 290
    - Yungas 251–9
  - focal species 191–9
  - mosaic 94
  - multiple 146
  - planning 152, 240–1, 294–8
  - restrictions 24–8, 115, 132, 296, 298
    - US 54, 92–3
  - survey 191–3, 252–4
  - traditional 24–6, 29, 108–9
- Land and Water Conservation Fund 244
- Länder 294
- Landsat TM survey 191–3, 252–4
- landscape, cultural 1–6, 57, 107–27, 292
  - destabilisation 14–17
  - ecological planning 2, 13–23, 107–27, 291–5
  - functioning 14, 128–50
  - heterogeneous 13, 94–7
  - indices assessment 57–72
  - linkage 29, 54, 94–106, 128–50, 223–30

## 334 INDEX

- landscape, cultural (*cont.*)
  - model 138–46
  - resources 286
  - types, Florida 229–30
  - values 87–91, 155–6
- Landscape Cohesion Assessment (LCA) 56, 57, 58–9
- Landscape ecological Analysis and Rules for the Configuration of Habitat *see LARCH*
- Lanius collaris* (red-backed shrike) 132, 198
- lapwing (*Vanellus vanellus*) 130
- L'Aquila 114, 119
- LARCH (Landscape ecological Analysis and Rules for the Configuration of Habitat) 64–72, 132–7
- Large Carnivore Initiative 152
- large copper butterfly (*Lycaena dispar*) 135
- Latvia 101–4
- leadership 206, 211, 217–21, 244
- LCA (Landscape Cohesion Approach) 56, 57, 58–9
- least cost path 230
- Ledesma, central 252–3, 255–8, 260–4
- leisure activities 160, 285–6
- length, ecological networks 205
- Lepidoptera* (butterflies) 60, 104–5, 135, 140
- Leuciscus idus* (ide) 140
  - ‘ide’ landscape model 143
- levels, of government 123–7, 130–1, 146, 201–2, 216–20, 291–2
- national 151–70
  - see also* county; local; municipalities; province; regional
- Limenites camilla* (white admiral) 140
- limited management zone 152, 163
- Limosa limosa* (black-tailed godwit) 130
- linear elements 20–4, 42, 54–5, 288, 298–301
  - density 24–7, 35, 163
  - Italy 129–37, 137, 137–46
  - metropolitan open space 34–55, 73, 294
- linkage 2–6, 7–8, 19–21, 34–5, 293–5
  - compensative zones 16
  - Florida 84–91, 223–5, 229–36, 242–7
  - frameworks 3–6, 16, 214, 291
  - function 15, 28–32, 295–301
  - greenways 34–55, 83–93, 171, 214–16
  - Guadiamar 270–89
    - Italy 112–15, 118–24, 132–50
    - landscape 30, 54, 94–106, 128–50, 223–30
    - lateral 21, 23–4
    - longitudinal 21, 22–3, 26–32, 34–7, 43–51
      - birds 96
    - organisational 54
  - Lisbon, Metropolitan Region 38–40
    - North Bank 39–40
  - Lithuania 101–4, 290, 298
  - little egret (*Egretta garzetta*) 130
  - little owl (*Athene noctua*) 141
  - littoral habitat 158, 160
  - lizard 140
- local 46–8, 146–50, 201, 289, 291–301
  - concerns 146–9, 170, 209–11, 218–21
    - Italy 123, 126–7, 128, 131
  - Florida 224, 241–50
    - Minnesota 207, 218
    - support 4, 37–40, 51–5, 249, 276–8, 291–301
    - Toronto 212–13, 218
    - Yungas 265–8
  - locust tree (*Robinia pseudoacacia*) 191–2
  - logging 258
- LOGS (Lake Ontario Greenways Strategy) 205, 212–13
- Lombardy 188–99
- London 9
- long-eared owl (*Asio otus*) 130
- longitudinal systems, rivers 20–4
- longleaf pine (*Pinus palustris*) 222, 234–6
- Low Guadalquivir System 271
- low land use 295
  - Loxia curvirostra* (crossbill) 197
  - Lutra canadensis* (river otter) 41, 76
  - Lutra lutra* (otter) 65–70, 132, 181–2
- Luxemburg, biotypes 101–4
- Lycaena dispar* (large copper butterfly) 135
- Lycaena phileas* (copper) 140
- Lycopersicon* spp. (tomato) 258
- Lyndhurst Foundation 206
- lynx (*Lynx lynx*) 19
  - Lynx lynx* (*lynx*) 19
  - Lynx pardina* (Spanish lynx) 19
- Macaronesian heaths 158
  - species 103
- maceration pools 129
- mainly natural habitat class 157–8, 161
- mainly semi-natural habitat class 157, 161
- maintenance 78–9, 146–9, 211, 247
  - of continuity 123, 146–9
- Mallory Swamp Restoration Project 246
- mammals 3, 41, 59, 90, 101–4, 138, 172–3
  - migration 19–20
- management 45–7, 54–5, 212, 246–7, 297–301
  - bears and panthers 78–9
  - best practice 201, 246–7, 285–9
  - buffer zones 28–9
  - categories 264
  - corridors 28–30, 38, 51, 104–6, 132, 152
    - Bologna 137–8, 145–9
  - data 152–3, 264–5
  - Guadiamar 270–89
    - Italy 110–11, 123–7, 188–99
  - long-lasting linkage 145
  - network values 163, 227
  - rights-of-way 91
  - zones 163
    - see also* process management
- Mangifera indica* (mango) 257

- mango (*Mangifera indica*) 257
- mangrove 230, 235
- manipulative research 28
- mapping 19, 101–6, 236
  - Aznalcóllar sludge 275
  - ecological network 153–65, 193–9
  - Estonia network 153–6, 159–65, 166–70
- March for Parks 296
- marginalisation 10–12, 109–11, 118–19, 295
- marine conservation 244
- matorral 158
- marsh 97, 138, 230, 235, 272, 288
  - assessment 59, 64–72, 155
  - littoral habitat 158, 160, 162
  - salt habitat 158, 162
  - species 97, 101–6, 132–7, 140
- marsh tit (*Parus palustris*) 192, 195–6
- Martes martes* (pine marten) 135, 181
- Maryland 216
- Massachusetts 40
- matorral 158
- matrix quality 195–7
- maximum dispersal area 12
- meadow 147
  - birds 10–11, 197–8
- mediators 297
- Mediterranean 101–4, 157, 272–3, 279, 285
- Meles meles* (badger) 140
- melodious warbler (*Hippolais polyglotta*) 196–8
- metal ion mobility 282
- metapopulations 7, 19–20, 23, 29–30, 243
  - definition 62
  - dynamics 57, 65–72
  - functionality 7–8, 56–72, 94, 99–100
- Metro Greenprint 205
- Metro, Portland 210–11, 214–15, 217–18
- Metropolitan Boston Park System 49–50
- Metropolitan Council of Minneapolis and St Paul 206–7
- Metropolitan Greenspaces Master Plan, Portland 205, 210–11, 214
- metropolitan greenways 200–21
- Metropolitan Greenways Program, Minneapolis 207, 219
- Metropolitan Region of Lisbon 38–40
- Meuse River 8
- microclimate 116–17
- Microsoft Visual Basic for Applications (VBA) 159
- Middle St Johns River basin 85, 89
- middle spotted woodpecker (*Dendrocopus medius*) 99
- migration 2–3, 16–21, 130, 169–70
  - amphibians 146
  - corridor 42, 73, 84–6, 96–9, 101–6, 288
  - designated corridors 26–7, 30–1, 95–100
  - routes 2–5, 86–93
- see also* human
- Milan region 188–99
- Millennium Trails Program 52
- mine spill, Aznalcóllar 272
- Minimum Viable Metapopulation (MVMP) 62–5, 69–70
- Minimum Viable Population (MVP) 62–9, 135, 243
- Ministry of Agriculture, Nature Management and Fisheries, the Netherlands 128
- Minneapolis/St Paul (the Twin Cities) 49, 200–1, 205–8, 215, 218–21
- Minnesota 207, 218
- Minute Man National Historic Park 40
- Mississippi river 205
- mitigation 73–4, 79–85, 129–31, 296, 299
  - banks 238
  - design 84–5, 90–3, 141–6, 238–9, 247–8
  - Italy 111, 199
  - rural roads 171–87
- model
  - ‘badger’ landscape 142–4
  - ‘crested newt’ landscape 140–1
  - criteria *see* value weighting
  - ecological networks 153–70, 217–19
    - assessment and analysis 57–71
    - continuity and development 128–50
    - Florida politics and greenways 224–36, 242
    - highway–greenway interface 84–93
    - ‘ide’ landscape 143
  - PVA (Population Viability Analysis) assessment 57, 58, 71
  - species-related 56–70, 138–46, 188
  - traffic calming 176–8
  - vegetation Guadiamar 284–5
- Modena 293
  - see also* Bologna and Modena
- monitoring 119–20, 132, 146–9, 213
  - Aznalcóllar 275, 278–87
  - easements 246–7
  - Guadiamar Programme 282–7
  - Natura 2000 106
  - PEEN programme 152–3, 163
  - protocol 43, 47, 54–5
  - montane jungle 252
  - Monti Sibillini Park 113
  - monuments 109
  - moor frog (*Rana arvalis*) 141
  - moors 132
  - Moravia 32
  - mosaic 28–29, 94–8, 104–6, 142, 195–9, 243
    - landholding 51, 201, 246
  - Motacilla cinerea* (grey wagtail) 196
  - Motacilla flava* (yellow wagtail) 133, 198
  - motivation 201–2, 211, 213–14
  - motorways 31, 129–30, 142, 180–2
    - high 296
    - and rural roads 171–5, 177–85, 185–7

## 336 INDEX

- mountain 31, 37, 48, 129, 158
  - species 97, 101–6
  - Valle Grande 255, 260
- Mountain Map 111
  - mountain tundra habitat 158
  - movement 40, 84–5, 116, 295–6
    - rural roads 90–1, 171–87
      - see also* dispersal, migration
  - multi-objective plans 51, 214–16, 299–300
  - multidisciplinary 40, 51, 149–50, 277–8, 286–7, 296–301
  - multifunctional 6, 45–8, 132, 137–8, 146
    - corridors 13–14, 29–32, 94, 104–6, 276–86
    - greenways 36–7, 46–55, 203–21, 223–36
    - landscapes 137, 188–99, 291
  - municipalities 128, 244, 291–5
    - co-ordination 131, 138, 147–9, 208–13, 243–4
      - lack of 123, 126, 206–8
  - Musa* spp. (bananas) 258, 262–3
  - Muscicapa striata* (spotted flycatcher) 196–8
  - mute swan (*Cygnus olor*) 130
  - MVMP (Minimum Viable Metapopulations) 62–5, 69–70
  - MVP (Minimum Viable Population) 62–9, 135, 243
  - Myakka River 232
    - Myakka/Peace River Basins 85
  - National Agency for Environmental Protection, Italy (ANPA) 113, 128, 131
  - National Biopermeability Map, Italy 115
  - National Ecological Network, the Netherlands (NEN) 28, 60, 128, 130–1, 182–5
  - National Estuarine Research Reserves, Florida 228
  - National Geomining Institute, Spain 273
  - National Historic Corridors (NHC), USA 51
  - National Institute for Agricultural Technology, Argentina (INTA) 253, 269
  - national level 8, 26, 199, 290–8
    - Estonia 168–70, 290
    - Italy 123–8, 130–1, 238
    - PEEN 151–70
    - Russia 290
    - Spain 276, 288
  - National Millennium Trails, USA 52
  - national natural heritage, Argentina 251, 268
  - National Nature Policy, the Netherlands 60
  - National Park Service, Illinois 209–10
  - National Parks 1–2, 222, 296
    - England and Wales 51
    - Europe 24–6
    - Italy 108, 111–13, 119
    - Spain 270–89
    - USA 35, 37–40, 48, 51
      - see also* Florida, APN; *Zadovednik*; names of individual countries
  - National Wetlands Inventory classification, Florida 229
  - NATLAN (Nature Land Cover) 156
  - Natrix natrix* (grass snake) 141
  - Natura 2000 4, 8, 42, 101–6, 152, 287–9
  - natural communities 130, 223–4, 246–9, 300
    - priority 85–91, 100–6, 158, 161, 226–7, 234–6
    - under-represented 245
  - natural habitat classes 131, 133, 158, 161, 167, 233
  - natural resources 222, 237–9, 251, 276, 278–86, 293
  - Natural Resources Planning Scheme, Guadianar 289
  - Natural Resources and Transport Departments, USA 216
  - natural restoration 16, 24–5, 44, 105, 283–4
    - Italy 109, 118–19, 122, 137–9, 145–9
    - polarised landuse 167
    - river 283–4, 286
  - natural zone 167
  - nature conservation 1–6, 8–9, 23–4, 133–50
    - maintenance 31–2, 179–80
    - and recreation 25–8, 291
    - and rural roads 171–2
  - Nature Conservation Acts 9–10
  - nature and culture 26, 107–27, 270–89, 292, 296
    - see also* culture
  - nature reserves 23–6, 35, 188–9
    - Argentina 264–5
    - Florida 75–6, 84, 223–30, 248–50
    - strict 24–6, 163, 168
  - Nature/Land Cover (NATLAN) 156
  - NCC (Network Carrying Capacity) 63
  - nearby nature 29, 45, 290–1
  - necklace 9, 49
  - need 100–6, 176–8
    - socio-economic 45, 292–5, 297–8
  - neighbourhood enhancement 214–16, 294
  - NEN (National Ecological Network, the Netherlands) 28, 60, 128, 130–1, 183
  - nesting period 46
  - Netherlands, the 9, 64–72, 290, 292, 299
    - biotypes 101–4
    - corridors 27, 99
    - farmers 10–11, 291
    - forest 11, 99
    - funding 148–9
    - hedgerows 11, 137
    - indicator species 60–1
    - National Ecological Network (NEN) 28, 60, 128, 130–1, 183
  - National Parks definition 24–6
  - planning 16, 292
    - rural roads 175, 178–85
      - see also* Gelderland
  - network analysis 58–72
  - Network Carrying Capacity (NCC) 63
  - network merging distance 63

- networks, ecological, definition 3–4, 296
  - see also* ecological networks
- New England 290
- New England Greenway Vision Plan 53
- New Jersey Pinelands 51
- NGO (Non-governmental Organisations) 294, 296–9
- NHC (National Historic Corridors) 51
- Niagara Escarpment 203–5
- Nieuwvliet 179–80
- Nieuwvliet-Bad 179–80
- Nijmegen 144
- NIPC (Northeast Illinois Planning Commission) 208, 218–19
- nitrogen levels 10–11
- nodes 5
- Non-governmental Organisations (NGO) 294, 296–9
- Nordic alvar priority habitat 158
- North America 200–21, 292–5, 297
- North Chickamauga Creek Greenway Plan 204
- North-East Estonia 167
- North-West Estonia 167
- Northeast Illinois Planning Commission (NIPC) 208, 218–20
- Northeast Illinois Regional Greenways Plan 205, 208–10
- Northern California 290
- Northern Lowland Forest project, Italy 191–9
- nuthatch (*Sitta europaea*) 61, 65–70, 137, 191, 195–6
- nutrient flux 21–3, 40, 43–4, 291
- nutrient spiralling 21–4, 44
- Oak Ridges Moraine 203–5
- oak scrub 222
- objectives 105, 152–3, 245–8, 276–8, 288, 294–300
  - case studies 203–16
  - objections to 295, 297
- Ocala National Forest 80–2, 85, 89, 232, 234
- ocean fronts 49–50
- OECD (Organisation for Economic Cooperation and Development) 176
- oil 258, 267
- Okaloacoochee Slough 232
- Okefenokee Swamp National Wildlife Refuge 80–2, 232
- Olea* sp. (olive) 272–3, 279
- olive (*Olea* sp.) 272–3, 279
- omnivores 73
- one-step dispersal 99–100
- Oostellingwerf 182–5
- Oosterwolde 182
- Openlands Project 208–9, 218–19
- optima 10–11, 132, 225
- Oran 252–3, 255–64
- orchard habitat 157
- Oregon 210–11
- Organisation for Economic Cooperation and Development (OECD) 176
- organisms
  - large 102, 152, 156
  - small 156
- Oriolus oriolus* (golden oriole) 198
- Osceola National Forest 85, 89, 232, 234
- Ottawa 48, 212
- otter (*Lutra lutra*) 64–70, 132, 181–2
  - see also* river otter
- Outstanding Florida Waters 228
- Overlap Criteria 229
- overpasses 31–2, 142
- ownership 51, 92–3, 145, 147–8, 213
- Pan-European Biological and Landscape Diversity Strategy (PEBLDS) 4, 8, 42, 151–3
- Pan-European Ecological Network (PEEN) 289
  - design and analysis 95, 101–6, 151–70
  - habitat classifications 157–8
  - suitability 155–6
  - values (PV) 156, 159–65, 170
- Pan-European Land Cover Monitoring (PELCOM) 156–7
- Panhandle 230, 232–6
- Pannonic inland dunes priority habitat 158
  - salt marshes priority habitat 158
  - salt steppes priority habitat 158
  - sand steppes 158
  - species 101–6, 158
- Panthera onca* (jaguar) 251, 268, 295
- Panthera tigris altaica* (Siberian tiger) 295
- Paramó 10
- Paranaense forest 251
- Parco Agricolo Sud Milano 195–8
- Park Districts, Illinois 208
- parks 9, 45, 48, 188–9, 215, 219, 291
  - historic 109–10, 129
  - protected, values 75–6, 87, 163, 169
    - see also* national parks; urban parks
- Parks and Public Works Commission, Hennepin County 208
- parkways 8–9, 35, 49
- partnerships 54, 129–31, 138
  - active 85–91, 146–50, 296–301
  - Argentina 265–8
  - North America 204–14, 216–19
- Parus caeruleus* (blue tit) 196–8
- Parus cristatus* (crested tit) 196–7
- Parus montanus* (willow tit) 197
- Parus palustris* (marsh tit) 191, 195–6
- PAS (Potential Agricultural Area) 254–9
- pastoralism 190
- pasture 118–19, 233, 279, 291
  - removed from model 225
- patch 5, 37, 41–3, 56–72, 201, 280
  - assessment 58–61
  - bears and panthers 78–9
  - habitat per square 161

## 338 INDEX

- patch (*cont.*)
  - key 58–72
  - merging distance 61, 71
  - in mosaic 94, 96, 99–100, 129–30, 242, 255–6
- Patch Carrying Capacity (PCC) 20, 62, 65–9
- pathogens 189
- PCC (Patch Carrying Capacity) 20, 62, 65–9
- PDR (Purchased Development Rights) 92–3
- PEA (Priority Ecological Areas) 225–36
- Peace River 232
- peat extraction habitat 157, 160, **162**
- PEBLDS (Pan-European Biological and Landscape Diversity Strategy) 4, 8, 42, 151–3
- PEEN (Pan-European Ecological Network) 289
  - design and analysis 95, 101–6, 151–70
  - habitat classifications 157–8
  - suitability 155
  - values 156, 159–65, 170
  - see also* PV
- PELCOM (Pan-European Land Cover Monitoring) 156–7
- Pelobates fuscus* (common spadefoot) 141
- peninsular wedging 30
- perception 56–7, 59–63, 202
- permeability 77–93, 94, 108–27
- Pernis apivorus* (honey buzzard) 196
- Persea americana* (avocado) 257
- Persicetano 146–9
- pests 157
- Phalacrocorax carbo* (cormorant) 130
- phenotypes, and dispersal 18
- Phoenicurus phoenicurus* (redstart) 196
- Phylloscopus bonelli* (Bonelli's warbler) 196
- physical structures 28–31, 34–6, 129–50
  - see also* barriers, corridors
- phyto-remedies 282
- Pianura Padana 129
- Picoides major* (great spotted woodpecker) 192, **198**
- Picos de Aroche 272
- PICOVER 277–8, 286–7
  - Co-ordination Committee 287
- Picus viridis* (green woodpecker) 192, 196
- pine marten (*Martes martes*) 135, 181
- pine rocklands 237, 243
- pines (*Pinus* spp.) 225, 272–3
- Pinhook Swamp 232
- Pintascaya Lagoon Provincial Park 268
- Pinus clausa* (sand pine) 227
- Pinus palustris* (longleaf pine) 222, 234–6
- Pinus pinea* (stone pine) 158
- Pinus* spp. (pines) 252, 272–3
- place names data 154
- PLANECO (Planning in Ecological Networks Project, Italy) 114–15
- planned economy 11, 14–15
- planning 5, 9, 39–40, 45–6, 296–301
  - adaptive 43
- corridors 38–40, 42–8, 247–8
- de-anthropisation 109–10, 126–7
- Estonia 165–70
- greenways 35–6, 45–55, 201–21, 222–50, 292–5
- Guadiamar 23–4, 270–89
- highway connectivity 82–93
- Italy 107–27, 128, 131–7
- land use 13–14, 50–1, 152, 192–9
- landscape and conservation 128–50
- nature and culture 107–27, 292
- provinces 113, 130–1, 146–7, 213, 287–8, 293
- recreational 138, 291
- rural transport 176–87
- strategic 23–4, 124–7, 237–50, 275–8, 300
- trade-offs 47–8
- transportation 73–93, 295–6
- Yungas 251–69
- Planning in Ecological Networks, Italy *see* PLANECO
- Plano Verde de Lisboa 38–40
- plant species, rare **226**
- Planta Europa 153
- plantation 5, 24, 32, **230**
  - fruit 255, 257–8
  - habitat 157, **162**, 195–9
- Platlea leucorodia* (spoonbill) 130
- pleasing everybody 213–16
- PNAs (Potential Natural Areas) 226–7, 229, 233, **242**
- Po River 8, 137, 146–8, 188
- pochard (*Aythya ferina*) 130
- Poland 17–18, 290
- polised landscape 12, 15–16, 165, 167
- political 216–21, 222–50, 259–65, 296–301
  - climate 200–2, 210–11, 239–50, 295
  - concerns 200–1
    - Italy 107–27, 131, 149–50, 198–9
    - decentralisation 208, 293–5
    - pressure 238–9
    - support 4–6, 37, 47–8, 51–5, 290–1, 293–301
- Pollino Park 112–13
- pollution 12, 46–7, 76, 237
  - Guadiamar 272–8, 281–4, 287
  - quarries 116
  - soils 14–15
  - water 13–15, 22–3, 46–7, 51
- ponds 42, 130, 133, 140–8, 288, 298–9
- Pontic species 101–6
- poplar (*Populus* sp.) 195, 197
- population 17, 56–72, 94, 144
  - crashes 18
  - density 24, 62
    - human 16, 25–9, 52, 130, 163, 182; age 262;
    - Florida 73–6, 222–3, 240–3, 249–50;
    - Northern Italy 130, 191; Yungas 259–63
- extinction 12, 18, 120
- fluctuation 2, 19, 28
- human growth 14, 175, 207–8, 210, 260–3

- Florida 73–4, 222–3, 238, 240–3, 249–50
- viable 62, 132–7, 224, 226
- Population Viability Analysis (PVA) 58–9, 72
- Populus* sp. (poplar) 195, 197
- Portland, Oregon 200–1, 205, 210–11, 214–15, 217–18, 220–1
- Portugal 17–18, 25–6, 38–40, 293
- Portuguese National GIS agency (CNIG) 39–40
- potential agricultural area (PAS) 254–9
- Potential Natural Areas (PNAs) 226–7, 229, 233, 242
- power lines 29, 122
- practical solutions 29–33, 294–301
- prairie 191–9, 227, 230, 232, 235
- Precambrian calcareous flat-rocks priority habitat 158
- precautionary principle 41–2
- predation 18–20, 30, 91, 97
- preservation 1–2, 4–7, 20, 132–50, 189, 300
- Preservation 2000 and Florida Forever 239
- Preservation 2000 Program 239, 245–6
- President's Commission Report on Americans Outdoors in the USA (1987) 34, 45, 51
- priorities 72, 82, 85–93, 168, 287, 296
  - artificial habitat classes 157, 160–1
  - Florida 82–91, 225–30, 236–7, 242–3, 245–50
  - greenway plans 38, 204, 208–9, 213, 219
  - guidelines 152
  - natural habitat classes 158, 161
  - PEEN 152, 158
  - transport needs 176, 180
- Priority Ecological Areas (PEAs) 225–36
- private property rights 25–6, 92, 239–42, 248–9
- private and public 51–5, 146, 207–21, 296–8
  - Andalusia 276
  - Florida 92–3, 223, 243–6
- private sector 130, 204–13, 217–19, 260–3
  - Florida 223, 227, 232–4, 237–41, 244, 246–50
- process management 149
- Program MaB, UNESCO 288
- protected, administrative areas 163–4, 170
  - Estonia 165, 169
- Protected Landscape 288–9
- Protected Natural Areas Network of Andalusia (RENPA) 280–1, 289
- protection 12, 53, 111, 138, 214–15, 296–301
  - in buffer zones 27–8
  - economic activity 46–7
  - Florida 75–6, 223–5, 232–6, 236–50
  - national 123–4, 245, 264–5, 292–6
  - systems 23–7, 48, 157–70, 201–2, 296
  - water quality 215
  - zones 115
- Protection of Coastal Waters (1994) Act, Estonia 168
- Protection of Surface Waters (1994) Act, Estonia 168
- Provence 11
- provinces 113, 130–1, 146–7, 213, 293
  - road 179–80
- psychological benefit 29, 45, 290
- public
  - lands 76, 84, 88, 90, 296
    - acquisition programme 76, 86–93, 213, 227
    - conservation 234–50
  - ownership 288, 296
  - support 4–6, 138, 146–9, 152, 204–21, 249, 294–301
    - see also local
  - public and private 51, 146, 207–11
    - Andalusia 276
    - economic development 294–8
    - Florida 92–3, 223, 227, 233, 243–7
- Public Use and Citizen Participation Programme 286
- Puna 251–2, 267
- Purchased Development Rights (PDRs) 92–3, 296
- Putorius putorius* (European polecat) 133
- PVA (Population Viability Analysis) model
  - assessments 58–9, 71
- PV (Pan-European Ecological Network values) 156, 159–65, 170
- pyrite tailings spillage 273–5
- Pyrrhula pyrrhula* (bullfinch) 197
- Quercus ilex* (holm oak) 272–3
- quail (*Coturnix coturnix*) 133
- quality of life 46–7, 263–4, 292–3
  - rural roads 175, 187, 299
- quarries 116
- rail/road 120, 129, 130, 294
- railroads 12, 35, 51–2, 92
  - barriers 120–1, 141–6
  - corridors 44–5, 129–30, 200
- Rails-to-Trails Conservancy (RTC) 52
- Ramsar area 163
- Rana arvalis* (moor frog) 141
- ranching 254–5, 258, 260, 262
- range expansion 100
- Rangers School (APN) 268
- rankings see values, weighting
- rat run traffic 182–5
- re-establishment 108
- recharge 44
- recolonisation 20, 84–5, 129–30, 189
- reconnection 79–82
- recreation 75–6, 138–49, 214–16, 301
  - Boston 8–9, 49
  - facilities 12, 22, 35–6, 51, 160
  - function 9, 28–29, 37–40, 167, 237
  - greenways 45–55, 84, 291–8
  - Italy 119, 138
  - in National Parks 24–6, 29, 296
  - resources 200
  - roads 177–8

## 340 INDEX

- recreation (*cont.*)
  - the Netherlands 179–80
  - and traffic calming 176–7
  - zones 167
- recuperation, Guadiamar 276–8, 281–9
- Red Data Book of Estonia 161
- red deer (*Cervus elaphus*) 19, 132, 142
- Red Hills Conservation Program 246
- red-backed shrike (*Lanius collurio*) 133, 198
- red-footed falcon (*Falco vespertinus*) 129
- redstart (*Phoenicurus phoenicurus*) 196
- reed marsh 140
- reed warbler *see* sedge warbler
- referenda 245
- reflectors 79
- reforestation 109, 267, 282
- regional 10–11, 128, 131, 209, 216–17
  - agency, model 217–21
  - governments 8, 123, 126, 273–8, 288, 291–5, 299
    - opposition to 201, 206, 217, 241, 296
  - landscape 84–91, 194–9, 234–6
  - planning 140–1, 146, 152, 168–70, 223–36, 268
    - traffic and rural roads 172, 176–87
- Regional Ministry for Environment working party, Andalucia 277
- regulatory regime 27–8, 54, 92, 296–8
  - greenways 208, 212–13, 238
- Regulus ignicapillus* (firecrest) 197
- Regulus regulus* (goldcrest) 196
- rehabilitation areas 136
- remediation 277–82
- remote sensing 191
- RENPA (Protected Natural Areas Network of Andalusia) 280–1, 289
- representation analysis 233–6
- reproduction corridor 30–2, 99–100, 105, 140
- reproductive success 20–1
- reptiles 65–70, 90, 101–4, 140, 141, 172–3
- research 149–50, 201, 213
- Research Programme 278
- resource analysis 34
- resource co-occurrence 36–40
- restoration 131, 154–6, 188, 199, 295–6, 299
  - connectivity 84–5, 122–7
  - Florida 244–50
  - Guadiamar 275–89
  - habitat 105, 109, 129, 137–8, 147
    - see also* natural restoration
  - restrictions 297
    - land use 24–8, 115, 132, 296, 298
      - USA 54, 92–3
      - speed 79, 89, 176, 184
    - retention basins 138
    - Retranchement 179–80
    - Rhine River 8, 11, 99, 130–2
    - Rhone River 8
- ridges 2, 30, 35, 37–9, 50
  - in assessment 86–93, 117, 200
- rights-of-way 35, 91
- Rio Declaration on Environment and Development 42
- riparian 19–24, 37, 43–4, 51, 86–93
- risk 12, 17–18, 174
- River
  - Adda 191
  - Agrio 271, 273–5
  - Alcarayón 271
  - Ardanchón 271
  - Aucilla 85, 90
  - Blackwater 85, 90, 232–6
  - Chicago 205, 209–10
  - Cigüeña 171, 271
  - Columbia 205, 210–11
  - Danube 8
  - Elbe 8
  - Guadalquivir 271–2
  - Guadiamar 23, 270–89, 272
  - Kissimmee 231–2
  - Meuse 8
  - Mississippi 205
  - Myakka 85, 232
  - Peace 85, 232
  - Po 8, 137, 146–8, 188
  - Rhine 8, 11, 99, 130–2
  - Rhone 8
  - St Johns 85, 89, 232, 249
  - San Francisco 256–7
  - Seine 8
  - Suwannee 90, 232, 234, 249
  - Tennessee 204–6, 214–16
  - Ticino 191
  - Tisza 8, 23
  - Tweed 32
  - Wekiva 83, 85, 89
  - Willamette 205, 210–11
  - Withlacoochee 232
- River City Company (River Valley Partners) 204–6, 217
- river otter (*Lutra canadensis*) 41, 76
- River Valley Partners (River City Company) 204–6, 217
- rivers 3, 5, 8, 24, 288
  - as barriers 31, 116, 130–1
  - corridors 19–25, 29–30, 37–45, 90, 94, 270–89
    - North America 35, 200, 294
  - estuaries 49–50, 158
  - Florida 86–91, 229–31, 247–8
  - Guadiamar 270–2, 275, 279–81, 284–9
  - Italy 116–17, 119, 128–48
    - and migration 8, 19–24, 42–3, 97
    - natural 41–3, 283–4
    - in planning 23–4
    - and upland basins 229–30

- Rivers, Trails and Conservation Assistance (RTCA) 304
- River Continuum Concept 20, 43–4
- road/rail 120, 129, 130–1, 141, 294
- roadblocks 213–14
- roadless 75–7, 225, 228–9
- roads 73, 124, 137, 154, 299
  - barrier 8, 12, 31, 76–7, 84, 90–3, 122, 135
  - curves 91, 122
  - density 12, 74–5, 77, 155, 163, 225, 233
    - the Netherlands 74, 130, 135
  - distributor 176–8
  - ecological networks 154
  - Florida 73–93, 225, 238, 247–8
    - network density 74–5, 77, 228–9
  - hard surface 31, 74, 89
  - improvement 86–7, 90–3, 185
  - links 173
  - local access 172–87
  - national 180–2
  - network density 74–5, 120, 124
    - Florida 74–5, 77, 228–9
  - rural 31, 75, 122, 171–87, 255, 295–6
  - slaggen system 179–80
  - width 89, 174–5, 185
    - reduction 181–2, 185
  - see also* highways, wildlife
- roadsides 10, 91, 130, 167–8, 175, 298
- Robina pseudoacacia* (locust tree) 192
- rock habitat 97, 104, 158, 194
- roe deer (*Capreolus capreolus*) 19, 181, 185
- roles defined 243–4
- Rotterdam 9
- Royal Commission on the Future of the Toronto Waterfront (1992) 211
- royal eagle (*Aquila chrysaetos*) 111
- RTCA (Rivers, Trails and Conservation Assistance) 304
- RTC (Rails-to-Trails Conservancy) 52
- Rural and Family Lands Protection Act 248–9
- rural renewal 130
- rural stewardship 47, 248–9, 293
- Russia 2, 14, 157, 290, 293, 296
- Saaremaa Island 165, 167
- SAC (Special Areas for Conservation) 42
- Sagittario Valley 108
- St Joe Company 240
- St Johns River 85, 89, 232, 249
- St Johns River Water Management District 249
- St Marks National Wildlife Refuge 85, 90
- St Oedenrode 11
- salination 14–15
- Salmo salar* (salmon) 7, 31–2
- salmon (*Salmo salar*) 7, 31–2
- Salt Creek Greenway 298
- salt marshes habitat 158, 230, 235
- Salta 253, 259–64, 268
- San Francisco Valley 256–7
- sand lizard (*Lacerta agilis*) 65–70
- sand pine (*Pinus clausa*) 227
- sandhills 227, 230, 232, 234–6, 235
- Sandoz incident 23
- Santa Victoria, western 252–3, 255–64
- Saskatoon 212
- Save Our Rivers 249
- Saxicola torquata* (stonechat) 133, 137, 198–9
- scale 123, 248, 290–2, 299
  - in assessment 36, 60–2, 69, 146, 236
  - cultural landscapes 124–6, 292
  - in data 110–12, 123–4, 195–9
  - spatial and temporal 20–4, 100–6, 201–2, 281, 298–301
- scenic, amenity 35–6, 45, 49–50, 92–3, 215
  - resources 5–6, 200, 214–16
  - values 24–9, 35–6, 109
- scrub 222, 227, 232, 234–7, 243
  - habitat 157, 162
- sea species 101–6
- SEA (Significant Ecological Area) 233
- sediment 43–4
- sedge warbler (*Acrocephalus schoenobaenus*) 140
- segregation, functions 4–5, 9–10, 13–17
- Seine River footpaths 8
- selection 199, 246–50, 293
  - of corridors 38, 151–3, 238–9
  - Estonia 165–70
  - PEEN status 152–3
- self-purification 4, 16, 23
- semi-natural habitats 157–8, 161
- Seminole State Forest 83
- sensitivities, local 149
- sensitivity analysis 71
- settlement 24, 26–7, 168, 249, 258, 263
  - Italy 110–11, 115, 119–21, 129
  - reduction 24
- Seville province 270–89
- Shannon diversity 58
- SHCAs (Strategic Habitat Conservation Areas)
  - Florida 87–91, 225–9, 242, 245
- Shellfish Harvesting Waters 228
- shorelines 155, 213
- short-toed treecreeper (*Certhia brachydactyla*) 197
- shoveler (*Anas clypeata*) 130
- shrews (*Sorex* spp.) 141
- shrubs 97, 101–4, 141–7, 157
  - Italy 109, 191–9
- Siberia 295
- Siberian tiger (*Panthera tigris altaica*) 295
- Sierra Morena 270–2, 276–9, 289
- signature analysis 252–4
- significance, contextual 237
  - ecological 89–90, 224, 232–6, 245–6
- Significant Ecological Area (SEA) 233

## 342 INDEX

- single species 10, 108, 123–6, 243
- Sintra 39
- Sitta europaea* (nuthatch) 61, 65–70, 137, 191, 195–6
- size of
  - accumulated sites 235, 246
  - agricultural holding 8, 257–8, 260, 262–4
  - clearing areas 252, 255–8
  - conservation sites 2, 14, 24–6, 111, 144, 222
  - corridors 84, 137–8, 141, 145, 148, 295
  - ecological networks 141, 146, 201–13, 230–9
  - land cover units 155, 159, 162–3
  - patches 13, 67, 78–9, 94, 198, 248
  - priority areas 225, 228–30, 233, 245–6
  - roadless areas 228
  - see also* scale
  - slope 91, 116–17, 122
  - gentle 255–6, 258
  - steep 162, 255, 257
  - values 155, 163
- slough 232
- Slovakia 17–18, 30, 292, 298–9
- Smart Growth 46
- social 137–8, 258, 300
  - benefit 30, 36–7, 44–5, 290, 294
  - development 109–11, 276, 284–6, 294
  - structure 108
  - Kolla 267
  - support 4–6, 51–5, 295–301
- socio-economic,
  - complex 110, 126–7
  - Aznalcollar mine spill 275–6, 278, 284–6
  - sectors 149, 152, 163, 293–6
  - Yungas 251–2, 259–65
- soils 116, 123, 130, 156–7, 159–60
  - agricultural quality 40, 254–8
  - heavy metals Guadamar 274–5, 280–4
- song thrush (*Turdus philomelos*) 197
- SOR proposals 84
- Sorex* spp. (shrews) 141
- sound devices 79
- source–sink relationships 13
- South Florida ecosystem 85, 232, 234
- South Florida Water Management District 238
- Spain 17–18, 278–89, 292–4, 297
  - see also* Andalusia
  - Spanish lynx (*Lynx pardina*) 19
  - spatial discontinuity 12
  - spatial planning 13–16, 45–8, 298–9
  - spatial relations 13–14, 153
    - species 108, 124–6
  - spatial-standard-based assessment 57–72
    - see also* LARCH
  - spawning 21–2, 32, 140
- Special Areas for Conservation (SAC) 42
- Special Management Zone 152, 163
- species 60–72, 86, 152, 194–8, 300
  - abundance 2, 4, 8, 10–11, 78, 192–8
- Continental 101–6
- dependent, connectivity 41–6
- dominant, human 1–6, 300
- endangered 101, 111, 161, 169–70
  - Florida 87–8, 222, 234–6, 246
  - extinction 2, 19–20, 62–3, 189–90
  - flagship 169–70
  - focal 132–7, 190–9
  - Florida 86–7, 225–6, 229, 242–3, 248–9
  - grassland 11, 64–71
  - indicator 59–61, 155–6, 199
  - Mediterranean 101–6
  - movement 23–4, 29, 40, 86–93, 116
  - performance ratio 91–3
  - perspective 56–7, 59–63, 71
  - rare 40, 223–4, 227, 236–7, 246
  - single 10, 108, 123–6, 243
  - special concern 87–8
  - specialists 73, 83–4, 110
  - specific 12, 61–2, 65, 243
    - corridors 95–106, 129–32, 132–50
    - ratings 56, 86–93
  - target 95, 101–4, 132–7, 146, 223, 292
  - threatened 87–8, 110, 130, 133, 222, 234–6, 245–6
  - umbrella 132, 190–1, 226
- species-related model 138–46
- spiralling 20–4, 44
- spoonbill (*Platalea leucorodia*) 130
- sport and leisure facilities habitat 160
- SPOT imagery 225
- spotted flycatcher (*Muscicapa striata*) 196–8
- squacco heron (*Ardeola ralloides*) 129
- State Aquatic Preserves, Florida 228
- State of the Greenways Report, Illinois (1994) 209
- state level 52–3, 299
  - Florida 222, 229, 234, 237, 239–50
- statistical assessment 57, 58
- Steppic species 101–6
- stepping stones 41–2, 96–7, 138, 140–6, 148, 243
  - in migration 3, 19, 30
- stewardship 47, 213, 248–9, 293
- stone pine (*Pinus pinea*) 158
- stone walls 29, 94, 122, 292, 298
- stonechat (*Saxicola torquata*) 133, 137, 198
- stork (*Ciconia ciconia*) 17–18
- storm management plans 214, 216
- Stowe resident 290, 300–1
- Strategic Habitat Conservation Areas (SHCAs),
  - Florida 87–91, 225–7, 242, 245
- Strategy for the Green Corridor 277
- stream 131, 140–6, 283
- stream valleys 31–3, 35
- stream corridors 38–40, 43–4, 87, 137–9
  - case studies 212–14
  - see also* corridors; rivers
- Streptopelia turtur* (turtle dove) 133, 197–8

- string of beads 140–1
- subsurface hydrology 44
- suburban habitat 157, 160, **162**, 169, 240
- sugarcane 256–8, 260, 262, 266
- suitability, ecological networks 154–6, 192–4
  - Estonia 157–70
  - Florida 229–36
    - values 155–6, 155–65, 170, 230–6
- Sulmona 119
- sulphides 273–4
- Surface Transportation Project 248
- survival 19–20, 300–1
- sustainability 27–8, 46, 48, 240–1
  - assessment 56–64, 69–72, 132–7
  - bottlenecks 135, 137, 148–9
    - and connectivity 40–4, 54–5, 290–300
    - development 1–2, 5–6, 126–7, 135, 275–6, 284–6
    - ecological networks 28–9, 61–2, 132, 137–46
    - land use 3–5, 35–7, 258–69
- Suwannee River 90, 232, 234, 249
- Suwannee River basin 85, 232, 234, 249
- Suwannee River Water Management District 249
- swamp **230**, **235**, 246
  - cypress 230, 235
- Swiss flora 130
- Sylvia borin* (garden warbler) 196
- synergy **36**–7, 152
- Tall Timbers Research Station 246
- Tallahassee 246
- Tallinn Region 167
- targeting 94–6, 105, 132–7, 141–6, 292
- taruca (*Hippocamelus antisensis*) 251
- Tarvisio Forest 111
- tawny pipit (*Anthus campestris*) 135
- tax support 298
- TCRA (Traffic-Calmed Rural Area) 73–93, 176–8
  - case studies 178–87
- TEA (Transportation Equity Act for the 21st century) 248
- Tennessee 201, 204–6
- Tennessee River 204–6, 214–16
- Tennessee River Park 204–6, 214–16
- terrace, agriculture 109, 258
  - Guadamar 272, 280–1
- terrestrial system for ecological stability (TSES) 292
- territorial suitability 154–6
- The Nature Conservancy (TNC) 234, 236, 248–50
  - Interest 87
  - Priority 87, 227
- Thomasville, Georgia 246
- threatened species **87**–8, 130, 133, 234–6, 246
- Three Lakes Wildlife Management Area 232, 234
- Ticino River 191
- time 4, 46–7, 56–8, 122, 132, 290, 293
- timescale 43, 100, 130–2
- Tinkunaku community 265–8
- Tisza River 8, 23
- TNC (The Nature Conservancy) 234, 236, 248–50
  - Interest 87
  - Priority 87, 227
- Toldos 253, 268
- tomato (*Lycopersicon spp.*) 258
- top-down approach 54, 217, 241, 292–3
- topography, corridors 30, 86–93, 94, 111, 114–17, 283–4
- Toronto 200–1, 203–5, **215**, 217–21
- Toronto and Region Conservation Authority 212
- tourism 46, 54, 74, 152, 285–6
  - Italy 108–9, 190
  - towns 169
- toxic metals 273–5, 280–4, 287
- TPL (Trust for Public Land) 46, 204, 218
- tracks, Italy 109
  - tract allocation 255, 263–4
  - trade-offs 47–8, 251–2
  - traditional land use 25–7, 29, 108–9, 196, 255
  - traffic 90–3, 122
    - calming 33, 131–2, 176–87, 299
    - density 12, 31
      - Florida 74–5
      - the Netherlands 74–5, 179–85
    - flows 172–4, 176–87, 295–6
    - reduction 132
    - safety 175, 182–7
    - speed 79, 89, 172–4, 177–85
      - reduction 182, 184
    - times 182, 185
    - and transport planning 171–2, 176–87
    - volume 74, 172–5, 178–87, 238
  - Traffic-Calmed Rural Area (TCRA) 176, 181–2, 184–7
  - trails 7, 29, 35, 44–5, 51–2, 210–11
    - disturbance 47, 131–2
    - historic 114
    - Minneapolis 206–8, 219
    - multiple use 47, 146, 209
      - see also* tracks
  - transdisciplinary research 149–50
    - see also* multidisciplinary research
  - transhumance 262, 266
  - transitional woodland/scrub in mire habitat 160
  - translocation 105
  - transport, integrated 82–91, 152, 214–16, 294–6
  - transportation 44–5, 73–93, 105, 152, 258
    - infrastructure 12, 208, 214
      - funding 247–8
        - see also* canals; rail; roads, rural
  - Transportation Equity Act for the 21st Century (TEA-21) 248
  - Transportation Related Wildlife Mortality Seminar 86–9
  - transversability 184–7
  - transverse corridors 30, 118, 137–50, 173–4

## 344 INDEX

- tree frog (*Hyla arborea*) 141
- treecreeper (*Certhia familiaris*) 197
- trees 129, 132
- Triturus carnifex* (Italian crested newt) 134
- Triturus cristatus* (great crested newt) 135
- Troglodytes troglodytes* (wren) 197–8
- trust 300
- Trust for Public Land (TPL) 46, 204, 218
- TSES (Terrestrial System for Ecological Stability) 292
- Tug Hill region 202
- tundra 158
- tunnels 32–3, 79–82, 120–2, 185–7, 296
  - models 141–6
- Turdus philomelos* (song thrush) 197
- turtle dove (*Streptopelia turtur*) 133, 197–8
- Tweed River 33
- Twin Cities (Minneapolis/St Paul) 49, 201, 205–8, 215–17, 220–1
- typology, corridors 31, 95–106
  - greenways 35–7
  - re-naturalisation 118
- umbrella species 132, 190–1, 226
- uncertainty 60, 71–2
- underpasses 77, 79–80, 86, 90–3, 247–8, 296
- UNECE (United Nations Economic Commission for Europe) 151
- UNESCO World Heritage Landscape (Sintra) 39
- ungulates 120, 122, 251
  - see also individual species
- United Nations Economic Commission for Europe (UNECE) 151
- United States of America (USA) *see individual cities*; North America, states; United States; US entries
- United States Forest System 48
- United States Geological Survey (USGS) 156, 224
- University of
  - Camerino 114
  - Chieti 114
  - Florida *see FGPT*
  - Jujuy 269
  - L'Aquila 114
  - Leicester 269
  - Massachusetts 52
  - Molise 114
  - Roma 3 114
  - Salta 269
  - Tartu 167
  - Wageningen 269
- unmanaged zone 163
- unsuitable conditions PV 161, 164
- upland 229–30
  - forest, Great Britain 11
- Upper St Johns River basin 85, 249
- urban 34–5, 34–55, 87, 225, 233
  - expansion 8, 12, 14, 41, 50, 255
  - fringe 12, 46
- parks 9, 45–50, 73, 124, 206–8
- planning laws 48, 113, 115, 124–7
- pull 260
- revitalisation 211–12, 214–16, 239, 299
- squares 49–50
- urbanisation 9, 106
  - Florida 74–6, 82, 222, 240–1, 248–50
  - Italy 110–11, 116, 118–24, 141–6
    - Bologna 129, 137–8
    - Milan 188, 191
    - North America 206–8
    - Yungas 255, 258, 260–3
  - Urgent Measures Plan 287
  - Ursus americanus floridanus* (black bear, Florida black bear) 76–83, 85, 87, 91, 222, 243
    - road density 228, 238–9, 247–8
  - Ursus arctos* (brown bear) 111, 132
  - US Army Corps of Engineers 238
  - US Department of Transportation 52
  - US Environmental Protection Agency, Region IV 248–50
  - US Geological Survey GTOPO30 Digital Elevation Model 156
  - US Trust for Public Land *see TPL*
  - US National Parks 35, 37–40, 48, 51
  - USA *see United States of America*
  - USGS (United States Geological Survey) 156, 224
  - Utrecht 9
  - Vallo di Diano 113
  - Valle Grande department 252–3, 255–6, 260–4
  - values 168, 230–6
    - weighting 87–91, 110, 155–6, 163, 195, 231–3
    - see also PV
  - Vancouver, British Columbia 202, 213–14
  - Vanellus vanellus* (lapwing) 130
  - VBA (Microsoft Visual Basic for Applications) 159
  - vegetables 258, 262
  - vegetation 20, 40, 43, 65–9, 96
    - communities 132, 284–5
    - degraded 118–19, 274
    - and mitigation 91
    - native 79, 91–3, 137–8, 141–8
    - sparse habitat 158, 162
  - Veluwe 130
  - Veluwe Forest 99
  - verges 91, 130, 133, 167–8, 175, 298
  - Verkehrsberuhigung 176
  - vertebrates 61–4, 95–106, 191–9, 226
    - see also species
  - Via Emilia 129
  - viability 68–9
  - viaducts 120, 122, 296
  - vineyards 279
  - volunteers 47
    - see also grass-roots
  - Volusia County 244–5

- wading birds 98, 226
  - see also species*
- walking trails 35, 44–5, 105, 205
- warning signs 79, 90
- Washington DC 49, 223
- Washington State 210–11, 290
- Waskemeer 182–5
- waste 22–3, 46–7
- water 60, 154, 160–1, 167–8, 192, 194
  - acid 273–5, 282
  - boards 128, 131, 145, 147–9
  - flow corridors 30, 40–3, 96, 284, 291
  - habitat, class 97, 135, 158, 160–1, 167–8
    - Florida 84, 89, 225, 228–36, 242
    - Italy 191, 194
  - pollution 14–15, 272–8, 281–4, 287
  - quality 3, 19, 46–7, 49–51, 116
    - and greenways 37–40, 204, 214–16, 237
  - resources 54, 239, 240, 249, 251–68
  - transport 105
- Water Management Districts (WMD) 76, 225, 249
- water-trail 209
- watercourses 12, 22, 31, 97, 298
  - corridors 28, 41, 105, 144–6, 160
    - see also rivers; streams*
  - density 155, 162
  - species 97, 101–6
  - values 163
- waterfowl 98
- Waterfront Regeneration Trust (WRT) 211–13, 217–19
- watersheds 20, 30, 37, 43–5, 211–14
  - Guadamar 272, 276
- Wekiva River basin 85
- Wekiva River State Park 83, 89
- West-Estonian Archipelago Biosphere Reserve 165–7
- Western Andalusia 270–89, 298
- Western USA 295
- wet woodlands 129
- wetlands 51, 97, 132–9, 141–9, 272
  - Florida 75–6, 86–91, 220–30, 222, 226, 231–3
    - hotspots 226, 229
    - roads 75–6, 86–93
    - network map 167, 169
  - white admiral (*Limenitis camilla*) 140
  - White House 52
  - widening roads 185
  - Wild and Scenic Rivers Act, USA (1968) 51, 228
- Wildlands Project 292
- wildlife 122, 128–32, 161, 191, 215, 299
  - agencies 238
  - crossings 79–85, 171–2, 182, 247–8, 295–6
  - mortality 73, 172–4, 185–7
    - Florida 76–93, 228, 238–9, 247–8
    - Italy 122, 180–2
  - refuges 76, 91, 118, 129
  - transversability 184–7
  - vehicle collisions 76–7
- Willamette River 205, 210–11
- willow tit (*Parus montanus*) 197
- wind dispersal 18, 104–5
- Wisconsin Heritage Trail Proposal 38, 39, 50–1
- Wisconsin Outdoor Recreation Plan 38
- Withlacoochee State Forest 85, 89, 232
- WMD (Water Management Districts) 225
- wolf (*Canis lupus*) 19, 132
  - see also* Apennine wolf
- wooded agricultural habitat 157, 162
- wooded banks 3, 19, 140–8
- wooded dunes, with *Pinus pinea* priority habitat 158
- wooded fens and bogs habitat 158, 160, 162
- woodlands 45, 75–6, 129, 133–7
  - deciduous 141–9, 191–7
  - designs 155, 194–9
- woonerf 176
- World Bank, buffer zone definition 28
- World Conservation Union (IUCN) 25–7, 29, 285, 296
- wren (*Troglodytes troglodytes*) 197–8
- WRT (Waterfront Regeneration Trust) 211–13, 217–19
- xeric habitat 87, 230
- xeric oak scrub 222, 227, 234–7
- yellow wagtail (*Motacilla flava*) 133, 198
- Yosemite National Park 51
- Yungas, ecological network 251–69
- Yuto 253
- Zapovednik (National Park) 296
- Zeeuwisch Vlandern 179–80
- zinc contamination 273–4, 281–4, 287
- zonation 148, 167
- zoning 14, 26, 92–3, 115, 165, 296