

Chemical-species index

(Common organic or laboratory species are alphabetically listed in the Common names index, whereas remaining species/reactions are listed in the following Chemical formula index, grouped (rather arbitrarily) by the “main” element of the species. The indexed species (with few exceptions) are those for which explicit computational results are provided in the text, whereas species merely mentioned in passing are generally excluded.)

Common names

- acetamide (CH_3CONH_2)
 rotation barrier modulation, 696–702
 complexes, 697–699
- acetylacetonate anion (acac; $\text{H}_3\text{COCHCOCH}_3^-$)
 as bidentate ligand, 523–526
 resonance, 534–536
- acetylene (HCCH)
 localization, 110
 hybrids, 112, 114
 as bidentate ligand, 523–526, 531–534
- acrylonitrile (CH_2CHCN), 508
- allene ($\text{H}_2\text{C}=\text{C}=\text{CH}_2$), 186
- allyl (CH_2CHCH_2)
 anion, 20
 Lewis structure, 29–30
 resonance, 33–34
 valencies, 35
 as bidentate ligand, 523–526, 536
 conjugation, 186
 hapticity, 529
- amine oxide (H_3NO), 179–181
- ammine (NH_3) ligand, 440–446, 454–455
- ammonia (NH_3)
 adduct with BF_3 , 177–179
 dimer, 254
 complexes, 596, 607, 611, 630, 665–667
 as monodentate ligand, 523–526
- ammonium cation (NH_4^+), 616
 complexes, 616
- aniline ($\text{C}_6\text{H}_5\text{NH}_2$), 198, 206–208
- benzene (C_6H_6)
 complexes, 580, 663, 672–675
 discovery, 196
 hybrids, 112
 localization, 108
 π - π^* interactions, 198
- β -hydroxyacrolein ($\text{O}=\text{CHCH}=\text{CHOH}$), 631
- bifluoride anion (FHF^-), 280, 286, 580, 618, 657
- borazine ($\text{B}_3\text{N}_3\text{H}_6$), 198, 204–205
- butadiene ($\text{H}_2\text{C}=\text{CHCH}=\text{CH}_2$), 186, 209–210
- carbonate anion (CO_3^{2-}), 302–306
- carbonyl (CO) ligand, 440–446, 453–458
- carbon monoxide (CO), 604
 complexes with HF, 601
 complexes with Li^+ , 71–72
 CMO versus LMO description, 116–118
- cyanide ($:\text{CN}^-$) ligand, 458–459
- cyclobutadiene (C_4H_4), 196, 200–202
- cyclobutane (C_4H_8), 270–273
- cyclohexene (C_6H_{10}), 680, 686–693
- cyclopentadienyl (C_5H_5), 198, 203–204
 compared to dicarbollide, 345–348
 as polydentate ligand, 471–472
 in alkene polymerization catalyst, 509
 in sandwich complexes, 536–545
- cyclopropane (C_3H_6)
 Coulson–Moffitt picture, 146
 Dewar picture, 264
- decapentaene ($\text{CH}_2=\text{CH}(\text{CH}=\text{CH})_3\text{CH}=\text{CH}_2$), 186
- diaminoalkanes $\text{H}_2\text{N}(\text{CH}_2)_n\text{NH}_2$, $n = 1$ –4, 253–259

- diazabicyclooctane (DABCO; $N(CH_2CH_2)_3N$), 253
dicarbollide anion ($C_2B_9H_{11}^{2-}$), 345–348
difluoroethane (CH_2FCH_2F), 241–242
difluoroethylene, 238–240
- ethane (H_3CCH_3), 227–231
ethylene/ethene ($H_2C=CH_2$), 108, 110, 112–114
 complexes, 669–672
 protonated, 313–316
 reactions, 501–509, 680–682, 686–693
ethylenediamine (en; $H_2NCH_2CH_2NH_2$), 523–526
ethylenediaminetetraacetate (EDTA) ion, 522
- ferrocene ($Fe(C_5H_5)_2$), 536, 541–542
fluoropropene ($CH_2=CHCH_2F$), 216, 220–223
formaldehyde ($H_2C=O$), 596, 630
formamide (H_2NCHO), 628
 dimer, 628
 complexes, 630
 clusters, 643–646
- glyoxal ($O=CHCH=O$), 186
guanidinium (triaminomethyl) fluoride ($C(NH_2)_3F$), 249–252
- hexadiene ($H_2C=CHCH_2CH_2CH=CH_2$), 186
hexatriene ($H_2C=CHCH=CHCH=CH_2$), 186
hydrazine (N_2H_4), 241
hydrogen peroxide ($HOOH$), 240–241
hydronium cation ($H_3O^+ \cdot OH_2$), 618, 657
hydroxide anion (OH^-), 611, 653
 complexes, 611, 653, 697–699
- isocyanide ($:NC^-$) ligand, 458–459
- maleate anion ($HOOCH=CHCOO^-$), 633
methane (CH_4), 610, 108, 112, 114, 116–118
 complexes, 607, 611
 cation (CH_4^+), 120–122, 125
 geminal delocalizations, 267
methanediol (dihydroxymethane, $CH_2(OH)_2$), 243
methide (CH_3^-), 513
methylamine (CH_3NH_2), 234–236, 247–248
methylene (CH_2), 137
- nickelocene ($Ni(C_5H_5)_2$), 536, 539–541
nitrate anion (NO_3^-), 302–306
nitrite anion (NO_2^-), 302–306
nitrobenzene ($C_6H_5NO_2$), 198, 206–208
nitrosyl (nitrosonium) cation (NO^+), 665–675
- octatetraene ($H_2C=CH(CH=CH)_2CH=CH_2$), 186
- perchlorate anion (ClO_4^-), 302–306
propane (C_3H_8), 270–273
- propylene/propene ($CH_3CH=CH_2$), 216
 complexes, 670–672
 polymerization reaction, 514–518
- quinone ($C_6H_4O_2$), 198, 205–206
- sulfate anion (SO_4^{2-}), 302–306
- tetracyanoethylene (TCNE, $C(CN)_2=C(CN)_2$), 676–677
tungstenocene ($W(C_5H_5)_2$), 538, 542–545
- vinylamine ($H_2C=CHNH_2$), 216, 219–220
- water (H_2O), 116–118, 649
 cation (H_2O^+), 120–122, 125
 complexes, 596, 607, 616, 625–626, 653, 657, 697–699
 clusters, 646–652

Chemical formula

- Al
 Al_2 , 170–172
 Al_2H_6 (dialuminane), 348–351
As
 As_2 , 172–173
 H_3AsO (arsine oxide), 179–181
Au
AuH, 387–397
AuF, 426–428
 $Au(CH_3)$, 396–399
 $Au(acac)$, 526–529, 534–536
 $Au(C_3H_5)$, 526–534
 $Au(en)^+$, 526–529
 $Au(HCCH)^+$, 526–529
 $Au(NH_3)_2^+$, 526–529
Ar
 ArF_n , $n = 1, 2, 4, 6$, 299–302
- B
 B_2 , 158, 163–167, 170
 BF_3 , 177–179
 BH_4^- (borohydride anion), 626
 B_2H_6 (diborane), 308–313
 compared with protonated ethylene, 313–317
 analogs, 348–351, 483–487
 BH_2AsH_3 , 182
 BH_2PH_2 , 182
 B_4H_{10} (tetraborane), 319–327
 B_5H_9 , 319–324, 327–332
 B_5H_{11} , 319–324, 332–335
 B_6H_{10} , 319–324, 336–338, 344–346
 $B_{12}H_{12}^-$, 338–344
Be

Chemical-species index

729

- BeF₂, 74–76
 HeBeO, 677
 Br
 Br₂, 172–173, 663–664
 Br₃[−] (tribromide anion), 286

 C, 48
 C₂, 158, 164–165, 167–168
 CH₂=X (X=CH₂, SiH₂, GeH₂, NH, PH, AsH, O, S, Se), 152–155
 CH₂=CHBHCH=CH₂, 186
 CH₂=CHC(=CH₂)CH=CH₂, 186
 CHONHCHO, 186
 CH₂=NCH=O, 186
 CHF(OH)PH₂, 145–146
 CH₂FNH₂, 242–247, 250
 CH₃COCH₂CH₂NH₂, 260–263
 CH₃F₂[−], 290
 C₂B₄H₈, 344–346
 C₂H₄⋯BH₃, 314–317
 Cl
 Cl₂, 172–173, 175–177
 ClF, 293
 Cl₃[−] (trichloride anion), 286
 ClFCI[−], 286
 ClF₅, 293
 ClF₃, 293
 Co, 77–78
 CoF, 79–81
 Cr, 77–78, 548
 CrF, 79–81
 CrF₆, 85–86
 CrH₆, 549–553
 Cr(CO)₃, 560–563
 complex with benzene, 675–676
 Cr₂H₂, 555–560
 Cu, 77–78
 CuF, 79–81

 F
 F₂, 104–105, 158, 164–165, 170, 175–177
 F₃[−] (trifluoride anion), 280, 286
 FCIF[−], 286
 FCICI[−], 286
 FFCI[−], 286
 HF (hydrogen fluoride), 27–31
 dimer 596
 clusters, 636–643
 complexes, 601, 607, 611, 616
 F[−] compounds
 AF, A = F, Cl, Br, H, Li, 101–102
 of transition metals, 79–86
 Fe, 77–81
 FeF₂, 85–86
 FeF₃, 85–86

 FeH₆^{4−}, 572–573
 Fe(CO)₄(C₂H₄), 508
 Fe(C₅H₅)₂ (ferrocene), 536, 541–542

 Ga
 Ga₂, 171–174
 Ge
 Ge₂, 172–173
 H₃GeGeH₃ (digermane), 237–238, 348–351

 H, 8–10, 23–24
 H[−], 625, 653
 H₂, 25–26, 90–96
 complexes, 668–669
 metal reactions, 498–501
 H₂⁺, 90–92
 H₃⁺, 314–316
 H₃[−] (trihydride anion), 286
 He, 38
 He₂, 38, 582
 HeBeO, 677
 HeH⁺, 233–234
 Hf, 548
 HfH₂, 397
 HfH₃, 397
³HfH₂ + H₂ reaction, 498
 HfH₃(CH₃) + H₂ reaction, 499–501
 HfH₃(OH), 429–430
 HfH₄, 549–553
 HfH₄(H₂), 490–491
 HfH₄ + C₂H₄ reaction, 501–503

 I
 I₂, 580
 I₃[−] (triiodide anion), 278, 280, 286
 Ir
 Ir(acac), 524–529, 534–536
 IrH₂, 397
 Ir(CH), 404, 406
 IrH(CH₂), 400, 406–412
 IrH₂(CH₃), 396–399
 IrH₂X, X = F, Cl, Br, I, 423–426
 IrF₃, 426–428
 IrH₃, 387–397, 468–469
 H₃Ir(NH), 431–434
 H₃IrO, 429–430, 460–461
 (H₂C)Ir + H₂ insertion reaction, 495–497
 Ir(C₃H₅), 524–534
 Ir(en)⁺, 524–529
 Ir(HCCH)⁺, 524–529
 Ir(NH₃)₂⁺, 524–529
 H₂IrIrH_n, n = 1, 2, 413–418
 Ir₈, 419–420

 Kr, 10–12

- Li, 4–5, 17–18, 47–48, 53–56
 Li⁺, 71–73
 Li₂, 90–91, 99–100
 Li₂⁺, 90–91, 99–100
 LiF, 49–64, 86
 LiF ··· Li⁺, 65–66
 (Li⁺)_n(F⁻)_m clusters, 66–71
 HLiH⁻, 286, 288
- Mn, 77–78
 MnF, 79–81, 83–84
 MnF₃, 467–468
 Mn(H₂O)₆²⁺, 461–464
 Mo, 548
 MoH₆, 549–553
 Mo(CO)₃, 560–563
 MoO₂F₂, 369
 HMoMoH, 555–560
- N
 N₂, 116–118, 158, 164–165, 168–169
 N₂⁺, 120–124
 Nb
 NbH₅, 481–483
 Nb₂H₁₀ (diniobane), 484–487
 CpNb(CO)Cl, 471–472
 Ni, 77–78, 548
 NiF, 79–81, 83–84
 NiH₂, 549–553
 HNiNiH, 555–560
 Ni + C₂H₄ reaction, 505–509
 Ni(CN), 458–459
 Ni(CO), 458–459
 Ni(NC), 458–459
 Ni(C₅H₅)₂ (nickelocene), 536, 539–541
- O
 O₂, 158, 164–165, 169
 Os
 OsH₂, 397
 OsH₃, 397
 OsH₄, 387–397, 419
 OsH₃(CH₃), 396–399
 Os(CH₂)₂, 405–412, 419
 OsO₂, 431–432
 OsHCH, 404, 406, 419
 H₂OsO, 431–432
 H₂Os(CO), 441–442, 452–453
 H₂Os(NH₃), 441–442, 452–453
 H₂Os(PH₃), 441–442, 452–453
 H₃OsN, 431–434
 H₃Os(OH), 429–430
 H₃OsX, X = F, Cl, Br, I, 423–426
 OsF₄, 426–428
- H_nOsOsH_n, *n* = 1, 3, 413–419, 519–520
 Os₃H₆, 419–420
 Os₄H₆, 419–420
 Os₈H₈, 419–420
- P
 P₂, 172–173
 PF₃, 293
 PF₅, 277–278, 293
 :PH₃ (phosphine ligand), 440–446, 452, 454
 H₃PO (phosphine oxide), 179–181, 460
 Pd, 548
 PdH₂, 549–553
 Pd + C₂H₄ reaction, 505–509
 HPdPdH, 555–560
 Pt, 548
 PtH₂, 387–397, 549–553, 416
 dimer and complexes, 657–660
 PtH₄²⁻, 564–573
 Pt(CH₂), 400
 Pt(CH₃)₂, 370, 398–399
 PtH(CH₃), 396–399
 PtO, 370
 PtF₂, 426–428
 [Pt(CO)]²⁺, 465–466
 [PtF]⁺, 465–466
 [PtF_{4+n}]⁽ⁿ⁻²⁾⁻, *n* = 0–4, 474–477
 PtCl₄²⁻, 364
 [Pt(NH₃)]²⁺, 465–466
 PtH(PH₃)₂X, X = H, F, Cl, Br, I, 473–474
 [PtH(PH₃)₂(H₂)]⁺, 491–492
 [PtH(PH₃)₂(C₂H₄)]⁺, 507–509
 HPtPtH, 413–418, 555–560
 Pt + C₂H₄ reaction, 505–509
- Re
 ReH₂, 397
 ReH₃, 397
 ReH₅, 387–397
 H₂Re(CH), 404, 406
 H₂Re(CH₂), 400
 H₃Re(NH), 431–434
 H₃Re(NH₃), 441–442, 452–453
 H₃ReO, 429–430
 H₃Re(CO), 441–442, 452–453
 H₃Re(PH₃), 441–442, 452–453
 H₄Re(CH₃), 396–399
 ReF₅, 426–428
 H_nReReH_n, *n* = 1–4, 413–418
 Rh
 [Rh(C₆F₅)₅]²⁻, 472
 [Rh(PPh₃)₃]⁺, 472
 H₂Ru(PPh₃)₂, 472
 Ru(CH₂)Cl₂(PPh₃)₂, 472–474

Chemical-species index

731

- S
 S₂, 172–173
 HSSH, 240–241
 Sc, 77–78
 ScF, 79–81
 Se
 Se₂, 172–173
 Si
 Si₂, 172–173
 SiH₃F₂⁻, 290
 SiH₄ (silane), 267
 SiH₅⁻, 290
 SiF₅⁻, 290
 H₃SiSiH₃ (disilane), 237–238
 Si₃H₈ (trisilane), 270–273
 Si₃H₆ (cyclotrisilane), 268–273
 Si₄H₈ (cyclotetrasilane), 270–273
 Sr
 SrF₂, 73–76
 S
 SF₂, 293
 SF₄, 293
 SF₆, 293
 Ta
 TaH₂, 397
 TaH₃, 397
 H₃Ta(NH), 431–434
 H₃TaO, 429–430
 TaH₅(H₂), 490–491
 H_nTaTaH_n, *n* = 1–4, 413–418
 Ti, 77–81, 83–84, 548
 TiH₄, 549–553
 TiCl₄, 480
 TiO₂ (rutile), 480
 Ti + H₂ insertion reaction, 493–495
 Ti + C₂H₄ insertion reaction, 503–505, 532
 Cl₂TiCH₃ + C₂H₄ polymerization reaction, 509–518
 Cl₂TiCH₃ + CH₃CHCH₂ polymerization reaction,
 514–518
 V, 77–81
 VF, 79–81
 W, 548
 WH₂, 397
 WH₃, 397
 WH₄, 469–470
 WH₆, 387–397, 549–553
 W(CH₃)₆, 369
 H₅W(CH₃), 396–399
 HWNO, 369
 H₂WO₂
 H₃W(OH), 429–430
 H₃W(CH), 404, 406
 H₃W(CH₂), 400
 H₃WN, 431–434
 H₄WO, 431–432
 W(CH)₂, 405–407, 406
 W(CH₂)₃, 405–407, 406–412
 W(CO)₃, 560–563
 W(CO)_{*n*}, *n* = 1–6, 449–451
 WO₃, 369, 431–432
 HW(CH)(CH₂), 405–407
 WH_{6–2*n*}(CO)_{*n*}, *n* = 1–3, 453–458
 WH_{6–2*n*}(NH₃)_{*n*}, *n* = 1–3, 442–446
 WF₃³⁺, 428
 WF₆, 431, 426–428
 HWWH, 555–560
 H₅WWH₅, 520–522
 H_{*n*}WWH_{*n*}, *n* = 1–5, 413–418
 W(C₅H₅)₂ (tungstenocene), 538,
 542–545
 Xe
 XeH₂, 564
 XeH₄, 564
 Y
 YH₃, 481–483
 H₂Y(C₂H₅), 483–484
 YF₃, 482–483
 Y(OH)₃, 482–483
 Y₂H₆ (diyttrane), 484–487
 Zn, 77–78
 ZnF, 79–81
 Zn(NH₃)₆²⁺, 477–479
 Zr, 548
 ZrH₄, 481–483, 549–553
 Zr₂H₈ (dizirconane), 484–487

Cambridge University Press

0521831288 - Valency and Bonding: A Natural Bond Orbital Donor-Acceptor Perspective

Frank Weinhold and Clark R. Landis

Index

[More information](#)

Author index

(Entries are of the form page(note), so that, e.g., “495(51)” refers to note 51 on page 495.)

- Abashkin, Y. G., 495(51)
 Abrahamson, E. W., 686(94)
 Adler, R. G., 345(162)
 Alabugin, I. V., 611(44)
 Albright, T. A., 230(78), 508(55)
 Allavena, M., 73(16)
 Allen, L. C., 130(36), 227(73)
 Allinger, N., 25(43)
 Allred, A. L., 130(35)
 Altona, C., 240(87)
 Anderson, J. E., 259(105)
 Arlman, E. J., 510(58)
 Atherton, J. H., 665(85)
 Atkins, P., 302(148)
- Badenhoop, J. K., 25(44), 32(53), 37(57), 40(58),
 62(9), 303(149)
 Bader, R. F. W., 11(26), 274(130)
 Baeyer, A., 269(117), 269(119)
 Ballhausen, C. J., 439(33)
 Ballik, E. A., 167(49)
 Barbiellini, B., 583(18)
 Barnhurst, L. A., 665(85)
 Barrante, J. R., 3(6)
 Bartell, L. S., 227(71)
 Bartlett, N., 299(145), 474(43)
 Barton, J. K., 253(100)
 Bates, D. R., 90(5)
 Bau, R., 625(52)
 Bauld, N. L., 676(88)
 Bax, A., 583(19)
 Bayse, C. A., 381(13), 570(76)
 Beck, W., 473(42)
 Becke, A., 16(34)
 Beckwith, A. L. J., 248(97)
 Bell, A. T., 509(57)
- Bell, R. P., 308(152)
 Belluci, V., 611(45), 627(54), 634(57)
 Bent, H. A., 138(40), 286(141), 421(28), 717(7)
 Berendsen, H. J. C., 635(59)
 Berg, R. A., 73(16)
 Bergmann, U., 649(69)
 Bersuker, I. B., 467(38)
 Bertie, J. E., 580(6)
 Bertolasi, V., 611(45), 627(54), 634(57)
 Berzelius, J. J., 130(36)
 Bethe, H. A., 6(14), 437(32)
 Bird, R. B. 47(2), 588(25), 588(26), 589(27), 590(28),
 635(62)
 Blockworth, A. J., 259(105)
 Blum, O., 625(52)
 Bock, C. W., 270(122)
 Bohmann, J. A., 25(44)
 Borkman, R. F., 130(36)
 Born, M., 6(13)
 Borodkin, G., 665(85)
 Bos, M. W., 532(65)
 Bosch, E., 673(87)
 Boys, S. F., 115(24)
 Bradley, A. J., 695(96)
 Brandvold, T. A., 532(65)
 Brett, A. M., 270(122)
 Brookhard, M., 483(45)
 Brown, H. C., 662(82), 662(83), 663(84)
 Brown, S. N., 431(30)
 Brown, W. G., 215(68)
 Brunck, T. K., 227(71), 227(74), 254(101)
 Büchler, A., 73(16)
 Burdett, J. K., 230(78), 508(55)
 Burns, R. C., 581(10)
 Burrau, Ø, 90(5)
 Bursten, B. E., 536(68)

- Burt, S. K., 495(51)
 Buys, H. R., 240(87)
 Byers Brown, W., 3(7)
- Cade, P. E., 11(26)
 Cai, J. Q., 259(105)
 Cairns, T. L., 676(88)
 Calder, V., 73(16)
 Carboni, R. A., 676(88)
 Carpenter, J. E. 25(44), 234(82), 588(24)
 Casimir, H. B. G., 590(29)
 Caulton, K. G., 625(52)
 Cavalleri, M., 649(69)
 Chamberlin, S., 532(65)
 Charkin, O. P., 73(17)
 Chatt, J., 503(54)
 Chernick, C. L., 299(145)
 Chestnut, D. B., 181(54)
 Claassen, H. H., 299(145)
 Clark, T., 25(43)
 Cleland, W. W., 621(48)
 Cleveland, T., 367(5), 369(6), 370(8), 372(10),
 473(42)
 Clifford, A. F., 130(36)
 Closs, G. L., 253(100)
 Clot, E., 389(16)
 Coffman, D. D. 676(88)
 Collins, J. R., 677(89)
 Collman, J. P., 510(59)
 Coolidge, A. S., 90(3), 580(6)
 Coops, J., 270(120)
 Corbett, J. D., 581(10)
 Cordier, F., 583(19)
 Cornilescu, G., 583(19)
 Cossee, P., 510(58)
 Cotton, F. A., 210(66), 412(24), 413(26), 532(66)
 Coulson, C. A., 26(47), 106(21), 129(31), 146(41),
 227(69), 230(76), 230(80), 272(124), 277(133),
 593(34)
 Cox, J. D., 270(120)
 Crabtree, R. H., 526(63), 624(50), 625(52)
 Cramer, C. J., 215(68)
 Crawford, B. L. Jr., 307(150)
 Crawford, V., 227(69)
 Cremer, D., 272(125), 272(126), 272(127), 274(130),
 274(131), 677(89)
 Critchlow, S. C., 581(10)
 Curtiss, C. F., 47(2), 588(25), 588(26), 589(27),
 590(28), 635(62)
 Curtiss, L. A. 8(22), 255(102), 602(38), 604(39),
 610(42)
 Custelcean, R., 626(53)
- Davidson, E. R., 22(37)
 Davidson, N., 6(11)
- Davies, A. G., 259(105)
 Davy, H., 650(70)
 DeCoster, D. M., 499(53)
 Debeer, E., 625(51)
 Delglass, W., 509(57)
 Denisov, G. S., 583(19)
 Desclaux, J.-P., 546(71)
 Deslongchamps, P., 248(97)
 Dewar, M. J. S., 215(68), 230(77), 264(112),
 264(114), 274(128), 503(54), 686(94)
 Dill, J. D., 270(123)
 Dilthey, W., 308(151)
 Dirac, P. A. M., 1(1)
 Djerassi, C., 260(106), 260(109)
 Doddi, G., 248(97)
 Donnelly, R. A., 130(36)
 Dougherty, R. C., 230(77)
 Duggan, P. J., 248(97)
 Duncanson, L. A., 503(54)
 Dunger, A., 583(19)
- Ebbing, D. D., 302(148)
 Eberhardt, W. H., 307(150)
 Eckert, J., 625(52)
 Edmiston, C., 115(24)
 Eisenschitz, R., 585(23)
 Eisenstein, O., 389(16), 625(52)
 Elanov, I. R., 665(85)
 Ellis, I. A., 247(95)
 Emerson, B. K., 718(9)
 Emsley, J., 631(55)
 Engelhardt, V. A., 676(88)
 Epiotis, N. D., 238(83), 283(139)
 Epstein, S. T., 3(7), 7(16)
 Ercolani, G., 248(97)
 Evans, W. J., 499(53)
 Eyring, H., 1(2), 102(14), 260(108), 678(90)
- Faraday, M., 196(58), 650(70)
 Farrar, T. C., 580(6)
 Feldgus, S., 509(56)
 Ferreira, R., 130(36)
 Ferretti, V., 611(45), 627(54), 634(57)
 Ferris, N. S., 676(88)
 Feshbach, H., 715(3)
 Fields, P. R., 299(145)
 Finke, R. G., 510(59)
 Firman, T. K., 367(5), 369(6), 369(7), 370(8),
 372(10), 383(14), 400(21), 473(42)
 Fischer, E. O., 536(67)
 Fisher, L. H., 580(6)
 Fleming, I., 230(78)
 Flygare, W. H., 604(39)
 Fock, V., 14(28), 105(25), 716(5)
 Ford, G. P., 274(128)

- Foresman, J. B., 8(21), 710(2),
 Foster, J. M., 115(24)
 Foster, J. P., 25(42)
 Frank, H. S., 652(73)
 Frenking, G., 389(16), 677(89)
 Freund, A., 269(118)
 Frey, P. A., 621(48)
 Frisch, A., 8(21), 710(2)
 Frohlich, N., 389(16)
 Frost, A. A., 210(65)
 Fujii, M., 695(96)
 Fukui, K., 686(94)
- Gammon, S. D., 302(148)
 Gassman, P. G., 621(48)
 Gauss, J., 272(125), 272(126), 272(127),
 677(89)
 Gavezzotti, A., 227(71)
 George, P., 270(122)
 Gerlt, J. A., 621(48)
 Gessespie, R. J., 389(15)
 Gibbs, J. W., 8(20), 723(1)
 Giese, B., 253(100)
 Gigli, G., 73(19)
 Gillespie, R. J., 293(144)
 Gilli, G. F., 611(45), 627(54), 634(57)
 Gilli, G., (45), 627(54)
 Gilli, P., (45), 627(54)
 Gindin, V. A., 583(19)
 Glasstone, S., 678(90)
 Glatzel, P., 649(69)
 Glendening, E. D., 25(44), 32(53), 216(68), 265(115),
 303(149), 591(32)
 Gole, J. L., 73(17)
 Golubev, N. S., 583(19)
 Gonzalez, C., 681(91)
 Goodman, L., 228(75)
 Gordy, W., 130(33), 130(36)
 Gould, I. R., 676(88)
 Gray, C. W., 303(Fig. 3.90)
 Greaves, J., 499(53)
 Green, J. C., 542(70)
 Green, M. L. H., 470(41), 483(45), 484(46),
 529(64)
 Greenberg, A., 270(123)
 Grein, F., 240(88)
 Grev, R. S., 264(113)
 Grigera, J. R., 635(59)
 Grosjean, M., 260(106)
 Grzesiek, S., 583(19)
 Gu, H., 228(75)
 Guevas, G., 240(86)
 Guido, M., 73(19)
 Gunion, R. F., 625(51)
 Gutowsky, H. S., 313(156)
- Haddon, R. C., 665(85)
 Hall, J. H., 625(52)
 Hall, M. B., 381(13), 570(76)
 Halpern, J., 488(49)
 Hamann, D. R., 583(18)
 Hamilton, W. C., 591(33)
 Hamlow, H. P., 247(96)
 Hancock, R. D., 526(62)
 Hanna, H. J., 303(Fig. 3.90)
 Hannay, N. B., 130(32)
 Hargittai, I., 293(144), 389(15)
 Hargittai, M., 467(39)
 Hartley, F. R., 473(42)
 Hartree, D. R., 14(28)
 Harvey, J. N., 542(70)
 Hassell, O., 286(140), 580(8)
 Hassett, D. M., 73(17)
 Havinga, E., 240(87)
 Hawthorne, M. F., 345(162)
 Hayashi, M., 247(94)
 Hayes, E. F., 73(17), 73(18)
 Heckert, R. E., 676(88)
 Hegedus, L. S., 510(59)
 Hehre, W. J., 7(19), 151(43), 710(1)
 Heitler, W., 90(1)
 Helmholtz, L., 31(49)
 Henneker, W. H., 11(26)
 Herman, Z. S., 363(3)
 Herzberg, G., 90(6), 158(Table 3.13), 662(78),
 663(84)
 Herzfeld, K. F., 686(94)
 Heully, J.-L., 467(39)
 Hiberty, P. C., 541(69)
 Hightower, J. W., 509(57)
 Hinze, J., 130(36)
 Hirota, N., 676(88)
 Hirsch, T. K., 649(69)
 Hirschfelder, J. O., 3(7), 47(2), 588(25), 588(26),
 589(27), 590(28), 635(62)
 Hochstrasser, R. M., 676(88)
 Hoffmann, R., 31(49), 253(99), 541(69), 686(95)
 Hohenberg, P., 16(32)
 Hu, J.-S., 583(19)
 Huber, K. P., 158(Table 3.13)
 Hudson, R. F., 230(77)
 Hückel, E., 197(60)
 Huffman, J. C., 625(52)
 Hughes, R. P., 473(42)
 Huheey, J. E., 130(36)
 Huisgen, R., 269(117)
 Hund, F., 166(47)
 Hunt, W. J., 73(17)
 Husimi, K., 22(37)
 Hylleraas, E. A., 3(8), (30)
 Hyman, H. H., 299(145), 299(146)

- Ibers, J. A., 591(33)
 Iczkowski, R. P., 130(36)
 Ingold, C. K., 196(59), 662(81)
 Isaacs, E. D., 583(18)
 Ito, M., 695(96)
 Itoh, T., 247(93)
 Ittel, S. D., 487(47)
- Jackson, J. E., 626(53)
 Jackson, S. A., 625(52)
 Jacob, J., 583(19)
 Jacobsen, E. N., 487(47)
 Jaffé, H. H., 130(36)
 Jahn, H. A., 467(37)
 James, H. M., 90(3)
 Janet, C., 717(6)
 Janusek, R., 270(121)
 Jarzeba, W., 676(88)
 Jeffrey, G. A., 580(5), 650(70)
 Jennings, J. P., 260(110)
 Jensen, W. B., 105(18), 177(52), 662(79)
 Johnson, M. K., 676(88)
 Jones, L., 302(148)
 Jordan, K., 255(102), 255(104)
 Juaristi, E., 240(86)
- Kaarsemaker, S. J., 270(120)
 Kamb, B. J., 363(3)
 Kaminsky, W., 499(53)
 Kauffman, G. B., 436(31)
 Kaupp, M., 73(17), 389(16), 421(27)
 Kauzmann, W. J., 260(108)
 Khlobystov, A. N., 665(85)
 Kim, E. H., 625(51)
 Kim, E. K., 673(87)
 Kim, T., 676(88)
 Kimball, G. E., 1(2), 102(14)
 Kimura, Y., 676(88)
 King, R. B., 381(13), 676(88)
 Kirby, A. J., 240(86)
 Kirpekar, S., 583(19)
 Klemperer, W., 73(16)
 Klimentko, N. M., 73(17)
 Klopman, G., 130(36)
 Klyne, W., 260(109), 260(110)
 Knight, A. E. W., 695(96)
 Knowles, W. S., 488(48)
 Knowlton, J. W., 270(120)
 Koch, W., 677(89)
 Kochi, J. K., 673(87)
 Koetzle, T. F., 625(52)
 Kohn, W., 16(32), 16(33)
 Kollman, P., 621(48)
 Kolonits, M., 467(39)
 Kolos, W., 90(6)
- Konze, W. V., 488(48)
 Koopmans, T. A., 119(29)
 Kraka, E., 274(130)
 Kreevoy, M. M., 621(48)
 Krestownikoff, A., 269(118)
 Kubas, G. J., 488(48), 492(50), 625(52)
 Kurtz, E. M., 676(88)
 Kutadeladze, A. G., 665(85)
 Kutsal, C., 676(88)
 Kutzelnigg, W., 277(134)
- Laidler, K. J., 678(90)
 Landis, C. R., 365(4), 367(5), 369(6), 369(7), 370(8),
 373(10), 383(14), 400(21), 488(49), 509(56),
 518(61), 473(42)
 Langmuir, I., 105(18)
 Latajka, Z., 661(76)
 Latimer, W. M., 583(13), 596(35)
 Ledsham, K., 90(5)
 Lee, C., 16(34)
 Lee-Huang, S., 583(19)
 Legon, A. C., 604(39)
 Legrand, M., 260(106)
 Lennard-Jones, J. E., 635(62)
 Lerner, L., 243(91)
 Lesiecki, M. L., 73(16)
 Levine, I. N., 3(6)
 Levy, M., 130(36)
 Lewis, G. N., 26(46), 105(18), 583(13), 583(14)
 Liang, C., 255(102)
 Lide, D. R. Jr., 247(93)
 Lierman, J. F., 270(123)
 Limbach, H.-H., 583(19)
 Lineberger, W. C., 625(51)
 Lipscomb, W. N., 227(72), 307(150), 309(154),
 329(160)
 Little, E. L., 676(88)
 Lledos, A., 389(16)
 Löwdin, P.-O., 7(17), 15(31), 23(40), 378(12),
 686(94)
 Loftus, A., 227(69)
 London, F., 90(1), 585(23)
 Long, J. A., 345(162)
 Longuet-Higgins, H. C., 308(152), 686(94)
 Lough, A. J., 625(52)
 Lu, K.-T., 695(96)
 Ludwig, R., 646(66), 651(72)
 Lukehart, C. M., 412(24)
- Madelung, E., 716(4)
 Magnusson, E., 277(135)
 Malkina, O. L., 583(19)
 Malm, J. G., 299(145)
 Mann, D. E., 73(16)
 Manning, W. M., 299(145)

- Manoharan, M., 611(44)
 Marder, T. B., 345(162)
 Margrave, J. L., 130(36)
 Markel, F., 676(88)
 Markownikoff, H., 269(118)
 Marks, T. J., 536(68)
 Marsden, C. J., 73(17), 467(39)
 Marsh, R. E., 650(71)
 Martell, A. E., 526(62)
 Maseras, F., 389(16)
 Mason, S. F., 260(108)
 Matheson, M. S., 299(145)
 Mayer, J. M., 39(20)
 Mazurs, E. G., 715(2)
 Mazurs, E. G., 717(7), 717(8), 718(9),
 718(10)
 McClellan, A. L., 583(20)
 McConnell, H. M., 255(103)
 McGeer, E. G., 676(88)
 McHale, J. L., 676(88)
 McKean, D. C., 247(95)
 McKelvey, D. R., 546(71)
 McKusik, B. C., 676(88)
 McLean, A. D. 90(4)
 McMullan, R. K., 650(70)
 Mendeleev, D. I., 715(1), 718(9)
 Merenyi, R., 270(121)
 Messmer, R. P., 412(23)
 Meyer, M. A., 473(42)
 Michaelian, K. H., 580(6)
 Middleton, W. J., 676(88)
 Miller, J. R., 253(100), 255(102)
 Miller, M., 196(58)
 Miller, R. A., 532(65)
 Millikan, R. C., 580(6)
 Milstein, R., 625(52)
 Mingos, D. M. P., 309(155), 372(10)
 Moffitt, W. E., 146(41), 260(109), 272(124)
 Møller, C., 14(29)
 Moodie, R. B., 665(85)
 Moore, C. E., 77(Table 2.2)
 Morales, C. M., 25(44)
 Morris, R. H., 625(52)
 Morse, P. M., 715(3)
 Moscowitz, A., 260(109)
 Moss, D. B., 695(96)
 Muldoon, J., 431(30)
 Mulliken, R. S., 31(49), 105(18), 130(36), 212(67),
 215(68), 227(69), 308(152), 580(7), 661(77),
 662(82), 663(84), 686(94)
 Murata, S., 676(88)
 Musaev, D. G., 73(17)
 Musher, J., 276(132)
 Musulin, B., 210(65)
 Myers, A. B., 676(88)
 Nakagawa, N. 247(96)
 Naleway, C. A., 255(102)
 Näslund, L. A., 649(69)
 Nesterov, E. E., 665(85)
 Neumark, D. M., 625(51)
 Newton, M. D., 255(102)
 Nibler, J. W., 73(16)
 Nilsson, A., 649(69)
 Nishikawa, T., 247(93)
 Noble, D. R., 665(85)
 Nordlund, D., 649(69)
 Norton, J. R., 510(59)
 Norton, M. L., 676(88)
 Noyori, R., 488(48)
 Nugent, W. A., 399(20)
 Nyholm, R. S., 293(144)
 Odelius, M., 649(69)
 Ogasawara, H., 649(69)
 Ojamäe, L., 649(69)
 Okuda, S., 247(96)
 Olgemoeller, B., 473(42)
 Oppenheimer, J. R., 6(13)
 Orgel, L. E., 661(77)
 Orville-Thomas, W. J., 227(72), 661(76)
 Overbeek, J. T. G., 591(30)
 Owens, K. G., 695(96)
 Paddon-Row, M. N., 255(102), 255(104)
 Palke, W. E., 130(36)
 Papazyan, A., 621(48)
 Park, S., 625(52)
 Parkin, G., 470(40)
 Parmenter, C. S., 695(96)
 Parr, R. G., 14(30), 16(34), 90(4), 130(36), 212(67)
 Parshall, G. W., 487(47)
 Partington, J. R., 45(1)
 Pasternak, A., 130(36)
 Pauli, W., 6(15)
 Pauling, L., 26(47), 31(50), 32(51), 102(14), 102(15),
 106(19), 129(31), 130(34), 132(38), 151(42),
 151(44), 169(51), 196(59), 302(148), 363(1),
 363(2), 363(3), 372(9), 580(5), 583(15), 635(58),
 649(68), 650(71), 90(2)
 Peabody, S., 611(44)
 Perkin, W. H., 269(117), 269(118)
 Person, W. B., 580(7)
 Petillo, P., 243(91)
 Pettersson, L. G. M., 649(69)
 Pfaltz, A., 487(47)
 Pidcock, A., 473(42)
 Piechuch, P., 661(76)
 Pierce, L. M., 247(94)
 Pilcher, G., 270(120)
 Pimentel, G. C., 278(137), 583(20)

- Pitzer, K. S., 227(72), 308(152), 313(156), 546(71), 580(6)
 Platt, J. R., 212(67)
 Platzman, P. M., 583(18)
 Plesset, M. S., 14(29)
 Plyler, E. K., 661(77)
 Pochatko, D., 602(38), 604(39), 610(42)
 Podryvanov, V. A., 665(85)
 Polder, D., 590(29)
 Poli, R., 536(68), 542(70)
 Pophristic, V., 228(75)
 Pople, J. A., 7(19), 151(43), 710(1)
 Powell, H. M., 293(144)
 Powell, R. E., 546(71)
 Preuss, H., 73(17)
 Price, W. C., 308(153)
 Pritchard, H. O., 130(36)
 Pross, A., 498(52), 681(93)
 Pryce, M. H. L., 466(36)
 Pullman, B., 686(94)
 Pyykkö, P., 546(71)
- Quarterman, L. A., 299(145)
 Quist, A. S., 652(73)
- Radom, L., 7(19), 151(43), 710(1)
 Raghavachari, K., 665(85)
 Ramachandran, R., 625(52)
 Ramsey, N. F., 167(49)
 Rao, C. N. R., 661(76)
 Ratajczak, H., 661(76)
 Ratner, M., 253(100)
 Rayleigh (Lord), 3(5)
 Reed, A. E., 8(22), 25(41), 25(44), 30(48), 115(24), 180(53), 183(56), 227(71), 278(136), 602(38), 604(39), 610(42), 610(43)
 Reents, W. D. Jr., 665(85)
 Réffy, B., 467(39)
 Reibke, R., 583(19)
 Reid, G. D., 676(88)
 Rheingold, A. L., 473(42), 625(52)
 Richards, R. E., 473(42)
 Rieke, C. A., 215(68)
 Robinson, Sir R., 196(59)
 Rochow, E. G., 130(35)
 Rodebush, W. H., 583(13), 596(35)
 Romers, C., 240(87)
 Root, D. M., 369(6), 372(10), 473(42)
 Roothaan, C. C. J., 14(28)
 Rosaaen, K. A., 518(61)
 Roscoe, H. E., 579(1)
 Rosenfeld, L., 260(107)
 Rossini, F. D., 270(120)
 Ruedenberg, K., 115(24)
 Runciman, W. A., 466(36)
- Rundle, R. E., 278(137)
 Russo, N., 495(51)
- Salpeter, E. E., 6(14)
 Salzner, U., 73(17), 215(68), 243(91)
 Sanderson, R. S., 105(18), 130(36), 398(19)
 Sandifur, C. W., 303(Fig. 3.90)
 Sapse, A. M., 661(76)
 Sarker, H., 676(88)
 Saurez, D., 215(68)
 Schaefer, H. F., 73(117), 264(113)
 Scheirs, J., 499(53)
 Scheve, B. J., 248(97)
 Schlegel, H. B., 681(91)
 Schleyer, P. v. R., 7(19), 8(22), 25(43), 73(17), 151(43), 180(53), 215(68), 243(91), 255(104), 270(121), 272(125), 272(126), 661(76), 710(1)
 Schnatzke, G., 260(106)
 Schrödinger, E., 3(5), 8(23)
 Schreiner, F., 299(145)
 Schrock, R. R., 412(25)
 Schultz, P. A., 412(23)
 Schwerdtfeger, P., 73(20)
 Scopes, P. M., 260(110)
 Scott, (Sir) W., 196(58)
 Scott, B. L., 488(48)
 Scott, C., 240(88)
 Scott, R. A., 676(88)
 Scribner, R. M., 676(88)
 Selig, H. H., 299(145), 299(145)
 Shaik, S., 498(52), 541(69), 681(93)
 Shakirov, M. M., 665(85)
 Sham, L. J., 16(33)
 Shang, M., 532(66)
 Sharpless, K. B., 488(48)
 Sheft, I., 299(145)
 Shenderovich, I. G., 583(19)
 Sheshardri, K. S., 73(16)
 Shi, X., 309(155)
 Shimoda, K., 247(93)
 Shukla, A., 583(18)
 Shurki, A., 681(93)
 Sidgwick, N. V., 105(18), 293(144), 662(80)
 Siegbahn, P. E. M., 625(52)
 Siegel, S., 299(145)
 Siu, A. K. Q., 73(17)
 Skinner, H. A., 130(36)
 Slater, J. C., 14(28), 106(20), 363(1)
 Slee, T. S., 274(130)
 Sloth, E. N., 299(145)
 Smirnov, S. N., 583(19)
 Smith, M. L., 676(88)
 Smyth, C. P., 130(32)
 Soper, P. D., 604(39)
 Sordo, J. A., 215(68)

- Sordo, T. L., 215(68)
 Stahl, S. J., 583(19)
 Stauffer, J. L., 73(16)
 Stein, L., 299(145)
 Steudel, R., 581(9)
 Stevens, J. C., 509(57)
 Stevens, R. S., 625(52)
 Stewart, A. L., 90(5)
 Stinzing, H., 718(9),
 Stock, A., 319(157)
 Stoll, H., 73(17)
 Stout, J. W., 580(6)
 Straatsma, T. P., 635(59)
 Streitwieser, A. Jr., 209(64), 215(68), 536(68),
 591(32)
 Studier, M. H., 299(145)
 Su, M.-D., 498(52)
 Sugden, T. M., 105(18),
 Suidan, L., 303(149)
 Summers, M. F., 583(19)
 Sur, S. K., 366(Table 4.1)
 Syrkin, Y. K., 277(133)
 Szczesniak, M. M., 661(76)
 Szentpaly, L. v., 73(20)
- Tachiya, M., 676(88)
 Takazawa, K., 695(96)
 Takebayashi, Y., 676(88)
 Tallant, N. A., 259(105)
 Tawa, M. D., 473(42)
 Taylor, G. R., 14(30)
 Teller, E., 467(37)
 Teo, B. K., 309(155)
 Thatcher, G. R. J., 240(86), 243(91)
 Theobald, C. W., 676(88)
 Tobin, J. B., 621(48)
 Trachtman, M., 270(122)
 Tulk, C. A., 583(18)
 Turro, N. J., 253(100)
 Tyndall, J., 579(1)
 Tyrrell, J., 264(114)
- Uddin, J., 518(61)
- Van Nees, K., 591(30)
 Van Vleck, J. H., 439(33)
 Van der Sluys, L. S., 625(52)
 Velluz, L., 260(106)
 Venanzi, L. M., 473(42)
 Vergarnini, P. J., 625(52)
 Verwey, E. J. W., 591(30)
 Viehe, H. G., 270(121)
- Wade, K., 309(155)
 Wagner, P. J., 248(97)
- Walsh, A. D., 130(36), 308(152)
 Walter, J. E., 260(108)
 Walter, J., 1(2), 102(14)
 Walton, R. A., 413(26)
 Wang, Y.-X., 583(19)
 Ward, A. J., 473(42)
 Warshel, A., 621(48)
 Weeks, J. L., 299(145)
 Weinhold, F., 8(22), 25(41), 25(42), 25(43), 25(44),
 30(48), 32(53), 37(57), 40(58), 62(9), 115(24),
 183(56), 227(71), 227(74), 231(81), 234(82),
 254(101), 264(114), 278(136), 303(149), 365(4),
 580(6), 582(12), 588(24), 602(38), 604(39),
 607(41), 610(42), 610(43), 611(44), 646(67),
 651(72), 695(96)
 Weinstock, R. B., 25(41), 30(48), 264(114)
 Weiss, A., 90(4)
 Weisshaar, J. C., 695(96)
 Weisskopf, V. F., 37(56), 63(10)
 Wen, W.-Y., 652(73)
 Wendolski, J. J., 610(43)
 Wendt, M. A., 580(6)
 Werner, A., 436(31)
 Wernet, P., 649(69)
 Whangbo, M. H., 230(78), 508(55)
 Wharton, L., 73(16)
 Wheeler, L. P., (1), 8(20)
 Wheland, G. W., 32(51), 102(14), 102(15),
 196(59)
 White, D., 73(16)
 Whitt, S. A., 621(48)
 Wiberg, K. B., 610(43)
 Wigner, E., 686(94)
 Wilcox, C. H. 7(17)
 Wilkinson, G., 536(67)
 Williamson, A., 473(42)
 Wilmshurst, J. K., 130(36)
 Wilson, E. B. Jr., 227(70)
 Wind, H., 90(5)
 Windberg, H. E., 676(88)
 Wingfield, P., 583(19)
 Wiswesser, W. J., 718(10)
 Witmer, E. E., 686(94)
 Wolfe, S., 240(85)
 Wolfsberg, M., 31(49)
 Wolniewicz, L., 90(6)
 Wong, L.-L., 483(45)
 Woodward, R. B., 260(109), 686(95)
 Wulff, W. D., 532(65)
 Wütrich, K., 583(19)
 Wynne, K., 676(88)
- Yakshin, M. M., 277(133)
 Yamamoto, H., 487(47)
 Yang, W., 16(34)

Cambridge University Press

0521831288 - Valency and Bonding: A Natural Bond Orbital Donor-Acceptor Perspective

Frank Weinhold and Clark R. Landis

Index

[More information](#)*Author index*

739

Yarkony, D. R., 73(17)

Yoshimine, M., 90(4)

Yost, D. M., 130(34)

Zachmanoglou, C., 470(40)

Zakharov, L. N., 473(42)

Zefirov, N. S., 665(85)

Zhang, H., 309(155)

Zhao, A.-Q., 695(96)

Zhenyang, L., 372(10)

Zimmerman, H. E., 686(94)

Zirin, M. H., 299(145)

Zumdahl, S. S., 302(148)

Zyk, N. V., 665(85)

Subject index

(Italic page numbers are for locations of photographs.)

- acceptor (Lewis acid)
 - relative strengths, 607
 - see* donor–acceptor interaction
- agostic interaction, 317–319, 480, 483–487
- Alder, K., 686
- alkaline earth
 - bent ionic MX₂, 73–76, 87
- “alkene-orienting” effect, 508
- alpha helix, 646
- anomeric effect, 240–243
- antiaromaticity, 196–205
 - see* cyclobutadiene
- anti-H-bond, 659
- anticooperativity, 642–643
- antiperiplanar influence
 - see* stereoelectronic effect
- antisymmetry, 587
- aromaticity, 196–205
- asymmetric catalysis, 508–509
- asymmetric hydrogenation, 488
- atomic
 - ground-state electron configuration, 719–721
 - units, 723–725
 - (Rutherford) model, 89
- Aufbau* principle
 - atomic configuration, 719–721
 - homonuclear diatomic molecules
 - MO, 158–159
 - NBO, 160–172
 - multi-center, 306–313, 351
- B3LYP
 - see* density functional
- Baeyer ring-strain theory, 269–273
- banana bond, 351, 694
 - idealized, in double bond, 223, 409, 411–412
 - in cyclopropane, 274
 - in dicarbollide, 347
 - in Ga₂, 171, 174
 - in HReReH, 418
 - in vinylamine, 219–220, 226
 - in W(CH₂)₃, 409
- Bartlett, N., 299
- basis set, 712–714
 - correlation consistent, 714
 - Dunning style, 714
 - ECP, 713–714
 - LACV3P⁺⁺, 364
 - Pople-style, 712–713
- Bent, H. A., 138, 286, 573
- Bent’s rule, 352, 574, 610
 - in boron hydrides, 326
 - for d-block species, 421–434
 - ionicity, d character, and shape, 395–396
 - restated form, 421–422
 - for s/p-block species, 138–146
 - NBO extension, 140–146
 - in C₃H₆, 147
 - in geminal delocalization, 265
 - in hypervalency, 293
 - in N₂⁺, 121
 - in torsion–vibration coupling, 246
 - R-dependent, 151
- Berzelius, J. J., 45–46
- Bethe, H. A., 437, 438
- blue-shifting hydrogen bonds, 610
- Bohr, N., 8–9
- bond
 - covalent, 579, 591
 - coordinate covalent/dative, 177–182, 440

- hypovalent (3c/2e), 306–351
 hypervalent (3c/4e), 282–306, 440, 447–451, 594, 618, 683
 ionic, 45–88
 one-electron, 91–92
 resonance (“weak,” “noncovalent”) 591, 593
 three-electron, 169
 bond bending
 NBO description 146–151, 351
 in C₃H₆, 146–147
 in CH₂FNH₂, 147
 in NH₃, PH₃ umbrella motion, 147–151
 bond dissociation energy (BDE)
 in hypervalent SF_{*n*} species, 298–299
 in group 4, 6, 10 compounds
 metal–hydride, 551–555
 metal–methyl, 553–555
 metal–metal, 558–559
 bond order
 see natural resonance theory (NRT), resonance
 bond-order–bond-length relation
 amide complexes, 700–701
 Diels–Alder, 691–693
 stereoelectronic effect, 251
 dinuclear transition metal hydrides, 416
 altered hapticity, 530
 Born–Oppenheimer approximation, 579, 583–585
 and molecular structure concept, 6
 for H₂⁺, 90
 boron hydrides, 319–344
 d-block analogs, 483–487
 boron polymorphs, 341
 bridge-bonding
 see hypovalency, tau-bond
 Brunck, T. K., 227, 240
 buckyball (H₂O)_{*n*}, 649–652
 carbenes
 transition metal, 399–413
 Fischer- and Schrock-type, 413
 carbocation
 in alkene polymerization, 509–518
 stereoelectronic stabilization, 251–252
 carboranes, 344–351
 Casimir, H. G., 590–591
 catalysis
 by hypovalent transition metals, 487–518
 metal–H₂ reactions, 488–501
 metal–alkene reactions, 501–509
 chelation, 522–529
 anti-chelate effect, 528–529
 chelate effect, 522
 entropic nature, 526
 hapticity, 529–534
 resonance enhancement, 534–536
 cluster (“van der Waals molecule”), 581, 602
 charge “leakage,” 86–87
 in LiF, 51–52
 charge transfer (CT), 595, 623–624, 640, 665–675
 complex, 580–581, 594, 661–678
 CT-deleted (*see* \$DEL)
 in dative bonding, 178–179
 in ionic bonding, 58–60
 open- versus closed-CT networks, 71, 87, 193–196
 \$CHOOSE (select Lewis structure) procedure, 688
 colloid stability, 591
 complete active space (CAS), 711
 configuration interaction (CI), 710–711
 conjugation
 s/p-block, 182–214
 and resonance concept, 182–196
 cooperativity, 629, 635–646
 in benzene, 197–200
 in chelation, 536
 in ionic compounds, 87
 in (Li⁺)_{*n*}(F⁻)_{*m*} clusters, 66–71
 in pi networks, 193–196
 coordinate metal–ligand bonding
 crystal field and ligand field theory, 437–440
 localized Lewis-like picture, 440
 pi-backbonding, 452–459
 pi-frontbonding, 459–461
 sigma coordinative bonding, 440–446
 Werner picture, 434–437
 coordination number (CN), 370–372, 437
 core orbitals
 effect on bonding overlap, 96–99
 effect on vertical trends, 551–552
 role in alkaline earth MX₂ bending, 73
 correlation energy, 14
 Cossee, P., 510
 Coulomb’s law
 discovery, 45
 in Schrödinger equation, 6
 model, 594
 units, 46, 725
 Coulson, C. A., 106, 107, 110, 593
 Coulson–Moffitt picture of C₃H₆, 146, 273–275
 hybrid directionality theorem, 110
 hypervalent ionic resonance, 277, 447
 covalency, 89
 NRT definition, 35
 one- and two-electron, 90–96
 organic chemistry origins, 351
 covalent wavefunction, 102
 contrast with NBO description, 104–105
 see Heitler–London model
 Crawford, B., 307
 Cremer, D., 272

- crystal field theory, 437–439
 splitting energy ($10Dq$), 438, 461, 463, 464–466
- crystallographic packing shapes, 386–387
- cycloaddition (*see* reaction)
- d-block compounds
 covalent and coordinate bonding, 363–575
 donor–acceptor interactions, 82–85
 ionic bonding, 76–86
 ubiquity of hyperbonding, 447–448
- d-count, 371
 and Green’s MLX classification, 470–471
 and omega-bonding, 470–473
 in crystal field splitting, 439
 in sandwich complexes, 539
- d-orbital participation
 in bent alkaline earth dihalides, 73
 in hypervalency, 276, 288, 572
 in main-group oxyacids, 302–306
- Dalton, J., 579
- dative (coordinate covalent) bonding, 177–182
 in transition metal chemistry, 440–446
 NBO characteristics, 178, 441
 pi-bonds, 181–182
- dative coordination reaction (*see* reaction)
- Davy, H., 45
- \$DEL (deletion) procedure, 273, 602, 613, 666–667, 683–684
- delta bonding, 415–418
- density functional
 B3LYP, 16
 methods, 16, 711–712
- density operator, 21–23
 first-order, 21, 41
 kernel, 21–22
 matrix elements, 22
- Dewar, M. J. S., 264–265, 273–275
- Diels, O., 686
- Diels–Alder reaction (*see* reaction)
- dihydrogen bonds, 624
- dipole moment, 598, 605
 macroscopic, 646
see multipole
- Dirac, P. A. M., 1
 bra-ket notation, 3
 equation, 6, 545
- dispersion force, 588, 590
 retarded (Casimir–Polder), 591
 unimportance in torsion barriers, 227
- donor (Lewis base)
 relative strengths, 607
see donor–acceptor interaction
- donor–acceptor interaction
 absence in cyclobutadiene, 200–202
 comparison with MO description, 94–96
 geminal, 263–264
 in hyperbonding, 281–289
 in hypovalency, 306–351
 in ionic transition metal compounds, 82–85
 in metal–H₂ interaction, 488–490
 in transition metal–ligand coordination, 440–446
 multi-center *Aufbau*, 306
 one-electron, 91, 462
 orientational versus energetic dependence, 185–190
 perturbation theory, 16–19
 relative strengths, 236
 stabilization, 19–20
 symmetry-allowed in homonuclear diatomics, 162
 two-electron, 92–93
 vicinal versus non-vicinal, 193
- duodectet rule (“rule of 12”), 365–367, 574
- e_u orbital (octahedral), 438, 461–464
- early transition metals (*see* hypovalency)
- Earnshaw’s theorem, 46, 65
- Eberhardt, W., 307
- effective atomic number (EAN, “18-electron”) rule, 448
 and p-orbital participation, 570
 statistical frequency, 470–471
 violation, 474, 477–478
- effective core potential (ECP), 713–714
 basis set, 364
 in alkaline-earth dihalide bending, 74
- electron
 configuration, 719–721
 in d-block atoms and ions, 76–78
 singlet complementary atoms (¹CA), 166
 correlation, 14
 correlation-consistent basis sets, 714
 effect on orbital shape, 15
 left–right (bond) type, 103
 discovery, 45
 density, 9, 14
 spin and antisymmetry, 36–37
- electron affinity
 of fluorine, 78
 of first-row transition metal atoms, 76–77
- “electron-deficient” compounds (*see* hypovalency)
- electronegativity
 Allred–Rochow, 130, 132–134
 and hybridization, 134–137
 and ionic character, 80–81, 442
 natural, 127 (tables, 133, 155, 398, 405)
 of transition metals, 396–398, 404–405
 orbital versus atomic property, 157
 pi-type, 151–157
 Pauling, 129–133

- electroneutrality principle
 main-group oxyacids, 302
 versus high formal charge, 433
 electrophilic cleavage reaction (*see* reaction)
 electrophilic displacement reaction (*see* reaction)
 electrophilic substitution reaction (*see* reaction)
 electrostatics (classical)
 in crystal field theory, 437–439
 multipoles, 587–525
 torsion barrier effects, 327
 view of H-bonding, 583, 593, 615, 636
 electrovalency, 35
 enolones, 631
 entropic factors (H-bonding), 649
 Epiotis, N., 283
 excited states
 $^3n \rightarrow \pi^*$ ketone excitation, 260–263
 primary hyperconjugation in $^3\pi \rightarrow \pi^*$ excitation,
 223–226
 spin excitation in transition metals, 461–464
 Eyring, H., 678, 679

 Faraday, M., 45, 196
 fine-structure constant, 545
 Fischer, E. O., 536
 “flickering clusters,” 652
 Fock, V.
 dynamical symmetry, 716
 invariance theorem, 115
 operator, 115
 force
 ionic, 596, 611, 615
 steric/exchange, 37–38
 “four-electron-destabilizing” interactions,
 229–234
 Frankland, E., 45
 Franklin, B., 45

 Galvani, L., 45
gauche effect, 240–243
 Gauss, J., 272
 Gaussian
 basis function 568, 712
 program, 364
 generalized valence bond (GVB) method,
 711
 Gilli, G. F., 611, 627, 634
 Gibbs, J. W., 8, 723–725
 Glendening, E. D., 591, 264
 Green’s MLX classification, 470–472
 and hapticity, 529–531
 in sandwich complexes, 538–545
 for $\text{Fe}(\text{CO})_4\text{C}_2\text{H}_4$, 508
 for $[\text{Pt}(\text{PH}_3)_2\text{HR}_2]^+$, 507
 for $[\text{Pt}(\text{PH}_3)_2\text{H}(\text{H}_2)]^+$, 491–492

 Hamiltonian operator, 1, 9, 36, 584
 hapticity, 539–534
 and Green’s MLX formalism, 529
 in sandwich complexes, 536–545
 Hartree–Fock (HF) model, 13–14, 41, 710
 perturbation theory, 17–19
 Hassel, O., 286, 580–581
 Havinga, E., 240
 Hermitian property, 585, 588
 Heitler–London wavefunction for H_2 , 90, 102–105
 Herzberg, G., 662
 Hirschfelder, J. O., 590
 helium
 dimer, 38, 582
 $\text{He} \cdots \text{BeO}$, 677–678
 Hoffmann, R., 686
 through-bond coupling, 253–256
 see Woodward–Hoffmann rules
 homonuclear diatomic molecules, 157–172
 NBO *Aufbau* principles, 166
 hydrogen bonding, 580, 593–660
 charge-assisted ($\pm\text{CAHB}$), 611
 cooperativity, 635
 coupling with torsions, 693–702
 entropic factors, 649
 isomerization, 604–611
 low-barrier, 618
 resonance nature, 621
 resonance-assisted (RAHB), 627
 strength, 607
 transition metal, 657–660
 uniqueness, 594, 660–661
 Hückel MO theory
 ab initio α , β parameters, 212–214
 comparison with NBO description, 208–214
 $4n + 2$ rule, 197
 Frost–Musulin mnemonic, 210–212
 Hund’s rule, 166, 170
 Husimi, K., 22
 hybrid following, 147–151
 hybridization
 and bond orbitals, 26
 and directionality, 107–111
 and electronegativity, 134–137
 see Bent’s rule
 and structure concepts, 35–36
 in $\text{CHF}(\text{OH})\text{PH}_2$, 145–146
 in d block, 81–82, 372–387
 in group 13–17 hydrides, 125–127
 in H_2 , 95–96
 in ionic bonding, 49–60
 in Li_2^+ , 99–100
 in NH_3 , H_2O , HF, 135
 in s/p block, 106–115
 R-dependence, 172–175

- hybridization (*Continued*)
 sum rules, 111–112
 theory, 52–60, 372–387
see natural hybrid orbital (NHO)
- hydrophobic effect, 651–652
- hyperbonding (3c/4e)
 in ionic transition metal complexes, 86
 in chelate effect, 529
see omega bond
- hyperconjugation
 primary, 215–226
 spectroscopic effects, 223, 226
 stabilization, 216–220
 torsional effects, 220–223
 secondary, 223, 226–252
 ethane-like barriers and torsion–vibration coupling, 227–247
 geminal
 angular dependence, 268–269
 Dewar model, 273–275
 hybrid decomposition, 264–268
 resonance description, 263–264
 ring strain, 269–273
 in d-block elements, 519–522, 574
 methyl tilt, 247–248
 stereoelectronic reactivity effects, 248–252
 summary, 352
 through-bond coupling effects, 252–269
 W-effect and octant-rule interactions, 259–263
- hypervalency, 275–306
 absence in main-group oxyacids, 302–306
 definition 276
 NBO description, 282–306
 non-d coordination, 477–479
 rare-gas compounds, 299–302
 three-center MO model, 277–281
 ubiquity in transition metal species, 447–448, 574
see omega bonding
- hypovalency, 306–353
 agostic interactions, 317–319, 483–487
 catalytic bond activation, 487–515
 in boron hydrides, 319–344
 in carboranes, 344–348
 in groups 3–5, 479–483
 in other group-13 compounds, 348–351
 isolable Lewis acids, 480, 483
 NBO 3c/2e *Aufbau* picture, 306–313
 protonated pi-bond model, 313–317
 tau bonds and antibonds, 309–311
 unpromoted 1c* orbitals, 479–480
see tau bonding
- ice-like clusters, 648, 651
 induction, 581–583
 Ingold, K., 662
- internal rotation barrier
 anomeric effect, 240–243
 ethane-like molecules, 234–238
 “4e-destabilization” rationale, 229–234
gauche effect, 240–243
 H-bond modulation, 693–702
 in C₂H₆, 227–229
 in “ethane-like” Os₂H₆, 519–520
 in ferrocene
 in W₂H₁₀
 primary hyperconjugation, 220–223
 secondary hyperconjugation, 227–251
- intramolecular vibrational relaxation (IVR), 244
- inversion (umbrella) barrier, 148–151
- ionic bonding
 in d-block elements, 76–86
 steric effects, 62–64
 clusters and lattices, 65–71
 crystal field theory, 437–439, 464
 model breakdown, 60–62, 87
 model of hypervalency, 277–278
 orbitals, 47–48
- ionicity/ionic character
 and electronegativity, 127–134
 anomalous values in dative bonding, 178, 443
 definition, 101
 Hannay–Smyth equation, 130
 in Heitler–London model, 102–105
 in hypervalent species, 282–289
 in hypovalent species, 394, 482
 in pi-bonding, 191–193
- ionic-covalent transition
 short-range, 52, 60–62, 80, 86, 91
 long-range, 60
- ionic wavefunction
 contrast with NBO description, 104–105
see Heitler–London wavefunction
- ionization potential
 Koopmans versus NBO picture, 119–125
 of CO, N₂, H₂O, CH₄, 120–125
 of transition metal atoms, 77–78
- Jaguar* program, 364
- Jahn–Teller theorem, 467–470
 in tungstenocene, 543
 pseudo (second-order), 469
 versus localized description, 468–470
- James–Coolidge wavefunction, 90
- Kekulé, A., 45, 196
 kinetic isotope effect, 518
 Klemperer, W., 73
 Koch, W., 677
 Kochi, J., 673
 Kolos, W., 90

- Koopmans' theorem, 119
 failure in through-bond-coupling phenomena, 255–259
 MO versus NBO picture, 119–125
- lanthanide contraction, 546
see vertical trends
- Latimer, W., 583
- Lennard-Jones potential, 635
- Lewis, G. N., 27, 89, 177, 302–306, 363, 573, 583, 592
 octet rule, 352, 363, 367
- Lewis acid–base adduct, 177
- Lewis structure, 105, 584
 of main-group oxyacids, 302–306
 for d-block elements, 365–372
- “Lewis-like” transition metal bonding
 anomalies in multiple pi-bonds, 406–412
 comparison with ligand-field/MO picture, 563–573
 comparison with main-group Lewis picture, 573–575
- dot diagrams, 368–370
- duodectet rule, 365–367
- hybrids, directionality, and molecular shape, 372–387
- limitations in metal–metal bonding, 555
- oxidation state, coordination number, and d-count, 370–372
- promoted configurations, 367–368
- ligand field theory, 439–440
- Lipscomb, W. N., 307, 309, 319, 323, 336
- lithium bonding (analog of H-bonding), 661
- localized versus delocalized description
 of ionization phenomena, 115–125
 of Jahn–Teller distortion, 468–470
 of sandwich complexes, 544
 of transition-metal bonding and hyperbonding, 563–573
- London, F., 90, 585, 586
 theory of long-range forces, 585–591
- long-range forces, 585–591
- Löwdin, P.-O., 23
 orthogonalization method, 231
- Ludwig, R. L., 646
- Madelung rule (*see* periodic table)
- magnetic properties, 461–464
- metal–alkene bonding, 501–509
- metal–H₂ bonding, 498–501
- metal–metal bonding, 413–420
 dinuclear hydrides, 413–418
 multiple bonds, 415–418
 polynuclear species, 419–420
 vertical trends, 555–560
- metallacycle formation (*see* reaction, insertion)
- metallic versus non-metallic mechanical properties, 522
- metallocenes (*see* sandwich complexes)
- metathesis reaction (*see* reaction)
- methyl tilt, 247–248
- migratory insertion, 510
- model chemistry, 584
 and concepts, 5–7
 and perturbation theory, 2–5
 and variation theory, 7–8
 Hartree–Fock, 13–14, 41
- ionic, 45
 breakdown
 Lewis, 29
 reality, 40–41
- molecule/molecular unit, 579–581, 592
 structure, 5–6, 105
- molecular orbital (MO) theory
 and ligand field theory, 439
 versus localized MO description, 115–125
see Hartree–Fock method
- Møller–Plesset (MP) method, 711
- Mulliken, R. S., 215
 approximation, 31, 58, 188, 231, 265
 charge-transfer complex, 580, 661–663, 684, 703
 hyperconjugation, 215, 227
 MO theory, 439
 population analysis, 571
- multiple bonds
 d-group, 413–418, 555–560
 main-group, 112–115
 absence in H₃NO, H₃PO, H₃AsO, 179–181
see quadruple and quintuple bond
- multipoles (electric), 587–590
 ion–dipole, 64
 quantal corrections, 65
 model of hypervalency, 288
 dipole–dipole, 65
- naked metal cluster, 419
- natural atomic orbital (NAO)
 description, 24–25
 for group 4, 6, 10 metals, 548
 pre-orthogonal (PNAO), 30–32
 variation with charge/configuration, 47–48
- natural bond orbital (NBO)
Aufbau in homonuclear diatomics, 165–166
 compared with Heitler–London wavefunction, 102–105
 description, 25
 for group 6–11 transition metal hydrides, 391–393
 for group 13–17 hydrides, 125–127
 for pi-bonds of group 6–10 metal carbenes, 402–404
 for pi-bonds of group 14–16 CH₂X, 152–155

- natural bond orbital (NBO) (*Continued*)
 Lewis and non-Lewis, 26–27
 polyene, 180–196
 pre-orthogonal (PNBO), 30–32
 program, 27–28
 vicinal versus non-vicinal interactions, 193
- natural energy decomposition analysis (NEDA), 591
- natural hybrid orbital (NHO)
 angular strain and bond bending, 146, 151
 bent, 150–151
 comparison, 35–36
 composition (sp^λ), 52, 54–55
 definition, 26
 in ionic transition-metal bonding, 82–85
see hybridization
- natural Lewis structure
 accuracy, 112, 117, 187, 324, 327, 340–341, 392, 400–402, 414, 433
 definition, 26–30
 model, 29, 41
- natural localized molecular orbital (NLMO)
 hyperconjugatively modified, 223–224
 in conjugated systems, 183, 188
 in spectroscopic excitation, 260–262
 to estimate crystal field splitting, 463, 464–466
 versus canonical MO, 115–125, 468–470, 568–570
- natural minimal basis (NMB)
 accuracy, 108
 definition, 25
 dynamical character, 48–49
- natural orbital
 definition, 15–16, 23–24
- natural resonance theory (NRT), 32–36
 variational criterion, 32–34
 bond order, 34
 valency, 34–35
 of amine oxides and related species, 181
 of boron hydrides, 325–344
 of hyperconjugation, 225, 250–251
 of polyenes, 185–196
see resonance
- natural steric analysis
 description, 37–40
- near-valence (*Nebervalenz*), 582–583
- nephelauxetic effect, 464–466
- non-bonding (lone pair)
 anomalous $n^{(h)}$ of sd^1 bonding, 379–380, 410
 in delta-bonding, 416
 pi-interactions, 190–191
- normal-valency of d-block elements, 370
- nuclear magnetic resonance (NMR)
 exchange processes, 582
J-couplings, 282, 291–292, 583
 shielding, 621
- nucleophilic cleavage reaction (*see* reaction)
- nu-bonds, 123–124, 351
- open-shell, 710–711
 d-block atoms, 76
 daughter radicals of parent normal-valent species, 446–447
 excited states, 260–263
 homonuclear diatomics, 157–173
 in $W(CO)$, $W(CO)_2$, 449
 in MnF_3
- octant rule, 259–263
- omega bonding ($3c/4e$), 282–306
 and d-count, 470–473
 and *trans* influence, 473–474
 characteristics, 286–288, 447
 “ideal” $3\omega/3\sigma/3n$ motif, 450–451, 470, 540, 542
 in metal alkenes, 507–508
 in nucleophilic displacement reactions, 289–293
 omega-additions, 294
 omega-prebond, 282, 447
 steric/electrostatic limits, 448, 474–477
 ubiquity in d-block species, 447–448
 with transition metal s-orbitals, 477–479
see hypervalency and Pimentel–Rundle three-center MO model
- optical rotatory dispersion (ORD), 260
- overlap, 602, 614
 and steric forces, 37–40
 concept, 30–32
 in PMO theory, 230–234
 relation to hybridization, 55
 visualization, 58, 188
- oxidation state
 of d-block elements, 370–372
 “oxidative addition,” 498
- p-orbital participation
 in transition-metal hybrids, 82, 363–364, 449, 478, 590–573
- Pauli exclusion principle, 6, 352, 596
 and orbital occupancy, 13
 and steric repulsion, 36–40
- Pauling, L., 106, 363, 372, 573, 583, 592
 description of B_2H_6 , 312–313
 description of ferrocene, 541
 electronegativity, 129–134
 H_2^+ , 90
 hybrids for transition metal bonding, 363–364, 570
 Pauling–Wheland resonance theory, 32, 35, 102
 $3e$ pi-bonds in O_2 , 169
 valence-bond model, 105
- periodic table(s)
 theory of periodic *Aufbau*, 715–717
 standard (STT) form, 716

- left-step (LST) form, 717
- ascending periodic helix (APH) form, 718–719
- perturbation theory
 - Møller–Plesset, 16–18, 711
 - and models, 2–5, 584
 - first-order, 3, 18
 - Rayleigh–Schrödinger, 3
 - second-order, 3, 18–19
 - role of vacant orbitals, 13
 - donor–acceptor interactions, 16–19
 - London, 585–591
 - of relativistic corrections, 545–546
 - of AO-MO versus NAO-MO interactions, 566–567
- “perturbative molecular orbital” (PMO) theory
 - criticism, 230–234
- pi-backbonding, 446, 452–459
- pi-complex model (*see* sigma aromaticity)
- pi-frontbonding, 459–461
- Pimentel, G. C., 279
 - Pimentel–Rundle 3c-MO model, 278–281, 440, 447
- pi-migration, 670–671
- pi-star acceptors, 665–675
- polarization, 595–596, 610
- polarization coefficients, 101–102
- polarization functions, 151, 712
- polar bonding
 - NBO versus VB description, 100–104
- Polder, D., 590–591
- polydentate binding (*see* chelation)
- Pople, J. A., 7
 - model chemistry, 2–3
- Priestley, J., 45
- promotion energy, 139–140, 547, 558
- protein folding, 699–701
- proton ordering (in H-bonding), 647
- proton transfer, 652–657
- quadruple bond
 - in HReReH, 413
 - in H₂WWH₂, 414
 - in HTaTaH, 414
 - vertical trend, 555–560
- quantum-mechanical resonance energy (QMRE), 194–195
- quantum numbers, 9–10, 719–721
- quasi-stationary states (*see* time-scale)
- quintuple bond
 - in HWWH, 415–418
 - vertical trend, 558–559
- rare-gas compounds, 299–302
- reaction
 - alkene polymerization, 499, 501, 509–518
 - dative coordination
 - of H₂, 488–492
 - of alkenes, 501–503, 505–509
 - Diels–Alder, 680–682, 686–693
 - electrophilic cleavage, 489
 - electrophilic displacement, 317–319
 - insertion (“oxidative addition”)
 - into H₂, 489–490, 492–498, 574
 - into alkenes, 503–505
 - nucleophilic cleavage, 490
 - nucleophilic displacement (S_N2), 289–293, 682–685
 - “reductive elimination,” 498
 - sigma-bond metathesis, 490–491, 498–501
 - synergistic coordination, 488–492
- reaction coordinate, 500, 655–657, 680
- regioselectivity, 501, 514–518
- relativistic effects
 - and vertical trends, 545–563
 - description, 6
 - with ECP basis sets, 713–714
- resonance, 592, 628
 - enhancement of chelation, 534–536
 - enhancement of H-bonding, 627–634
 - force, 593
 - in amide groups, 191
 - in aromatic and antiaromatic systems, 196–208
 - in B₂H₆
 - in conjugated systems, 182–196
 - in Diels–Alder reaction, 690–693
 - in geminal hyperconjugation, 263–264
 - cyclopropane, 275
 - in H-bonding, 621, 628, 654–657
 - in main-group oxyacids, 302–306
 - in metallacyclic character, 505–509
 - in omega-bonding, 474
 - in pi-backbonding, 452, 457–459
 - in S_N2 reactions, 291
 - in sandwich complexes, 537
 - in torsion–vibration coupling, 694–702
 - in transition-state species, 681–682
 - ionic (3c/4e hypervalency), 277, 281–2, 286
 - Pauling–Wheland, 32, 102
 - see* natural resonance theory (NRT)
- ring pucker, 273
- Rodebush, W. H., 583
- Rosenfeld, L., 260
- rotation barrier (*see* internal rotation barrier)
- Rundle, R. E., 279
 - Pimentel–Rundle 3c-MO model, 278–281, 440, 447
- Rutherford model of the atom, 89
- s-block elements
 - bonding, 90–100
 - alkaline-earth fluorides, 73–76

- sd^4 hybrids
 idealized angles, 376–381
 mathematical form, 372–374
 molecular shapes, 381–387
 S_N2 (*see* reaction)
 sandwich complexes, 536–545
 Schleyer, P. v. R., 270
 Schrödinger, E., 2
 equation, 1, 8
 Rayleigh–Schrödinger perturbation theory, 3
 Schwerdtfeger, P., 73
 Shaik–Pross VB model, 498, 681
 short-range forces, 588, 591–593
 see resonance force
 Sidgwick, N. V., 662
 “sigma-aromaticity” concept, 264, 273–275
 sigma–pi breakdown (*see* banana bond)
 simple point charge (SPC) potential, 594, 635, 643
 singlet complementary atom (1CA) configuration, 166
 size-consistency, 711
 Slater, J. C., 106, 363
 Slater-type orbitals, 568
 spectrochemical series, 438
 and nephelauxetic effect, 464–466
 and transition metal promotion, 480
 CO position, 456
 H₂O position, 461–463
 spin (electron)
 and Jahn–Teller theorem, 467–470
 and magnetic properties, 461–464
 as relativistic effect, 6
 high- versus low-spin configuration, 439
 in 1CA configuration of homonuclear diatomics, 166
 in daughter radicals of normal-valent species, 446–447
 in W(CO), W(CO)₂, 449
 in metal–H₂ insertion reactions, 493–495, 498
 properties of first-row transition metals, 76–77
 spin-charge
 in H₂, 93
 in homonuclear diatomics, 166
 spin hybrid, 540
 stationary state (*see* time-scale)
 stereoelectronic effects
 on chemical reactivity, 248–252
 on ionization phenomena, 252–259
 on spectroscopic excitation, 259–263
 “steric attraction,” 238–240
 steric effects
 and Pauli principle, 36–38
 in ionic bonding, 62–64
 in torsion barriers, 227, 238
 in methyl tilt, 248
 versus stereoelectronic effects, 252
 in rare-gas compounds, 301
 in multiple pi-bonds of transition metals, 410
 in H₅WWH₅, 415
 counteracting donor–acceptor attraction, 599–600, 685
 see natural steric analysis
 Stock, A., 319
 Stoney, J., 45
stylx code, 321
 “superexchange,” 255
 superposition principle, 9
 supramolecular unit, 581
 bonding, 579–709
 synergistic coordination reaction (*see* reaction)
 Szentpaly, L., 73

 t_{2g} orbital (octahedral), 438, 461–464
 tau-bonding (3c/2e)
 central type, 329–331
 Δ-type antibonds, 307, 310–315
 in H₄TaTaH₄, HTaTaH, 415
 in group 3–5 hydrides, 485–487
 open type, 330–331
 π-type antibonds, 307, 310, 313–315
 see hypovalency
 temperature-dependence, 581–582
 theoretical strain energy (TSE), 270
 Thomson, J. J., 45
 three-center bonding, 352–353
 see hypovalency, hypervalency, tau-bond, and omega-bond
 three-center MO model (*see* Pimentel–Rundle model)
 through-bond (TB) coupling
 in diaminoalkanes, 252–255
 and ionization phenomena, 255–259
 other stereoelectronic effects, 259–263
 through-space (TS) coupling, 252–254
 tight-binding approximation, 213
 see Hückel MO theory
 time-scale, 582, 584
 torsion barriers (*see* internal rotation barriers)
 torsion–vibration coupling, 243–247
 geometrical flexing effects, 245–246
 NBO compositional changes, 246–247
trans influence, 473–474
 transition metal (TM) bonding, 363–575
 coordinate metal–ligand bonding, 434–479
 hyperbonding, 447–451
 pi-backbonding, 452–459
 pi-frontbonding, 459–461
 spin and magnetic properties, 461–464
 covalent and polar covalent bonding, 387–434
 alkylidenes and alkylidynes, 399–413
 halides, oxides, hydroxides, nitrides, imides, 421–435

Cambridge University Press

0521831288 - Valency and Bonding: A Natural Bond Orbital Donor-Acceptor Perspective

Frank Weinhold and Clark R. Landis

Index

[More information](#)*Subject index*

749

- hydrides and alkyls, 387–399
 - metal–metal bonds, 413–420
- hybridization and molecular shape, 372–387
- Lewis-like structures, 365–372
- transition state (TS), 653–657
 - complex, 678–685
 - for alkene-polymerization reaction, 509–518
 - for Diels–Alder reaction, 687–690
 - for S_N2 reaction, 682–683
- trigonal bipyramidal geometry, 289–293
 - and S_N2 reactivity, 292
- Umpolung* effect, 526
- units, 723–725
- valence bond (VB) theory
 - comparison with NBO description, 102–105
 - see* localized versus delocalized *and* Heitler–London wavefunction
- valence-shell electron-pair repulsions (VSEPR) model
 - and Jahn–Teller theorem, 469
 - and Lewis structure, 36
 - comparison with 3c/4e NBO model, 293–299
 - failure, 389–390, 400, 402, 428, 433, 449, 454, 574
 - for ArF₆, 301
 - in MX₂ bonding, 73
 - in hypervalency, 278
- valence-shell expansion, 447, 449–450
 - see* p-orbital participation *and* d-orbital participation
- valency
 - covalency, 35
 - discovery, 45, 105
 - electrovalency, 35
 - NRT definition, 34–35
 - van der Waals force (*see* dispersion)
 - van der Waals molecule (*see* cluster *and* supramolecular unit)
 - van der Waals radius, 587, 591, 599, 602
 - and limit of classical picture, 47
 - natural (table), 40
 - van Vleck, J. H., 439
 - variational method, 710–711
 - vertical trends
 - in main-group hypovalency, 348–351
 - in transition metal bonding, 545–563
 - coordination and hyperbonding, 560–563
 - metal–hydride and metal–alkyl, 548–555
 - metal–metal, 555–560
 - vibration
 - frequency shift, 282, 291, 609–610, 620, 629
 - coupling to torsion, 245–247
- W-effect, 259–263
- Weinhold, F., 227, 240
- Weisskopf, V. W., 37
- Werner, A., 436, 580, 582, 592
- Wilkinson, G., 536
- Wolniewicz, L., 90
- Woodward, R. B., 687
- Woodward–Hoffmann rules, 686, 703
 - localized extension, 687–690
- Zintl salts, 581