

Cambridge University Press

978-0-521-83207-6 - Rational and Nearly Rational Varieties

János Kollár, Karen E. Smith and Alessio Corti

Index

[More information](#)

Index

- 1-curve, 63
 - over nonclosed fields, 65
- $D \cdot C$, intersection number, 126
- $R(X, -K_X)$, anticanonical ring, 87
- $R(X, K_X)$, canonical ring, 87
- Ω_X , differential forms, 31
- \equiv , numerical equivalence, 126
- \dashrightarrow , rational map, 5
- \mathbf{F}_n , ruled surface over \mathbb{P}^1 , 50
- $\mathcal{J}_{Y/X}$, Jacobian ideal, 115
- $\omega_{Y/X}$, relative canonical module, 114
- \mathbb{Q} -Cartier, 151
- $\lfloor D \rfloor$, the round down of divisor D , 178
- $\lfloor d \rfloor$, 178
- ρ_k , Picard number, 36
- $\lceil d \rceil$, the round up of divisor D , 178
- $\lceil d \rceil$, 178
- s-deg, Sarkisov degree, 52
- \sim , linear equivalence, 6
- \rightarrow , morphism, 5
- $\{D\}$, the fractional part of divisor D , 178
- $\{d\}$, the fractional part of $d \in \mathbb{R}$, 178
- $a(E, X, \Delta)$, discrepancy of a divisor, 152

- Abhyankar's lemma, 112
- Adjunction
 - formula, 62
 - inversion of, 160, 162
 - termination of, 69
- Anti-canonical ring, $R(X, -K_X)$, 87
- Arithmetic genus
 - of a curve, 62

- Base locus of linear system, 37
- Base point
 - infinitely near, 38

- Bertini theorem, 72
- Big line bundle, 96
- Birational transform, 5
 - of a linear system, 123
 - of a mobile linear system on a surface, 37

- Canonical
 - center, 128
 - class, 10
 - class defined over a field, 10
 - divisor, 10
 - module, 114
 - pair, 155
 - ring, $R(X, K_X)$, 87
- Cartier, \mathbb{Q} -, 5
- Castelnuovo's contractibility criterion, 63
- Castelnuovo's rationality criterion, 62
- Center
 - canonical, 128
 - maximal, 128
 - of a divisor, 128
- Conic bundle, 66
- Connectedness theorem, 162
- Connection, 103
- Contractibility criterion of Castelnuovo, 63
- Critical point, 105
 - non-degenerate, 105
- Cubic
 - containing conjugate linear spaces, 24
 - containing linear spaces, 24
 - containing a degree five Del Pezzo surface, 28
 - determinantal, 29
 - diagonal, 49
 - involutions of, 43
 - Picard number of, 47

- rationality of, 37
- Segre's theorem, 36
- surface, 21
- surface, nonrational, 36
- unirationality criterion for, 27
- unirationality of, 25
- with 1 point, 27
- Curve
 - 1, 63
 - 1 over nonclosed fields, 65
 - arithmetic genus of, 62
 - rational, 9
- Cyclic cover, 94
 - Fano, 100
- Cyclic quotient singularity, 159
- de Jonquières transformation, 55
- Defined over a field, 77
- Degree
 - of a divisor, 90
 - of a Fano variety, 134
 - of Del Pezzo surface, 82
- Del Pezzo surface, 81
 - classification, 82
 - degree of, 82
- Determinantal variety, 29
- Differential forms, 31
 - and rationality, 31
 - in characteristic p , 101
- $\text{discrep}(X, \Delta)$, 154
- Discrepancy
 - $a(E, X, \Delta)$, 152
 - and finite morphisms, 159
 - of a divisor, 152
 - of a pair, 154
- Divisor, 5
 - effective, 5
 - exceptional over a variety, 128
 - linear equivalence of, 6
 - nef, 140
 - normal crossings, 157
 - numerical equivalence of, 126
 - over a variety, 128
 - \mathbb{Q} -, 5
 - \mathbb{Q} -Cartier, 5, 151
 - support of, 6
- Eckardt point, 26
- Effective divisor, 5
- Exceptional divisor over a variety, 128
- Fano variety, 93
 - as cyclic cover, 100
 - degree of, 134
 - singular, 95
- Field of definition, 76
 - and Galois action, 80
 - minimal, 77
- Form of a variety over a field, 76
- Fractional part, $\{ \}$, 178
- Galois action, 79
 - and field of definition, 80
- Generically étale, 32
- Geometrically, 6
 - rational variety, 9
- Hasse–Minkowski theorem, 15
- Hyperplane system on weighted projective space, 91
- Indeterminacy
 - resolution of, 39
- Infinitely near base point, 38
- Intersection number, 126
- Inversion of adjunction, 160, 162
- Jacobian ideal, $\mathcal{J}_{Y/X}$, 115
- Jonquières, de, 55
- Kähler differentials, 31
- Kawakita's theorem, 133
- Kawamata log terminal, klt, 155
- klt, Kawamata log terminal, 155
- lc, log canonical, 155
- Lefschetz principles, 80
- Line bundle
 - big, 96
- Linear equivalence, \sim , 6
- Linear system
 - and rationality, 40
 - base locus of, 37
 - birational transform of, 37, 123
 - dimension over a field, 10
 - infinitely near base point, 38
 - linear combination of, 150
 - mobile, 37, 123
 - normal crossing, 157
 - \mathbb{Q} -linear combination of, 150
 - self-intersection number of, 38

- Log canonical, 155
 - pair, 155
 - threshold, 164
 - threshold of a plane curve, 170
- Log resolution, 157
- Lüroth theorem, 12
- Manin's theorem on cubic surfaces, 37
- Map
 - rational, 5
 - to projective spaces, 37
- Maximal center, 122, 128
 - on hypersurfaces, 129, 133
- Minimal model
 - of a surface, 63
 - of a surface over nonclosed fields, 67
 - of rational surfaces, 64
 - over a field, 65
- Mobile linear system, 37, 123
- Morphism, 5
- Multiplicity
 - and canonical singularities, 157
 - of a \mathbb{Q} -linear combination of linear systems, 157
 - of linear system at a point, 38
- Néron-Severi group, 36
- Nef divisor, 140
- Newton polygon, 170
- Nishimura's Lemma, 14
- Noether–Castelnuovo theorem, 49
- Noether–Fano inequality, 125
- Non-degenerate critical point, 105
- Nonrationality
 - and differential forms, 31
 - of cubic surfaces, 36
 - of cyclic covers, 94
 - of degree 1 Del Pezzo surfaces, 41
 - of hypersurfaces, 95
 - of quartics, 144
 - of some weighted hypersurfaces, 134
- Normal crossing , 157
- Normalization, 94
- Numerical equivalence, \equiv , 126
- Orbifold coordinate, 89, 167
- Pair, (X, Δ) , 150
- Perfect field, 12
- Picard
 - group, 36
 - number, 36
 - number of a cubic surface, 47
 - number of diagonal cubic, 49
 - number of hypersurfaces, 143
- plt, purely log terminal, 155
- Plurigenus, 32
- Prime divisor, 5
- Projective space
 - birational maps of, 49
 - weighted, 88
- Purely log terminal, plt, 155
- \mathbb{Q} -Cartier, divisor, 5
- \mathbb{Q} -Divisor, 5
- Quadric
 - over finite fields, 15
 - rationality criterion, 13
- Quartic threefold, 144
- Rational
 - curve, 9
 - geometrically, 9
 - map, 5
 - point, 5
 - ruled surfaces, 50
 - scrolls, 50
 - variety, 7
- Rationality
 - and linear systems, 40
 - and reduction mod p , 108
 - Castelnuovo's criterion, 62
 - of cubics containing conjugate linear spaces, 24
 - of cubics using linear spaces, 24
 - of cubic surfaces, 36
 - of cubics containing a degree five Del Pezzo surface, 28
 - of determinantal varieties, 29
 - of quadric bundles, 31
 - of quadrics, 13
 - of quadrics over finite fields, 15
 - of quartics, 31
 - of Severi–Brauer varieties, 20
 - over function fields, 31
- Relative canonical module, $\omega_{Y/X}$, 114
- Resolution of indeterminacies, 39
- Riemann–Roch formula
 - for surfaces, 69
- Rigid variety, 123
- Round down, $\lfloor \cdot \rfloor$, 178

- Round up, $\lceil \cdot \rceil$, 178
- Ruled variety, 33
- Sarkisov degree, s -deg, 52
- Scrolls
 - rational, 50
- Segre's theorem on cubics, 36
- Self-intersection of linear system, 38
- Separably
 - unirational, 32
 - uniruled, 33
- Severi–Brauer variety, 20
- Simple normal crossing, 157
- Supp D , support of divisor D , 6
- Support of a divisor, 6
- Surface
 - cubic, 21
 - Del Pezzo, 81
 - minimal model of, 63
- Terminal pair, 155
- Termination of adjunction, 69
- Threshold, log canonical, 164
- Transform, birational, 5
- Unirational
 - separably, 32
 - variety, 7
- Unirationality
 - of cubic surfaces, 26
 - of cubics, 25
 - of cubics with points, 27
 - of Fermat hypersurfaces, 34
- Uniruled variety, 33
- Variety
 - defined over a field, 77
 - determinantal, 29
 - geometrically rational, 9
 - k -form of, 76
 - rational, 7
 - ruled, 33
 - separably uniruled, 33
 - Severi–Brauer, 20
 - unirational, 7
 - uniruled, 33
- Very general hypersurface, 95
- Weighted
 - blowup, 166
 - homogeneous polynomial, 88
 - projective space, 88
 - projective space, affine charts, 89
 - projective space, hyperplane system on, 91
 - projective space, orbifold charts, 89
 - projective space, Picard group, 90