

Index

- β -shadowed sequence, 472–473
- δ -rectangle, 292, 299
- (δ, q) -foliation, 266
 - with smooth leaves, 266
- Δ , 389
- $\Delta(W^1, W^2)$, 243
- ε -accessible diffeomorphism, 335
- ε -dense orbit, 336
- ε -measure preserving transformation, 291
- ε -orbit, 472
- ε -pseudo-orbit, 472
- $\{\varepsilon_k\}_{k \geq 1}$ -pseudo-orbit, 473
- γ -Lipschitz, 196
- λ -lemma, 206
- $(\lambda(x), \mu(x), \varepsilon(x))$ -splitting, 41
- (λ, μ) -splitting, 191
- $(\lambda, \mu, \varepsilon)$ -splitting, 13, 15, 191
- Λ_i , 262, 419
- Λ_i^j , 297
- m_T , 243
- π -partition
 - for a flow, 297
- $\pi(y)$, 235
- $\pi_1(M)$, 394
- $\overline{\psi}$, 389
- $\underline{\psi}$, 389
- $\overline{\sigma}$ -hyperbolic time, 334
- (s, k) -measure, 282
- θ -interior, 275
- (u, k) -measure, 282
- Z , 128
- \mathcal{A}_g , 411
- Abelian
 - action, 83
 - differential, 410
 - moduli space, 411
 - group action, 40
- absolute continuity, 240, 251
 - of holonomy maps, 242
 - of local stable manifolds, 242
 - property, 240
 - theorem, 244
- absolutely continuous foliation in the
 - strong sense, 241
 - weak sense, 241
- measure, 243, 261
- transformation, 243
- accessibility property, 327
- essential, 327
- accessible points, 327
- action
 - Abelian, 83
 - higher-rank Abelian, 83
 - \mathbb{Z}^d , 83
- admissible
 - (s, γ) -curve, 147
 - (s, γ) -manifold, 197
 - (s, γ) -rectangle, 147, 483
 - (s, γ) -set, 197
 - (s, γ, δ) -set near 0, 203
 - (s, γ, h) -manifold, 467
 - (u, γ) -curve, 147
 - (u, γ) -manifold, 197
 - (u, γ) -rectangle, 147, 483
 - (u, γ) -set, 197
 - (u, γ, δ) -set near 0, 203
 - (u, γ, h) -manifold, 466
 - manifold, 196
 - sequence, 181

- algebra
 - of Hilbert–Schmidt operators, 93
 - of Potapov, 106
- amenable
 - group, 82
 - reduction, 82
- analytic diffeomorphism, 166
- Anosov
 - diffeomorphism, 143
 - flow, 144
- argument
 - quadrilateral, 329
- asymptotic
 - rays, 92
- asymptoticity axiom, 395
- atlas
 - translation, 410
- attractor, Hénon, 187
- automorphism, Bernoulli, 290
- average central exponent, 338
- axiom
 - asymptoticity, 395
 - uniform visibility, 402
- Axiom 1, 395
- backward
 - k -dimensional Lyapunov exponent, 19
 - Lyapunov exponent, 84, 89
 - of a sequence of matrices, 17
 - regular
 - point, 86, 90, 126
 - point for a flow, 133
 - sequence of matrices, 24
 - regularity, 18
- basic constructions, 39, 57
- basin, 424
- basis, normal, 21
- Bernoulli
 - automorphism, 290
 - property, 290
 - for a flow, 297
- Besicovich covering lemma, 245
- Birkhoff’s ergodic theorem, 64
- broad sense
 - nonuniformly partially hyperbolic in the, 13, 41, 119, 191
 - uniformly partially hyperbolic in the, 14, 191
- bundle
 - normal, 352, 353
- Busemann, nonpositively curved space in the
 - sense of, 92
- C^1 pathological behavior, 221
- $C^s(x)$, 273
- $C^u(x)$, 273
- center bunched diffeomorphism, 327
- central space, 327
- chamber, Weyl, 88
- change of coordinates, Lyapunov, 77, 87
- chaos, deterministic, 1
- chart
 - foliation coordinate, 231
 - Lyapunov, 132, 233
- closing
 - lemma, 463, 465
 - problem, 463
 - property, 463
- cocycle, 35, 88
 - backward upper Lyapunov exponent
 - for a , 49
 - derivative, 118
 - equivalence, 39
 - eventually strictly \mathcal{J} -separated, 110
 - exterior power, 41, 71
 - forward upper Lyapunov exponent for
 - a , 47
 - generator, 36
 - hyperbolic, 41
 - induced, 40
 - \mathcal{J} -separated, 108
 - linear multiplicative, 88
 - Lyapunov exponent for a , 46
 - Lyapunov function for a , 97
 - measurable linear, 35
 - m th power, 40
 - multiplicative, 35
 - noninvertible, 82
 - nonuniformly completely hyperbolic, 42
 - nonuniformly partially hyperbolic – in the
 - broad sense, 41
 - one-dimensional, 64
 - one-sided, 83
 - over a
 - dynamical system, 35
 - smooth dynamical system, 118
 - smooth flow, 133
 - topological space, 46
 - reduced form, 76
 - regular set of a hyperbolic, 43
- rigid, 40, 75
- subadditive, 69
- transversal derivative, 116
- triangular, 65–66
- uniformly hyperbolic, 42
- with values in the symplectic group, 102
- \mathbb{Z}^d , 84

- cocycles
 - cohomologous, 39
 - equivalent, 39
 - hyperbolicity of, 41
 - regularity of, 53
- coefficient of quasi-conformality, 412
- coherence of filtrations, 32, 55, 85, 89
- cohomological equation, 39
- cohomologous functions, 151
- cohomology, 37
- compact surface, 394, 407
- complementary cone, 101
- complete
 - family of cones, 101
 - function, 96–97
- component, ergodic, 262
- concept of nonuniform hyperbolicity, 9
- conditional
 - entropy, 304
 - expectation, 318
- cone, 95
 - complementary, 101
 - connected, 102
 - family, 101, 193
 - generalized, 101
 - invariant – family, 193
 - negative, 96
 - negative generalized, 96
 - positive, 96
 - positive generalized, 96
 - rank of a , 101
 - stable, 141, 193
 - standard symplectic, 104
 - symplectic, 104
 - unstable, 141, 193
- cones
 - complete family of, 101
 - complete pair of complementary, 101
 - eventually strict family of, 101
 - strict family of, 101
- conformally
 - Hamiltonian
 - flow, 115
 - vector field, 115
 - symplectic
 - manifold, 115
 - map, 113
 - structure, 115
- conjecture
 - Eckmann–Ruelle, 461
 - Kontsevich–Zorich, 415
- conjugate points, 387
- connected cone, 102
- connecting stable manifold, 281
- contracting
 - space, 120
 - subspace, 14
- convex
 - space, 92
 - uniformly – space, 92
- coordinate chart, foliation, 231
- core, unstable, 281
- criterion
 - of forward regularity, 25
 - for nonvanishing Lyapunov exponents, 98
- curvature
 - direction of principal, 404
 - nonpositive, 387
 - operator, 386
 - principal, 404
- curve
 - maximal stable, 181
 - maximal unstable, 181
 - stable, 177
 - unstable, 177
- $d_{C^1}(V_1, V_2)$, 228
- decomposition
 - Oseledets, 55, 90, 126
 - spectral, 482
- derivative cocycle, 118
 - transversal, 116
- deterministic chaos, 1
- diffeomorphism
 - analytic, 166
 - Anosov, 143
 - center bunched, 327
 - ε -accessible, 335
 - hyperbolic
 - on a compact manifold, 349
 - with countably many ergodic components, 337
 - hyperbolic, 140
 - nonuniformly hyperbolic, 119
 - of a compact surface, 164
 - of the sphere, 163
 - of the torus, 159
 - nonuniformly partially hyperbolic – in the broad sense, 119
 - with nonzero Lyapunov exponents, 158
 - stably accessible, 327
 - structurally stable, 143
 - uniformly partially hyperbolic, 326
 - W -dissipative, 381
- differential
 - Abelian, 410
 - moduli space, 411

- differential equation, variational, 133, 386
- dilatation, 412
- dimension, 433
 - Hausdorff, 461
 - lower box, 461
 - pointwise, 433, 438, 449
 - along a leaf, 438, 449
 - stable pointwise, 449
 - theory, 461
 - transverse, 443
 - unstable pointwise, 449
 - upper box, 461
- Diophantine condition, 40
- direction of principal curvature, 404
- disk
 - stable, 427
 - unstable, 427
- dispersion, 319
- $\text{dist}(A, B)$, 123
- $\text{dist}(v, A)$, 123
- distribution, 123
 - Hölder continuous, 123
 - integrable, 232
 - uniquely integrable, 232
- dual points, 402
- dynamical system
 - cocycle over a, 35
 - cocycle over a smooth, 118
 - with nonzero Lyapunov exponents, 128
- $E^+(v)$, 388
- $E^-(v)$, 388
- $E^s(x)$, 128
- $E^u(x)$, 128
- (E_1, E_2) -graph, 319
- Eckmann–Ruelle conjecture, 461
- entropy, 304–305, 433, 482
 - conditional, 304
 - continuity properties, 485
 - formula, 311, 315, 449
 - of a geodesic flow, 404
 - local, 434
 - along a leaf, 434
 - of a measurable partition, 304
 - of a measurable transformation, 304
 - measure-theoretic, 304
 - topological, 308
- equivalence, tempered, 14, 37
- equivalent
 - cocycles, 39
 - conformally – Riemann surfaces, 410
 - sequences of linear transformations, 15
- ergodic
 - component, 261, 262
 - measure, 262
 - locally maximal, 479
 - smooth – theory, 262
 - stably – diffeomorphism, 326
 - theorem, 64
 - multiplicative, 64–65, 70
 - subadditive, 69
- ergodicity, 262
 - local, 266
 - of smooth hyperbolic measures, 261
 - stable, 326
- essential accessibility property, 327
- eventually strict
 - family of cones, 101
 - Lyapunov function, 98
- eventually strictly \mathcal{J} -separated cocycle, 110
- exact Lyapunov exponent, 20, 25
- expanding
 - space, 120
 - subspace, 14
- expectation
 - conditional, 318
- exponent. *See* Lyapunov exponent, 125
- exponential splitting, 13
- extension
 - G , 329
 - linear, 35, 84, 89
 - Lyapunov function for an, 97
- exterior power, 56
 - cocycle, 41, 71
- family
 - cone, 101
 - invariant
 - of local manifolds, 203
 - of s -manifolds, 200
 - of u -manifolds, 202
 - nonuniformly completely hyperbolic, 191
 - of matrices, 16
 - nonuniformly partially hyperbolic – in the broad sense, 191
 - uniformly completely hyperbolic, 191
 - uniformly partially hyperbolic – in the broad sense, 191
- fence, 268
- filtration, 17–18, 47, 49, 84–85, 89
 - of global manifolds, 234
 - of intermediate global manifolds, 232
 - of intermediate local manifolds, 232
 - of local stable manifolds, 233
 - of local unstable manifolds, 233
- filtrations, coherence of, 32, 55, 85, 89

- first return time, 40
- fixed point, 11
 - hyperbolic, 11
- flat strip theorem, 395
- flow, 88, 133
 - Anosov, 144
 - cocycle over a smooth, 133
 - conformally Hamiltonian, 115
 - entropy of a geodesic, 404
 - geodesic, 385, 394, 407
 - hyperbolic – on a compact manifold, 369
 - hyperbolic set for a, 143
 - invariant set for a, 143
 - K , 298
 - measurable, 88
 - measure preserving, 88
 - nonuniformly hyperbolic, 182
 - special, 144
- flows, stable manifold theorem for, 221
- focal points, 387
- foliation, 231
 - (δ, q) , 266
 - with smooth leaves, 266
 - absolutely continuous
 - in the strong sense, 241
 - in the weak sense, 241
 - coordinate chart, 231
 - with finite-volume leaves almost everywhere, 381
 - horospherical, 399
 - measured, 168
 - with spines, 168
 - not absolutely continuous, 254, 378
 - smooth, 232
 - with smooth leaves, 231, 266
 - stable, 171
 - unstable, 171
- formula, entropy, 311, 315
- forward
 - k -dimensional Lyapunov exponent, 19
 - Lyapunov exponent, 84, 89
 - of a sequence of matrices, 17
 - regular
 - point, 85, 90, 126
 - point for a flow, 133
 - sequence of matrices, 19
 - regularity, 18
 - criterion of, 25
 - upper Lyapunov exponent, 83
- function
 - complete, 96–97
 - Lyapunov, 95–96, 101
 - for a cocycle, 97
 - for an extension, 97
 - roof, 144
 - tempered, 60, 80, 91
- functions
 - cohomologous, 151
 - measurably conjugated, 39
- G -extension, 329
- G_{S^2} , 164
- G_{T^2} , 162
- generalized
 - cone, 101
 - pseudo-Anosov homeomorphism, 170
- generator of a family of matrices, 16
- gentle perturbation, 359
- geodesic, 92
 - entropy of a – flow, 404
 - flow, 385, 394, 407
 - Teichmüller, 409
 - regular, 409
- global
 - k th – stable manifold, 234
 - k th – unstable manifold, 234
 - leaf, 231, 266
 - manifold, intermediate, 232
 - manifolds, filtration of, 234
 - stable manifold, 229, 231
 - unstable manifold, 229–231
 - weakly
 - stable manifold, 231
 - unstable manifold, 231
- good
 - point, 336
 - transversal section, 239
- graph, 319
 - transform, 198, 204
 - property, 206
- Grobman–Hartman theorem, 11
- group
 - action, 40
 - amenable, 82
 - cocycle with values in the symplectic, 102
- Hadamard’s method, 192
- Hadamard–Perron theorem
 - Hadamard’s method, 192
 - Perron’s method, 207
- half-space
 - negative Lyapunov, 88
 - positive Lyapunov, 88
- Hamiltonian, 115, 163
 - conformally – flow, 115
 - conformally – vector field, 115
 - with respect to the area, 163
 - system, 163

- Hausdorff dimension, 461
 height of a tower, 367
 Hénon attractor, 187
 higher differentiability of invariant manifolds, 205
 higher-rank Abelian action, 83
 Hilbert–Schmidt operator, 93
 Hölder continuous distribution, 123
 holonomy, 255
 Jacobian of – map, 255
 map, 235, 255
 homeomorphism
 generalized pseudo-Anosov, 170
 pseudo-Anosov, 169
 horocycle, 400
 horosphere, 400
 horospherical foliation, 399
 horseshoe, 146, 476, 482
 hyperbolic, 477
 linear, 144, 146
 nonlinear, 147
 nonuniformly hyperbolic perturbation of a, 152
 Smale, 146
 two-dimensional, 150
 hyperbolic
 behavior, systems with, 139
 cocycle, 41
 diffeomorphism, 140
 on a compact manifold, 349
 with countably many ergodic components, 337
 fixed point, 11
 flow on a compact manifold, 369
 horseshoe, 477
 local product structure of a – measure, 450
 matrix, 9
 measure, 128, 134, 433, 463
 smooth, 266
 nonuniformly completely
 family, 191
 set, 120
 nonuniformly partially
 set, 120
 set in the broad sense, 119
 periodic orbit, 474
 periodic point, 12
 product structure, 428
 regular set of a – cocycle, 43
 set, 140
 for a flow, 143
 for a map, 139
 time, 334
 uniformly completely – family, 191
 hyperbolicity
 of cocycles, 41
 nonuniform, 13, 59
 hyperplane, Lyapunov, 88
 implicit function theorem, 211
 inclination lemma, 206
 induced
 cocycle, 40
 transformation, 40
 inequality, Margulis–Ruelle, 305
 infinitesimal eventually
 strict Lyapunov function, 272
 uniform Lyapunov function, 273
 inner product, Lyapunov, 76, 87, 91
 integrable
 distribution, 232
 uniquely – distribution, 232
 interior, θ , 275
 intermediate
 global manifold, 232
 Lipschitz property of an – foliation, 236
 local manifold, 232
 intersection
 leafwise, 294, 300
 property, 277
 invariant
 s -manifolds, family of, 200
 u -manifolds, family of, 202
 cone family, 193
 distributions, Hölder continuity of, 122
 family
 of cones, 193
 of local manifolds, 203
 manifolds, higher differentiability of, 205
 set for a flow, 143
 Jac(G), 243
 Jac(G)(x), 243
 Jacobi
 equation, 386
 field, 387
 Jacobian, 243, 255
 of holonomy map, 255
 Jac(π^s)(y), 243
 \mathcal{J} -isometric linear transformation, 106
 \mathcal{J} -isometry. *See* \mathcal{J} -isometric linear transformation, 106
 \mathcal{J} -monotone linear transformation, 106
 strictly, 106
 \mathcal{J} -separated
 cocycle, 108
 eventually strictly, 110

- \mathcal{J} -separated linear transformation, 106
 - strictly, 106
- \mathcal{J} -symmetric linear transformation, 106
- \mathcal{J} -volume, 107
- Katok map, 165
- k -dimensional Lyapunov exponent, 19
- kernel
 - Pesin tempering, 76, 91
 - tempering, 75–76, 80–81, 91
- K -flow, 298
- Kontsevich–Zorich conjecture, 415
- K -property, 285
 - for a flow, 297
- k spaced return, 279
- k th local stable manifold, 233
- $K_x(v_1, v_2)$, 387
- Λ , 120
- $\mathcal{L}(x)$, 235
- $\mathcal{L}^s(x)$, 242
- Lagrangian subspace, 104, 277
- leaf
 - global, 231, 266
 - local, 231, 267
 - of a foliation, 168
 - volume, 241
- leaf-subordinated partition, 285, 288
- leafwise intersection, 294, 300
- lemma
 - closing, 463, 465
 - shadowing, 472
- level set, 44
- limit Jacobi field
 - negative, 388
 - positive, 388
- limit solution
 - negative, 387
 - positive, 387
- line, Lyapunov, 88
- linear
 - extension, 35, 36, 84, 89
 - horseshoe, 144, 146
 - transformation
 - \mathcal{J} -isometric, 106
 - \mathcal{J} -monotone, 106
 - \mathcal{J} -separated, 106
 - \mathcal{J} -symmetric, 106
 - modulus of a , 106
 - strictly \mathcal{J} -monotone, 106
 - strictly \mathcal{J} -separated, 106
- Lipschitz, 196
 - property of an intermediate foliation, 236
- Livshitz theorem, 473
- local
 - entropy, 434
 - along a leaf, 434
 - ergodicity, 266
 - leaf, 231, 267
 - manifold
 - intermediate, 232
 - size of a , 226
 - smoothness of a , 215
 - manifolds
 - invariant family of, 203
 - product structure of a hyperbolic measure, 450
 - smooth submanifold, 188
 - stable manifold, 12, 221
 - k th, 233
 - size of a , 189
 - stable manifolds
 - absolute continuity property of, 242
 - transversal, 235
 - unstable manifold, 12, 220–221
- locally maximal ergodic measure, 479
- lower box dimension, 461
- Lyapunov
 - change of coordinates, 77, 87
 - chart, 132, 233
 - exponent, 35, 57, 59, 69, 108, 125, 304, 308, 326
 - backward k -dimensional, 19
 - backward, 84, 89
 - backward – of a sequence of matrices, 17
 - backward upper – for a cocycle, 49
 - exact, 20, 25
 - of a flow, 133
 - for a cocycle, 46
 - forward k -dimensional, 19
 - forward, 84, 89
 - forward – of a sequence of matrices, 17
 - forward upper, 83
 - forward upper – for a cocycle, 47
 - k -dimensional, 19
 - multiplicity of a value of a , 18, 47, 49
 - of a sequence of matrices, 16
 - value of a , 18, 47, 49
 - exponents
 - criterion for nonvanishing, 98
 - dynamical system with nonzero, 128
 - methods for estimating, 95
 - function, 95, 96, 101
 - for a cocycle, 97
 - eventually strict, 98
 - for an extension, 97
 - infinitesimal eventually strict, 272
 - infinitesimal eventually uniform, 273
 - strict, 98

- Lyapunov (*cont.*)
 hyperplane, 88
 inner product, 76, 87, 91
 line, 88
 negative – half-space, 88
 norm, 76, 87, 91
 positive – half-space, 88
 scalar product. *See* Lyapunov inner product, 76
 spectrum, 17, 18, 47, 49
 of a measure, 49, 127
- Lyapunov–Perron
 regular
 point, 56, 86, 90, 126
 point for a flow, 133
 sequence of matrices, 32
 regularity, 31, 53
- \mathcal{M}_g , 411
- manifold
 local stable, 12
 local unstable, 12
 u -admissible, 360
- manifolds
 admissible, 196
 higher differentiability of invariant, 205
- map
 conformally symplectic, 113
 Katok, 165
 nonexpanding, 92
- Margulis–Ruelle inequality, 305
- matrices, criterion of regularity for sequence of, 25
- matrix
 hyperbolic, 9
 transitive, 151
- maximal
 stable curve, 181
 unstable curve, 181
- measurable
 entropy of a – partition, 304
 entropy of a – transformation, 304
 flow, 88
 vector bundle, 36
- measurably conjugated functions, 39
- measure
 absolutely continuous, 243, 261
 characterization of an SRB, 421
 construction of an SRB, 423
 ergodic, 262
 hyperbolic, 128, 134, 433, 463
 local product structure of a hyperbolic, 450
 locally maximal ergodic, 479
 physical, 424
- preserving
 ε -transformation, 291
 flow, 88
 smooth hyperbolic, 266
 smooth, 262
 smooth, 261
 SRB, 417
 transverse, 168
- measure-theoretic entropy, 304
- measured foliation, 168
 with spines, 168
- metric, Teichmüller, 413
- midpoint, 92
- moduli space, 411
- modulus of a linear transformation, 106
- monotone operator, 106
- multiplicative
 ergodic theorem, 64–65, 70
 linear – cocycle, 88
- multiplicity of a value of a
 backward Lyapunov exponent, 89
 forward Lyapunov exponent, 89
 Lyapunov exponent, 17, 18, 47, 49
- name of a sequence of partitions, 291
- negative
 cone, 96
 generalized cone, 96
 limit Jacobi field, 388
 limit solution, 387
 rank, 97
 singular value, 107
 subspace, 106
- neighborhood, regular, 130, 132
- nonexpanding map, 92
- noninvertible cocycle, 82
- nonlinear horseshoe, 147
- nonpositive curvature, 387
- nonpositively curved space, 91–92
 in the sense of Busemann, 92
- nonuniform hyperbolicity, 13, 59
 concept of, 9
- nonuniformly
 completely hyperbolic
 cocycle, 42
 family, 191
 family of matrices, 16
 sequence of matrices, 14
 set, 120
- hyperbolic
 diffeomorphism, 119
 diffeomorphism of a compact surface, 164
 diffeomorphism of the sphere, 163
 diffeomorphism of the torus, 159

- flow, 182
 - perturbation of a horseshoe, 152
 - sequence of diffeomorphisms, 191
- partially hyperbolic
 - cocycle in the broad sense, 41
 - diffeomorphism in the broad sense, 119
 - family in the broad sense, 191
 - sequence of matrices in the broad sense, 13, 15
 - set, 120
 - set in the broad sense, 119
- nonuniqueness vector, 400
- nonvanishing Lyapunov exponents, criterion for, 98
- nonzero Lyapunov exponents
 - diffeomorphism with, 158
 - dynamical system with, 128
- norm, Lyapunov, 76, 87, 91
- normal
 - basis, 21
 - bundle, 352, 353
- one-dimensional cocycle, 64
- one-sided cocycle, 83
- operator. *See* linear transformation, 106
 - curvature, 386
 - monotone, 106
- orbit
 - ε -dense, 336
 - ε -pseudo-, 472
 - ε -, 472
 - $\{\varepsilon_k\}_{k \geq 1}$ -pseudo-, 473
- Oseledets
 - decomposition, 55, 90, 126
 - subspace, 55, 90, 126
- Oseledets–Pesin reduction theorem, 77
- $p(k)$ -prong singularity, 168
- pair of complementary cones, complete, 101
- partial hyperbolicity, uniform, 326
- partially hyperbolic
 - nonuniformly – family in the broad sense, 191
 - system with nonzero Lyapunov exponents, 329
 - uniformly
 - family in the broad sense, 191
- partition
 - VWB , 291, 295
 - entropy of a measurable, 304
 - leaf-subordinated, 288
 - very weakly Bernoulli, 291, 295
- pathological behavior, 221
- periodic orbit, hyperbolic, 474
- periodic point, 12, 482
 - hyperbolic, 12
- Perron’s method, 207
- perturbation, gentle, 359
- Pesin
 - entropy formula, 311, 315
 - set, 44
 - tempering kernel, 76, 91
- physical measure, 424
- point, good, 336
- points
 - conjugate, 387
 - dual, 402
 - focal, 387
- pointwise dimension, 433, 438, 449
 - along a leaf, 438, 449
 - stable, 449
 - unstable, 449
- positive
 - cone, 96
 - generalized cone, 96
 - limit Jacobi field, 388
 - limit solution, 387
 - rank, 97
 - singular value, 107
 - subspace, 106
- Potapov algebra, 106
- power, exterior, 56
- principal curvature, 404
 - direction of, 404
- product structure
 - hyperbolic, 428
 - local – of a hyperbolic measure, 450
- prong, 168
 - stable, 171
 - unstable, 171
- property
 - accessibility, 327
 - essential accessibility, 327
 - intersection, 277
- pseudo-Anosov
 - generalized – homeomorphism, 170
 - homeomorphism, 169
 - map, 167
- pseudo-orbit. *See* orbit, 472, 473
- pseudo-orbit, 464
- $Q(x)$, 263
- $Q^\ell(x)$, 235, 242
- Q -length, 177
- quadrilateral argument, 329
- quasi-conformal map, 412

- r_ℓ , 227
- rank, 409
 - of a cone, 101
 - negative, 96, 97
 - positive, 96, 97
- ray, 92
- rectangle, 292, 299
 - δ , 292, 299
- reduced form, 76
- reduction
 - amenable, 82
 - Oseledecs–Pesin, 77
 - theorem, 75, 77
- regular
 - backward – sequence of matrices, 24
 - forward – sequence of matrices, 19
 - geodesic, 409
 - neighborhood, 130, 132
 - point, 56, 83, 86, 90, 126
 - backward – for a flow, 133
 - backward, 53, 86, 90, 126
 - for a flow, 133
 - forward – for a flow, 133
 - forward, 53, 85, 90, 126
 - Lyapunov–Perron, 56, 86
 - sequence of matrices, 32
 - set, 44
 - of a hyperbolic cocycle, 43
- regularity, 31
 - backward, 18
 - forward, 18
 - Lyapunov–Perron, 31, 53
 - of cocycles, 53
- return
 - k spaced, 279
 - time, 40
- Riemann surface, 410
 - conformal equivalence, 410
- Riemannian volume, 243
- rigid cocycle, 40, 75
- roof function, 144
- root space, 10
- Ruelle inequality, 305

- $\text{Sp } \chi(v)$, 49, 127
- s -manifolds, family of invariant, 200
- s -measure, 262, 282
- s -subset, 428
- $(s, 1, n)$ -curve, 157
- (s, γ) -curve, admissible, 147
- (s, γ) -manifold, 200
 - admissible, 197
- (s, γ) -rectangle, admissible, 147, 483

- (s, γ) -set, admissible, 197
- (s, γ, δ) -set near 0, admissible, 203
- (s, γ, h) -manifold, admissible, 467
- section, good transversal, 239
- sector, 278
 - stable, 171
 - unstable, 171
- semicontraction, 92
- separation time, 428
- sequence
 - admissible, 181
 - of diffeomorphisms, nonuniformly hyperbolic, 191
 - of matrices
 - backward regular, 24
 - criterion of regularity for, 25
 - Lyapunov–Perron regular, 32
 - nonuniformly completely hyperbolic, 14
 - nonuniformly partially hyperbolic – in the broad sense, 13, 15
 - regular, 32
 - uniformly partially hyperbolic, 14
 - tempered, 15
 - of linear transformations, 15
- set
 - hyperbolic, 140
 - for a flow, 143
 - for a map, 139
 - invariant – for a flow, 143
 - level, 44
 - nonuniformly completely hyperbolic, 120
 - nonuniformly partially hyperbolic, 120
 - in the broad sense, 119
 - Pesin, 44
 - regular, 44
 - of a hyperbolic cocycle, 43
 - singularity, 165, 349–350, 363–364, 370
 - stable, 11
 - tangent, 196
 - uniformly hyperbolic, 139
 - unstable, 11
- shadowing
 - lemma, 472
 - problem, 464
 - property, 464
- singular
 - point, 168
 - value
 - negative, 107
 - positive, 107
- singularity
 - $p(k)$ -prong, 168
 - of a pseudo-Anosov map, 167
 - set, 165, 349–350, 363, 364, 370

- size
 - of a local manifold, 226
 - of a local stable manifold, 189
- skew product, 36
- Smale horseshoe, 146
- smooth
 - dynamical system, cocycle over a, 118
 - ergodic theory, 262
 - flow, cocycle over a, 133
 - foliation, 232
 - hyperbolic measure, 266
 - measure, 261–262
- smoothness of a local manifold, 215
- space
 - central, 327
 - contracting, 120
 - expanding, 120
 - nonpositively curved, 91–92
 - root, 10
 - stable, 120, 327
 - unstable, 120, 327
- spaced return, 279
- special flow, 144
- spectral
 - decomposition, 482
 - decomposition theorem, 297
- spectrum, Lyapunov, 17, 18, 47, 49
 - of a measure, 49, 127
- sphere, nonuniformly hyperbolic diffeomorphism of the, 163
- spine, 168
- splitting, 13, 15, 41, 191
 - exponential, 13
 - (λ, μ) , 14
 - uniform, 14
 - uniform $(\lambda, \mu, 0)$, 14
- SRB measure, 417
 - characterization of an, 421
 - construction of an, 423
- stable
 - cone, 141, 193
 - curve, 177
 - disk, 427
 - ergodicity, 326
 - foliation, 171
 - local – manifold, 12
 - manifold
 - connecting, 281
 - global, 229, 231
 - global weakly, 231
 - local, 221
 - theorem, 188, 189
 - theorem for flows, 221
 - manifold theorem
 - for flows, 221
 - manifold theory, 188
 - manifolds, absolute continuity property of
 - local, 242
 - maximal – curve, 181
 - pointwise dimension, 449
 - prong, 171
 - sector, 171
 - set, 11
 - space, 120, 327
 - subspace, 10, 14, 128, 140, 143, 388
 - strongly, 223
- stably
 - accessible diffeomorphism, 327
 - ergodic diffeomorphism, 326
- standard symplectic cone, 104
- stratum, 411
- strict
 - family of cones, 101
 - Lyapunov function, 98
- strictly
 - \mathcal{J} -monotone linear transformation, 106
 - \mathcal{J} -separated linear transformation, 106
- strongly
 - stable subspace, 223
 - unstable subspace, 223
- structurally stable diffeomorphism, 143
- subadditive
 - cocycle, 69
 - ergodic theorem, 69
- submanifold, local smooth, 188
- subspace
 - contracting, 14
 - expanding, 14
 - Lagrangian, 104, 277
 - negative, 106
 - Oseledets, 55, 90, 126
 - positive, 106
 - stable, 10, 14, 128, 140, 143, 388
 - strongly stable, 223
 - strongly unstable, 223
 - unstable, 10, 14, 128, 140, 143, 388
- subspaces, transverse, 123
- support, 473
- surface
 - nonuniformly hyperbolic diffeomorphism of a
 - compact, 164
 - Riemann, 410
 - translation, 410
- symplectic
 - cone, 104
 - conformally – manifold, 115

- symplectic (*cont.*)
 conformally – structure, 115
 group, cocycle with values in the, 102
 standard – cone, 104
 systems
 with hyperbolic behavior, 139
 with nonzero exponents, 326
 T_m^i , 245
 $T_n^i(w, q)$, 245
 tangent set, 196
 Teichmüller
 flow, 409
 geodesic flow, 409
 metric, 413
 tempered
 cocycle, 37
 equivalence, 14, 37
 function, 37, 60, 80, 91
 sequence, 15
 tempering kernel, 75, 76, 80, 81, 91
 lemma, 81
 Pesin, 76, 91
 theorem
 absolute continuity, 244
 Birkhoff's ergodic, 64
 ergodic, 64
 flat strip, 395
 Grobman–Hartman, 11
 Hadamard–Perron, 192, 207
 implicit function, 211
 Livshitz, 473
 multiplicative ergodic, 64–65, 70
 reduction, 75, 77
 spectral decomposition, 297
 stable manifold, 188–189
 for flows, 221
 subadditive ergodic, 69
 unstable manifold, 220
 theory
 dimension, 461
 smooth ergodic, 262
 time
 separation, 428
 σ -hyperbolic, 334
 topological
 entropy, 308
 properties, 463
 space, cocycle over a, 46
 transitivity, 482
 topologically transitive map, 271
 torus, nonuniformly hyperbolic diffeomorphism
 of the, 159
 tower, 367
 trace of a global leaf, 360
 transform, graph, 204
 transformation
 absolutely continuous, 243
 induced, 40
 transitive
 matrix, 151
 topologically – map, 271
 translation
 atlas, 410
 surface, 410
 transversal
 derivative cocycle, 116
 to a family, 243
 local, 235
 section, good, 239
 transverse
 dimension, 443
 measure, 168
 subspaces, 123
 triangular cocycle, 65–66
 two-dimensional horseshoe, 150

 u -admissible manifold, 360
 u -manifolds, family of invariant, 202
 u -measure, 262, 282
 u -subset, 428
 us -path, 327
 (u, γ) -curve, admissible, 147
 (u, γ) -manifold, 200
 admissible, 197
 (u, γ) -rectangle, admissible, 147, 483
 (u, γ) -set, admissible, 197
 (u, γ, δ) -set near 0, admissible, 203
 (u, γ, h) -manifold, admissible, 466
 uniform
 partial hyperbolicity, 326
 splitting, 14
 visibility axiom, 402
 uniformly
 completely hyperbolic family, 191
 convex space, 92
 hyperbolic
 cocycle, 42
 set, 139
 partially hyperbolic
 in the broad sense, 191
 diffeomorphism, 326
 sequence of matrices, 14
 uniquely integrable distribution, 232
 unstable
 cone, 141, 193
 core, 281
 curve, 177

- disk, 427
- foliation, 171
- local – manifold, 12
- manifold
 - global, 229–231
 - global weakly, 231
 - local, 12, 220–221
 - theorem, 220
- maximal – curve, 181
- pointwise dimension, 449
- prong, 171
- sector, 171
- set, 11
- space, 120, 327
- subspace, 10, 14, 128, 140, 143, 388
 - strongly, 223
- upper
 - box dimension, 461
 - Lyapunov exponent, forward, 83
- value of a Lyapunov exponent, 18, 47, 49
- variational differential equation, 133, 386
- vector
 - bundle, measurable, 36
 - field, conformally Hamiltonian, 115
 - nonuniqueness, 400
- very weakly Bernoulli partition, 291, 295
- visibility axiom, uniform, 402
- volume
 - leaf, 241
 - Riemannian, 243
- VWB -partition, 291, 295
- W -dissipative diffeomorphism, 381
- $W^s(x)$, 229
- $W^{s0}(x)$, 231
- $W^u(x)$, 230
- $W^{u0}(x)$, 231
- Weyl chamber, 88
- \mathbb{Z}^d -action, 83
- \mathbb{Z}^d -cocycle, 84