

Quantum Gravity

Quantum gravity is perhaps the most important open problem in fundamental physics. It is the problem of merging quantum mechanics and general relativity, the two great conceptual revolutions in the physics of the twentieth century.

This book discusses the many aspects of the problem, and presents technical and conceptual advances towards a background-independent quantum theory of gravity, obtained in the last two decades. The first part of the book is an exploration on how to re-think basic physics from scratch in the light of the general-relativistic conceptual revolution. The second part is a detailed introduction to *loop quantum gravity* and the *spinfoam* formalism. It provides an overview of the current state of the field, including results on area and volume spectra, dynamics, extension of the theory to matter, applications to early cosmology and black-hole physics, and the perspectives for computing scattering amplitudes. The book is completed by a historical appendix which overviews the evolution of the research in quantum gravity, from the 1930s to the present day.

CARLO ROVELLI was born in Verona, Italy, in 1956 and obtained his Ph.D. in Physics in Padua in 1986. In 1996, he was awarded the Xanthopoulos International Prize, for the development of the loop approach to quantum gravity and for research on the foundation of the physics of space and time. Over the years he has taught and worked in the University of Pittsburgh, Université de la Méditerranée, Marseille, and Università La Sapienza, Rome. Professor Rovelli's main research interests lie in general relativity, gravitational physics, and the philosophy of space and time. He has had over 100 publications in international journals in physics and has written contributions for major encyclopedias.

CAMBRIDGE MONOGRAPHS ON
 MATHEMATICAL PHYSICS

General editors: P. V. Landshoff, D. R. Nelson, S. Weinberg

- S. J. Aarseth *Gravitational N-Body Simulations*
 J. Ambjørn, B. Durhuus and T. Jonsson *Quantum Geometry: A Statistical Field Theory Approach*
 A. M. Anile *Relativistic Fluids and Magneto-Fluids*
 J. A. de Azcárrage and J. M. Izquierdo *Lie Groups, Lie Algebras, Cohomology and Some Applications in Physics*[†]
 O. Babelon, D. Bernard and M. Talon *Introduction to Classical Integral Systems*
 V. Belinski and E. Verdaguer *Gravitational Solitons*
 J. Bernstein *Kinetic Theory in the Early Universe*
 G. F. Bertsch and R. A. Broglia *Oscillations in Finite Quantum Systems*
 S. Carlip *Quantum Gravity in 2+1 Dimensions*
 J. C. Collins *Renormalization*[†]
 P. D. D'Eath *Supersymmetric Quantum Cosmology*
 F. de Felice and C. J. S. Clarke *Relativity on Curved Manifolds*[†]
 P. G. O. Freund *Introduction to Supersymmetry*[†]
 J. Fuchs *Affine Lie Algebras and Quantum Groups*[†]
 J. Fuchs and C. Schweigert *Symmetries, Lie Algebras and Representations: A Graduate Course for Physicists*[†]
 Y. Fujii and K. Maeda *The Scalar-Tensor Theory of Gravitation*
 A. S. Galperin, E. A. Ivanov, V. I. Orievetsky and E. S. Sokatchev *Harmonic Superspace*
 R. Gambini and J. Pullin *Loops, Knots, Gauge Theories and Quantum Gravity*[†]
 M. Göckeler and T. Schücker *Differential Geometry, Gauge Theories and Gravity*[†]
 C. Gómez, M. Ruiz Altaba and G. Sierra *Quantum Groups in Two-dimensional Physics*
 M. B. Green, J. H. Schwarz and E. Witten *Superstring Theory, volume 1: Introduction*[†]
 M. B. Green, J. H. Schwarz and E. Witten *Superstring Theory, volume 2: Loop Amplitudes, Anomalies and Phenomenology*[†]
 V. N. Gribov *The Theory of Complex Angular Momenta*
 S. W. Hawking and G. F. R. Ellis *The Large-Scale Structure of Space-Time*[†]
 F. Iachello and A. Aruna *The Interacting Boson Model*
 F. Iachello and P. van Isacker *The Interacting Boson-Fermion Model*
 C. Itzykson and J.-M. Drouffe *Statistical Field Theory, volume 1: From Brownian Motion to Renormalization and Lattice Gauge Theory*[†]
 C. Itzykson and J.-M. Drouffe *Statistical Field Theory, volume 2: Strong Coupling, Monte Carlo Methods, Conformal Field Theory, and Random Systems*[†]
 C. Johnson *D-Branes*
 J. I. Kapusta *Finite-Temperature Field Theory*[†]
 V. E. Korepin, A. G. Izergin and N. M. Bogoliubov *The Quantum Inverse Scattering Method and Correlation Functions*[†]
 M. Le Bellac *Thermal Field Theory*[†]
 Y. Makeenko *Methods of Contemporary Gauge Theory*
 N. H. March *Liquid Metals: Concepts and Theory*
 I. M. Montvay and G. Münster *Quantum Fields on a Lattice*[†]
 T. Ortín *Gravity and Strings*
 A. Ozorio de Almeida *Hamiltonian Systems: Chaos and Quantization*[†]
 R. Penrose and W. Rindler *Spinors and Space-Time, volume 1: Two-Spinor Calculus and Relativistic Fields*[†]
 R. Penrose and W. Rindler *Spinors and Space-Time, volume 2: Spinor and Twistor Methods in Space-Time Geometry*[†]
 S. Pokorski *Gauge Field Theories*, 2nd edition
 J. Polchinski *String Theory, volume 1: An Introduction to the Bosonic String*
 J. Polchinski *String Theory, volume 2: Superstring Theory and Beyond*
 V. N. Popov *Functional Integrals and Collective Excitations*[†]
 R. G. Roberts *The Structure of the Proton*[†]
 C. Rovelli *Quantum Gravity*
 H. Stephani, D. Kramer, M. A. H. MacCallum, C. Hoenselaers and E. Herlt *Exact Solutions of Einstein's Field Equations*, 2nd edition
 J. M. Stewart *Advanced General Relativity*[†]
 A. Vilenkin and E. P. S. Shellard *Cosmic Strings and Other Topological Defects*[†]
 R. S. Ward and R. O. Wells Jr *Twistor Geometry and Field Theories*[†]
 J. R. Wilson and G. J. Mathews *Relativistic Numerical Hydrodynamics*

[†]Issued as a paperback

Cambridge University Press
0521837332 - Quantum Gravity
Carlo Rovelli
Frontmatter
[More information](#)

Quantum Gravity

CARLO ROVELLI
Centre de Physique Théorique de Luminy
Université de la Méditerranée, Marseille



Cambridge University Press
0521837332 - Quantum Gravity
Carlo Rovelli
Frontmatter
[More information](#)

PUBLISHED BY THE PRESS SYNDICATE OF THE UNIVERSITY OF CAMBRIDGE
The Pitt Building, Trumpington Street, Cambridge, United Kingdom

CAMBRIDGE UNIVERSITY PRESS
The Edinburgh Building, Cambridge CB2 2RU, UK
40 West 20th Street, New York, NY 10011-4211, USA
477 Williamstown Road, Port Melbourne, VIC 3207, Australia
Ruiz de Alarcón 13, 28014 Madrid, Spain
Dock House, The Waterfront, Cape Town 8001, South Africa

<http://www.cambridge.org>

© C. Rovelli 2004

This book is in copyright. Subject to statutory exception
and to the provisions of relevant collective licensing agreements,
no reproduction of any part may take place without
the written permission of Cambridge University Press.

First published 2004

Printed in the United Kingdom at the University Press, Cambridge

Typeface Computer Modern 11/13pt *System* L^AT_EX 2_ε [TB]

A catalog record for this book is available from the British Library

Library of Congress Cataloging in Publication data

ISBN 0 521 83733 2 hardback

The publisher has used its best endeavors to ensure that the URLs for external websites referred to in this book are correct and active at the time of going to press. However, the publisher has no responsibility for the websites and can make no guarantee that a site will remain live or that the content is or will remain appropriate.

Contents

<i>Foreword</i> , by James Bjorken	<i>page</i> xiii
<i>Preface</i>	xv
<i>Acknowledgements</i>	xviii
<i>Terminology and notation</i>	xx
Part I Relativistic foundations	1
1 General ideas and heuristic picture	3
1.1 The problem of quantum gravity	3
1.1.1 Unfinished revolution	3
1.1.2 How to search for quantum gravity?	4
1.1.3 The physical meaning of general relativity	9
1.1.4 Background-independent quantum field theory	10
1.2 Loop quantum gravity	13
1.2.1 Why loops?	14
1.2.2 Quantum space: spin networks	17
1.2.3 Dynamics in background-independent QFT	22
1.2.4 Quantum spacetime: spinfoam	26
1.3 Conceptual issues	28
1.3.1 Physics without time	29
2 General Relativity	33
2.1 Formalism	33

viii	<i>Contents</i>	
2.1.1	Gravitational field	33
2.1.2	“Matter”	37
2.1.3	Gauge invariance	40
2.1.4	Physical geometry	42
2.1.5	Holonomy and metric	44
2.2	The conceptual path to the theory	48
2.2.1	Einstein’s first problem: a field theory for the newtonian interaction	48
2.2.2	Einstein’s second problem: relativity of motion	52
2.2.3	The key idea	56
2.2.4	Active and passive diffeomorphisms	62
2.2.5	General covariance	65
2.3	Interpretation	71
2.3.1	Observables, predictions and coordinates	71
2.3.2	The disappearance of spacetime	73
2.4	* Complements	75
2.4.1	Mach principles	75
2.4.2	Relationalism versus substantivalism	76
2.4.3	Has general covariance any physical content? Kretschmann’s objection	78
2.4.4	Meanings of time	82
2.4.5	Nonrelativistic coordinates	87
2.4.6	Physical coordinates and GPS observables	88
3	Mechanics	98
3.1	Nonrelativistic mechanics: <i>mechanics is about time evolution</i>	98
3.2	Relativistic mechanics	105
3.2.1	Structure of relativistic systems: partial observables, relativistic states	105
3.2.2	Hamiltonian mechanics	108
3.2.3	Nonrelativistic systems as a special case	114
3.2.4	Discussion: <i>mechanics is about relations between observables</i>	118
3.2.5	Space of boundary data $\mathcal{G}$ and Hamilton function S	120
3.2.6	Evolution parameters	126
3.2.7	* Complex variables and reality conditions	128
3.3	Field theory	129
3.3.1	Partial observables in field theory	130
3.3.2	* Relativistic hamiltonian mechanics	131
3.3.3	The space of boundary data $\mathcal{G}$ and the Hamilton function S	134

<i>Contents</i>		ix
3.3.4	Hamilton–Jacobi	137
3.4	* Thermal time hypothesis	140
4	Hamiltonian general relativity	145
4.1	Einstein–Hamilton–Jacobi	145
4.1.1	3d fields. “ <i>The length of the electric field is the area</i> ”	147
4.1.2	Hamilton function of GR and its physical meaning	151
4.2	Euclidean GR and real connection	153
4.2.1	Euclidean GR	153
4.2.2	Lorentzian GR with a real connection	155
4.2.3	Barbero connection and Immirzi parameter	156
4.3	* Hamiltonian GR	157
4.3.1	Version 1: real $SO(3,1)$ connection	157
4.3.2	Version 2: complex $SO(3)$ connection	157
4.3.3	Configuration space and hamiltonian	158
4.3.4	Derivation of the Hamilton–Jacobi formalism	159
4.3.5	Reality conditions	162
5	Quantum mechanics	164
5.1	Nonrelativistic QM	164
5.1.1	Propagator and spacetime states	166
5.1.2	Kinematical state space $\mathcal{K}$ and “projector” P	169
5.1.3	Partial observables and probabilities	172
5.1.4	Boundary state space K and covariant vacuum $ 0\rangle$	174
5.1.5	* Evolving constants of motion	176
5.2	Relativistic QM	177
5.2.1	General structure	177
5.2.2	Quantization and classical limit	179
5.2.3	Examples: pendulum and timeless double pendulum	180
5.3	Quantum field theory	184
5.3.1	Functional representation	186
5.3.2	Field propagator between parallel boundary surfaces	190
5.3.3	Arbitrary boundary surfaces	193
5.3.4	What is a particle?	195
5.3.5	Boundary state space K and covariant vacuum $ 0\rangle$	197
5.3.6	Lattice scalar product, intertwiners and spin network states	198
5.4	Quantum gravity	200
5.4.1	Transition amplitudes in quantum gravity	200
5.4.2	Much ado about nothing: the vacuum	202

x	<i>Contents</i>	
5.5	* Complements	204
5.5.1	Thermal time hypothesis and Tomita flow	204
5.5.2	The “choice” of the physical scalar product	206
5.5.3	Reality conditions and scalar product	208
5.6	* Relational interpretation of quantum theory	209
5.6.1	The observer observed	210
5.6.2	Facts are interactions	215
5.6.3	Information	218
5.6.4	Spacetime relationalism versus quantum relationalism	220
	Part II Loop quantum gravity	223
6	Quantum space	225
6.1	Structure of quantum gravity	225
6.2	The kinematical state space $\mathcal{K}$	226
6.2.1	Structures in $\mathcal{K}$	230
6.2.2	Invariances of the scalar product	231
6.2.3	Gauge-invariant and diffeomorphism-invariant states	233
6.3	Internal gauge invariance. The space $\mathcal{K}_0$	234
6.3.1	Spin network states	234
6.3.2	* Details about spin networks	236
6.4	Diffeomorphism invariance. The space $\mathcal{K}_{\text{diff}}$	238
6.4.1	Knots and s -knot states	240
6.4.2	The Hilbert space $\mathcal{K}_{\text{diff}}$ is separable	241
6.5	Operators	242
6.5.1	The connection A	242
6.5.2	The conjugate momentum E	243
6.6	Operators on $\mathcal{K}_0$	246
6.6.1	The operator $\mathbf{A}(\mathcal{S})$	246
6.6.2	Quanta of area	249
6.6.3	* n -hand operators and recoupling theory	250
6.6.4	* Degenerate sector	253
6.6.5	Quanta of volume	259
6.7	Quantum geometry	262
6.7.1	The texture of space: weaves	268
7	Dynamics and matter	276
7.1	Hamiltonian operator	277
7.1.1	Finiteness	280
7.1.2	Matrix elements	282

<i>Contents</i>		xi
7.1.3	Variants	284
7.2	Matter: kinematics	286
7.2.1	Yang–Mills	286
7.2.2	Fermions	287
7.2.3	Scalars	288
7.2.4	The quantum states of space and matter	289
7.3	Matter: dynamics and finiteness	289
7.4	Loop quantum gravity	291
7.4.1	* Variants	293
8	Applications	296
8.1	Loop quantum cosmology	296
8.1.1	Inflation	301
8.2	Black-hole thermodynamics	301
8.2.1	The statistical ensemble	303
8.2.2	Derivation of the Bekenstein–Hawking entropy	308
8.2.3	Ring modes frequencies	311
8.2.4	The Bekenstein–Mukhanov effect	312
8.3	Observable effects	315
9	Quantum spacetime: spinfoams	320
9.1	From loops to spinfoams	321
9.2	Spinfoam formalism	327
9.2.1	Boundaries	328
9.3	Models	329
9.3.1	3d quantum gravity	331
9.3.2	BF theory	340
9.3.3	The spinfoam/GFT duality	343
9.3.4	BC models	348
9.3.5	Group field theory	356
9.3.6	Lorentzian models	359
9.4	Physics from spinfoams	361
9.4.1	Particles’ scattering and Minkowski vacuum	363
10	Conclusion	366
10.1	The physical picture of loop gravity	366
10.1.1	GR and QM	366
10.1.2	Observables and predictions	367
10.1.3	Space, time and unitarity	368
10.1.4	Quantum gravity and other open problems	370
10.2	What has been achieved and what is missing?	371

xii	<i>Contents</i>	
	Part III Appendices	375
	Appendix A: Groups and recoupling theory	377
A1	<i>SU</i> (2): spinors, intertwiners, <i>n-j</i> symbols	377
A2	Recoupling theory	383
	A2.1 Penrose binor calculus	383
	A2.2 KL recoupling theory	385
	A2.3 Normalizations	388
A3	<i>SO</i> (<i>n</i>) and simple representations	390
	Appendix B: History	393
B1	Three main directions	393
B2	Five periods	396
	B2.1 The Prehistory: 1930–1957	398
	B2.2 The Classical Age: 1958–1969	400
	B2.3 The Middle Ages: 1970–1983	403
	B2.4 The Renaissance: 1984–1994	407
	B2.5 Nowadays: 1995–	410
B3	The divide	412
	Appendix C: On method and truth	415
C1	The cumulative aspects of scientific knowledge	415
C2	On realism	420
C3	On truth	422
	<i>References</i>	424
	<i>Index</i>	450

Foreword

The problem of what happens to classical general relativity at the extreme short-distance Planck scale of 10^{-33} cm is clearly one of the most pressing in all of physics. It seems abundantly clear that profound modifications of existing theoretical structures will be mandatory by the time one reaches that distance scale. There exist several serious responses to this challenge. These include effective field theory, string theory, loop quantum gravity, thermogravity, holography, and emergent gravity. Effective field theory is to gravitation as chiral perturbation theory is to quantum chromodynamics – appropriate at large distances, and impotent at short. Its primary contribution is the recognition that the Einstein–Hilbert action is no doubt only the first term in an infinite series constructed out of higher powers of the curvature tensor. String theory emphasizes the possible roles of supersymmetry, extra dimensions, and the standard-model internal symmetries in shaping the form of the microscopic theory. Loop gravity most directly attacks the fundamental quantum issues, and features the construction of candidate wave-functionals which are background independent. Thermogravity explores the apparent deep connection of semiclassical gravity to thermodynamic concepts such as temperature and entropy. The closely related holographic ideas connect theories defined in bulk spacetimes to complementary descriptions residing on the boundaries. Finally, emergent gravity suggests that the time-tested symbiotic relationship between condensed matter theory and elementary particle theory should be extended to the gravitational and cosmological contexts as well, with more lessons yet to be learned.

In each of the approaches, difficult problems stand in the way of attaining a fully satisfactory solution to the basic issues. Each has its band of enthusiasts, the largest by far being the string community. Most of the approaches come with rather strong ideologies, especially apparent when they are popularized. The presence of these ideologies tends to isolate the

communities from each other. In my opinion, this is extremely unfortunate, because it is probable that all these ideologies, including my own (which is distinct from the above listing), are dead wrong. The evidence is history: from the Greeks to Kepler to Newton to Einstein there has been no shortage of grand ideas regarding the Basic Questions. In the presence of new data available to us and not them, only fragments of those grand visions remain viable. The clutter of thirty-odd standard model parameters and the descriptive nature of modern cosmology suggests that we too have quite a way to go before ultimate simplicity is attained. This does not mean abandoning ideologies – they are absolutely essential in driving us all to work hard on the problems. But it does mean that an attitude of humility and of high sensitivity toward alternative approaches is essential.

This book is about only one approach to the subject – loop quantum gravity. It is a subject of considerable technical difficulty, and the literature devoted to it is a formidable one. This feature alone has hindered the cross-fertilization which is, as delineated above, so essential for progress. However, within these pages one will find a much more accessible description of the subject, put forward by one of its leading architects and deepest thinkers. The existence of such a fine book will allow this important subject, quite likely to contribute significantly to the unknown ultimate theory, to be assimilated by a much larger community of theorists. If this does indeed come to pass, its publication will become one of the most important developments in this very active subfield since its onset.

James Bjorken

Preface

A dream I have long held was to write a “treatise” on quantum gravity once the theory had been finally found and experimentally confirmed. We are not yet there. There is neither experimental support nor sufficient theoretical consensus. Still, a large amount of work has been developed over the last twenty years towards a quantum theory of spacetime. Many issues have been clarified, and a definite approach has crystallized. The approach, variously denoted,¹ is mostly known as “loop quantum gravity.”

The problem of quantum gravity has many aspects. Ideas and results are scattered in the literature. In this book I have attempted to collect the main results and to present an overall perspective on quantum gravity, as developed during this twenty-year period. The point of view is personal and the choice of subjects is determined by my own interests. I apologize to friends and colleagues for what is missing; the reason so much is missing is due to my own limitations, for which I am the first to be sorry.

It is difficult to underestimate the vastitude of the problem of quantum gravity. The physics of the early twentieth century has modified the very foundation our understanding of the physical world, changing the meaning of the basic concepts we use to grasp it: matter, causality, space and time. We are not yet able to paint a consistent picture of the world in which these modifications taken together make sense. The problem of quantum gravity is nothing less than the problem of finding this novel consistent picture, finally bringing the twentieth century scientific revolution to an end.

Solving a problem of this sort is not just a matter of mathematical skill. As was the case with the birth of quantum mechanics, relativity, electromagnetism, and newtonian mechanics, there are conceptual and foundational problems to be addressed. We have to understand which (possibly

¹See the notation section.

new) notions make sense and which old notions must be discarded, in order to describe spacetime in the quantum relativistic regime. What we need is not just a technique for computing, say, graviton–graviton scattering amplitudes (although we certainly want to be able to do so, eventually). We need to re-think the world in the light of what we have learned about it with quantum theory and general relativity.

General relativity, in particular, has modified our understanding of the spatio-temporal structure of reality in a way whose consequences have not yet been fully explored. A significant part of the research in quantum gravity explores foundational issues, and Part I of this book (“Relativistic foundations”) is devoted to these basic issues. It is an exploration of how to rethink basic physics from scratch, after the general-relativistic conceptual revolution. Without this, we risk asking any tentative quantum theory of gravity the wrong kind of questions.

Part II of the book (“Loop quantum gravity”) focuses on the loop approach. The loop theory, described in Part II, can be studied by itself, but its reason and interpretation are only clear in the light of the general framework studied in Part I. Although several aspects of this theory are still incomplete, the subject is mature enough to justify a book. A theory begins to be credible only when its original predictions are reasonably unique and are confirmed by new experiments. Loop quantum gravity is not yet credible in this sense. Nor is any other current tentative theory of quantum gravity. The interest of the loop theory, in my opinion, is that at present it is the only approach to quantum gravity leading to well-defined physical predictions (falsifiable, at least in principle) and, more importantly, it is the most determined effort for a genuine merging of quantum field theory with the world view that we have discovered with general relativity. The future will tell us more.

There are several other introductions to loop quantum gravity. Classic reports on the subject [1–8, in chronological order] illustrate various stages of the development of the theory. For a rapid orientation, and to appreciate different points of view, see the review papers [9–13]. Much useful material can be found in [14]. Good introductions to spinfoam theory are to be found in [9, 15–17]. This book is self-contained, but I have tried to avoid excessive duplications, referring to other books and review papers for nonessential topics well developed elsewhere. This book focuses on physical and conceptual aspects of loop quantum gravity. Thomas Thiemann’s book [18], which is going to be completed soon, focuses on the mathematical foundation of the same theory. The two books are complementary: this book can almost be read as Volume 1 (“Introduction and conceptual framework”) and Thiemann’s book as Volume 2 (“Complete mathematical framework”) of a general presentation of loop quantum gravity.

The book assumes that the reader has a basic knowledge of general relativity, quantum mechanics and quantum field theory. In particular, the aim of the chapters on general relativity (Chapter 2), classical mechanics (Chapter 3), hamiltonian general relativity (Chapter 4), and quantum theory (Chapter 5) is to offer the fresh perspective on these topics which is needed for quantum gravity to a reader already familiar with the conventional formulation of these theories.

Sections with comments and examples are printed in smaller fonts (see Section 1.3.1 for first such example). Sections that contain side or more complex topics and that can be skipped in a first reading without compromising the understanding of what follows are marked with a star (*) in the title. References in the text appear only when strictly needed for comprehension. Each chapter ends with a short bibliographical section, pointing out essential references for the reader who wants to go into more detail or to trace original works on a subject. I have given up the immense task of collecting a full bibliography on loop quantum gravity. On many topics I refer to specific review articles where ample bibliographic information can be found. An extensive bibliography on loop quantum gravity is given in [18].

I have written this book thinking of a researcher interested in working in quantum gravity, but also of a good Ph.D. student or an open-minded scholar, curious about this extraordinary open problem. I have found the journey towards general relativistic quantum physics, towards quantum spacetime, a fascinating adventure. I hope the reader will see the beauty I see, and that he or she will be capable of completing the journey. The landscape is magic, the trip is far from being over.

Acknowledgements

I am indebted to the many people that have sent suggestions and corrections to the draft of this book posted online. Special thanks in particular to Justin Malecki, Jacob Bourjaily and Leonard Cottrell.

My great gratitude goes to the friends with whom I have had the privilege of sharing this adventure:

To Lee Smolin, companion of adventures and friend. His unique creativity and intelligence, intellectual freedom and total honesty, are among the very best things I have found in life.

To Abhay Ashtekar whose tireless analytical rigor, synthesis capacity and leadership have been a most precious guide. Abhay has solidified our ideas and transformed our intuitions in theorems. This book is a result of Lee's and Abhay's ideas and work as much as my own.

To Laura Scodellari and Chris Isham, my first teachers who guided me into mathematics and quantum gravity.

To Ted Newman, who, with Sally, parented the little boy just arrived from the Empire's far provinces. I have shared with Ted a decade of intellectual joy. His humanity, generosity, honesty, passion and love for thinking, are the example against which I judge myself.

I would like to thank one by one all the friends working in this field, who have developed the ideas and results described in this book, but they are too many. I can only mention my direct collaborators, and a few friends outside this field: Luisa Doplicher, Simone Speziale, Thomas Schucker, Florian Conrady, Daniele Colosi, Etera Livine, Daniele Oriti, Florian Girelli, Roberto DePietri, Robert Oeckl, Merced Montesinos, Kirill Krasnov, Carlos Kozameh, Michael Reisenberger, Don Marolf, Berndt Brügmann, Junichi Iwasaki, Gianni Landi, Mauro Carfora, Jorma Louko, Marcus Gaul, Hugo Morales-Tecotl, Laurent Freidel, Renate Loll, Alejandro Perez, Giorgio Immirzi, Philippe Roche, Federico Laudisa, Jorge Pullin, Thomas Thiemann, Louis Crane, Jerzy Lewandowski, John

Acknowledgements

xix

Baez, Ted Jacobson, Marco Toller, Jeremy Butterfield, John Norton, John Barrett, Jonathan Halliwell, Massimo Testa, David Finkelstein, Gary Horowitz, John Earman, Julian Barbour, John Stachel, Massimo Pauri, Jim Hartle, Roger Penrose, John Wheeler, and Alain Connes.

With all these friends I have had the joy of talking about physics which is far from problem-solving, from outsmarting each other, or from making weapons to make “us” stronger than “them”. I think that physics is about escaping the prison of the received thoughts and searching for novel ways of thinking the world, about trying to clear a bit the misty lake of our insubstantial dreams, which reflect reality like the lake reflects the mountains.

Foremost, thanks to Bonnie – she knows why.

Terminology and notation

- In this book, “relativistic” means “*general* relativistic”, unless otherwise specified. When referring to *special* relativity, I say so explicitly. Similarly, “nonrelativistic” and “prerelativistic” mean “non-*general*-relativistic” and “pre-*general*-relativistic”. The choice is a bit unusual (special relativity, in this language, is “nonrelativistic”). One reason for it is simply to make language smoother: the book is about *general* relativistic physics, and repeating “*general*” every other line sounds too much like a Frenchman talking about de Gaulle. But there is a more substantial reason: the complete revolution in spacetime physics which truly deserves the name of relativity is general relativity, not special relativity. This opinion is not always shared today, but it was Einstein’s opinion. Einstein has been criticized on this; but in my opinion the criticisms miss the full reach of Einstein’s discovery about spacetime. One of the aims of this book is to defend in modern language Einstein’s intuition that his gravitational theory is the full implementation of relativity in physics. This point is discussed at length in Chapter 2.
- I often indulge in the physicists’ bad habit of mixing up function f and function values $f(x)$. Care is used when relevant. Similarly, I follow standard physicists’ abuse of language in denoting a field such as the Maxwell potential as $A_\mu(x)$, $A(x)$, or A , where the three notations are treated as equivalent manners of denoting the field. Again, care is used where relevant.
- All fields are assumed to be smooth, unless otherwise specified. All statements about manifolds and functions are local unless otherwise specified; that is, they hold within a single coordinate patch. In general I do not specify the domain of definition of functions; clearly equations hold where functions are defined.

• Index notation follows the most common choice in the field: Greek indices from the middle of the alphabet $\mu, \nu, \dots = 0, 1, 2, 3$ are 4d spacetime tangent indices. Upper case Latin indices from the middle of the alphabet $I, J, \dots = 0, 1, 2, 3$ are 4d Lorentz tangent indices. (In the special relativistic context the two are used without distinction.) Lower case Latin indices from the beginning of the alphabet $a, b, \dots = 1, 2, 3$ are 3d tangent indices. Lower case Latin indices from the middle of the alphabet $i, j, \dots = 1, 2, 3$ are 3d indices in R^3 . Coordinates of a 4d manifold are usually indicated as $x, y, \dots$, while 3d manifold coordinates are usually indicated as $\vec{x}, \vec{y}$ (also as $\vec{\tau}$). Thus the components of a spacetime coordinate x are

$$x^\mu = (t, \vec{x}) = (x^0, x^a);$$

while the components of a Lorentz vector e are

$$e^I = (e^0, e^i).$$

- η_{IJ} is the Minkowski metric, with signature $[-, +, +, +]$. The indices $I, J, \dots$ are raised and lowered with η_{IJ} . δ_{ij} is the Kronecker delta, or the R^3 metric. The indices $i, j, \dots$ are raised and lowered with δ_{ij} .
- For reasons explained at the beginning of Chapter 2, I call “gravitational field” the tetrad field $e^I_\mu(x)$, instead of the metric tensor $g_{\mu\nu}(x) = \eta_{IJ} e^I_\mu(x) e^J_\nu(x)$.
- ϵ_{IJKL} , or $\epsilon_{\mu\nu\rho\sigma}$, is the completely antisymmetric object with $\epsilon_{0123} = 1$. Similarly for ϵ_{abc} , or ϵ_{ijk} , in 3d. The Hodge star is defined by

$$F^*_{IJ} = \epsilon_{IJKL} F^{KL}$$

in flat space, and by the same equation, where $F_{IJ} e^I_\mu e^J_\nu = F_{\mu\nu}$ and $F^*_{IJ} e^I_\mu e^J_\nu = F^*_{\mu\nu}$ in the presence of gravity. Equivalently,

$$F^*_{\mu\nu} = \sqrt{-\det g} \, \epsilon_{\mu\nu\rho\sigma} F^{\rho\sigma} = |\det e| \, \epsilon_{\mu\nu\rho\sigma} F^{\rho\sigma}.$$

- Symmetrization and antisymmetrization of indices is defined with a half: $A_{(ab)} = \frac{1}{2}(A_{ab} + A_{ba})$ and $A_{[ab]} = \frac{1}{2}(A_{ab} - A_{ba})$.
- I call “curve” on a manifold M , a map

$$\begin{aligned} \gamma : I &\rightarrow M \\ s &\mapsto \gamma^a(s), \end{aligned}$$

where I is an interval of the real line R (possibly the entire R .) I call “path” an oriented unparametrized curve, namely an equivalence class of

curves under change of parametrization $\gamma^a(s) \mapsto \gamma'^a(s) = \gamma^a(s'(s))$, with $ds'/ds > 0$.

- An orthonormal basis in the Lie algebras $su(2)$ and $so(3)$ is chosen once and for all and these algebras are identified with R^3 . For $so(3)$, the basis vectors $(v_i)^j{}_k$ can be taken proportional to $\epsilon_i{}^j{}_k$; for $su(2)$, the basis vectors $(v_i)^A{}_B$ can be taken proportional to the Pauli matrices, see Appendix A1. Thus, an algebra element ω in $su(2) \sim so(3)$ has components ω^i .
- For any antisymmetric quantity v^{ij} with two 3d indices i, j , I use also the one-index notation

$$v^i = \tfrac{1}{2} \epsilon^i{}_{jk} v^{jk}, \qquad v^{ij} = \epsilon^{ij}{}_k v^k;$$

the one-index and the two-indices notation are considered as defining the same object. For instance the $SO(3)$ connections ω^{ij} and A^{ij} are equivalently denoted ω^i and A^i .

Symbols. Here is a list of symbols, with their name and the equation, chapter or section where they are introduced or defined.

A	area	Section 2.1.4
A	Yang–Mills connection	Equation (2.30)
$A, A^i{}_\mu(x)$	selfdual 4d gravitational connection	Equation (2.19)
$A, A^i{}_a(\vec{x})$	selfdual or real 3d gravitational connection	Sections 4.1.1, 4.2
$\mathcal{C}$	relativistic configuration space	Section 3.2.1
D_μ	covariant derivative	Equation (2.31)
$Diff^*$	extended diffeomorphism group	Section 6.2.2
$e^I_\mu(x)$	gravitational field	Equation (2.1)
e	determinant of e^I_μ	
e	edge (of spinfoam)	Section 9.1
$E, E^a_i(\vec{x})$	gravitational electric field	Section 4.1.1
f	face (of spinfoam)	Section 9.1
F	curvature two-form	Section 2.1.1
g or U	group element	
G	Newton constant	
$\mathcal{G}$	space of boundary data	Sections 3.2.5–3.3.3
h_γ	$U(A, \gamma)$	Section 7.1
H	relativistic hamiltonian	Section 3.2
H_0	nonrelativistic (conventional) hamiltonian	Section 3.2
$\mathcal{H}$	quantum state space	Chapter 5

$\mathcal{H}_0$	nonrelativistic quantum state space	Chapter 5
i_n	intertwiner on spin network node n	Section 6.3
i_e	intertwiner on spinfoam edge e	Chapter 9
j	irreducible representation (for $SU(2)$: spin)	
j_l	spin associated to spin network link l	Section 6.2.1
j_f	representation associated to spinfoam face f	Chapter 9
$\mathcal{K}$	kinematical quantum state space	Section 5.2
$\mathcal{K}_0$	$SU(2)$ invariant quantum state space	Section 6.2.3
$\mathcal{K}_{\text{diff}}$	diff-invariant quantum state space	Section 6.2.3
K	boundary quantum space	Sections 5.1.4, 5.3.5
l	link (of spin network)	Section 9.1
l_P	Planck length, $\sqrt{\hbar G c^{-3}}$	
L	length	Section 2.1.4
M	spacetime manifold	
n	node (of spin network)	Section 9.1
p_a	relativistic momenta (including p_t)	Section 3.2
p_t	momentum conjugate to t	Section 3.2
P	the “projector” operator	Section 5.2
P_G	group G projector	Equation (9.117)
P_H	subgroup H projector	Equation (9.119)
$\mathcal{P}$	transition probability	Chapter 5
$\mathcal{P}$	path ordered	Equation (2.81)
q^a	partial observables	Section 3.2
$R^I{}_{J\mu\nu}(x)$	curvature	Equation (2.8)
$R^{(j)\alpha}{}_{\beta}(g)$	matrix of group element g in representation j	
$\mathcal{R}$	3d region	Section 2.1.4
s	s -knot: abstract spin network	Equation (6.4.1)
$ s\rangle$	s -knot state	Equation (6.4.1)
S_{BH}	black-hole entropy	Section 8.2
S	embedded spin network	Section 6.3
$ S\rangle$	spin network state	Section 6.3.1
$\mathcal{S}$	2d surface	Section 2.1.4
$\mathcal{S}$	space of fast decrease functions	Chapter 5
$\mathcal{S}_0$	space of tempered distributions	Chapter 5
$S[\tilde{\gamma}]$	action functional	Section 3.2
$S(q^a)$	Hamilton–Jacobi function	Section 3.2.2
$S(q^a, q_0^a)$	Hamilton function	Section 3.2.5

xxiv	<i>Terminology and notation</i>	
t_ρ	thermal time	Sections 3.4, 5.5.1
T	target space of a field theory	Section 3.3.1
U or g	group element	
$U(A, \gamma)$	holonomy	Section 2.1.5
v	vertex (of spinfoam)	Section 9.1
$\mathbf{V}$	volume	Section 2.1.4
$W(q^a, q'^a)$	propagator	Chapter 5
W	transition amplitudes, propagator	Section 5.2
x	4d spacetime coordinates	
$\vec{x}$	3d coordinates	
Z	partition function	Chapter 9
α	loop, closed path	
β	inverse temperature	Section 3.4
γ	path	
γ	motion (in $\mathcal{C}$)	Section 3.2.1
γ	Immirzi parameter	Section 4.2.3
$\tilde{\gamma}$	motion in Ω	Section 3.2
Γ	relativistic phase space	Section 3.2.1
Γ	graph	Section 6.2
Γ	two-complex	Chapter 9
θ	Poincaré–Cartan form on Σ	Section 3.2.2
$\tilde{\theta}$	Poincaré form on Ω	Equation (3.9)
$\eta_{IJ}, \eta_{\mu\nu}$	Minkowski metric = $\text{diag}[-1, 1, 1, 1]$	
λ	cosmological constant	Equation (2.11)
λ	gauge parameter	Section 2.1.3
ρ	statistical state	Sections 3.4, 5.5.1
Σ	constraint surface $H = 0$	Section 3.2.2
σ, Σ	3d boundary surface	Chapter 4
σ	spinfoam	Chapter 9
$\phi(x)$	scalar field	Equation (2.32)
$\psi(x)$	fermion field	Equation (2.35)
ω	presymplectic form on Σ	Section 3.2.2
$\omega^I_{\mu J}(x)$	spin connection	Equation (2.2)
$\tilde{\omega}$	symplectic form on Ω	Section 3.2.2
Ω	space of observables and momenta	Sections 3.2–3.3.2
$\{6j\}$	Wigner $6j$ symbol	Equation (9.33)
$\{10j\}$	Wigner $10j$ symbol	Equation (9.103)
$\{15j\}$	Wigner $15j$ symbol	Equation (9.56)
$ 0\rangle$	covariant vacuum in $\mathcal{K}$	Sections 5.1.4, 5.3.5
$ 0_t\rangle$	dynamical vacuum in $\mathcal{K}_t$	Sections 5.1.4, 5.3.2
$ 0_M\rangle$	Minkowski vacuum in $\mathcal{H}$	Sections 5.1.4, 5.3.1

- *The name of the theory.* Finally, a word about the name of the quantum theory of gravity described in this book. The theory is known as “*loop quantum gravity*” (LQG), or sometimes “*loop gravity*” for short. However, the theory is also designated in the literature using a variety of other names. I list here these other names, and the variations of their use, for the benefit of the disoriented reader.
 - “*Quantum spin dynamics*” (QSD) is used as a synonym of LQG. Within LQG, it is sometimes used to designate in particular the dynamical aspects of the hamiltonian theory.
 - “*Quantum geometry*” is also sometimes used as a synonym of LQG. Within LQG, it is used to designate in particular the kinematical aspects of the theory. The expression “*quantum geometry*” is generic: it is also widely used in other approaches to quantum spacetime, in particular dynamical triangulations [19] and noncommutative geometry.
 - “*Nonperturbative quantum gravity*”, “*canonical quantum gravity*” and “*quantum general relativity*” (QGR) are often used to designate LQG, although their proper meaning is wider.
 - The expression “*Ashtekar approach*” was used in the past to designate LQG: it comes from the fact that a key ingredient of LQG is the reformulation of classical GR as a theory of connections, developed in particular by Abhay Ashtekar.
 - In the past, LQG was also called “*the loop representation of quantum general relativity*”. Today, “*loop representation*” and “*connection representation*” are used within LQG to designate the representations of the states of LQG as functionals of loops (or spin networks) and as functionals of the connection, respectively. The two are related in the same manner as the energy ($\psi_n = \langle n | \psi \rangle$) and position ($\psi(x) = \langle x | \psi \rangle$) representations of the harmonic oscillator states.