

Index

- A and A^*
 similar, 229
 similar via a Hermitian matrix, 229
 similar via a Hermitian positive definite matrix, 443, 489
 a posteriori bound, 384, 411
 a priori bound, 382, 405
 $A^2 = 0$, *see* self-annihilating matrix
 $\begin{bmatrix} A & B \\ B & A \end{bmatrix}$, 71
 $\begin{bmatrix} A & B \\ -B & A \end{bmatrix}$, 71, 187, 273
 $\begin{bmatrix} A & B \\ B & -A \end{bmatrix}$, 71, 272
 $\begin{bmatrix} 0 & A \\ \bar{A} & 0 \end{bmatrix}$, 72, 277, 307
 conjugate normal or normal, 277
 $\begin{bmatrix} A & A^* \\ A^* & A \end{bmatrix}$, 144
 $\begin{bmatrix} 0 & A \\ A^* & 0 \end{bmatrix}$, 158
 $\begin{bmatrix} 0 & A \\ A^T & 0 \end{bmatrix}$, 158, 276
 $\begin{bmatrix} A & B \\ -\bar{B} & \bar{A} \end{bmatrix}$, 275, 307
 $A\bar{A}$
 = 0, *see* conjugate self-annihilating matrix
 = AA^* , 277
 = $\bar{A}A$
 and A is normal, 138
 real orthogonal quasitriangularization of A , 106
 = I , *see* coninvolutory matrix
 = $-AA^*$, 277
 eigenvalues, 267
 Hermitian, 277
 is real, *see* $A\bar{A} = \bar{A}A$
 normal, *see* congruence-normal matrix, 277
 positive semidefinite, 277, 311
 similar to real matrix, 203
 $AA^T = A^T A$
 and A is normal, 138
 $AA^* = BB^*$
 $B = AU$, 455
 $A^*A = B^*B$
 $B = UA$, 155, 452, 457
 AB versus BA
 eigenvalues, 65
 Jordan blocks, 184
 similarity, 189
 singular values, 455
 Abel's formula, 56
 absolute norm
 $\|e_i\| \|e_i\|^D \geq 1$, 339
 definition, 332
 dual norm is absolute, 332
 dual norm representation, 332
 is monotone, 332, 339
 Loewner–John matrix is diagonal, 492
 matrix norm that it induces, 358
 on matrices, 470
 standardized, 339
 symmetric gauge function, 464
 adjacency matrix, 226
 adjoint
 classical, *see* adjugate
 Hermitian, *see* conjugate transpose
 of a norm on matrices, 357

- adjugate
 2-by-2 matrix, 22
 and nonzero eigenvector entries, 82
 columns are right eigenvectors, 82
 definition, 22
 eigenvalue with geometric multiplicity one, 82
 eigenvectors of 2-by-2 matrix, 82
 gradient of determinant, 23
 Hermitian, 233
 Hermitian matrix, 145
 Jordan canonical form, 188
 Newton's identities, 198
 nilpotent Jordan block, 190
 nilpotent matrix, 190
 normal matrix, 145
 of a direct sum, 31
 of a matrix with rank $n - 1$, 22
 polynomial in A , 125
 positive definite, 233, 443
 positive definite matrix, 145
 positive semidefinite, 233
 positive semidefinite matrix, 145
 rank, 22, 80, 155
 reverse product rule, 23
 rows are left eigenvectors, 82
 r th adjugate matrix
 and inverse of compound matrix, 29
 definition, 29
 $\det(A + B)$, 29
 identity related to compound matrix, 29
 multiplicativity property, 29
 singular value decomposition, 155
 unitary, 93
 unitary matrix, 145
 upper triangular, 129
- Alfred Horn's inequalities, 260
- algebra generated by
 one matrix, 128, 197
 two matrices, 74, 128, 197
- algebra of matrices, 74
- algebraic multiplicity
 definition, 51, 76
 irreducible nonnegative matrix, 534, 535
 positive matrix, 526, 528
 spectral radius of a positive matrix, 528
- algebraic–geometric multiplicity inequality, 181
- algebraic–geometric multiplicity inequality, 55, 59, 79
- algebraically closed field, 561
- alternative, theorem of the, *see* Fredholm, alternative
- analytic function
 of a matrix, 350
 one-to-one, *see* univalent function, univalent
 schlicht, *see* analytic function, univalent
 univalent, 260
- Ando, T., xiv
- angle
 between Ax and Ay with $x \perp y$, 473
 between columns (rows) of a real normal matrix, 132
 between one-dimensional subspaces, 317
 between real vectors, 15, 473
 between x and Ax , 474
 principal, *see* principal angles
- annihilating polynomial, 129, 187, 191
- anticommutator, *see* Jordan product
- anticommute
 definition, 21, 75
 intertwining relation, 112
- anticommuting family
 diagonalizable matrices, 75
 finite, 75
- antidiagonal, *see* counterdiagonal
- antihomogeneous, *see* conjugate homogeneous
- antilinear transformation, *see* sesquilinear transformation
- approximate inverse, 351
- approximation
 by a 2-sided rotation, 463
 by a Hermitian matrix, 323
 by a positive semidefinite matrix, 323
 by a rank one Hermitian matrix, 379
 by a rank- k matrix, 462
 by a scalar multiple of a unitary matrix, 463
 by a singular matrix, 369
 in a unitarily invariant norm, 467
 least squares, 379
 of a nonsingular matrix by a singular matrix, 461
 unique, 461, 476
 unitary Procrustes problem, 463
- argument of a complex number
 definition, 556
 principal value, 556
- argument principle, 389
- arithmetic–geometric mean inequality
 definition, 559
 weighted, 559
- arithmetic–geometric mean inequality
 determinant, 489
- Asano, K., 311
- Auerbach's theorem, 334, 492

- augmented matrix, 12
- Autonne's theorem, 152, 153, 263, 278
- Autonne's uniqueness theorem, 152
- Autonne, L., 159, 278, 279
- Autonne–Takagi factorization
 - $A = U\Sigma U^T$, 263, 278
 - uniqueness in, 263
- Autonne–Takagi factorization
 - $A = U\Sigma U^T$, 153
- back substitution, 216
- backward diagonal, *see* counterdiagonal
- backward identity, *see* reversal matrix
- backward shift, 34
- balanced vector
 - and singular circulant matrices, 100
 - definition, 445
 - null space of correlation matrix, 445
- ball
 - in a normed linear space, 565
 - of radius r , 335
 - unit, *see* unit ball
- Ballantine, C. S., 492
- Barrett, W., xiv, xviii
- basis
 - and norms, 321
 - change of, matrix, 40
 - coordinates of a vector, 39
 - definition, 3
 - dual, 93
 - extend to a, 4
 - orthonormal, 16
 - reciprocal, 93
 - representation, 39
 - standard, 4
- Bauer, F. L., 413
- Bauer–Fike theorem, 405
- Beasley, L., xii
- Belitskii, G., xiv, 207, 210, 215
- Benedetti, R., 278
- Berenstein–Veinstein inequality, 475
- Bergström's inequality, 475
- Bhatia, R., 260, 564
- bidiagonal matrix
 - block bidiagonal, 36
 - definition, 36
 - distinct singular values, 259
 - lower and upper, 36
 - unreduced, 259
- bilinear form, 226
- biorthogonality
 - complete principle of, 123
 - principle of, 79, 123, 134, 529
- Birkhoff's theorem, 253, 407, 549
- Birkhoff, G., 553
- Birkhoff–König theorem, *see* Birkhoff's theorem
- block
 - bidiagonal, 36, 201, 204
 - centrosymmetric, 2-by-2, 71
 - diagonal, 21, 30, 32, 202
 - diagonalizable, 115
 - Gaussian elimination, 25
 - Geršgorin theorem, 395
 - matrix norms, 370
 - strictly diagonally dominant, 395
 - triangular, 31
 - p th root, 130
 - tridiagonal, 36
 - upper triangular, 202, 204
- block matrix
 - positive (semi)definite, 495
 - criterion, 496
- Bochner's theorem, 427
- bordered matrix
 - characteristic polynomial, 56
 - companion matrix singular values, 197
 - definition, 26
 - determinant, 26, 475
 - eigenvalue interlacing, 242, 258, 444
 - eigenvalues, 56, 107, 242, 258
 - normal, 144
 - rank, 258, 259
- boundary, 336
- boundary value problem, 427
- bounded set, 336, 565
- Bourgeois, G., 130
- Bračić, J., 200
- Brauer set, 415
- Brauer's theorem, 51, 122, 186, 415, 416
- Brauer, A., 424
- Brualdi's theorem, 419, 421
- Brualdi, R., 175, 191, 396, 424
- Buchheim, A., 131
- Burke, J. V., 413
- Burnside's theorem on matrix algebras, 74
- Cain, B., xii
- cancellation theorem
 - congruence, 295
 - *congruence, 291
 - consimilarity, 305
 - similarity, 188

- canonical angle, *see* *congruence canonical form
- *congruence diagonalizable matrix, 293
- canonical blocks, *see* canonical form
- canonical form
- congruence, 294
 - *congruence, 290
 - consimilarity, 305
 - definition, 41
 - Jordan, 167
 - real Jordan, 202
 - real normal, 136
 - real orthogonal, 137
 - real skew-symmetric, 136
 - real symmetric, 136
 - squared-normal matrix, 147
 - test for equivalence, 164
 - unitary Weyr, 211
 - Weyr, 206
- canonical pairs
- Hermitian–Hermitian, 295, 567
 - symmetric–skew symmetric, 295, 567
- canonical ray, *see* *congruence canonical form
- Carathéodory theorem on convex sets in \mathbf{R}^n , 557
- Carathéodory’s theorem, 552
- Carathéodory–Steinitz theorem, *see* Carathéodory theorem
- cardinality, 3
- Carlen, E., 75
- Carlson, D., xii
- Carmichael and Mason’s bound, 366, 404
- Carroll, Lewis, *see* Dodgson’s identity
- Cartesian product of vector spaces, 370
- Cassini ovals, *see* ovals of Cassini
- Cauchy
- bound on zeroes of a polynomial, 365, 404
 - expansion of determinant, 26
 - interlacing theorem, 242, 298
 - matrix, 38
 - determinant, 38
 - rank-one perturbation, 26, 66
 - separation theorem, 242
 - sequence, 328
 - spectral theorem, 234
- Cauchy, A., 234
- Cauchy–Binet formula, 28
- Cauchy–Schwarz inequality
- case of equality, 315
 - definition, 15
 - for a pre-norm, 330
 - proof for a semi-inner product, 316
 - proof for an inner product, 315
- real vectors, 559
- Cayley–Hamilton theorem
- 2-by-2 case, 130
 - Buchheim’s proof, 131
 - Cayley’s comments on the proof, 131
 - commutative ring, 124
 - Frobenius gave first general proof, 131
 - theorem, 109
 - two-variable version, 128
- centralizer
- definition, 213
 - dimension, 213
- centrohermitian, 36
- centrosymmetric
- 2-by-2 block, *see* block centrosymmetric, 2-by-2
 - block structure of, 36
 - definition, 36
 - eigenvalues, 199
 - similar to block diagonal matrix, 74
- characteristic equation, 49
- characteristic polynomial
- bordered matrix, 56
 - coefficients, 53, 54
 - definition, 49
 - derivative
 - and eigenvalue multiplicities, 54
 - derivative of, 29
 - generalized, 127, 297
 - positive (semi)definite matrix, 438
 - traces of compound matrices, 108
- Choi, M. D., 75
- Cholesky factorization
- 2-by-2 matrix, 442
 - implies QR factorization, 456
 - positive semidefinite matrix, 90, 441, 442
- Choudhury, D., xii
- Chowdhury, R., xii
- circulant matrix
- basic circulant permutation, 33
 - definition, 33
 - eigenvalues, 100
 - nonsingular if diagonally dominant in any one row, 396
 - nonsingularity and balanced vectors, 100
 - properties, 33
 - spectral norm, 365, 594
 - spectrum of perturbation, 57
 - unitary diagonalization, 100
- classical adjoint, *see* adjugate
- Clausing, A., 476
- closed set, 336, 565

- closure, 336
- coefficient matrix, 12
- cofactor
 - definition, 17
 - size r , 17
- column
 - operations, 9
 - rank, 12
- column inclusion property
 - definition, 216, 432
 - LU factorization, 216
 - positive (semi)definite matrix, 432
 - positive definite Hermitian part, 434
 - positive semidefinite Hermitian part, 433
 - real and imaginary parts of a positive semidefinite matrix, 503
 - sufficient condition, 436
- column space, 8
- column stochastic matrix, *see* stochastic matrix, column
- combinatorially symmetric matrix, *see* nonnegative matrix, combinatorially symmetric
- commutative ring, 124
- commutator
 - $[A, B] = cI$ is impossible if $c \neq 0$, 130
 - A and A^* , 144
 - commutes with, 127, 130, 190, 198, 200
 - definition, 126
 - Laffey's theorem, 126
 - multiplicative, 146
 - nearly normal matrix, 144
 - of a pair of Hermitian matrices, 446
 - quantum system, 447
 - rank 1 \Rightarrow nilpotent, 126
 - rank 1 \Rightarrow simultaneously triangularizable, 126
- commute
 - and invariant subspace, 190
 - anticommute, *see* anticommute
 - definition, 21
 - quasicommute, 127
 - with every unitary matrix, 130
- commuting family
 - common eigenvector, 63
 - definition, 62
 - normal, 135, 143
 - real
 - simultaneous real orthogonal quasitriangularization, 105
 - real normal, 137
 - real symmetric, 145
 - simultaneous triangularization, 103
 - simultaneously block triangularizable, 116
 - simultaneously triangularizable, 115
 - Weyr canonical form, 211
- compact
 - definition, 336
 - unit ball in finite dimension, 336
- compact set, 565
- companion matrix
 - alternative forms, 197
 - common eigenvector, 198
 - condition number, 386
 - definition, 194
 - eigenvectors, 198
 - inverse, 199
 - irreducible, 404
 - Newton's identities, 198
 - nonderogatory, 195
 - normal, 197
 - polar decomposition, 457
 - singular values, 197
 - unitary, 197
- compatible norms
 - characterization, 374
 - definition, 344, 373
 - matrix norm \rightarrow vector norm, 347
 - necessary condition, 375
 - spectral dominance, 347
 - vector norm \rightarrow matrix norm, 344
- complementary nullities, 19, 87, 222
- complete normed linear space, 329
- complete principle of biorthogonality, *see* biorthogonality, complete principle of
- complete system of invariants, 41
- completeness property, 328
- complex number
 - addition, 555
 - argument, 556
 - conjugate, 555
 - definition, 555
 - division, 555
 - imaginary part, 555
 - modulus, 555
 - multiplication, 555
 - polar coordinates, 556
 - real part, 555
 - triangle inequality, *see* triangle inequality
 - unit disc, 556
- complex orthogonal equivalence to transpose, 279

- complex orthogonal matrix
 - 2-by-2 block matrix, 93
 - definition, 92
 - Jordan canonical form, 276
 - not necessarily diagonalizable, 276
 - similar to a , 276
 - upper triangular \Leftrightarrow diagonal, 93
- complex representation
 - quaternion type, 275
- complex type, 71
- compound matrix
 - and the characteristic polynomial, 108
 - definition, 21
 - $\det(A + B)$, 29
 - determinant of, 22
 - eigenvalues, 107
 - of $C_2(A)$, 158
 - homogeneous of order r , 22
 - identity related to r th adjugate matrix, 29
 - inverse and r th adjugate matrix, 29
 - inverse of, 22
 - multiplicativity property, 21
 - of a diagonal matrix, 22
 - of a Hermitian matrix, 233
 - of a normal matrix, 147
 - of a positive definite (semidefinite) matrix, 233
 - of a triangular matrix, 22
 - of a unitary matrix, 93
 - of conjugate transpose, 22
 - of transpose, 22
 - rank one, 22
 - singular values, 158
 - spectral radius, 108
 - strengthened Schur inequality, 158
 - trace of a , 108
- compression
 - via determinant, 445
 - via principal minor sums, 445
 - via p th compound matrix, 445
 - via trace, 437, 445
- concanonical form
 - algorithm, 305
 - theorem, 305
- condiagonalizable
 - definition, 286, 301
 - unitarily, 301
- condiagonalization
 - algorithm for, 310
 - coninvolution matrix, 304
 - criterion, 304
 - distinct coneigenvalues, 303
 - simultaneous, 307
 - condition number for eigenvalues, 406, 411
 - condition number for inversion
 - companion matrix, 386
 - definition, 382
 - equivalence, 385
 - geometric characterization, 386
 - normal matrix, 385
 - positive definite matrix, 444
 - conditionally positive semidefinite matrix
 - definition, 484
 - Hadamard exponential, 484
 - coneigenpair
 - definition, 301
 - equivalent to real eigenpair problem, 309
 - coneigenspace
 - and null space of $A\bar{A}$, 304, 310
 - basis for a , 303, 309
 - definition, 302
 - dimension of a , 303, 308
 - coneigenvalue
 - definition, 301
 - real representation, 309
 - coneigenvectors
 - algorithm to compute, 309
 - and eigenvectors of $A\bar{A}$, 302
 - associated with nonnegative coneigenvalue, 302
 - definition, 301
 - linearly independent, 308, 309, 310
 - linearly independent over \mathbf{R} , 307
 - linearly independent over \mathbf{C} , 307
 - conformal partition, 17
 - congruence
 - cancellation theorem, 295
 - canonical pairs, 567
 - cosquare, 294
 - definition, 41
 - equivalence relation, 281
 - lower triangular, 223
 - nonsingular matrices, 295
 - normal, *see* congruence-normal matrix
 - preserves rank, 281
 - regular part, 295
 - regularization, 295
 - simultaneous diagonalization
 - Hermitian–Hermitian, 287
 - Hermitian–symmetric, 286, 287
 - symmetric–symmetric, 287
 - via nonsingular, 287
 - via unitary, 286

- singular part, 295
- to a real matrix, 299
- to conjugate, 299
- to transpose, 299
- type I block cosquare, 298
- unitary
 - definition, *see* unitary congruence
- T congruence, *see* congruence
- *congruence
 - definition, 41
- *congruence
 - cancellation theorem, 291
 - canonical form, *see* *congruence canonical form
 - canonical pairs, 567
 - complex orthogonal, 300
 - definition, 83, 281
 - diagonalizable, 436, 457, 514
 - algorithm, 293
 - equivalence relation, 281
 - invariants, 292
 - normal matrices, 296, 457
 - preserves rank, 281
 - regularization, 292
 - simultaneous diagonalization
 - via nonsingular, 287
 - via unitary, 286
 - to a real matrix, 299
 - to conjugate, 299
 - to inertia matrix, 282
 - to transpose, 299
 - type I block cosquare, 297
 - unitary matrices, 457
- congruence canonical form
 - algorithm, 295
 - theorem, 294
- *congruence canonical form
 - *cosquare, 290
 - algorithm, 292
 - canonical angle, 290
 - canonical blocks, 290
 - canonical ray, 290
 - definition, 290
 - diagonalizable, 293
 - generalization of Sylvester's inertia theorem, 297
 - Hermitian matrix, 297
 - normal matrix, 296
 - positive definite Hermitian part, 436
 - positive semidefinite Hermitian part, 436
 - regular part, 290
 - singular part, 290
 - theorem, 289
 - unitary matrix, 297
- congruence-normal matrix
 - $A\bar{A}$ is Hermitian, 277
 - $A\bar{A}$ is positive semidefinite, 277
 - characterizing properties, 143
 - definition, 143
 - unitary congruence canonical form, 277
- coninvariant subspace, 262
- coninvolution
 - criterion for unitary congruence, 311
 - definition, 38
 - product with “real similar”, 306
- coninvolutionary matrix
 - complex vs. real similarity, 70
 - consimilar to I , 304
 - definition, 38
 - diagonalizable, 191
 - intertwining relation, 308
 - Jordan canonical form, 191
 - singular value decomposition, 278
 - singular values, 159
 - unitary congruence canonical form, 311
- conjugate
 - homogeneous, 305
 - matrix *congruent to its, 299
 - matrix congruent to its, 299
- conjugate linear function, 15
- conjugate of a complex number, 555
- conjugate partition, 172
- conjugate self-annihilating matrix
 - definition, 157
 - singular value decomposition, 157
- conjugate transpose
 - definition, 6
- conjugate-normal matrix
 - block matrix criterion, 277
 - block triangular, 268
 - block triangular is block diagonal, 268
 - definition, 268
 - direct sum of real orthogonals, 269
 - is congruence normal, 277
 - triangular is diagonal, 268
 - unitary congruence canonical form, 268, 274
 - unitary congruence invariant, 268
 - unitary congruence of two, 274
- conjunctive, 281
- consimilarity
 - and a real representation, 72, 310
 - cancellation theorem, 305
 - canonical form, 305
 - complex orthogonal, 300

- consimilarity (*cont.*)
 - definition, 41, 300
 - real, 300
 - to a Hermitian matrix, 306
 - to a real matrix, 306
 - to conjugate, 306
 - to transpose, 306
 - unitary, 300
- consistent linear system, *see* linear system, consistent
- consistent norms, *see* compatible norms
- continuity
 - definition, 314
 - eigenvalues of a matrix, 122, 564
 - with respect to a norm, 314
 - zeroes of a polynomial, 563
- continuous function
 - definition, 563, 565
 - uniformly, 565
- contraction
 - definition, 161, 493
 - dilation to a unitary, 162
 - strict
 - definition, 493
- contriangularizable
 - block, 301
 - definition, 301
 - unitarily, 301
- convergence with respect to a norm, 325
- convergent matrix
 - characterization, 181
 - criterion, 348
 - definition, 180, 348
- convex
 - combination, 557
 - cone, 557
 - function, 558, 559
 - hull, 557
 - set, 557
 - generators, 557
 - unit ball of norm, 337
- convex function, 426
- convex matrix functions, *see* Loewner partial order, convex matrix functions
- correlation
 - Wigner–Yanase, *see* Wigner–Yanase correlation
- correlation matrix
 - characterization as a special Gram matrix, 445
 - definition, 434
- diagonal of inverse, 444
- eigenvalue bounds, 445
- nullspace vectors are balanced, 445
- tridiagonal
 - eigenvalues, 445
- cosquare
 - Jordan canonical form, 294
 - type I block, 298
- *cosquare
 - A^{-1} similar to A^* , 86
 - definition, 290
 - Jordan canonical form, 290
 - type I block, 297
- counterdiagonal
 - definition, 33
- coupled equations, 176, 285
- Courant, Richard, 239
- Courant–Fischer theorem, 236
- covariance
 - matrix, 280, 426
 - of X and Y in the state R
 - Cauchy–Schwarz inequality, 447
 - definition, 446
 - semi-inner product
 - definition, 446
- Cragolini, P., 278
- Cramer’s rule, 24
- cramped unitary matrix, *see* unitary matrix, cramped
- critical point, 425
- cross diagonal, *see* counterdiagonal
- CS decomposition
 - general form, 162
 - theorem, 160
- cycle
 - definition, 400
 - simple directed, 400
 - trivial, 400, 418
- cyclic of index k , 537
- defect from normality, 102, 144, 147, 156
- defective, 77
- definite Hermitian matrix, *see* positive semidefinite or positive definite matrix
- definitions
 - how to find, xiii
- deflation
 - and the power method, 81
 - if one eigenvalue is known, 82
 - proof of Schur triangularization theorem, 101
 - real matrix, 74

- degree
 - of a polynomial, 46
- deleted absolute column sums, 389
- deleted absolute row sum, 388
- dense, 363
- density matrix
 - definition, 446
 - mixed state, 446
 - pure state, 446
 - square root is unit vector in Frobenius norm, 446
- DePrima, C. R., 94
- derogatory
 - definition, 77
- determinant
 - arithmetic–geometric mean inequality, 489
 - Cauchy expansion of, 26
 - cofactor, 17
 - definition, 8
 - derivative of, 29
 - $\det(A + B)$, 29, 108
 - $\det(A + B) \geq \det A + \det B$, 490, 511
 - Dodgson's identity, 29
 - empty matrix, 24, 507
 - Kronecker theorem, 27
 - Laplace expansion of, 8, 28
 - log det is strictly concave on positive
 - definites, 488
 - minor, 17
 - multiplicativity, 11
 - negative definite matrix, 431
 - positive (semi)definite matrix, 430
 - product of eigenvalues, 51
 - rank-one perturbation, 26
 - similarity invariant, 59
 - superadditive on positive definites, 490, 511
 - Sylvester's identity, 27
 - upper bound, 107, 363, 394
 - Hadamard inequality, 93
 - upper bound used in Fredholm integral equations, 514
 - Wronskian, 56
- Deutsch, E., 492
- dexter-diagonal, *see* counterdiagonal
- diag, 5, 30, 479
- diagonal
 - backward, *see* counterdiagonal
 - entries, permutation, 32
 - main, 5
 - secondary, *see* counterdiagonal
 - subdiagonal, 5
 - superdiagonal, 5
- diagonal entries
 - eigenvalues, *see* Mirsky's theorem
 - equal, 95
- diagonal equivalence
 - definition, 41
 - to a matrix with distinct eigenvalues, 75
- diagonal matrix
 - commute with a, 30
 - definition, 30
 - left multiplication by a, 30
 - right multiplication by a, 30
- diagonalizable
 - *congruence, 436
 - all eigenvalues = 0, 58
 - all eigenvalues = 1, 58
 - almost, 117
 - *congruence, *see* *congruence, diagonalizable
 - consimilarity, 304
 - criterion, 174, 193, 194
 - definition, 59
 - part, 189
 - rank one, 173
 - real matrix, 203
 - real orthogonal equivalence, 155
 - real orthogonally, 94
 - simultaneously, 61
 - unitarily, 94
 - unitary equivalence, 150
 - upper triangular, 145
 - via real orthogonal equivalence, 155
- diagonally dominant
 - circulant matrix (any row), 100, 396
 - criterion, 397
 - definition, 392
 - preserved under Gaussian elimination, 394
 - strictly, *see* strictly diagonally dominant
- difference equation, 581
- differential operator
 - elliptic, *see* elliptic differential operator
 - hyperbolic, *see* hyperbolic differential operator
 - operator
 - linear second order, 226
- dilation
 - to a unitary matrix, 162
- dimension, 4
- Ding, C. X., 515

- direct sum
 - adjugate, 31
 - matrix pairs, 568
 - of matrices, 30
 - of subspaces, 2
- directed path, 400
- discriminant
 - determinant of moment matrix, 128
 - quadratic polynomial, 50, 75, 264
- distance
 - to nearest Hermitian matrix, 476
 - to nearest rank- k matrix, 462
 - to nearest scalar multiple of a unitary matrix, 463
 - to nearest singular matrix, 369, 461
 - to nearest unitary matrix, 476
- Djoković, D., 100
- Dodgson's identity, 29
- Domanov, I., xiv, 191
- dominant eigenvalue, 532
- dot diagram, 172, 206
- dot product, *see* inner product
- doubly stochastic matrix
 - Birkhoff's theorem, 253
 - compact convex set, 548
 - convex combination of permutation matrices, 549, 552
 - definition, 253, 548
 - not unistochastic, 413
 - permutation matrices are extreme points, 552
 - reducible, 552
 - semigroup, 551
 - spectral matrix, 552
 - unistochastic, 257, 407
- doubly substochastic matrix
 - definition, 550
 - dominated by doubly stochastic matrix, 550
- Drazin inverse
 - characterized by 3 identities, 186
 - definition, 185
 - limit, 189
 - polynomial in A , 186
 - projections, 189
 - reciprocal eigenvalues, 186
 - semiconvergent matrix, 191
- Drazin, M. P., 130
- dual basis, 93
- dual matrix norm
 - definition, 358
 - norm induced by absolute norm, 361
 - of l_1 matrix norm, 359
 - of $\|\cdot\|_1$, 343, 360
 - of spectral norm, 362
- dual norm
 - definition, 329
 - duality theorem, 338
 - is a norm, 330
 - of absolute norm, 332
 - of Euclidean norm, 331
 - of k -norm on vectors, 334
 - of l_p norm, 331
 - of max norm, 331
 - of sum norm, 331
 - self-dual norm, 331
- duality theorem
 - application, 339, 343, 344, 353, 355, 359, 361, 364
 - theorem, 338
- Dungey, J. W., 130
- e , *see* vector, all ones
- edge, 226
- eigenpair, 44
- eigenspace, 76
- eigenstate
 - definition, 447
- eigenvalue
 - semisimple, 181
- eigenvalue inclusion sets, 393
- eigenvalues
 - 2-by-2 matrix, 50, 128
 - $A + B$, 239
 - AB vs. BA , 65
 - adj A , 145
 - and dominating nonnegative matrix, 526
 - and singular values, 347
 - bordered matrix, 56
 - bounds on diagonal entries, 238
 - continuity, 122, 564
 - definition, 44
 - derivative, 409
 - diagonal entries, *see* Mirsky's theorem
 - distinct, 51, 57, 60, 75, 124
 - moment matrix criterion, 129
 - number of, 129
 - sign pattern requires, 129, 130
 - inclusion set, 388, 396, 399, 412, 413
 - location near $n^{-1} \operatorname{tr} A$, 146
 - low-rank matrix, 65
 - multiplicity, 51
 - zero derivatives of characteristic polynomial, 54
 - not in interior of any Geršgorin disc, 397

- on boundary of Geršgorin set, 397, 398
- perturbation of, 405
- polynomial in A , 108
- positive (semi)definite matrix, 430
- product is determinant, 51
- rank-one perturbation, 52, 122, 186
- real matrix, 145
- real matrix, odd size, 55
- reversal matrix, 145
- secondary, 527
- semisimple, 76, 174, 368, 552
- simple, 76, 408, 409
 - nonzero derivative of characteristic polynomial, 54
 - sum is trace, 50
- tridiagonal matrix, zero main diagonal, 81
- Weyl product inequalities, 370, 454
- eigenvector
 - 2-by-2 matrix, 128
 - common, 63, 120
 - companion matrix, 198
 - definition, 44
 - left, 77
 - normalized, 45
 - unit, 45
- elementary row/column operations, 9
- elementary symmetric function
 - and Hadamard's inequality, 514
 - definition, 54
- ellipsoid
 - Loewner ellipsoid of a norm, 491
 - positive definite matrix, 491
- elliptic differential operator
 - definition, 296
 - local maxima/minima, 480
 - positive definite discretization, 429
- Elsner, L., 148, 223, 564
- Elton, J. H., 300
- empty matrix
 - determinant, 24, 507
- EP matrix
 - definition, 158
 - normal matrix is EP, 146
 - rank-principal, 296
 - rank-principal matrix, 158
- equal diagonal entries, 95
- equilibrated, 336
- equivalence
 - and rank, 13, 158, 189
 - definition, 41
 - diagonal equivalence, *see* diagonal equivalence
- triangular, *see* triangular equivalence
- unit triangular, *see* unit triangular equivalence
- unitary
 - definition, *see* unitary equivalence
- equivalence class, 40
- equivalence relation
 - definition, 40
 - reflexive, 40
 - symmetric, 40
 - transitive, 40
- equivalent norms, 327
- essentially
 - Hermitian, 7, 89, 233
 - nonnegative matrix
 - definition, 532
 - dominant eigenvalue, 532
 - Gram matrix, 539
 - triangular, 32
- Euclidean algorithm, 130, 192
- Euclidean length or norm, *see* norm, Euclidean
- Euler's theorem, 143
- exchange matrix, *see* reversal matrix
- extreme point, 552, 557
- family of matrices
 - definition, 62
 - irreducible, 62
 - reducible, 62
- Fan
 - determinant inequality, 512
 - dominance theorem, 467
 - eigenvalue majorization inequalities, 250, 259, 260
 - k -norms, 466
 - normalizable matrices, 300
 - theorem on location of eigenvalues, 526
- Fan, K., 300, 476
- Faßbender, H., 278
- Fearnley-Sander, D., 320
- Fejér's uniqueness theorem, 480
- Fejér, L., 485
- Ferrers diagram, *see* dot diagram
- field
 - algebraically closed, 561
 - definition, 1
- field of values
 - definition, 372
- Fill, J., xiv
- finite-dimensional quantum system, *see* quantum system

- finitely generated convex set, 557
- Fischer inequality
 block generalization, 507
 proof via Cholesky decomposition, 514
 proof via Minkowski inequality, 513
 reverse, 514
 theorem, 506
- Fischer, E., 239
- FitzGerald, C. H., 505
- Fletcher, R., 175
- Fonseca, C. M., xiv
- forward shift, 34
- forward substitution, 216
- Fourier matrix, 100
- Fredholm
 alternative, 16
- Friedland, S., 75
- Frobenius
 inner product, 321
 norm
 absolute norm, 342
 definition, 341
 l_2 matrix norm, 321
 $\|AB\|_2 = \|BA\|_2$ sometimes, 370
 $\text{tr } A^*A$, 7, 133
 unitarily invariant, 342
 rank inequality, 13
 theorem, 146
- Frobenius normal form, 532
- Fuglede–Putnam theorem
 alternative proof, 143
 $AX = XB$ and X is normal, 148
 theorem, 138
- Fujii, M., 370
- full-rank factorization
 definition, 13
 Hermitian matrix, 234
 normal matrix, 145
 singular value decomposition, 450
 thin singular value decomposition, 456
- function
 concave, 558
 convex, 558
 strictly concave, 558
 strictly convex, 558
- fundamental theorem of algebra, 46, 561
- Garcia, S. R., 100, 273
- gauge function, 335
- Gaussian elimination
 definition, 25
 preserves strict diagonal dominance, 394
- Gaussian matrix
 definition, 443
 determinant, 444
 positive definite, 444
- gcd matrix
 definition, 483
 positive semidefinite, 483
- Gelfand formula
 matrix norm, 349
 pre-norm, 372
 vector norm on matrices, 372
- general linear group, 14
- generalized coordinates, 285
- generalized inverse, 185, 453
- generalized matrix function, 9
- generalized matrix norm, *see* vector norm on matrices
- generalized permutation matrix
 definition, 33
 isometry for l_p norm, 334
 subgroup of $GL(n, \mathbf{C})$, 33
 uniqueness of factors, 221
- generators of a convex set, 557
- geometric mean
 definition, 445
 $G(A, A^{-T})$ is complex orthogonal and coninvolutory, 445
 $G(A, \bar{A})$ is real, 445
 $G(A, B) = G(B, A)$, 445
 unique, 445
- geometric multiplicity
 and Geršgorin discs, 396
 definition, 76
 positive matrix, 525
- geometric–algebraic multiplicity inequality, 181
- geometric–algebraic multiplicity inequality, 55, 59, 79
- Gerasimova, T. G., xiv, 279
- Geršgorin, S., 396
- Geršgorin
 circles, 389
 discs
 and geometric multiplicity, 396
 and rank, 392, 394
 definition, 388
 disjoint, 388, 390
 set, 388, 389
 theorem
 block form, 395
 statement and proof, 388

- version if geometric multiplicity > 1 , 396
 - weighted, 390
- Gerstenhaber's theorem, 128
- Givens rotation, *see* plane rotation
- Givens' method, 99
- Goldberg, M., 381
- Goodson, G., xvi, 148, 191
- Google matrix
 - eigenvalues, 57
 - Jordan canonical form, 190
- Gram matrix
 - definition, 441
 - essentially nonnegative, 539
 - inner product, 446
 - positive (semi)definite matrix, 440, 441
 - representation of a correlation matrix, 445
- Gram–Schmidt process, 93
 - definition, 15
 - minimal polynomial, 196
- graph
 - directed, 399
 - undirected, 226
- greatest common divisor, *see* gcd matrix
- Greub–Reinboldt inequality, 473
- Grone, R., 148
- group
 - bounded multiplicative group of matrices, *see* Auerbach's theorem
 - definition, 85
 - general linear, 14
 - Heisenberg, 174
 - real orthogonal, 85
 - unitary, 85
- Gruenberg, K. W., 130
- Grüss inequality, 322
- Grunsky inequalities
 - definition, 260
 - exponentiated, 502
 - mixed problem, 286
- Gu, D., 424
- guess and check, 309
- Guralnick, R., xiv
- Hadamard exponential matrix
 - conditionally positive semidefinite matrix, 484
 - definition, 481
 - positive definite/semidefinite, 481, 483
 - quadratic inequalities, 502
- Hadamard inequality
 - and elementary symmetric functions, 514
 - and permanent, 93
 - block matrix version, 513
 - case of equality, 93, 443, 505, 506
 - column norm version, 506
 - diagonal product version, 505
 - proof via arithmetic–geometric mean inequality, 505
 - proof via Cholesky decomposition, 443
 - proof via QR factorization, 93
 - proof via Schur complement of bordered matrix, 514
- Hadamard power matrix
 - definition, 481
 - positive semidefinite, 481
 - quadratic inequalities, 502
- Hadamard product
 - commutative, 477
 - definition, 371, 477
 - distributes over matrix addition, 477
 - entrywise absolute value of a matrix, 482
 - entrywise exponential of a matrix, 481, 484
 - entrywise functions of a matrix, 481
 - entrywise reciprocal of a matrix, 482
 - entrywise square root of a matrix, 482
 - rank inequality, 483
 - trace representation of sesquilinear form, 479
 - trigonometric moments, 477
- Hadamard, J., 485
- Hadamard–Fischer inequality, 507
- Hald, O. H., 260
- half-space, 558
- Hall, F. J., 396
- Halmos, P., 191
- Halperin, I., 75
- Hankel matrix, 35, 427
- Harris, L., 131
- Hartley matrix, 100
- Hausdorff moment sequence, 427
- Hawkins, T., xiv
- Haynsworth's theorem
 - generalized, 437
 - inertia and Schur complement, 298
- Heisenberg
 - group, 174
 - uncertainty principle, 130, 447
- Herman, E., xiv
- Hermite normal form, *see* reduced row echelon form
- Hermite, C., 215
- Hermitian
 - adjoint, *see* conjugate transpose
 - essentially, 7, 89
 - projection, 38, 124, 232, 233

- Hermitian matrix
 canonical pairs, 567
 characterization, 228
 commuting family, 229
 *congruence canonical form, 297
 definition, 7
 eigenvalues are real, 135
 essentially, 233
 every nonzero principal minor of size r has the same sign, 234
 full-rank factorization, 234
 orthonormal eigenvectors, 234
 positive semidefinite part, *see* positive semidefinite part of a Hermitian matrix, 323
 product of two, 229, 489
 product with a positive definite, 446, 486
 product with a positive semidefinite, 486
 product with symmetric, 306
 rank-principal, 20, 234
 signs of principal minors of size rank A , 234
 similar to a , 489
 spectral theorem, 135, 229
 uniqueness of diagonalization, 134
 unitarily diagonalizable, 135
- Hermitian part
 definition, 7, 227
 positive (semi)definite, 433
 *congruence canonical form, 436
 LU factorization, 437
 row and column inclusion properties, 433, 434
 positive definite, 504
 *congruence canonical form, 437
 $H(A)$ positive definite $\Leftrightarrow H(A^{-1})$ positive definite, 436
 Toeplitz decomposition, 227, 289, 567
 unitarily invariant norm bound, 476
- Hessenberg matrix
 diagonalizable, 174
 unitarily similar to a , 96
 unreduced, 35, 82, 174
 upper or lower, 35
- Hessian, 225, 558
- Hessian matrix, 426
- Hilbert matrix
 condition number, 386
 definition, 38
 determinant, 38
 inverse, 38
 positive definite, 483, 484
 positive semidefinite, 483
- Hilbert–Schmidt norm, 341
- Hlawka’s inequality, 319
- Hölder’s inequality, 414, 559
- Hoffman, A. J., 413, 476
- Hoffman–Wielandt theorem
 eigenvalues, 407
 unitarily invariant norms, 468
 singular values, 451
- Hong, Y. P., xii, 108, 279, 300, 311, 492
- Horn, Alfred
 inequalities, 260
- Horn, R. A., 108, 148, 278, 279, 300, 311, 457, 492, 505, 569
- Householder matrix
 definition, 87
 eigenvalues, 88
 factorization of an arbitrary matrix, 93
- Householder transformation
 definition, 95
- Hsu, P. L., 311
- Hua, L.-K., 278
- Huang, L., 311
- Huang, Z., 75
- hyperbolic differential operator
 definition, 296
- hyperplane, 558
- idempotent, *see* projection
- identity
 matrix, 6
- Ikramov, Kh., xiv, 148, 278
- ill conditioned
 matrix inversion, 382
- imaginary axis, 556
- imaginary part, 7, 48
- imaginary part of a complex number, 555
- inclusion principle, 246
- inclusion set
 singular values, *see* singular values, inclusion set
- inconsistent linear system, *see* linear system, inconsistent
- indecomposable
 permutation similarity, 182
- indefinite
 positive and negative eigenvalues, 234
 simultaneous diagonalization, 299
- indefinite Hermitian matrix
 definition, 430
 complex, 230
- indefinite real symmetric matrix
 definition, 231

- index
 - how to use the, xiii
- index of an eigenvalue
 - block upper triangular matrix, 183
 - definition, 169
 - equivalent definitions, 183
 - exponents in minimal polynomial, 200
 - $r_q(A, \lambda) = r_{q+1}(A, \lambda)$, 175
 - Segre characteristic, 170
- index of nilpotence
 - at most n , 109
 - definition, 38
- index of primitivity, *see* primitive matrix, index of primitivity
- index set, 16
- indicator matrix, 399
- indicial equation, 581
- induced matrix norm
 - bounds between two, 352
 - by an absolute norm, 358
 - definition, 344
 - distance to a nearest singular matrix, 369
 - equal norms, 354
 - is minimal, 356
 - spectral norm is the only self-adjoint, 358
 - spectral norm is the only unitarily invariant norm, 357
 - uniqueness of inducing norm, 356
 - unital, 343
- inequality
 - Cauchy–Schwarz, 15
- inertia
 - and canonical angles, 297
 - Haynsworth’s theorem, 298
 - Hermitian matrix, 281
 - Sylvester’s law of, 282
- inertia matrix
 - definition, 282
- inner product
 - axioms, 315
 - definition, 15, 315
 - Euclidean, 15
 - Gram matrix, 446
 - properties, 315
 - semi-inner product, *see* semi-inner product
 - sesquilinear, 315
 - standard, 15
 - usual, 15
- inner product space
 - definition, 15, 316
- interior point
 - definition, 336
 - unit ball, 336
- interlacing theorem
 - Cauchy, 242, 298
 - inverse, 243, 245
 - singular values, *see* singular values, interlacing
 - Weyl, 241
- intertwining relation
 - and polynomials, 111
 - $AX^* = X^*B$ and $X^*A = BX^*$, 148
 - $D = AB - BA^T$ and $AD = DA^T$, 189
 - definition, 112
 - Fuglede–Putnam theorem, 138
 - linear matrix equation, 111
 - normal matrices and $AX = X\bar{B}$, 142
 - uniqueness in Schur triangularization, 113
- invariant
 - complete system, 41
 - definition, 41
 - subspace, 62, 190, 262
- invariant factors, 200
- inverse
 - 2-by-2 matrix, 22
 - approximate, 351
 - definition, 14
 - errors in computing, 382
 - left, 14
 - matrix similar to its, 173
 - partitioned matrix, 18
 - polynomial in A , 110
 - rank one adjustment, 19
 - reverse monotone on positive definite matrices, 495, 504, 505
 - right, 14
- inverse eigenvalue problem
 - bordered Hermitian matrix, 243
 - Jacobi matrix, 260
 - rank one perturbation of a Hermitian matrix, 245
 - trace = eigenvalue sum (Mirsky’s theorem), 68
- inverse interlacing, 243, 245
- invertible matrix, *see* nonsingular matrix
- involution
 - $A = -KAK$, 199
 - $A = KAK$, 199
 - definition, 38
 - diagonalizable, 199
 - symmetric, 274
- involutory, 38
- Ipsen, I., xiv

- irreducible
 - definition, 402
 - family, 62
 - nonnegative matrix, *see* nonnegative matrix, irreducible
- irreducible normal form, 532
- irreducibly diagonally dominant
 - definition, 403
- isometry
 - condition number = 1, 386
 - Euclidean, 85
 - for a norm, 334
 - determinant has modulus one, 334, 491
 - eigenvalues have modulus one, 334
 - similar to a unitary matrix, 334, 491, 492
 - for an l_p -norm, 334
 - group, 334
- isomorphism, 4
- isotropic vector, 7, 148, 274

- J_n , *see* matrix, all ones
- Jacobi
 - identity, 24
 - method, 98
- Jacobi matrix
 - definition, 36
 - distinct eigenvalues, 174
 - inverse eigenvalue problem, 260
- Jacobson's lemma, 127, 130, 189, 200
- Jacobson, N., 130, 278
- Jensen's inequality, 333, 560
- Jespersen, D. C., xiv
- Johnson, C. R., 94, 100, 148, 191, 381, 429, 492, 505, 533
- Jordan block
 - definition, 164
 - inverse, 173
 - unitarily similar to a symmetric matrix, 271, 272
- Jordan canonical form
 - AB versus BA , 184
 - complex orthogonal matrix, 276
 - of a direct sum, 182
 - of a matrix, 167
 - optimality, 183
 - rank-one perturbation, 186
 - real, 202
 - real orthogonal matrix, 276
 - self-annihilating matrix, 172
 - skew-symmetric matrix, 276
 - symmetric version, 271
 - theorem, 167
- Jordan decomposition
 - diagonalizable part, 189
 - existence, 182
 - nilpotent part, 189
 - uniqueness, 189
- Jordan matrix, 164
- Jordan product
 - anticommuting family, 75
 - definition, 75, 446
 - of positive definites need not be positive definite, 446
 - quantum system, 447
- Jordan, C., 175
- Jordan, P., 320

- k -norm
 - vector norm
 - definition, 320
 - dual, 340
 - dual norm, 334
 - permutation invariant and absolute, 321
- Takeya's theorem, 366
- Kantorovich inequality
 - equivalent to Wielandt inequality, 472
 - proof, 471
 - scalar version, 473
 - statement, 470
- Kaplansky, I., 279
- Kellogg, R. B., 533
- kinetic energy, 285
- Kirk, W. A., 324
- Kittaneh, Fuad, 200
- Kojima's bound, 367, 404
- Kolotilina's theorem, 423
- Kolotilina, L. Yu., 424
- König, D., 553
- Kosaki, H., xiv
- Koteljanskiĭ inequality, 507
- Krass, D., xii
- Krause, G., 564
- Krein–Milman theorem, 557
- Krishnaiah, P. R., 477
- Kronecker
 - theorem for bordered determinants, 27
- Krylov sequence, 221
- Kubo, F., 370
- Kuzma, B., 200
- Ky Fan k -norms, *see* Fan, k -norms

- l_p -norm, 320
- Laffey's theorem, 126, 127

- Laffey, Thomas J., 130
- Lagrange
 interpolation formula, 38
 interpolation polynomials, 38
- Lagrangian, 44
- Laguerre, E. N., 319
- Lancaster, P., 569
- Lanczos tridiagonalization, 221
- Laplace
 expansion, 8
 expansion theorem, 28
- LDU factorization
 proof of Sylvester's criterion, 442
 theorem, 218
- leading entry, *see* reduced row echelon form
- leading principal minor, *see* principal minor, leading
- leading principal submatrix, *see* principal submatrix, leading
- least common multiple, 196
- least squares approximation, 379
- least squares solution of a linear system, 453, 462
- left eigenvector
 definition, 77
 if it is also a right eigenvector, 77
 need not be a right eigenvector, 77
- left Perron vector, *see* Perron vector, left
- length
 Euclidean, 15
 of a directed path, 400
 of a vector, *see* norm
 of a word, 97
- Levy–Desplanques theorem, 352, 392
- Li, C. K., xiv, 75, 260
- Li, L., 424
- Li, Z., xiv, 131
- Lidskii's eigenvalue majorization inequalities, 250, 259, 260
- Lidskii, B. V., 260
- Lieb, E., 75
- Lim, T. C., xiv
- limit point, 336
- linear combination
 definition, 2
 nontrivial, 2
 trivial, 2
- linear equations, *see* linear system
- linear space, *see* vector space
- linear system
 consistent, 12
 errors in solution of a, 383
 inconsistent, 12
 least squares solution, 462
 sensitivity of solution, 385
 solution, 12
- linear transformation
 definition, 5
 matrix represents a, 5
- linearly dependent
 definition, 3
 list of vectors, 3
 set of vectors, 3
- linearly independent
 definition, 3
 list of vectors, 3
 set of vectors, 3
- Lippert, R. A., xiv, 191, 279
- Liping, H., *see* Huang, L.
- list of vectors
 length, 3
 linearly dependent, 3
 linearly independent, 3
 span, 3
 sublist, 3
- Littlewood, D. E., 211, 215
- Loewner ellipsoid
 associated with a norm
 definition, 491
- Loewner partial order
 and contractions, 494
 concavity of Schur complement, 504
 convex matrix functions, 505
 convexity of inverse, 502
 convexity of inverse square root, 505
 convexity of negative square root, 505
 convexity of square, 501
 criterion, 494
 definition, 493
 $H^{-1}[\alpha] \succeq (H[\alpha])^{-1}$, 499
 monotone matrix functions and difference quotients, 505
 monotonicity of determinant, 495
 monotonicity of Schur complement, 504
 monotonicity of square root, 495, 501, 505
 monotonicity of trace, 495
 reverse monotonicity of inverse, 495, 504, 505
- Loewner, C., 505
- Loewner–John matrix
 absolute norm, 492
 applications, 492

- Loewner–John matrix (*cont.*)
 associated with a norm
 definition, 491
 l_p norms, 492
 symmetric gauge function, 492
 Lomonosov, V., 75
 loop, *see* cycle, trivial
 Lorentz transformation, 300
 lower triangular congruence, 223
 lower triangular matrix
 commutes with, 31
 definition, 31
 LU factorization, 216
 not square, 31
 unit, 31, 218
 LPU factorization, 219
 Löwner, K., *see* Loewner, C.
 $LPDU$ factorization, 221
 LPU factorization, 219, 222
 LQ factorization, 90
 LU factorization
 definition, 216
 min matrix, 442
 nonexistence, 217
 PLU factorization, 219
 positive (semi)definite Hermitian part, 437
 tridiagonal matrix, 222
 uniqueness, 218
 lub norm, *see* induced matrix norm
 LUP factorization, 219
- M -matrix
 definition, 533
 equivalent characterizations, 533
 nonnegative inverse, 533
 magic square, 532
 main diagonal, 5
 majorization
 definition, 248
 diagonal entries and eigenvalues, 249, 251
 diagonal entries and eigenvalues (block version), 259
 eigenvalues of Hermitian part, 254
 geometric characterization, 254
 multiplicative, 454
 Marcoux, M., 101, 130
 Marcus-Thompson theorem, 146
 Markovian matrix
 definition, 443
 determinant, 443
 inverse, 443
 positive definite, 443
- Marsli, R., 396
 Mastnak, M., 101, 130
 Mathias, R., xii, xiv, 260
 matrix
 adjacency, 226
 all ones, 8, 435
 eigenvalues, 65
 augmented, 12
 backward shift, 34
 bidiagonal, *see* bidiagonal matrix
 block, 18
 block centrosymmetric, 2-by-2, 71
 block diagonal, 21, 30, 32
 block triangular, 31
 bordered, 26, 107
 Cauchy, 38
 centrohermitian, 36
 centrosymmetric, 36
 change of basis, 40
 circulant, *see* circulant matrix
 coefficient, 12
 companion, 194
 complex orthogonal, 92
 complex type, 71
 compound, 21
 conditionally positive semidefinite, *see*
 conditionally positive semidefinite
 matrix
 *congruence canonical blocks, 289
 congruence-normal, *see* congruence-normal
 matrix
 coninvolutory, 38
 conjugate self-annihilating, *see* conjugate
 self-annihilating matrix
 conjugate-normal, *see* conjugate-normal
 matrix
 consimilarity canonical blocks, 305
 convergent, *see* convergent matrix
 correlation, *see* correlation matrix
 covariance, 426
 definition, 5
 diagonal, 30
 diagonalizable, 59
 direct sum, 30
 doubly stochastic, *see* doubly stochastic
 matrix, *see* doubly stochastic matrix
 essentially nonnegative, *see* essentially
 nonnegative matrix
 essentially triangular, 32
 forward shift, 34
 Fourier, *see* Fourier matrix
 Gaussian, *see* Gaussian matrix

- Google*, *see Google matrix*
 Gram, *see Gram matrix*
 Hadamard exponential, *see Hadamard exponential matrix*
 Hadamard power, *see Hadamard power matrix*
 Hankel, 35, 427
 Hartley, 100
 Hermitian, 7
 projection, 38
 Hermitian part, 7
 Hessenberg, 35
 unreduced, 35
 Hessian, 426
 Hilbert, 38
 Householder, 87
 identity, 6
 imaginary part, 7
 inverse of partitioned, 18
 invertible, *see nonsingular matrix*
 involutory, 38
 irreducible, 402
 Jordan, 164
 Jordan block, 164
 linear transformation, of a, 5
 lower triangular, 31
 Markovian, *see Markovian matrix*
 nearly normal, 144
 negative definite, *see negative definite matrix*
 negative semidefinite, *see negative semidefinite matrix*
 nilpotent, 38
 nonderogatory, 178
 nonnegative, *see nonnegative matrix*
 nonnegative diagonal, 30
 nonsingular, 14
 normal, 7
 normal and skew symmetric, 146
 normal and symmetric, 146
 orthogonal, 7, 92
 orthostochastic, *see orthostochastic matrix, see orthostochastic matrix*
 pair, 568
 Palais, 92
 partitioned, 17
 perhermitian, 36
 permutation, *see permutation, matrix*
 persymmetric, 36
 positive, *see positive matrix*
 positive definite, *see positive definite matrix*
 positive diagonal, 30
 positive semidefinite, *see positive semidefinite matrix*
 power-bounded, *see power-bounded matrix*
 principal submatrix, 17
 product of “real similar” and coninvolutory, 306
 product of Hermitian and symmetric, 306
 product of symmetric and skew symmetric, 276
 product of two Hermitians, 229
 product of two skew symmetric, 276
 product of two symmetric, 178, 271
 projection, 38, *see projection*
 proper rotation, *see proper rotation matrix*
 quasi-triangular, 103
 quasidiagonal, 32
 quasitriangular, 32
 quaternion type, 275
 rank in a partitioned, 20
 rank-principal, 20
 real, 51
 deflation via non-real eigenvalue, 74
 real orthogonal, 84, 137
 real part, 7
 real skew-symmetric, 136
 real symmetric, 136
 reducible, 402
 reversal, 33
 scalar, 6, 30
 self-annihilating, *see self-annihilating matrix*
 similarity, 58
 similarity canonical blocks, 167
 singular, 14
 skew-centrohermitian, 36
 skew-centrosymmetric, 36
 skew-Hermitian, 7
 skew-Hermitian part, 7
 skew-orthogonal, 92
 skew-perhermitian, 36
 skew-persymmetric, 36
 skew-symmetric, 7
 skew-symmetric and normal, 146
 skew-symmetric part, 7
 spectral, *see spectral matrix*
 square, 5
 square of nilpotent, 310
 squared-normal, *see squared-normal matrix*
 stochastic, *see stochastic matrix*
 strictly
 block triangular, 31
 lower triangular, 31
 upper triangular, 31

- matrix (*cont.*)
 - symmetric, 7
 - symmetric and normal, 146
 - symmetric part, 7
 - Toeplitz, 34, 427
 - triangular, 31
 - tridiagonal, *see* tridiagonal matrix
 - tripotent, 196
 - unistochastic, *see* unistochastic matrix
 - unitary, 7, 84
 - unitary and skew-symmetric, 139
 - unitary and symmetric, 139
 - upper triangular, 31
 - Vandermonde, 37, 128
 - weakly irreducible, 418
 - zero, 6
 - zero-one, 174
- matrix exponential
 - definition, 350
 - determinant, 369
- matrix norm
 - adjoint, 357
 - axioms, 340
 - block matrices, 370
 - bounds on zeroes of a polynomial, 365
 - compatible with a vector norm, 344
 - constants between, 365
 - dual of a matrix norm, 360
 - equal to spectral radius, 368
 - Frobenius norm, 321, 341
 - generalized, *see* vector norm on matrices
 - Hilbert–Schmidt norm, 341
 - induced by absolute norm, 368
 - induced by l_p norm on \mathbb{C}^n , 363
 - induced norm, *see* induced matrix norm
 - l_1 matrix norm, 341
 - l_2 matrix norm, 321, 341
 - lub norm, *see* induced matrix norm
 - max of several, 357, 363
 - minimal, *see* minimal matrix norm
 - monotone on the positive orthant, 368
 - $N_\infty(\cdot)$ matrix norm, 343
 - not a convex set, 363
 - operator norm, *see* induced matrix norm
 - scalar multiple of vector norm, 373
 - Schur norm, 341
 - self-adjoint, 357
 - spectral norm, *see* r
 - trace norm, *see* trace norm
 - unital, *see* unital matrix norm
 - unitarily invariant, *see* unitarily invariant matrix norm
 - upper bound for spectral radius, 347
- max matrix
 - definition, 436
 - Hadamard reciprocal is positive semidefinite/definite, 436
- max norm, *see* or
- $\max\{a, b\}$, 233
- maximum column sum matrix norm
 - definition, 344
 - induced by sum norm, 344
- maximum row sum matrix norm
 - definition, 345
 - induced by max norm, 345
- McCoy
 - theorem, 127, 128
 - little theorem, *see* little McCoy theorem
 - proof, 119
- McCoy, N., 130
- mean
 - definition, 319
- Mellendorf, S., 396
- Mercer’s theorem, 478
- Merino, D. I., xiv, 279, 311
- min matrix
 - and gcd matrix, 483
 - definition, 435
 - positive semidefinite, 435, 436, 442
- min-max theorem, 236
- minimal matrix norm
 - definition, 355
 - is induced, 356
- minimal polynomial
 - definition, 192
 - dimension of subalgebra, 197
 - direct sum, 196
 - Gram–Schmidt process, 196
 - rank-one matrix, 200
- minimally spectrally dominant norm
 - definition, 378
 - spectral characteristic, 378
- Minkowski
 - determinant inequality, 510
 - product inequality, 511, 560
 - sum inequality, 320, 560
- minor
 - definition, 17
 - principal, *see* principal minor
 - size r , 17

- minors
 - quadratic relations between, 28
- Mirsky's theorem
 - diagonal entries & eigenvalues, general, 68, 75
 - eigenvalue perturbation, 468
- Mirsky, L., 75, 476
- mixed state, *see* density matrix
- modulus of a complex number, 555
- moment matrix
 - and the discriminant, 128
 - definition, 128
 - of order m , 129
- moment sequence
 - Hausdorff, 427
 - Toeplitz, 427
- moments
 - of eigenvalues, 109, 126
 - of zeroes, 126
 - trigonometric, 260
 - convolutions and Hadamard products, 477
- momentum operator, 130
- monic polynomial, 46
- monotone matrix
 - definition, 533
 - product of two monotone matrices is monotone, 533
- monotone matrix function, *see* Loewner partial order, monotone matrix functions
- monotone norm, *see* absolute norm
 - definition, 332
 - is absolute, 332
 - weakly monotone, 340
- monotonicity theorem, 238, 241
- Montel's bound, 365
- Moore–Penrose inverse
 - axioms, 453
 - definition, 453
 - in a Schur complement, 453
 - least squares solution of a linear system, 453
 - limit of ordinary inverse, 454
 - positive (semi)definite block matrices, 502
- Moro, J., 413
- Morrison, *see* Sherman–Morrison–Woodbury formula
- Motzkin, T., 130
- Moutard's theorem, 480
- Moutard, Th., 480, 485
- multilinear function, 11
- multiplicative commutator, 146
- multiplicity
 - algebraic, 51, 76
 - geometric, 76
 - of a singular value, 151
 - of an eigenvalue, 51
 - root of a polynomial, 46
- Nakayama, T., 311
- nearly normal matrix
 - definition, 144
 - tridiagonal and Toeplitz, 144
- negative definite matrix
 - definition, 430
 - determinant, 431
 - trace, 431
- negative semidefinite matrix
 - definition, 430
- Nehari's theorem, 261
- Neumaier, A., xiv
- Neumann series, 365, 595
- Newton's identities
 - and unitary equivalence, 455
 - approximate version, 130
 - proof, 126
 - proof via companion matrix, 198
- nilpotence
 - index of, 38, 109
- nilpotent
 - adjugate, 190
 - block matrix, 128
 - definition, 38
 - index, 109
 - part, 189
 - self-annihilating, 157
 - square, 310
 - zero eigenvalues, 48, 107
- node, 226, 400
- nondecreasing rearrangement, 249
- nondefective, 77
- nonderogatory
 - commute with A and A^* , 190
 - companion matrix, 195
 - definition, 77, 178
 - Jordan and Weyr canonical forms are identical, 206
 - matrix commutes with, 178
 - similar to transpose, 180
 - unreduced Hessenberg matrix, 82, 174
 - Weyr characteristic, 206
- nonincreasing rearrangement, 249
- nonnegative matrix
 - best rank-one approximation, 538

- nonnegative matrix (*cont.*)
 combinatorially symmetric, 545
 commute with a positive matrix, 531
 cyclic of index k , 537
 definition, 519
 irreducible, 532, 533
 derivative of spectral radius, 538
 general limit theorem, 546
 main diagonal entries, 536
 positive main diagonal entries, 541
 spectrum, 535
 irreducible normal form, 532
 magic square, 532
 Perron root, 531
 Perron–Frobenius theorem, 534
 positive eigenvector, 522, 523, 530, 531, 548
 power method, 545
 primitive, *see* primitive matrix
 principal submatrix, 521
 reducible, 532
 spectral radius is an eigenvalue, 529
 spectrum, 532
- nonsingular matrix
 definition, 14
 equivalent conditions, 14
 strict diagonal dominance, 352
- nontrivial linear combination
 definition, 2
- norm
 absolute, *see* absolute norm
 axioms, 314
 bounds between two l_p , 333
 characterization of derived norm, 318, 324
 compatible with a matrix norm, 344
 compatible with a non-matrix norm, 375
 define via a basis, 321
 definition, 314
 derived from an inner product, 316
 Hlawka's inequality, 319
 parallelogram identity, 317
 polarization identity, 318
 dual, *see* dual norm
 equivalent, 327
 Euclidean, 15, 320
 isometry for a , 334
 isometry group of a , 334
 k -norm, *see* k -norm, *see* k -norm
 l_1 -norm, 318, 320
 l_p -norm, 320
 L_1 -norm, 321
 L_2 -norm, 321
 l_2 matrix norm (Frobenius norm), 321
 l_2 -norm, 320
- limits of l_p -norms, 334
 L_∞ -norm, 321
 l_∞ -norm on matrices, 342
 L_p -norm, 321
 l_p -norm
 Loewner–John matrix, 492
 Schatten p -norms, 465
 l_∞ -norm, 318, 320
 matrix norm, *see* matrix norm
 monotone, *see* monotone norm
 not derived from an inner product, 318
 of a vector of norms, 324
 polyhedral, 336
 Schatten p -norm, 465
 standardized, *see* standardized norm
 sum norm, 318, 320
 unitarily invariant, 322
 usual, 15
 weakly monotone, *see* weakly monotone norm
 weighted l_p -norm, 322
- norm on matrices
 compatible with some vector norm, 374
 Hadamard product norms, 371
 l_∞ -norm on matrices, 372
 monotone on the positive orthant, 368
 similarity invariant, 378
 spectrally dominant, 374
- normal
 real representation, 71
- normal eigenvector
 definition, 124, 143
 normal matrices, 144
 singular value, 158
- normal equations
 and least squares, 462
 may be poorly conditioned, 386
- normal matrix
 *congruence, 457
 2-by-2, 131, 143
 $A^* = p(A)$, 142
 $A\bar{A}$ is real, 138
 AB vs. BA , 145
 $AB = 0 \Rightarrow BA = 0$, 147
 angles between pairs of columns and pairs of rows, 132
 block triangular, 132
 bordered, 144
 characterizations, 148
 closure properties, 131
 commute with conjugate, 138
 commute with transpose, 138
 commuting family, 135, 137, 143

- *congruence canonical form, 296
- congruence normal, *see* congruence-normal matrix
- conjugate normal, *see* conjugate-normal matrix
- convex hull of eigenvalues, 145
- definition, 7, 131
- diagonal entries and eigenvalues, 257
- diagonalizable, 174
- dilation to a , 144
- eigenvalues on diagonal, 145
- field of values, 145
- full-rank factorization, 145
- Hermitian, 141
- left and right eigenvectors, 134
- nondefective, 134
- normal eigenvectors, 143
- null space and range, 146
- orthonormal eigenvectors, 134, 234
- polar factors commute, 456
- polynomial in A , 142
- principal minors of size rank A lie on same ray, 145
- principal submatrix, 144
- product of two, 455
- QR factorization, 155
- rank one, 144
- rank principal, 145
- real, 136
 - canonical form, 136
 - commuting family, 137
 - orthogonal, 137
 - skew-symmetric, 136
 - symmetric, 136, 143
- similar, 142
- singular value decomposition, 156
- skew-Hermitian, 141
- skew-symmetric, 146
- spectral theorem, 133
- symmetric, 146
- triangular is diagonal, 132
- tridiagonal, 147
 - Toeplitz, 144
- uniqueness of diagonalization, 134
- unitarily diagonalizable, 133, 174
- unitarily similar, 142
- unitary, 141
- Wigner–Yanase skew information is nonnegative, 448
- zero-one matrix, 148
- normalizable matrix
 - definition, 300
 - determinant inequalities, 514
 - Ky Fan coined term, 300
- normalized vector, *see* vector, normalized
- normed linear space, 314
- normed vector space, *see* normed linear space
- null space
 - and invariant subspace, 190
 - definition, 6
 - intersections, 8, 454
 - normal matrix, 146
 - of a seminorm, 317
 - orthonormal basis for the, 453
- null spaces
 - intersection of, 8
- nullities
 - law of complementary, 19, 87
- nullity
 - definition, 6
- numerical radius
 - power inequality, 379
 - projection, 380
 - properties, 378, 379
 - unitary similarity invariant, 379
- numerical range, *see* field of values
- O’Meara, K. C., xii, xiv, 211, 215
- observables, 447
- Olesky, D., xii
- Olkin, I., 457
- ones
 - matrix of all, *see* matrix, all ones
 - vector of all, *see* vector, all ones
- open set, 336, 565
- operator norm, *see* induced matrix norm
- Oppenheim, A., 515
- Oppenheim inequality
 - case of equality, 515
 - inequality, 509
- Oppenheim–Schur inequality
 - case of equality, 515
 - inequality, 509
- ordinary differential equations, 176, 199
- orthogonal
 - complement, 16
 - diagonalization, 272
 - group, 92
 - list, 83
 - list of vectors, 15
 - matrix, 7, 92
 - projection, *see* Hermitian projection
 - unitary, 140
 - vectors, 15
- orthogonal matrix, *see* complex orthogonal matrix or real orthogonal matrix

630

orthonormal
 basis, 16
 list, 83
 set, 15
 orthostochastic matrix
 and majorization, 253
 connect eigenvalues with main diagonal
 entries, 257
 definition, 257
 example of doubly stochastic, 548
 oscillatory solutions, 176
 Ostrowski set, 413
 Ostrowski's theorem, 283, 413, 416
 Ostrowski, A., 424
 Ostrowski–Brauer theorem, 424
 Ostrowski–Taussky inequality, 510
 outer product, 8
 ovals of Cassini, 415
 Overton, M. L., 413

 Paige, C., 162
 Palais matrix, 92
 parallelogram identity
 and derived norms, 318
 definition, 317
 implies triangle inequality, 318
 partial order, 493
 partial trace, 437
 partition
 according to columns, 17
 conformal, 17
 of a finite set, 17
 of a matrix, 17
 of a set, 16
 sequential, 16
 standard, 208
 Percy, C., 381
 Pei, P., 191
 perfectly conditioned
 matrix inversion, 382
 scalar multiple of an isometry, 386
 perhermitian, 36
 permanent, 9
 and determinant, 93
 permutation
 definition, 9
 identity, 9
 main diagonal entries, 32
 matrix
 Birkhoff's theorem, 548
 definition, 32

Index

generalized, *see* generalized permutation
 matrix
 maximum value of convex function, 550
 signum (sgn), 9
 permutation invariant norm, 321
 permutation similar
 definition, 58
 Weyr and Jordan forms, 206, 214
 Perron root
 definition, 525, 531
 Perron vector
 columns of the adjugate, 528
 definition, 525
 irreducible nonnegative matrix, 534
 left, 526
 right, 525
 Perron's theorem, 526
 Perron, O., 524
 Perron–Frobenius theorem, 534
 persymmetric, 36, 394
 perturbation theorem, 256
 Piazza, G., 457
 Pierce, S., xii
 plane rotation
 create zero entries in a vector, 94
 definition, 87
 factor a real orthogonal matrix, 94
 prove QR factorization, 94
 PLU factorization
 theorem, 219
 Poincare separation theorem, 248
 polar coordinates, 556
 polar decomposition
 2-by-2 matrix, 456
 companion matrix, 457
 equivalent to singular value decomposition,
 454
 explicit, 458
 theorem, 449
 polar factorization
 normal matrix, 456
 polar form, *see* polar decomposition
 polarization identity, 318
 Politi, T., 458
 polynomial
 annihilating, 191
 bounds on zeroes, 365
 degree of, 46
 Euclidean algorithm, 130
 in noncommuting variables, 119
 monic, 46

- of a matrix, 46
- rank $p(A) = 1$, 199
- polynomial interpolation, 37
- Poore, D. E., 100
- poorly conditioned, *see* ill conditioned
- position operator, 130
- positive definite function
 - definition, 435
 - examples, 435, 443, 444
 - periodic, 435
 - product of two is a positive definite function, 482
 - properties, 435
- positive definite Hermitian part, 434, 436
- positive definite kernel
 - criterion, 482
- positive definite matrix
 - characteristic polynomial, 438
 - characterizations, 438
 - Cholesky factorization, 441
 - column inclusion property, 432
 - compression
 - via determinant, 445
 - via principal minor sums, 445
 - via p th compound matrix, 445
 - via trace, 445
 - criterion on real and imaginary parts, 503
 - definition, 429
 - complex, 230
 - real, 231
 - determinant, 430
 - eigenvalues, 438
 - ellipsoid, 491
 - Gram matrix, 440, 441
 - Loewner–John matrix, 491
 - positive eigenvalues, 230
 - positive leading principal minors, 439
 - product of three, 490
 - product of two, 486, 490
 - product with a Hermitian matrix, 486
 - similar to a real diagonal matrix, 446
 - properties, 431
 - $\operatorname{Re} A^{-1} \geq (\operatorname{Re} A)^{-1}$, 503
 - real symmetric matrix, 231
 - row inclusion property, 432
 - simultaneous diagonalization with a complex symmetric matrix, 487
 - square root, 439
 - square root, 2-by-2, 456
 - Sylvester’s criterion, 439
 - trace, 430
- positive definite on a subspace, 238
- positive matrix
 - algebraic multiplicity of spectral radius, 526, 528
 - definition, 401, 519
 - geometric multiplicity of spectral radius, 525
 - limit theorem, 526
 - Perron theorem, 526
 - positive eigenvector, 524
- positive semidefinite kernel
 - definition, 436, 478
 - Mercer’s theorem, 478
- positive semidefinite matrix
 - *congruences, 431
 - characteristic polynomial, 438
 - characterizations, 438
 - Cholesky factorization, 441
 - column inclusion property, 432
 - compression
 - via determinant, 445
 - via principal minor sums, 445
 - via p th compound matrix, 445
 - via trace, 437, 445
 - definition, 429
 - complex, 230
 - real, 231
 - determinant, 430
 - eigenvalues, 438
 - generalized Schur complement, 437
 - Gram matrix, 440, 441
 - limit of positive definite matrices, 432
 - nonnegative eigenvalues, 230
 - nonsingular \Leftrightarrow positive definite, 431
 - product of two, 486
 - product with a Hermitian matrix, 486
 - properties, 431
 - real symmetric matrix, 231
 - row inclusion property, 432
 - square root, 439
 - square root, 2-by-2, 456
 - trace, 430
- positive semidefinite on a subspace, 238
- positive semidefinite part of a Hermitian matrix
 - best positive semidefinite approximation, 323
 - definition, 231
 - properties, 231
 - role in Lidskii’s eigenvalue majorization inequalities, 250
 - well-defined, 233
- potential energy, 285

632

power inequality
 numerical radius, 379
 spectrally dominant norm, 376

power method
 definition, 81
 nonnegative matrix, 545

power series of matrices
 norm convergent, 350

power-bounded matrix
 characterization, 181
 definition, 180
 matrix norm and spectral radius, 368
 row- or column-stochastic matrix, 530
 stochastic matrix, 552

pre-norm
 definition, 327
 duality theorem, 338
 Gelfand formula, 372

preorder on a set
 definition, 419
 maximal element, 419
 definition, 419

primary matrix function, 350

prime, 176

primitive matrix
 alternative definition, 544
 combinatorially symmetric, 545
 definition, 540
 index of primitivity, 542
 lengths of directed paths, 541
 limit theorem, 540
 location of zero entries, 545
 minimal polynomial, 545
 positive main diagonal entries, 541
 positive power, 540, 542, 543
 powers are primitive, 541
 product need not be primitive, 544
 Romanovsky's theorem, 541

principal
 angles, 317
 minor sums, 53
 definition, 52
 similarity invariant, 59

principal minor
 definition, 17
 size r , 17
 trailing
 definition, 17
 Oppenheim–Schur inequality, 509

principal submatrix
 definition, 17
 determinant is a principal minor, 17

Index

leading
 definition, 17
 eigenvalues of Jacobi matrix, 260
 LU factorization, 216
 moment matrix, 129
 Sylvester criterion, 439

positive (semi)definite matrix, 430

trailing
 definition, 17
 Sylvester criterion, 439

principal value of argument, 556

principle of biorthogonality, *see* biorthogonality

projection
 definition, 38
 diagonalizable, 196
 Drazin inverse, 189
 field of values, 380
 Hermitian, *see* Hermitian projection, 233
 numerical radius, 380
 orthogonal, *see* Hermitian projection
 singular values, 156,
 212, 380
 strictly diagonally dominant, 394
 unitary similarity canonical form, 156, 212

proper rotation matrix, 88, 92

property L , 130

property P , 130

property SC, *see* strongly connected graph

p th root
 block upper triangular matrix, 130

pure state, *see* density matrix

QL factorization, 91

QR factorization
 derive from Cholesky factorization, 456
 LQ version, 90
 normal matrix, 155
 QL version, 91
 RQ version, 91
 theorem, 89
 uniqueness, 89

QS factorization
 definition, 276
 Kaplansky proof of rank condition, 279
 necessary and sufficient condition for a, 276
 unitary matrix, 140

quadratic form
 definition, 225
 does not determine the matrix, 232
 simultaneous diagonalization, 490

quadratic inequalities
 general, 498

- Hermitian–Hermitian case, 498
 - Hadamard exponential, 502
 - Hadamard powers, 502
- Hermitian–symmetric case, 502
 - Grunsky inequalities, 260, 286, 502
 - Hadamard exponential, 502
 - Hadamard powers, 502
- quantum cohomology, 260
- quantum mechanics, 130, 229, 305
- quantum system
 - eigenstate, 447
 - finite dimensional, 446
 - Heisenberg uncertainty principle, 447
 - observables, 447
 - Schrödinger uncertainty principle, 447
 - Wigner–Yanase correlation, 447
 - Wigner–Yanase skew information, 447
- quasicommutate, 127, 130
- quasidiagonal, 103
 - definition, 32
- quasilinearization
 - representation of $f(A) = (\det A)^{1/n}$, 513
 - representation of a norm as the dual of its dual, 339
 - representation of eigenvalue sums, 248
 - representation of $f(A, y) = (y^* A^{-1} y)^{-1}$, 475
 - representation of Schur complement, 504
- quasitriangular, 103
 - definition, 32
- quasitriangularization
 - real matrix via similarity, 103
 - simultaneous, 149
 - via unitary congruence, 266
- quaternion matrix
 - complex representation, 275
- quaternion type
 - complex representation, 275
 - congruent to a real matrix, 299
 - matrix, 275
- quotient property of Schur complements, 27
- radius of convergence, 350
- Radjavi, H., 101, 130
- range
 - and invariant subspace, 190
 - definition, 6
 - normal matrix, 146
 - orthonormal basis for the, 453
 - sums, 8
- ranges
 - intersection of, 16
 - sum of, 8
- rank
 - and equivalence, 13, 158, 189
 - complex skew-symmetric matrix, 153
 - definition, 6
 - diagonalizable matrix, 70, 124
 - eigenvalues, 124, 147
 - full-rank factorization, 13
 - length of a longest linearly independent list of columns, 12
 - length of the longest linearly independent list of rows, 12
 - lower bound, 124, 232, 394
 - nonzero eigenvalues, 124, 147
 - partitioned matrix, 20
 - similarity invariant, 59
 - singular values, 151
 - small perturbations increase rank, 455
 - triangular matrix, 124
- rank-nullity theorem, 6, 13, 238
- rank-one matrix
 - diagonalizable, 173, 200
 - minimal polynomial, 200
 - normal, 144
- rank-principal matrix
 - 0 is a semisimple eigenvalue, 70, 174
 - definition, 20
 - EP matrix, 158, 296
 - Hermitian, 234
 - Hermitian matrix, 20
 - normal matrix, 145
 - nullspace $A = \text{nullspace } A^*$, 296
 - skew-Hermitian matrix, 20
 - skew-symmetric matrix, 20, 80
 - symmetric matrix, 20
- rank-sum inequality, 13
- Rao, C. R., 476
- rational canonical form, 200
- Rayleigh quotient
 - definition, 234
 - eigenvalue inclusion region, 412
 - optimal approximate eigenvalue, 412
 - theorem, 234
- Rayleigh, Lord, 238
- RE factorization, 308
- real axis, 556
- real Jordan canonical form, 202
- real matrix
 - *congruent to a, 299
 - commuting family, 105
 - complex versus real orthogonal similarity, 275

- real matrix (*cont.*)
 complex vs. real similarity, 67, 141, 275
 complex vs. real unitary similarity, 141
 congruent to a , 299
 diagonalizable, 203
 negative entries of A^2 , 539
 quasitriangularization, 103
 real eigenvalue if size is odd, 55
 real symmetrically similar to its transpose, 178
 similar to a , 202, 443
- real normal matrix, *see* normal matrix, real
- real orthogonal group, 85
- real orthogonal matrix
 canonical form, 137
 definition, 84
 Jordan canonical form, 276
 product of plane rotations and a reflection, 94
 product of real Householder matrices, 93
- real orthogonal similarity
 of real matrices, 98
 of real matrices that are complex
 orthogonally similar, 275
 simultaneous, 141
- real orthogonally diagonalizable, 94
- real part, 7, 48, 71, 476
- real part of a complex number, 555
- real representation
 algorithm to compute coneigenvalue, 309
 criterion for consimilarity, 72, 310
 of a normal matrix, 71
 Type 1, 71
 2-by-2, 148
 block 2-by-2, 187, 273, 275
 Type 2, 71
 block 2-by-2, 272
- real Schur form, *see* Schur, triangularization, real, 149
- real skew-symmetric matrix
 canonical form, 136
- real symmetric matrix
 canonical form, 136
 commuting family, 145
- reciprocal basis, 93
- reduced row echelon form
 definition, 11
 leading entry, 11
- reducible
 definition, 402
 doubly stochastic matrix, 552
 family, 62
 system of linear equations, 402
- regular part
 congruence, 295
 *congruence, *see* *congruence canonical form
- regularization
 congruence, 295
 *congruence, 292
- regularization algorithm
 congruence, 295
 *congruence, 292
- Reinboldt–Greub inequality, *see*
 Greub–Rheinboldt inequality
- relative gain array
 definition, 483
 smallest eigenvalue ≥ 1 , 483
- relative maximum, 426
- relative minimum, 426
- residual vector, 384, 411
- reversal matrix
 connects forward and backward shifts, 34
 convert Hankel to Toeplitz and vice versa, 35
 definition, 33
 eigenvalues, 145
- reverse Fischer inequality, *see* Fischer
 inequality, reverse
- reverse-order law, 7
- right eigenvector
 definition, 77
 if it is also a left eigenvector, 77
 need not be a left eigenvector, 77
- right half-plane, 556
- right Perron vector, *see* Perron vector, right
- right shift operator, 49
- ring norm, 341
- Robertson’s inequality, 490
- Robertson, H. P., 490
- Rodman, L., xii, 279, 569
- Romanovsky’s theorem, 541
- Romanovsky, V., 545
- root
 conjugate pairs, 561
 of an equation, 46, 561
- Rosenthal, P., xiv, 75
- rotation matrix
 proper, *see* proper rotation matrix
- Rothblum, U., 529
- row
 operations, 9
 type 1, 10
 type 2, 10
 type 3, 10, 31, 219
- rank, 12

- row inclusion property
 - definition, 216, 432
 - LU factorization, 216
 - positive (semi)definite matrix, 432
 - positive definite Hermitian part, 434
 - positive semidefinite Hermitian part, 433
 - sufficient condition, 436
- row space
 - definition, 8
- row stochastic matrix, *see* stochastic matrix
- RQ factorization, 91
- RREF, *see* reduced row echelon form

- Sa, E., 148
- Samuelson, P. N., 319
- scalar
 - definition, 1
 - matrix, 6, 30
 - product, *see* inner product
- Schatten p -norm, 465
- schlicht, 260
- Schneider, H., 370, 492
- Schreiner, E., 191
- Schrödinger uncertainty principle, 447
- Schur
 - complement
 - and partitioned forms for the inverse, 18
 - basic *congruence identity, 495
 - definition, 25
 - generalized, 437, 453
 - Haynsworth's theorem, 298
 - of a strictly diagonally dominant matrix, 395
 - positive semidefinite matrix, 437
 - quotient property, 27
 - variational characterization, 504
 - inequality, 102, 144, 156, 323
 - for A^2 , 158
 - for $C_2(A)$, 158
 - strengthened, 158, 323
 - strengthened further, 158, 323
 - majorization theorem, 249, 259
 - norm, 341
 - Oppenheim inequality, *see* Oppenheim–Schur inequality
 - product theorem, 479
 - real representation, 272
 - triangularization
 - complex, 101
 - real, 103
 - uniqueness, 113
 - Schur form, *see* Schur, triangularization, complex
 - Schur product, *see* Hadamard product
 - Schur, I., 278, 485
 - Scott, N. H., 278
 - second differences, 172
 - secondary diagonal, *see* counterdiagonal
 - secondary eigenvalue
 - upper bound, 527
 - Segre characteristic
 - and Jordan canonical form, 206
 - and Weyr characteristic, 173, 276
 - definition, 170
 - selection principle, 86
 - self-adjoint matrix norm
 - definition, 357
 - dominates the spectral norm, 370
 - spectral norm is the only induced one, 358
 - self-adjoint norm on matrices
 - definition, 357
 - unitarily invariant norms, 357
 - self-annihilating matrix
 - conjugate, *see* conjugate self-annihilating matrix
 - Jordan canonical form, 172
 - unitary similarity canonical form, 157, 213
 - semi-inner product
 - Cauchy–Schwarz inequality, 316
 - covariance of X and Y in the state R , 446
 - definition, 15, 316
 - equality in the Cauchy–Schwarz inequality, 317
 - induces a seminorm, 316
 - semiconvergent matrix
 - definition, 191
 - representation via the Drazin inverse, 191
 - semilinear transformation, 305
 - seminorm
 - definition, 314
 - induced by a semi-inner product, 316
 - null space of a, 317
 - on matrices, 341
 - seminorm on matrices
 - similarity invariant, 378
 - semisimple eigenvalues, *see* eigenvalues, semisimple
 - nonnegative matrix, 530
 - separating hyperplane theorem, 558
 - separation theorem
 - bordered Hermitian matrices, 242
 - Poincare, 248

- Sergeichuk, V. V., xiv, 148, 215, 278, 279, 300, 311, 569
- sesquilinear
 form
 absolute value almost determines the matrix, 232
 determines the matrix, 232
 form generated by a Hermitian matrix, 227
 function, 15
 inner product, 315
 semi-inner product, 316
- Shapiro, H., 215
- Shen, J., 545
- Sherman–Morrison–Woodbury formula, 19
- shift
 backward and forward, 34
- Shisha, O., 429
- Siegel, C. L., 278
- sign pattern matrix
 requires distinct eigenvalues, 129, 130
- signature, 282
- signum (sgn) of a permutation, 9
- similarity
 canonical blocks, 167
 complex orthogonal, 272, 275
 definition, 41, 58
 different basis representations of a single linear transformation, 43
 equivalence relation, 58
 invariant, 167, 275, 378
 matrix, 58
 matrix and its transpose, 177, 180, 271
 permutation, 58
 real, 67, 141, 275, 300
 real orthogonal, 141, 275
 to a real matrix, 202, 229
 to a symmetric matrix, 271
 to conjugate transpose, 229
 uniqueness to diagonalize, 67
 unitary
 definition, 83, 94
- simple directed cycle, *see* cycle, simple directed
- simple eigenvalue, *see* eigenvalues, simple
- simultaneous condiagonalization, 307
- simultaneous congruence, 286, 568
- simultaneous *congruence, 286, 568
- simultaneous diagonalization
 via unitary congruence and *congruence, 286
 by *congruence, 487
 via nonsingular, 287, 294
 via unitary, 286
- by congruence
 via nonsingular, 287
 via unitary, 286
- by *congruence, 296
- by congruences, 485, 487
 via nonsingular, 287
- commuting family
 complex, 64
 real, 68
- commuting Hermitian matrices, 229
- definition, 61, 64
- unitary, 135
- via unitary equivalence, 154, 155
- simultaneous similarity
 A and B; A* and B*, 457
 Jordan form, 214
 Weyr form, 210
- simultaneous singular value decomposition, *see*
 singular value decomposition,
 simultaneous
- symmetric matrices, 157
- simultaneous triangularization
 2-by-2 block upper triangular matrices, 128
 commuting family, 103, 115, 116
 little McCoy theorem, 127
 McCoy's theorem, 119
 necessary and sufficient conditions
 n = 2, 127
 n = 3, 127
- simultaneous unitary congruence
 and unitary similarity, 278
 block matrix criterion, 278, 279, 455
- simultaneous unitary similarity
 and unitary congruence, 277, 278
 block matrix criterion, 279
 criterion for, 147
 definition, 147
 verify with finitely many computations, 147
- simultaneous unitary triangularization, 118
- singular matrix
 best approximation by a, 461
 unique, 461, 476
 definition, 14
 distance to a nearest, 369, 461
 nearest, 369
- singular part
 congruence, 295
 *congruence, *see* *congruence canonical form
- singular value decomposition
 $A\bar{A} = 0$, 157
 $A\bar{A}$ is positive semidefinite, 277, 311

- adj(A), 155
- coninvolutory matrix, 278, 311
- equivalent to polar decomposition, 454
- normal matrix, 156
- real matrix, 154
- self-annihilating matrix, 157
- simultaneous, 155, 157
- skew-symmetric matrix, 153, 270
- symmetric matrix, *see* symmetric matrix,
 - singular value decomposition theorem, 150
- thin, 443, 450, 456
- Toeplitz matrix, 274
- uniqueness of factors, 152, 156
 - distinct singular values, 159
 - symmetric matrices, 159, 263
- singular values
 - 2-by-2 block unitary matrix, 156
 - 2-by-2 matrix, 151
 - adj(A), 155
 - and eigenvalues, 347
 - bidiagonal matrix, 259
 - companion matrix, 197
 - continuity, 152
 - definition, 151
 - derivative, 453
 - inclusion set, 424, 455
 - interlacing, 451, 457
 - multiplicity, 151
 - nilpotent bidiagonal block, 151
 - normal eigenvector, 158
 - normal matrix, 156
 - of A , \bar{A} , A^T , and A^* , 151
 - perturbation bounds, 451
 - product and determinant, 151
 - rank, 151
 - simple, 151
 - skew-symmetric matrix, 153
 - sum of squares, 151
 - trace norm, *see* trace norm
 - tridiagonal matrix, 259
 - unitary matrix, 155
 - variational characterization, 451
 - Weyl product inequalities, 370, 454
- singular vectors
 - definition, 453
 - left and right, 453
- sip matrix, *see* reversal matrix
- skew centrohermitian, 36
- skew centrosymmetric, 36, 200
- skew information, *see* Wigner–Yanase skew information
- skew orthogonal, 92
- skew perhermitian, 36
- skew persymmetric, 36
- skew sum, 568
- skew symmetric
 - definition, 7
- skew-Hermitian matrix
 - definition, 7
 - rank-principal, 20
- skew-Hermitian part
 - definition, 7, 227
 - Toeplitz decomposition, 227, 289, 567
- skew-symmetric matrix
 - canonical pairs, 567
 - even rank, 153
 - Jordan canonical form, 276
 - normal, 146
 - product of two, 276
 - product with symmetric, 276
 - rank 1, 157
 - rank-principal, 20
 - real
 - canonical form, 136
 - singular value decomposition, 153, 270
 - unitary, 139
 - unitary congruence canonical form, 270
- skew-symmetric part
 - definition, 7, 567
- Smiley, M. F., 324
- So, W., xiv
- Sorensen, D., 175
- span, 2
- Specht's theorem
 - approximate version, 101
 - statement, 97
- Specht, W., 100
- special relativity, 300
- spectral characteristic
 - convex function, 378
 - definition, 378
 - minimally spectrally dominant, 378
- spectral decomposition, 134
- spectral matrix, 368, 552
- spectral norm
 - definition, 346
 - dominated by any self-adjoint matrix norm, 370
 - dual of trace norm, 362
 - induced and unitarily invariant, 357

- spectral norm (*cont.*)
 - induced by Euclidean norm, 346
 - monotone on nonnegative matrices, 368
 - not absolute, 368
 - only self-adjoint induced norm, 358
 - unitarily invariant, 346
- spectral radius
 - 2-by-2 Hermitian, 233
 - compound matrix, 108
 - definition, 52
 - equal to a matrix norm, 368
 - Gelfand formula, 349
 - greatest lower bound for all matrix norms, 347
 - $L_n - L_n^T$, 198
 - not subadditive, 118
 - subadditive on commuting matrices, 117
 - submultiplicative on commuting matrices, 117
 - upper bound, 390, 391, 392
 - upper bound by any matrix norm, 347
- spectral theorem
 - Hermitian matrix, 135, 229
 - normal matrix, 133
 - real symmetric matrix, 234
 - uniqueness, 134
- spectrally dominant norm
 - and compatible vector norm, 347
 - characterization, 377
 - compatible with a norm on \mathbf{C}^n , 374
 - definition, 373
 - maximum-modulus eigenvalues are semisimple, 376
 - noncompatible example, 375
- spectrum
 - definition, 45
 - nonempty, 47
- speed of light, 300
- spread
 - 2-by-2 Hermitian, 233
 - definition, 147
 - lower bound, 258
 - upper bound, 147
- square root
 - 2-by-2 positive semidefinite matrix, 456
 - block upper triangular matrix, 130
 - concave on positive definite matrices, 505
 - definition, 69
 - inverse square root is convex on positive definite matrices, 505
 - monotone on positive definite matrices, 495, 501, 505
 - of a diagonalizable matrix, 69
 - of a positive (semi)definite matrix, 439, 443
 - of a symmetric unitary matrix, 140
- squared-normal matrix
 - canonical form, 147, 148
 - definition, 147
- standard basis, *see* basis, standard
- standard inner product, *see* inner product, standard
- standard partition, 208
- standardized norm
 - absolute, 339
 - definition, 339
 - dual, 339
- Steinitz theorem, *see* Carathéodory–Steinitz theorem
- Stenzel, H., 279
- Stephens, A. B., 533
- stochastic matrix
 - column, 547
 - compact convex set, 548
 - definition, 547
 - power bounded, 530
 - power-bounded, 552
 - semigroup, 551
 - semisimple eigenvalues, 552
- Stone, B. J., 370
- Strang, G., 191, 370
- strict contraction, *see* contraction, strict
- strict diagonal dominance, 352
- strictly diagonally dominant
 - block, 395
 - definition, 392
 - idempotent, 394
 - positive (semi)definite matrix, 438
 - preserved under Gaussian elimination, 394
 - Schur complement, 395
 - sign of determinant, 394
- strong majorization, 248
- strongly connected graph, 398, 400, 418
- Strutt, John William, *see* Rayleigh, Lord
- subadditivity, 314
- subdiagonal, 5
- sublist, 3
- submatrix
 - definition, 5
 - notation, 17
 - principal, 17
- submultiplicativity, 341
- subordinate norm, *see* compatible norms
- subspace
 - coninvariant, 262

- definition, 2
- intersection lemma, 4, 235, 238
- invariant, 62, 262
- nontrivial, 2, 62
- proper, 2
- sum, 2
- trivial, 2, 62
- sum norm, *see* or
- sum of subspaces, 2
- superdiagonal, 5
- SVD, *see* singular value decomposition
- Sylvester
 - critterion for positive definite matrix, 439
 - equation, 111
 - identity for bordered determinants, 27
 - rank inequality, 13
- Sylvester's law of inertia
 - analog for congruence, 284
 - generalization to M_n , 289
 - quantitative form, 283
 - singular congruences, 284
 - theorem, 282
- Sylvester's theorem
 - law of inertia, *see* Sylvester's law of inertia
 - linear matrix equations, 111, 127
- symmetric gauge function
 - definition, 464
 - Loewner–John matrix of \mathbf{a} , 492
 - unitarily invariant norms on matrices, 465
- symmetric matrix
 - 2-by-2 unitary similar to \mathbf{a} , 162
 - $A = SS^T$, 272
 - canonical pairs, 567
 - definition, 7
 - diagonalizable, 272, 277
 - every matrix similar to \mathbf{a} , 271, 272
 - involution, 274
 - Jordan block unitarily similar to \mathbf{a} , 271
 - normal, 146
 - orthogonally diagonalizable, 272, 277
 - product of two, 178, 271, 274
 - product of two real, 274
 - product with Hermitian, 306
 - product with skew symmetric, 276
 - rank-principal, 20
 - simultaneous SVD, 157
 - singular value decomposition, 153, 156, 159, 263, 272, 275, 308
 - unitary, 139
 - square root, 140
 - unitary congruence, 153
- symmetric part
 - 2-by-2 matrix, 264
 - definition, 7, 567
 - unitarily invariant norm bound, 476
- Symons, J. S. V., 320
- Szász inequality
 - refines Hadamard's inequality, 508
 - theorem, 508
- Sze, N. S., 75
- Tadmor, E., 381
- Takagi
 - factorization, *see* Autonne–Takagi factorization
 - theorem, *see* Autonne–Takagi factorization
- Takagi, T., 278
- Tan, C., 529
- Taussky's inequality, 490
- Taussky's theorem, 404
- Taussky, O., 130, 396, 429, 490
- Taussky–Ostrowski inequality, *see* Ostrowski–Taussky inequality
- Tener, J. E., 100, 273
- theorem of the alternative, *see* Fredholm, alternative
- thin singular value decomposition, *see* singular value decomposition, thin
- thin SVD, *see* singular value decomposition, thin
- Thompson, R. C., 569
- time reversal, 305
- Toeplitz decomposition, 7, 227, 289, 567
- Toeplitz matrix
 - definition, 34, 427
 - eigenvalues, 394
 - persymmetric, 36
 - reversal similar to transpose, 34, 177, 270
 - singular value decomposition, 274
 - tridiagonal
 - nearly normal, 144
 - normal, 144
- Toeplitz moment sequence, 427
- trace
 - definition, 7
 - moments and eigenvalues, 126
 - negative definite matrix, 431
 - norm, *see* trace norm
 - of AA^* , 7
 - partial, 437
 - positive (semi)definite matrix, 430
 - similarity invariant, 59
 - Specht identities, 97
 - sum of eigenvalues, 50

- trace (*cont.*)
 theorem, *see* von Neumann, trace theorem
 $\text{tr } A^{-1}$ is strictly convex on positive definites, 489
- trace norm
 definition, 362
 dual of spectral norm, 362
 upper bound on $\text{tr } A^m$, 539
- trailing principal minor, *see* principal minor, trailing
- trailing principal submatrix, *see* principal submatrix, trailing
- transpose
 2-by-2 matrix is unitarily similar to its, 99
 definition, 6
 matrix *congruent to its, 299
 matrix congruent to its, 299
 matrix not unitarily similar to its, 99
 matrix similar to its, 177, 180, 190, 191
 real matrix is real symmetric similar to its, 178
- transposition, 32
- trial and error, 309
- triangle inequality
 complex numbers
 case of equality, 96, 520
 proof and case of equality, 556
 equality in the, 520
 norms, 314
- triangular equivalence
 canonical form, 220
 complete set of invariants, 220
 definition, 41, 220
- triangular matrix
 block, 32
 commutes with, 31
 definition, 31
 essentially, 32
 strictly, 31
 unit, 31
- triangularization
 real matrix, *see* Schur, triangularization, real
 sequential deflation, 101
 simultaneous, *see* simultaneous triangularization, 149
- tridiagonal matrix
 block tridiagonal, 36
 correlation matrix
 eigenvalues, 445
 definition, 35
 determinant, 35, 222
 eigenvalues, 82, 222
 distinct real, 174
 real, 174
 zero main diagonal, 81, 174
- Hermitian and irreducible/unreduced
 distinct eigenvalues, 258
 eigenvalue interlacing, 258
- Jacobi matrix, *see* Jacobi matrix
- LU factorization, 222
 nearly normal, 144
 normal, 144, 147
 real eigenvalues, 232
 singular values, 259
- Toeplitz
 eigenvalues, 82
- tridiagonalization
 Lanczos, *see* Lanczos tridiagonalization
- tripotent, 196
- trivial cycle, *see* cycle, trivial
- trivial linear combination
 definition, 2
- Tsai, Y. L., xvi
- type 1 row operations, *see* row, operations, type 1
- type 2 row operations, *see* row, operations, type 2
- type 3 row operations, *see* row, operations, type 3
- uncoupled equations, 176, 285
- uniformly continuous function, *see* continuous function, uniformly
- unistochastic matrix
 and Hoffman–Wielandt theorem, 407
 connect eigenvalues with diagonal entries, 257
 definition, 257
 doubly stochastic but not unistochastic, 413
 example of doubly stochastic, 548
- unit
 lower triangular matrix, *see* lower triangular matrix, unit
 triangular matrix, *see* triangular matrix, unit
 upper triangular matrix, *see* upper triangular matrix, unit
- unit ball
 compact, 336
 convex, 337
 definition, 335
 equilibrated, 336

- geometric characterization, 337
- not compact, 337
- unit disc in complex plane, 556
- unit triangular equivalence
 - canonical form, 221
 - definition, 221
- unit vector, *see* vector, unit
- unital matrix norm
 - definition, 344
 - not induced, 357
- unitarily diagonalizable
 - definition, 94
- unitarily invariant matrix norm
 - characterization, 469
 - convex set, 363, 469
 - definition, 357
 - dominates the spectral norm, 370
 - spectral norm is the only induced, 357
- unitarily invariant norm on matrices
 - definition, 357
 - scalar multiples of Frobenius norm are only absolute, 470
 - symmetric gauge functions, 464
- unitarily invariant vector norm
 - Euclidean norm, 84
 - only scalar multiples of Euclidean norm, 320, 322
 - permutation invariant norm, *see* permutation invariant norm
- unitarily irreducible, 233
- unitarily reducible, 233
- unitary
 - definition, 84
 - diagonalization
 - normal, 133
 - uniqueness, 134
 - dilation, 162
 - equivalence, 156
 - group, 85
 - orthogonal, *see* orthogonal, unitary
 - Weyr form, 211
 - commutes with, 207
- unitary congruence
 - block matrix criterion, 278, 279, 455
 - characterization, 277
 - criterion, 278, 455
 - definition, 41
 - is unitary consimilarity, 300
 - partial triangularization by a, 261
 - simultaneous, *see* simultaneous unitary congruence
- skew-symmetric matrix, 153
- symmetric matrix, 159, 263
 - to a real matrix, 273
 - verify with finitely many calculations, 278
 - Youla's theorem, 266
- unitary congruence canonical form
 - 2-by-2 matrix, 264
 - $A\bar{A}$ is Hermitian, 277
 - $A\bar{A}$ is positive semidefinite, 311
 - congruence-normal matrix, 277
 - coninvolutory matrix, 311
 - conjugate-normal matrix, 268, 274
 - conjugate-self-annihilating matrix, 157
 - skew-symmetric matrix, 153, 270
 - symmetric matrix, 153
 - unitary matrix, 270
- unitary consimilarity, *see* unitary congruence
- unitary dilation, 162
- unitary equivalence
 - definition, 41, 83
 - equality of Frobenius norms is a necessary condition, 94
 - invariants for, 155
 - involves two independent unitary matrices, 149
 - simultaneous
 - to diagonal matrices, 154
 - to real or nonnegative diagonal matrices, 155
 - to real or nonnegative diagonal matrices via real orthogonal equivalence, 155
- unitary matrix
 - *congruence, 457
 - 2-by-2 block matrix, 87, 156
 - 2-by-2 unitarily similar to complex symmetric, 162
 - commutes with every, 130
 - compact set, 86
 - cramped, 146
 - definition, 7
 - diagonal, 91
 - product of Householder matrices, 93
 - QS factorization, 140
 - singular values of blocks, 156
 - skew-symmetric, 139
 - SQ factorization, 140
 - symmetric, 139, 140
 - unitary congruence canonical form, 270
- unitary similarity
 - criterion, 97
 - definition, 41, 83, 94

- unitary similarity (*cont.*)
 - of real matrices, 98
 - simultaneous, *see* simultaneous unitary similarity
 - simultaneous similarity: A and B ; A^* and B^* , 457
 - simultaneous, of real matrices, 141
 - Specht's theorem, 97
 - to a complex symmetric matrix, 271, 273
 - to a matrix with equal diagonal entries, 95
 - to a real matrix, 273
 - to an upper Hessenberg matrix, 96
 - to transpose, 99, 273
 - verify with finitely many computations, 98
- unitary similarity canonical form
 - self-annihilating matrix, 213
- unitary similarity invariant
 - definition, 379
- univalent, 260
- unreduced
 - Hessenberg matrix, *see* Hessenberg matrix, unreduced
- upper half-plane, 556
- upper triangular matrix
 - block, 32
 - commutes with, 31, 113
 - definition, 31
 - Jordan block, 164
 - Jordan canonical form, 167
 - LPU factorization, 219
 - LU factorization, 216
 - not square, 31
 - PLU factorization, 219
 - Schur triangularization, 101
 - unit, 31, 218
 - unitary Weyr form, 211
- usual inner product, *see* inner product, usual
- van den Driessche, P., xii, 457
- Vandermonde matrix
 - and the moment matrix, 128
 - definition, 37
 - inverse of, 37
- Varga, R., 396
- variance
 - definition, 319
 - variance of X in the state R
 - definition, 446
 - not smaller than Wigner–Yanase skew information, 448
- vec mapping
 - definition, 21
- vector
 - all ones, 8, 57
 - column, 2
 - coordinate representation of, 39
 - isotropic, *see* isotropic vector
 - normalized, 15, 45, 83, 314
 - unit, 15, 314
 - zero, 1
- vector norm, 314
- vector norm on matrices
 - definition, 341
 - Gelfand formula, 372
 - scale to a matrix norm, 373
- vector space
 - complete, 329
 - complex, 2
 - definition, 1
 - real, 2
 - subspace, 2
 - zero, 2
- vectors
 - angle between two real, 15, 473
- Vinsonhaler, C., xiv, 211, 215
- volume
 - and determinant, 491
- von Neumann
 - trace theorem, 458, 550
 - case of equality, 460
- von Neumann, J., 320, 340
- weak minimum principle, 480
- weakly connected graph, 418
- weakly irreducible matrix
 - characterization, 418
 - definition, 418
- weakly monotone norm, 340
- Wedderburn rank-one reduction, 14
- Wei, M., 162
- Wei, Y., 279
- Weierstrass theorem, 565
- well conditioned
 - matrix inversion, 382
- Weyl product inequalities, 370, 454
- Weyl's theorem
 - eigenvalues of $A + B$, 239, 260
 - interlacing, 241
 - monotonicity, 241
 - singular values of $A + B$, 454
- Weyl, H., 239

- Weyr block, 204, 205
- Weyr canonical form
 commuting family, 211
 definition, 206
 Jordan block, 206
 nonderogatory matrix, 206
 theorem, 205
 unitary, 211
 unitary, commutes with, 207
- Weyr characteristic
 AB versus BA , 191
 and concanonical form, 305
 and Segre characteristic, 173, 276
 and Weyr canonical form, 206
 definition, 170
 square of a nilpotent matrix, 310
- Weyr matrix
 commutes with, 208, 211
 definition, 204
- Weyr, E., 215
- Wiegmann, N. A., 130
- Wielandt
 inequality, 471
 angle between Ax and Ay with $x \perp y$, 473
 equivalent to Kantorovich inequality, 472
 matrix, 158, 368, 455, 544
 singular values and eigenvalues, 450, 457
 theorem on index of primitivity, 543
- Wielandt, H., 260, 413, 543
- Wigner–Yanase
 correlation
 definition, 447
 not a semi-inner product, 448
- real part is a semi-inner product on Hermitians, 448
- skew information
 definition, 447
 nonnegative on normal matrices, 448
 not greater than variance, 448
- Wimmer, H., 457
- Woerdeman, H., xiv
- Wolkowicz, H., 148
- Woodbury, *see* Sherman–Morrison–Woodbury formula
- word
 definition, 97
 degree of a, 97
 in A and A^* , 97
- Wronskian, 56
- Youla’s factorization, *see* Youla’s theorem
- Youla’s theorem, 266
- Youla, D. C., 278
- Young diagram, *see* dot diagram
- Young tableau, 214
- zero
 matrix, *see* matrix, zero
 of a function, 46
 vector, *see* vector, zero
- zero-one matrix
 normal, 148
 not permutation similar, 174
- Zhan, X., 191
- Zhang, F., xiv, 279
- Zhang, X., 424
- Zhang, X. D., 515