

SUBJECT INDEX

A

- acceleration 68
- aggregate properties 646
- anisotropy
 - elastic 259, 262
 - elastoplastic 246
 - plastic 162, 185
- asymptotic analysis 327
- average quantities
 - deformation 598
 - deformation-rate measure 599
 - stress measure 598
 - stress-rate measure 556
- averaging models 637
 - dilute distribution 644
 - double-inclusion 641
 - multi-inclusion 644
 - Reuss 640
 - self-consistent 640, 648
 - two-phase 643
 - Voigt 640
- averaging theorems 597

B

- backstress 196
 - evolution of 162, 203, 268, 551, 582, 589
- balance relations
 - angular momentum 111
 - energy 111, 200, 485, 689, 702
 - linear momentum 91, 110, 484
 - mass 110, 486
 - at surfaces of discontinuity 121
 - dynamical conditions 119
 - kinematics of volume integrals 118
 - transport theorem 119
- barriers
 - long-range 226, 237, 442, 447
 - short-range 222, 448
- bcc crystals 452, 471, 473, 448

- bcc metal 229, 237
- biaxial experiments,
 - granular mass 547
- body-force-rate problem 617
- boundary-value problems 112
- Burgers' vector 387

C

- Cartesian coordinates 11
- Cauchy-Green tensors 53
- Cauchy stress tensor 525
- complex-valued eigenvalues 25
- complex-valued eigenvectors 18, 25
- complex-valued vectors 12
 - dyadic products 12
 - scalar products 12
- concentration tensors 613, 638
- constitutive model
 - algorithm 287
 - singular perturbation method 308
- integration 287
- rate-dependent 212
 - empirical 214
 - physically-based 217, 441
- rate-independent 152
 - nonlinear elasticity 185
 - smooth yield surface 153
 - yield vertex 183
- continuum
 - constitutive equations,
 - integration 287
 - deformation of 51
 - motion of 51
 - relation to granular mass 564
- contraction 12
- coordinate-independent
 - expressions 74, 77, 84, 86
- coordinate systems 11
- coordinate transformation 14

- coordinate triads, oblique 18
- copper, OFHC 235
 - numerical simulation of polycrystal 476
- crystal, single
 - bcc 452, 473
 - constitutive equations 415
 - deformation kinematics 403
 - dislocation-based model for bcc and fcc 471
 - elasticity 416
 - elastoplasticity 417, 420–424, 426
 - fcc 453, 468
 - fcc, power-law model 468
 - hcp 500
 - numerical simulation of 461
 - plasticity, length scales 476
 - plasticity, physics of 383
 - plasticity, size effect 476
 - seven systems 384
 - slip rate in bcc 448
 - slip rate in fcc 450
 - slip systems in fcc and bcc 400
 - structure and elasticity 383
- crystalline slip, resistance
 - barriers, long-range 447
 - barriers, short-range 448
- D**
- decomposition
 - of deformation gradient 250, 269, 404
 - polar 55
 - of velocity gradient 407
- deformation
 - average 599
 - elasticity dominated 348
 - gradient 52, 127, 293
 - direct evaluation of \mathbf{U} , \mathbf{R} , and \mathbf{V} 56
 - spectral representation 55
 - of a continuum 51–53
 - small elastic 267
 - surface elements 62
 - volume elements 61
 - theories, nonlinear 185
 - theory, \mathbf{J}_2 187
- deformation gradient 52, 127, 293
 - decomposition of 250, 269, 404
- deformation measures 63, 598
 - average 599
- deformation rate 70,
 - coordinate-independent 74, 77
 - shearing 70
 - spin 579
 - spin tensors 69, 255
 - stretching 70
 - volumetric 70
- delta, Kronecker 11
- densification, granular mass 506
- dilatancy 196, 199, 201, 506, 560, 585, 589,
 - dilatancy and pressure sensitivity 163
 - application to porous metals 181
 - comparison with experiments 177
 - model for cohesionless sands 171
 - model with cohesion 176
 - nonassociative plasticity with dilatancy and friction 165
 - simple shear 177
 - triaxial test of soils 168
- discretized equations of motion 117
- dislocated crystal 487
- dislocation 386
 - action of a stress field 390
 - as short-range barriers 222
 - continuously distributed 486
 - elastic energy of 689
 - elastic field 393
 - flux density 489
 - length scales 480
 - motion 401
- dislocation-induced distortion 401
- dislocation-rate gradient tensor 489
- distinct real eigenvalues 23, 36
- distortion
 - dislocation-induced 401
 - elastic lattice 413
 - plastic 411
 - small lattice 415
- distortion rate, plastic 401
- double-inclusion model 641
- double-inclusion problem 623
 - generalized 625
- double-sliding model 577
- dyadic product
 - of complex-valued vectors 12
- E**
- eigenstress rate 610
 - rate problem 619
- eigenvalues 15

- complex-valued 25
 - distinct 31
 - distinct complex 37
 - distinct real 23, 36
 - real 20, 23-24, 36
 - repeated 23-24, 32, 38-39
 - eigenvelocity gradient 607, 619
 - eigenvectors 15
 - complex-valued 18, 25
 - real 20
 - elastic anisotropy 262
 - elastic corrector method 317, 321, 326
 - elastic deformations, small 267
 - elastic-perfectly plastic model 331, 353
 - elastic range in shearing, vanishing 210
 - elastic response 259
 - elasticity
 - and crystal structure 383
 - dominated deformation 348
 - isotropic 186, 210
 - relations 206, 581
 - theories, nonlinear 185
 - elastoplasticity
 - continuum theories of 143
 - crystal 417, 420-424, 426
 - general anisotropic 258
 - phenomenological theories of 152
 - rate-independent 311
 - elastoviscoplasticity, rate-dependent 312
 - energy
 - balance equation 111, 200
 - conservation equation 111
 - dissipation 425, 702
 - equation of motion
 - discretized 117
 - weak form 115
 - error estimate 300, 304
 - Eshelby tensor 605
 - calculation 656
 - conjugate 621, 634
 - generalized 621, 634
 - Eulerian
 - strain measure 59
 - strain tensors 66
 - triad 59, 84
 - variable 51
 - evolution equations 203
 - experimental methods, special 661
 - Hopkinson techniques 663
 - triaxial 690
 - Kolsky method 664
 - limitation 665
 - momentum trapping 666
 - compression system 670
 - stress reversal 669
 - tension system 666
 - recovery 675
 - after compression-tension 675
 - after compression 670
 - after tension 674
 - at high temperatures 674
 - tension-compression 674
 - with pulse shaping 674
 - strain-rate jump 671
 - in tension 674
 - expressions
 - coordinate-independent 74, 77, 84, 86
 - explicit, for objective spin tensors 255
 - first-order accurate 96
- F**
- fabric 196, 201
 - measures, rigid granule assembly 533
 - scalar 534
 - tensors 541
 - vector 537
 - fabric-stress relations 525
 - experimental evaluation 544
 - biaxial 547
 - dilatancy 560
 - density distribution 561
 - photoelastic granules 546
 - sample preparation 547, 556
 - test results 549, 556
 - simple shearing 554
 - strain hardening 601
 - stress-microstructure relation 558
 - nominal stress tensor 532
 - nonspherical granules 529
 - spherical granules 526
 - fcc metal 450, 453, 473
 - flow
 - plastic 457
 - drag-controlled 227
 - single crystal 381
 - rate-dependent 212, 447
 - empirical models 214
 - physically-based models 217
 - flow stress
 - copper, OFHC 235

- empirical models 214
 - physically-based 217
 - tantalum 229,
 - thermal activation 219
 - simple model 221
 - general models 222
 - flow theory 243
 - J_2 158, 160, 163, 191, 245
 - viscoplastic with
 - noncoaxiality 191, 246
 - frame indifference 258
 - friction 165, 201
 - frictional granular materials 192
 - functions, isotropic tensor-valued 34
 - derivative of 40
 - coordinate-independent representation 41
 - of \mathbf{A} with distinct complex eigenvalues 37
 - of \mathbf{A} with distinct real eigenvalues 36
 - of \mathbf{A} with three repeated eigenvalues 38
 - of \mathbf{A} with two repeated eigenvalues 37
 - general representation 35
- G**
- geometry 9
 - granular material 165, 192, 503
 - cohesionless 171
 - densification 165, 506
 - dilatancy 165, 196, 506
 - frictional 165, 192
 - yield criterion for 198
 - inelastic deformation 505
 - model with cohesion 176
 - stress measure 519
 - simple shear 177
 - with vanishing elastic range 210
 - Green's function 616, 632
 - calculation 630
 - strong ellipticity 631
- H**
- hardening
 - latent 436, 442
 - matrix 434
 - self 445
 - homogenization 595
 - homogenization tensor 604
 - hyperelastic materials,
- variational principles 122-137
- I**
- identities
 - for second order tensors 27
 - general, for uniform boundary data 601-604
 - other than Rivlin's 28
 - Rivlin's 27
 - inelastic deformation, granular mass 505
 - infra-red detectors 686
 - interrupted experiments 684
 - isothermal flow stress 681
 - isotropic elasticity 186, 210
 - isotropic tensor-valued functions 35
- J**
- J_2 -plasticity
 - application to porous metals 181
 - application to soils 168
 - deformation theory 187
 - dilatancy and friction 165
 - isotropic hardening 158
 - kinematic hardening 160
 - isotropic-kinematic hardening 163
 - noncoaxiality 191, 199, 246
 - relation to granular materials 190
 - rate-dependent 242
 - Jaumann stress-rate measure 105
- K**
- kinematics 49
 - incremental 288
 - finite deformation, single crystals 403
 - volume integrals 118
 - Kronecker delta 11
- L**
- Lagrangian
 - strain measure 97
 - strain tensor 66
 - triad 53
 - variable 51
 - latent hardening 436, 442
- M**
- material
 - frame indifference 258

- granular 210
hyperelastic, variational
 principles 122-137
models
 averaging 637
 constitutive, micromechanically-
 based 564-589
 assumptions 567
 double-sliding 577
 frictional 564
 meso-scale yield condition 573
 resistance to sliding 568
 two-dimensional 570
 continuum and granular mass 513
 elastic-perfectly plastic 331
 flow stress 214-222, 234
 empirical 214
 general 222
 physically-based 217
 simple 221
 granular material 190
 nondilatant with noncoaxiality 191
 Sach's 651
 self-consistent 648
 slip, physically-based 440
 Taylor's 651
 three-dimensional vertex 188
 yield vertex 183
motion 51, 117
 discretized equations of 117
 of a continuum 51
- N**
nominal stress 98, 127, 532
noncoaxiality 191, 199, 246
nondilatant model 191
nonlinear elasticity, deformation theories 185
nonsymmetric tensors 16
notation 11, 598
- O**
objective spin tensors,
 explicit expressions 255
oblique coordinate triads 18
OFHC copper 144, 224, 235,
 237-42, 448, 475-7
outer solution method, modified 314
overall stress tensor, granular materials 522
- P**
permutation symbol 11
phenomenological theories,
 elastoplasticity 143
photoelastic granules 546
physically-based slip model 440
plastic dissipation 425
plastic distortion rate 401
plastic flow
 drag-controlled 227
 granular mass 459
plastic normality 429-432
plastic predictor 464
plastic strain, accumulated 223
plastic strain rate 199
plasticity
 and slip 385
 rate-dependent J_2 242
 single crystal 383
polar decomposition of \mathbf{F}
 basic invariants 56
 direct evaluation of \mathbf{U} , \mathbf{R} , and \mathbf{V} 56
 Eulerian triad 59
 Lagrangian triad 59
 spectral representation 55
 transformation, surface elements 62
 transformation, volume elements 61
pore water pressure 702
potentials
 elastic 145
 inelastic 148, 150
 normality rule 148, 149
pressure sensitivity
 see dilatancy and pressure sensitivity
principal stretches 53
properties, aggregate 595
proportional loading 315
- Q**
quantities, average 595
- R**
radial-return 331
 generalized 333, 340, 353, 362, 367
radiography 703
 observation 707
 setup 705
rate-dependent theories 212-246
rate equations of motion, weak form 115

- rate-independent planar
 - deformation 564, 577
 - rate-independent theories 152
 - constitutive relation 153
 - flow potential with flow rule 157-163
 - combined isotropic-kinematic 163
 - isotropic 158
 - kinematic 160
 - smooth yield surface 153
 - yield surface 153-155
 - in strain space 155
 - in stress space 153
 - rate quantities, relations among 252
 - real-valued eigenvalues 20
 - real-valued eigenvectors 20
 - reciprocal base vectors 19
 - relations
 - constitutive 208
 - elasticity 206
 - repeated real-valued eigenvalues 23, 37-8
 - response, elastic 259
 - reverse loading 328
- S**
- Sach's model 651
 - scalar product, complex-valued vectors 12
 - Schmid law 427
 - second-order tensors 14
 - self hardening 446
 - shearing experiments, granular mass 554
 - slip
 - and plasticity 385
 - model, physically-based 441
 - rate 433
 - system, fcc crystal 400
 - small lattice distortion 415
 - spectral representation
 - of \mathbf{A}^m 22
 - of deformation gradient 55
 - of second-order tensors 14
 - spin tensors
 - objective, explicit expressions for 255
 - relations among 79
 - stiff system 301
 - strain measures
 - Almansi's 67
 - Biot's 66, 97
 - Eulerian tensor 66
 - explicit representation in terms
 - of \mathbf{U} and \mathbf{V} 63
 - distinct principal stretches 64
 - repeated principal stretches 64-65
 - Lagrangian tensor 66
 - logarithmic 66
 - required properties of 66
 - strain rates
 - coordinate-independent 84, 86
 - distinct eigenvalues 86
 - repeated eigenvalues 87
 - summary of 86
 - in Eulerian triad 84
 - in Lagrangian triad 82
 - stress conjugate to strain measure
 - Biot's 97
 - Lagrangian 97
 - logarithmic 97
 - others 98
 - stress field 390
 - stress measures
 - average 600
 - balance of angular and linear momenta 91
 - conjugate to strain measure 97
 - Biot's 97
 - Lagrangian 97
 - logarithmic 97
 - others 98
 - first-order accurate expressions 96
 - general relations 93
 - coordinate-independent 93
 - in principal coordinates 93
 - nominal 98
 - overall 515, 600
 - relations among them 99
 - Cartesian-contravariant 102
 - Cartesian-covariant 104
 - contravariant 101
 - covariant 103
 - covariant-contravariant 103
 - second Piola-Kirchhoff 92
 - summary of relations of 99
 - stress-rate
 - calculation 266
 - nominal 109
 - objective 107
 - general relation 107
 - general results 107
 - with current state as reference 109
 - stress-rate measures
 - average 601
 - convected 105

- granular mass 514
 - Jaumann 105
 - stress work, rate of 92, 425
 - stretch, principal 53
 - stretch, unidirectional 290, 294
 - stretch rate
 - left 76
 - right 72
 - symmetric tensors 15
- T**
- tantalum, flow stress 229
 - Taylor's model 651
 - temperature effects
 - physically-based slip model 440
 - tensor
 - concentration 613
 - homogenization 604
 - nonsymmetric 16
 - representation in oblique coord. triads 18
 - spin 69, 71
 - objective, explicit
 - expressions for 255
 - stress rates 107
 - objective 107, 109
 - symmetric 15
 - tensor-valued functions, isotropic
 - derivative of
 - coordinate-independent
 - expression for $\mathbf{H}\mathbf{A}$ 41
 - derivative of \mathbf{A} 40
 - expression for \mathbf{g} 44
 - representation of $f\mathbf{A}$ 41
 - general
 - \mathbf{A} with distinct complex eigenvalues 37
 - \mathbf{A} with distinct real eigenvalues 36
 - \mathbf{A} with three repeated eigenvalues 38
 - \mathbf{A} with two repeated eigenvalues 37
 - general representation 34
 - theories
 - nonlinear elasticity and deformation 185
 - of elastoplasticity, phenomenological 143
 - rate-independent 152
 - rate-dependent 212-243
 - thermal activation 219
 - thermal softening 298
 - traction vector 522
 - transformation
 - of surface elements 62
 - of volume elements 61
 - transport theorem 119
 - triaxial cell
 - data acquisition 698
 - experimental control 698
 - experimental procedure 696
 - specimen installation 693
 - specimen preparation 693
- U**
- uniform boundary
 - data 604
 - displacement 603
 - displacement rate 603
 - traction 603
 - traction rate 603
- V**
- variational principles,
 - hyperelastic materials
 - general 125
 - incremental formulation 133
 - linearized formulation 137
 - preliminaries 124
 - with discontinuous fields 132
 - with two independent fields 128
 - vector
 - Burgers' 387
 - reciprocal base 19
 - traction 522
 - velocity 68
 - gradient 289, 293, 353, 407
 - constant 289, 293, 353
 - decomposition 407
 - vertex model
 - generalization to 188
 - yield 183
 - virtual work principle 112
 - viscoplastic \mathbf{J}_2 -flow theory 245
 - volume integrals 118
- W**
- weak form
 - of equations of motion 114
 - of rate equations of motion 115
 - work, virtual 112
- Y**
- yield condition

Cambridge University Press

978-0-521-83979-2 - Plasticity: A Treatise on Finite Deformation of Heterogeneous Inelastic Materials

S. Nemat-Nasser

Index

[More information](#)

730

SUBJECT INDEX

- consistency conditions 185, 589
- frictional granular material 198
- meso-scale 573
- plastic normality 429-32
- surface 153, 436-438
- strain-space representation 184
- stress-space representation 184
- vertex models 183
- yield surface
 - in strain space 155
 - in stress space 153