

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## Index

Page numbers in **bold** refer to tables and in *italics* to figures, those with suffix 'n' refer to notes

- abundance–occupancy relationships 9
- abundance patterns 31, 38–40, 65, 66, 345
  - birds 356–60
  - canonical distribution 410
  - changes 355, 383
  - habitat occupancy 264, 265, 268
  - human activity 348, 350, 361
  - hunting 348, 350
  - large-scale 256–71
  - local
    - and habitat occupancy 266, 267
    - and range size 262–4, 265, 266, 267, 268–70
  - plant size 333
  - power law of variability 410
  - range size correlation 256, 257, 263–4, 269
  - regional and vital rates 263–4
  - species distribution 348, 350, 351
  - variation 420
- Accipiter nisus* (sparrowhawk) 229, 269
- Acer saccharum* 324
- adaptation
  - genetic potential 279–80
  - population density 279
- adaptive radiation 18–19
  - analysis 401, 402, 403, 404
  - comparative methods 391–406
  - niche-filling models 397–400
  - non-Brownian models 396–401
  - see also* Brownian motion model
- Adephaga 19, 22
- adult size 311
- age at maturity 310
- agriculture 353, 361
- alien species *see* introductions
- all-bar-one hypothesis 9
- Allee effect 196, 208, 220
  - invasion failure 260
  - population persistence 259
  - range limit 258
  - range margin 285, 288
  - stochastic 222, 232
- allocation
  - allometric scaling 326–31
  - integrated strategies 337
  - metabolic production 336–7
  - metabolic scaling 322, 336–7
- allometric scaling 322–31, 326
  - allocation 326–31
  - leaf mass 327–9
  - partitioning 326–31
  - plant population density 331–3
  - population density 332–3
  - resource requirements 414
  - WBE model 323–6
- allometry, interspecific 299–318
  - BMR 299–301
  - ecophysiological parameters 305, 306, 307, 308, 309
  - life-history parameters 309–10
  - metabolic rate 307, 308, 309
  - null hypothesis 300–1
- allometry, within-species 309, 316
- Allonemobius fasciatus* 288
- allopatric speciation 25n, 57, 361
- altitude
  - Pinus* spp. 247, 250
  - species limits 274
- Amazon forest, subsistence hunting 211, 212
- amoebae, testate 240, 241
- amphibians
  - diversity 417
  - environmental temperature 417
  - extinction 208–9
  - fecundity 208–9
  - frugal strategies 313
  - population vulnerability and life histories 205, 208–9
  - wasteful strategies 313
- analysis of variance 418
- ancestral character states 167–8, 405
- angiosperms
  - allocation 326–7
  - allometric scaling of population density 332–3, 334
  - biomass production rate 327–9
  - hydrodynamic resistance 324
  - specific leaf area 329
- animal grazing food chain 123
- animal taxa, climate and energy 123

## INDEX

- Anolis* lizards, Caribbean 392  
 Antarctic  
   marine fauna 139–41, 143–4  
   testate amoebae 240, 241  
 antifreeze evolution in fish 140  
*Arabidopsis thaliana* 239, 240, 242–3, 244–5  
   climatic limits 242  
   distribution 244–5  
   diversity 243, 245  
   geographical range 243  
   natural dispersal 243  
   temperature limits 242  
 Arctic  
   marine fauna 139–41  
   testate amoebae 240, 241  
 area hypothesis of latitudinal gradients 88–104  
   assumptions 90–6  
   data sets 96–7, 98, 99  
   productivity 93–4  
   variables 92–4  
 area in diversity theory 107–8  
 Arrhenius power law 49  
 arthropods, Cambrian 379  
 assemblages, saturation 145  
 autotrophs, resource extraction 177  
 basal metabolic rate 299–300  
 beetles, aquatic 17–29  
   dispersal strategies 24, 25  
   extinction 24, 25, 28  
   geographical range size 23–4  
   habitat shift 25–7  
   running water (lotic) 19, 23–6, 28  
   sister comparisons 22  
   speciation 23–5, 28  
   species  
     diversification 25, 26, 27–8  
     richness 20, 21–2  
   standing water (lentic) 19, 23–6, 28  
   swimming 19  
   whirligig 19  
 Bergmann's rule 410  
 bet-hedging 198  
 binomial distribution, negative 35, 37, 40  
 biocontrol, classical 259  
 biodiversity  
   changes 355  
   extinction 218  
   human impact 353  
   neutral theory 45–62  
   number ( $\theta$ ) 46, 47, 48, 49, 50  
     latitudinal variation 55  
   unified phenomenological theory 31–40  
 biogeography  
   natural length scale 49–50  
   neutral theory 45–62  
   patterns of distinctiveness 109  
   see also evolutionary biogeographical unit  
 biomass 116  
   community 334  
   inverted pyramids 418  
   partitioning 333, 336–7  
     scaling 326–7  
   population density 332–3  
   production rates 325, 326, 332, 335  
 biomes 100, 102  
   area and productivity 102–3  
   distribution 110  
   temperature 102–3  
 bioprovinces see provinces  
 birds  
   body size 156, 202–3, 210  
   British 350, 351  
   captive origin 350, 351  
   evolutionary history 210  
   extinction  
     risk 201–4, 210  
     vulnerability 358  
   large spatial scales for species abundance 67–8, 69  
 New Zealand 348, 349  
 population  
   energy use variance 73  
   size 355–60  
   size–range size relationship 352  
   vulnerability and life histories 206, 210  
 predation by introduced species 347  
 rarity 357, 359–60  
 Species of European Conservation Concern 352  
 species per family 38, 39  
 species–abundance distribution 356–60  
 taxonomic distinctness index 210  
 threatened species 356–60  
 total numbers 355–6  
 wader adaptive radiation 403, 404  
 wasteful strategy 314  
 birth rate, environmental gradient 257  
 birth–death processes 65, 66  
   niche models 78, 80–1  
   stochastic 38  
 bivalves, marine 141–2, 145  
   body size 371, 372, 374, 375  
   distribution 373–4  
   invasive species 370, 371  
   species richness 380–1  
 body mass  
   adaptiveness and fitness 180–4  
   causal model 72–3  
   interspecific frequency distribution 9  
   metabolic rate 178  
   offspring at birth 179

## INDEX

- population density 71–2
- species distribution 362
- body size 155–70
  - adaptive diversification 174–89
    - fitness 180–4
  - adult 311
  - age at maturity 310
  - allometric relationships 188, 189
  - birds 156, 202–3, 210
  - clades 158–62
    - sister 161, 162–4, 165–7
  - cost–benefit assessment 184–9
  - date of description of species 156–8
  - distribution 156–8, 348, 349, 360, 362
    - alteration 382
    - extinctions 348, 349
    - introductions 348
    - species within taxon 185
  - diversity 158–61, 176
    - relationship in species-level phylogenies 165–6
  - energetic trade-offs 175, 184–9
  - establishment rate 168–9
  - evolution 371–4
    - models 162–4
  - evolutionary optimization 310
  - evolutionary stable strategy 183, 184
  - extinction 168–9, 348, 349, 350
  - first arrivals on islands 382
  - fish mortality 416
  - fitness 180–4
  - fossil record 167, 169–70, 370–7, 378, 379
  - frequency distribution for species groups 175
  - geographical range 198
  - global optimum 163–4
  - growth rate 310
  - hunting pressure 211, 212
  - intraspecific optimization 299–318
  - invasion 369
  - large 198
  - life expectancy 310
  - life-history traits 198, 212
  - mammals 156, 158–61
  - marine invertebrates 369
    - bivalves 371, 372, 374, 375
  - metabolic rate 312, 313, 412–13
  - metabolic scaling 322
    - theory 412–13, 417–18
  - molluscs 370, 371, 372, 374, 375
  - mortality rate 301–5, 306, 307, 310, 314–16, 317
  - natural selection 180–4, 185
  - non-phylogenetic tests 158–61
  - offspring body mass 179
  - optimization 164, 301–5, 314–17
    - condition 310–12
- phylogenetic approach 161–2, 164–8
- physical constraints 178–80
  - external 176
  - internal 176–8
- population number fluctuations 203
- production rate 301–5, 306, 307, 310, 315
- protozoa 240
- relative rate difference 161–2
- reproductive output 301–5
- resource acquisition rate 307, 308, 309
- scaling law 176
- species distribution 348, 349, 360, 362
- species richness 17, 203
- taxon age 159–61
- terminology 155
- viable design determination 188
- vulnerability 211–12
- Boltzmann factor 413, 415–16
- Bombina* 276–7, 288
- boundaries, parapatric 274–7, 292
  - position determination 278–9
  - types 275
- Britain, birds 350, 351
- broken-stick model 68, 70, 79
- Brownian motion model 392, 393–6, 397, 401
  - comparative methods 400, 405
- butterflies
  - extinction 204, 205, 207
  - Yule distribution 33, 34, 40
- Cakile edulenta* 260
- Cambrian 133–4
  - arthropods 379
- carbon cycle, long-term changes 368
- Caribbean, *Anolis* lizards 392
- carnivores
  - adaptive radiation 403, 404
  - extinction risk 203, 211
  - habitat loss 203
  - home range size 213
  - reserve size 213
- carrying capacity 219
  - extinction risk 231
  - model 266
  - small populations 220
- catastrophes 219
- cell size 312–14, 317
- Cenozoic 134–5
  - climate 143
  - climatic change 135–6, 137, 138
  - diversity 134–6, 137, 138, 143
  - Milankovitch variability 143–4
  - Southern Ocean fauna 140
  - tectonic activity 135–6, 143
  - tropical diversification 145–6
- centrifugal speciation theory 92
- character evolution 392

## INDEX

- Charadrii adaptive radiation 403, 404  
*Chitaura* 275  
*Chorthippus* 276, 281, 288–9  
 cichlids, adaptive radiation 403, 404  
 clades  
   body size evolution models 162–4  
   sister 161, 162–4  
     comparisons 165–7  
   size  
     comparisons 20–2  
     distribution 158–62  
   species richness 17–18, 20  
 classical invasion theory 259–60  
 climate 109–10, 111–12, 113, 114, 115  
   animal taxa 123  
   *Arabidopsis thaliana* distribution 242  
 Cenozoic 135–6, 137, 138, 143  
 change 368  
   mechanisms 109  
   mollusc body size 370, 371  
   energy 122–3  
   favourability 121  
   gradients 107  
     latitudinal 143  
   recent warming 144  
   species richness 110, 111, 112, 113, 115  
   variability 135–6, 137  
     evolutionary/extinction importance 137–43  
     short timescale 136  
 climatic potential for richness interim general model 113, 115  
 clines  
   density gradient 278  
   hybrid zones 277  
   tension zones 276  
 coastal upwellings 132  
 Coleoptera 19  
   species richness 20, 21–2  
   transition from land to freshwater 19–20  
   see also beetles, aquatic  
 Committee on the Status of Endangered Wildlife in Canada (COSEWIC) 208  
 communication 1–2  
 communities  
   biomass 334  
   composition 48  
   local 5, 47  
     extinction 79  
   mixed 206, 211  
   total size 32  
   see also metacommunity  
 competition  
   food resources 77–9  
   interspecific 282, 283  
   model 77, 78  
   neutral theory 45  
   competitive dominance suppression 120  
   complex-system science 64  
   computers 5  
   connectivity 26  
   conservation biology 345–63  
     spatial scale 355–60  
     temporal scale 346–8, 349, 350, 351–2, 353–5  
 Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES) 208  
 cooling events, global 136  
 corals 142  
 Coriolis forces 131  
 costs, scaling 186–8  
 Cretaceous 135  
   gastropods 377, 378  
   geographical range and number of species 377, 378  
   mammal body size 170  
   marine gastropods 374, 376, 377, 378  
   mass extinction 370, 374  
 crickets 288  
 croaker fish 208  
 cuscus, gray 347  
 Dansgaard–Oeschger events 136  
 data 108–9  
   geometric distribution 37–8, 39  
 death rate, environmental gradient 257  
 demographic processes 257–62  
 demographic stochasticity 196, 201, 219  
   estimation 220, 222  
   mating systems 223, 224  
   time to extinction 220, 221, 232  
   see also ecological drift  
 demographic variance 222, 223, 224  
 density dependence 120–1  
   metacommunity 51  
   neutral theory of distribution 50–5  
   population persistence 259  
   tropical forest 120, 121  
 density gradient 278  
 density regulation  
   Gompertz 226, 228  
   theta-logistic model 228  
   time to extinction 229  
 density trough 278  
 depensation 196  
 deserts 102–3  
 ‘desk drawer’ problem 165  
 diatoms, Yule distribution 33, 34, 35  
 dispersal  
   aquatic beetle strategies 24, 25, 26–7  
   *Arabidopsis thaliana* 243  
   beneficial mutations in sink populations 282

## INDEX

- change in propensity 26–7
- connectivity 26
- distance 56
  - parent–offspring 56, 57
  - statistical distribution 56–7
- evolution 281
- Gaussian 50
- gene flow 284
- geographical spread 240
- limitation
  - density dependence 52–5
  - neutral theory of distribution 50–5
- long-distance events 55–7
- marine invertebrates 369
- mating area 285
- mean rate 46
- migrational load 279
- patch size 260
- patterns 25n
- Pinus* spp. 250
- range boundaries/limits 259–60
- rate 49, 50
- speciation 376–7
- species
  - abundance 53
  - interactions 282–3
- time to extinction 230
- total 284
- distinctiveness, biogeographical patterns 109
- distribution of species 239–40
  - altitudinal limits 274
  - Arabidopsis thaliana* 240, 242–3, 244–5
  - birds 356–60
  - boundaries 274–93
    - determination of position 278–9
  - flowering plant comparative analyses 243, 246–7, 248–9, 250–3
  - human activity 361
  - interspecific relationships with abundance 7
  - latitudinal limits 274
  - metapopulation dynamics 261
  - microorganisms 240, 241
  - patterns 65, 66, 345
  - Pinus* spp. 246–7, 248–9, 250–3
  - range size 350, 352, 353, 360
- disturbance 119–20
- diversification 18–19
  - adaptive of body size 174–89
  - cost–benefit assessment 184–9
  - ecological and new habitat invasion 392
  - marine evolutionary history 134–5
  - net rates 22
  - Palaeozoic echinoderms 379
  - provinciality 139
  - species
    - aquatic beetles 25, 26, 27–8
- mechanisms 23–5
- terrestrial evolutionary history 134–5
- diversity
  - amphibians 417
  - Arabidopsis thaliana* 243, 245
  - area 107–8
    - province 104
  - body size 158–61
  - Cenozoic 134–6, 137, 138, 143
    - tropical regions 145–6
  - climatic gradients 107
  - differentiation 109, 114, 117
  - dynamics 88
  - echo patterns 95, 96
  - environmental temperature effects 415
    - at equilibrium 144–5
  - error of rising 90
  - extinction rate 91–2
  - functional 380–1, 382, 383
  - genetic in *Pinus* spp. 247, 249
  - global patterns 130–47
  - hierarchical framework 108
  - homeostasis 88–9
  - inventory 109
  - latitudinal gradient 100, 102
  - lineage-specific 18–19
  - mammal declines 93, 94
  - marine taxa 130, 131
    - bivalves and gastropods 141–2
    - non-phylogenetic tests 158–61
    - Northern Hemisphere plants 97, 99
    - Phanerozoic 143
    - phylogenetic tests 161–2
    - Pinus* spp. 247, 249
    - plant and geographical patterns 123
    - polar marine fauna 139–41, 146
    - productivity 93–4
      - relationships 117, 118
      - unimodal relationships 115
    - provinces 143
    - speciation rate 91–2
    - species 114
    - steady-state 89, 90–1
    - tectonic activity 135
    - terminology 155
    - tropical regions 130, 131
      - Cenozoic 145–6
    - two-dimensional index 32–3
    - zones of different areas 100
      - see also biodiversity
  - dog, domestic 309
  - dominance–diversity curve 47, 48
    - density dependence 54, 55
    - dispersal limitation 52, 53, 54
    - neutral model 51
    - speciation 59
  - drought tolerance of *Pinus* spp. 247

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## INDEX

- eagle, giant 347
- Earth, axial tilt and orbit 136
- echinoderms, Palaeozoic 379
- echo patterns 95, 96
- ecological drift 45
  - zero-sum 47, 77
  - see also* demographic stochasticity
- ecological equivalence 79
- ecological laws 410
- ecological phenomena 418
- ecological specialization 201
- ecological systems, fundamental processes 411
- ecological theories 418
  - mechanistic 419
- ecological tolerance 274
- ecology, development of science 2
- ectotherm fecundity 198
- Eichhornia paniculata* 261
- El Niño–Southern Oscillation 136
- elapid snakes 209
- electronic communication 2
- elevation 124
  - maximum–minimum (TOPOG) 114
- empty niches model 399–400, 401
  - tree structure 403
  - imbalance 403, 404
- endemicity 109
- endemism 114
- Energetic Equivalence rule 72
- energetic resource acquisition 78
- energetics 122, 322
  - constraints 414
  - marine bivalve size 373–4
  - trade-offs in body size 175, 184–9
- energy 109–10, 111–12, 113, 114, 115
  - animal taxa 123
  - budgets for trees 110
  - climate 122–3
  - equivalence 122
  - flow
    - into organism 178
    - variability in oceanographic control 141
  - individual requirements 71–2
  - plants 110
  - processing
    - in plants 336, 337
    - rates 335, 337
  - production scaling relationship 186–8
  - regime seasonality 124
  - reproductive requirement 186
  - use by population 73
- entry rules 360–1
- environment, rate of change 279
- environmental gradient 280
  - adaptation to 275
  - non-uniform 288–9
- population density 278–9
- quantitative trait evolution 279–81
- severe perturbations 384
- environmental stochasticity 196, 201, 219
  - carrying capacity 226, 227, 228
  - time to extinction 220
- Eocene
  - Indo-West Pacific (IWP) region 142
  - Southern Ocean fauna 140
- Ephemeroptera 27
- epistasis 289–90, 291
- equal-area samples 94, 95
- equilibrium theory of island biogeography 4–5, 45
- error variance 72, 73
- establishment effect 230
- evapotranspiration
  - actual (AET) 114, 116
  - potential 110, 112–13, 114, 115
- evolution
  - punctuated 394–5
  - slowing down/speeding up model 395
- evolutionary biogeographical unit 45
  - size prediction 49
- evolutionary dynamics, range size 374
- evolutionary history 133–6, 137
  - birds 210
  - patterns 27–8
- evolutionary macroecology 368–85
- evolutionary rate
  - climatic variability 137–43
  - constraints 92
  - generation time 146
  - latitudinal gradient 146
- evolutionary stable strategy (ESS) 181, 183, 184
  - design constraints 188
  - energetic trade-offs for body size 184–6, 188, 189
  - multiplespecies 184
  - scaling relationship 186–8
- exit rules 360–1
- exploitation, trade-offs 393
- extent, geographical 108–9, 114
- extinction 5, 9, 17, 218–33
  - amphibians 208–9
  - aquatic beetles 24, 25, 28
  - background 137
  - birds 201–4, 210
    - vulnerability 358
  - body size 168–9, 348, 349, 350
    - distribution 348, 349
  - cascades 347
  - climatic variability 137–43
  - declining populations 222, 223
  - density-dependent populations 221, 225–6, 227, 228–9

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## INDEX

- density-independent populations 219–20, 221, 222–3, 224, 225
- drivers 346–8
- faunal composition effects 347
- fish 207–8
  - in Southern Ocean 140
- floral composition 347
- fossil record 374–6
- geographical range 374–6
- habitat patch 289
- human activity 361
- invertebrates 204, 207
- local 47, 48, 79, 80
- major events 370, 374, 375–6
- mammals 210–11
- marine biota 138
- mass 218
- mating area 285
- modelling 88
- natural experiments 8
- New Zealand 350
- overexploitation 346
- rate 45, 88, 89, 218
  - comparison with fossil record 231
  - curve 89
  - diversity 91–2
  - fossil record 374
  - metapopulation processes 261
  - per taxon 91
- reptiles 209
- risk
  - birds 201–4
  - carnivores 203
  - carrying capacity 231
  - life history 195–213
  - population size 231–2
  - population vulnerability 198–204
  - prehistoric 347
  - primates 203
  - small populations 220
- spatial models 74
- species–body mass distribution 362
- species–range size relationship 353, 354
- steady state 89
- terrestrial biota 138
- time to 220, 221, 229
  - demographic stochasticity 220, 221, 232
  - dispersal 230
  - distribution 226, 227, 228
- zones of different areas 100
- faunal composition 347
- fecundity
  - amphibians 208–9
  - ectotherms 198
  - fish 208
  - lifetime 201
- marine invertebrates 369
- rate 76
- feeding traits of leaf warblers 401, 402
- finches, Galapagos 19, 392
- fire, forest clearance 347
- fish
  - body size 416
  - commercial exploitation 196
  - extinction 207–8
  - in Southern Ocean 140
  - fecundity 208
  - freshwater 205, 207
  - marine 205, 207–8
  - metabolic rate 314
  - mortality rate 416
  - population vulnerability and life histories 205, 207–8
  - size-selective human predation 382
  - temperature 416
  - threat listing 208
  - see also* fishing
- Fisher's  $\alpha$  46, 50
- Fisher's log-series model 66–8
- fishing 196
  - commercial 205, 207–8, 382–3
  - impact 382–4
  - intraspecific size distribution 382
  - mortality 195, 199
- fitness
  - allele spread 290
  - body mass adaptiveness 180–4
  - decline 196
  - definition 180–1
  - density-dependent 281
  - frequency-dependent 281
  - genetic interaction impact 292
  - maximization 279
  - optimal body size 301
  - relative 280
- fixed fraction model 70, 71
- floral composition 347
- focus 108–9, 114
- food chain, grazing 123
- foraminifera, planktonic 377
- forest
  - clearance 347
  - metabolic scaling 414, 415
  - temperate 355
- fossil record 134, 368–583
  - bias 377, 379
  - body size 167, 169–70, 370–7, 378, 379
    - evolution 371–4
  - climate change 136, 137
  - extinction 374–6
    - rate 231, 374
  - fidelity of assemblages 384
  - Holocene 382–4

## INDEX

- fossil record (*Continued*)
  - marine macroecology 369
  - morphology 379–82
  - Pleistocene 382–4
  - speciation 374, 376–7, 378, 379
  - taxonomy 379–82
  - see also* Phanerozoic
- fractal geometry 412, 414
- fractal habitats model 162–3
- fractal network structures 177–8, 183, 184
  - metabolic rate 317
- freezing resistance, *Pinus* spp. 250–3
- frugal strategies 313–14, 315
- functional diversity 380–1, 382, 383
- Galapagos finches 19, 392
- Galapagos model 399–400
- gastropods 377, 378
  - Cretaceous 378
- gastropods, marine 141–2, 145
  - Cretaceous 374, 376, 377, 378
  - functional diversity 382, 383
  - morphological diversity 380, 381
  - Ordovician 377
- gene exchange, impeded 275
- gene flow 377
  - asymmetrical 29
  - differential 279, 280
  - directional 279
  - dispersal 284
  - elevated 282
  - range margins 292–3
- generation time 146
- genetic differentiation 277
- genetic diversity, *Pinus* spp. 247, 249
- genetic drift 290
  - Wrightian model 25n
- genetic trait associations 281
- genetic variance 279, 280, 292
  - evolution 281–2
  - low 282
- genostasis 92
- geographical extent 108–9
- geographical patterns 17
- geographical range
  - Arabidopsis thaliana* 243
  - average species 89
  - distribution 345
  - extinction rate 374–6
  - gastropods 377, 378
  - limits 274–8
  - margins 274
  - Pinus* spp. 250–3
  - size
    - aquatic beetle habitat 23–4
    - body size 198
  - speciation 376–7, 378, 379
- survivorship 374–5
  - see also* range
- geographical scale 116–17
- geometric distribution of data 37–8, 39
- geometric series model 68, 70
- gigantism, relative 315–16
- glacial cycles 144–5, 368
- glacierized terrain recolonization 144
- glaciation
  - continental 136
  - major 143
  - Northern Hemisphere 142–3
  - polar processes 142
- glacio-eustatic activity, Indo-West Pacific (IWP) region 142
- global optimum body size 163–4
- glycopeptide antifreeze 140
- godwit, black-tailed 269, 270
- Gompertz density regulation 226, 228
- Gondwana 139
  - fragmentation 135, 143
- grain 108–9
- grasshopper 275, 276, 277
  - genetic variance 281
  - stridulatory peg number 288–9
- grasses 123
- gravitational forces 131
- grazing
  - around watering points and vegetation zonation 259
  - food chain 123
- grouper fish 208
- growth
  - determinate 310–11
  - indeterminate 310–11
  - life histories 198
  - rate 178
    - optimal size 310
  - trade-off with reproduction 178–9, 180
- Gryllus* 288
- gymnosperms
  - allocation 326–7
  - allometric scaling of population density 332–3, 334
  - biomass production rate 327–9
  - hydrodynamic resistance 324
  - specific leaf area 329
- Gyrinidae 19, 22
- habitat
  - buffer effect processes 269, 270
  - density-dependent selection 268–70
  - destruction 346–7
  - fragmentation 346–7
  - fragments 201
  - invasion 392
  - patchy distribution 228–9, 264

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## INDEX

- selection decisions 268–9
- shift 25–7
- species susceptibility to change 362
- habitat gradient
  - non-uniform 289
  - species interactions 282
  - steepening 289, 290
- habitat loss
  - birds 202
  - carnivores 203
  - predictions 201
  - primates 203
- habitat occupancy
  - changes 229–30
  - local abundance 264, 265, 266, 267, 268
  - local population size 264, 265
- habitat patch
  - colonization 76
  - extinction 289
  - proximity and site occupancy 261
  - recolonization 289
  - size dispersal 260
- Harpagornis moorei* (giant eagle) 347
- Hawaii silversword alliance 392
- heat energy, trees 110
- heavy metal tolerance 275, 292–3
- heterotrophs 177
- Hirundo rustica* (barn swallow) 222, 223
- Holocene, fossil record 382–4
- home range size in carnivores 213
- hoverflies 204, 205
- human activities
  - entry/exit rules 361
  - macroecology pattern impacts 348, 349, 350, 351–2, 353–5
- human impact 346
  - ecological systems 348
  - shifting baseline syndrome 382
- human persecution of birds 202
- hunting 195, 199
  - birds 202–3
  - species abundance 348, 350
  - subsistence 211, 212
- hybrid zones 276–7
  - epistasis 289–90, 291
  - mosaic 288
  - non-random mating 284
- hybridization, parapatric boundaries 275
- hydrodynamic resistance 323, 324
- hypothesis falsification 9, 10
- ice ages
  - Pinus* spp. 247, 250
  - see also* glacial cycles; glaciation
- immigration 4–5
  - probabilistic 5
  - rate 46–7, 48
- Indo-West Pacific (IWP) region 142, 144
- information revolution 5
- intermediate disturbance hypothesis (IDH) 119–20
- internet 5
- interspecific comparisons 9
- introductions 346, 347
  - body size distribution 348
  - predators 202
  - species–abundance distribution 350, 351
- invasion 259–60
  - body size 369
  - criteria 75
  - habitat 392
  - marine bivalves 370, 371
  - niches 398–400
  - spatial models 74
- invasion theory, classical 259–60
- invertebrates
  - extinction 204, 207
  - marine 369
  - population vulnerability and life histories 204, 205, 207
  - see also named genera and groups*
- island biogeography, equilibrium theory 4–5, 45
- islands
  - first arrivals 382
  - range reductions 350
  - species richness 353
- IUCN criteria for threat status 208
- Jatropha chameleensis* 239, 243, 246
- Jatropha standleyi* 240, 243, 246
- k*, meaning of 73–4
- key innovation 18
  - hypothesis 20–1
- key species 347
- kinetic theory 415
- kiore 347
- Kirkpatrick and Barton model 279–81, 281
- Krakatoa model 398–9
- large-scale studies 2–3, 4–5
  - difficulties of carrying out 5
  - species abundance 67–8, 69
- Late Palaeocene Thermal Maximum 136
- latitude, species limits 274
- latitudinal clines 142
  - molluscs 141–2, 145
  - northern latitude plant diversity 142–3
- latitudinal gradient
  - area 87, 104
  - climatic 143
  - diversity 100, 102
  - evolutionary rate 146

## INDEX

- latitudinal gradient (*Continued*)
  - marine bivalves and gastropods 141–2
  - productivity 93–4
  - provinces 90, 96–7, 98, 99, 104, 138–9
  - regions not in different provinces 99–100
  - species diversity 87
  - species richness 382
  - temperature change 100, 101
  - temperature cline 136
- latitudinal zones 100, 101
- lattice model 79
- leaf mass, allometric scaling 327–9
- lice 347
- life, slow–fast continuum 314–16
- life expectancy and body size 310
- life history 198
  - event scaling 331
  - evolutionary stable strategy 181
  - extinction risk 195–213
  - fast 198, 200, 201
  - individual components 201
  - natural selection 198
  - parameters 185
  - population dynamics 195, 196, 197
  - population vulnerability 204, 205–6, 207–11
  - slow 198, 200
  - slow–fast continuum of adaptations 229
- life-history traits 198
  - body size 198, 212
  - frugal–wasteful continuum 315
  - slow–fast continuum 315
- life tables 200–1
- light energy, trees 110
- likelihood methods 404–5
- Limosa limosa islandica* (black-tailed godwit) 269, 270
- linkage disequilibrium 277, 281
- linking mechanisms 117, 119
  - density dependence 120–1
  - disturbance 119–20
  - niche differentiation 121
  - nutrients 120
  - pest pressure hypothesis 120–1
  - specialist mutualisms 121
  - turnover 119–20
- Little Ice Age 136
- Littorina saxatilis* 275
- local scale patterns 117
- log-normal model 66–8
- log-series distribution (LSD) 39
- long-term studies 3–4
- lungfish 314
- M causal model 72–3
- MacArthur fraction model 70, 71
- macroecology 408–10
- approach 6
- definition 6–7, 81
- marine 369
- metabolic scaling 413–17
- methodology 7–8
- process 9–10
- spatial scales 409
- statistical patterns 411
- temporal scales 409
- terminology 409
- male adaptation 285
- mammals
  - allometry 309
  - BMR allometric slope 299–300
  - body size 156, 158–61
    - Cretaceous 170
  - diversity decline 93, 94
  - extinction 210–11
  - population vulnerability and life histories 206, 210–11
  - range size 350, 353
  - reproductive power optimization 163–4
  - species richness 123
  - temperature 123
  - Tertiary 170
  - wasteful strategy 314
- manipulative experiments 5, 7
- Maori people (New Zealand) 347
- Marfell's Beach (South Island, New Zealand) 347
- marine environment
  - evolutionary history 133–5
  - extinctions 138
  - latitudinal diversity in bivalves and gastropods 141–2
  - physical/biological processes 132–3
  - polar 139–41, 146
  - provinciality 138–9
  - spatial scales 132, 133
  - temperature 135–6, 138, 142
    - cycles 132
  - temporal scales 132, 133
  - tropical fauna 142
  - variability difference from terrestrial 133
- marine invertebrates, reproductive strategies 369
- marine macroecology 369
- marine taxa
  - diversity 130, 131
    - polar fauna 139–41, 146
    - shallow-water 143
  - marsupial introductions 347
  - mass effects, differential 53
  - mass extinctions 218
  - mating
    - assortative 284–5, 287–8

## INDEX

- non-random 284–5, 286, 287–8
- success 285
- mating area
  - dispersal 285, 286, 287
  - small 285
- maturity, life histories 198
- maturity, age at 201, 315
- maximum likelihood techniques 393–4
- maximum sustainable yield (MSY) 200
- mayflies, dispersal 27
- mechanistic theories of ecology 419
- Medieval Warm Period 136
- megatectonics 109
- Melanesians 382
- Mesozoic–Cenozoic radiation 134
- metabolic capacity, maximizing 322–4
- metabolic production
  - allocation 329, 336–7
  - scaling 326–7, 329–31
- metabolic rate 412
  - 0.75 power law 316, 317
  - allometry 299–301, 307, 308, 309
  - basal 299–300
  - body mass 178
  - body size 312, 313, 412–13
  - cell size 312–14
  - fractal network structures 317
  - high 312–13
  - low 312, 313
  - scaling 312, 317–18
  - temperature 412–13
  - wasteful–frugal strategy axis 314
  - whole-organism 412–13
- metabolic scaling 322, 326, 331–5, 336
  - whole-plant 324–5, 326
- metabolic scaling theory 411–17
  - applications 419
  - body size and temperature 412–13, 417–18
    - as universal law of ecology 417, 419–20
- metabolism
  - plant community structure 333–5
  - quarter-power scaling 412, 414
- metacommunity 32, 45
  - common species 48
  - density dependence 51
  - dispersal 49
    - distance 56
    - limitation 53
  - models 74
  - relative abundance 60
  - size 46
  - spatial scale 47
  - species deaths 58
- metapopulation
  - boundary models 289
  - dynamics 9
    - distribution of species 261
- scaling from local to regional population
  - size 267, 268
- Levins-type 230
- models 74, 75
- persistence 75
  - threshold 261
- processes
  - abundance and occupancy relationship 266, 267
  - migration rate 261
    - rescue effects 264, 266, 267, 268
  - range limits 261–2
  - regional dynamics 262
  - rescue effects 201
  - stable equilibrium of habitat occupancy 230
    - steep margins 289
- microorganisms 240, 241
- migration
  - rate 32, 261
    - rescue effect 266
    - tension zones 281
  - migrational load 279
  - Milankovitch variability 136, 137, 140, 141
    - diversity in Cenozoic 143–4
    - sea-level change 142
  - Miocene 136
    - cooling 140
    - glacial cycles 144–5
    - Indo-West Pacific (IWP) region 142
  - Miocene–Recent 375
  - moa 347
  - molluscs
    - body size 370, 371
    - extinction 374–6
    - modern fauna 370–1
    - Pleistocene fauna 370–1, 384
    - spatial patterns of functional diversity 380–1
    - speciation rate 146
    - see also* bivalves, marine; gastropods
  - morphology
    - fossil record 379–82
    - spatial patterns of diversity 380
  - morphospace analysis 379–80, 381
  - mortality 195
    - predictions for elevated 199–201
  - mortality rate 76
    - body size 314–16
    - fish 416
    - natural 201
    - optimal size 301–5, 306, 307, 310, 315–16, 317
  - mosaic elements 176
    - model 162
  - multispecies models 75–81
  - multivariate models 8–9

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## INDEX

- mutations
  - beneficial in sink populations 282
  - point 47
  - rate 32
- mutualisms, specialist 121
- Myxophaga 19
- natural experiments 7–8
- natural increase, intrinsic rate 196
- natural selection
  - adaptive body size 180–4, 185
  - allocation strategies 337
  - life histories 198
  - productivity 198
- Neogene
  - planktonic foraminifera 377
  - range shifts 382
- neutral theory of biodiversity and
  - biogeography 45–62
  - criticisms 50–60
  - density dependence 50–5
  - dispersal limitation 50–5
  - energetics 122
  - long-distance dispersal events 55–7
  - phylogeny 57–60
  - predictions 46–50
  - speciation 57–60
  - species abundance 46–8
  - species-area relationships 48–50
- neutral theory of distribution 31–2, 40
  - unified 392
- New Ireland (Papua New Guinea) 347
- New Zealand 347
  - avifauna 348, 349
  - rarity 362
  - extinctions 350
  - species richness 353, 354
- niche(s)
  - apportionment of spatial 79–80
  - breakage 78
  - determination 397
  - differentiation 121, 392
  - exploitation 397
  - invasion 398–400
  - regeneration 120
    - see also* empty niches model
  - niche assembly theory 50
  - niche-filling models 397–400
    - comparative methods 400–1
  - niche models 66, 68, 70, 71
    - birth-death process 78
    - dynamic context 80–1
    - error variance 72, 73
    - resource division 70–3
    - spatially explicit 79, 80
  - North Atlantic Oscillation 136
  - Northern Hemisphere 142–3
- data set 97, 99
- temperature change with latitude 100, 101
- notothenioid fish 140
- null hypothesis 8
  - allometry 300–1
- nutrients 120
  - flow into organism 178
  - linking mechanisms 120
  - oceanic 132
- observational data 8
- Occam's razor 10
- oceanic circulation 135
- oceanic currents 132, 135
- oceanic eddies 132
- oceanic upwellings 141
- Oligocene, Indo-West Pacific (IWP) region 142
- ontogenetic growth/development 415
- Ordovician
  - marine diversification 143
  - marine gastropods 377
- organism trade-offs in maintenance and production 178–80
- Ornstein–Uhlenbeck process 393, 395–6, 397, 401, 405
- overexploitation 346
- palaeobiological consensus paper 91
- palaeobiological research 368–9
  - quantification of dynamics 384
- Palaeocene 135, 136
- palaeoecology 133
- Palaeozoic 134, 379
- PAN (annual rainfall) 110, 112–13, 114, 115, 116
- plant richness 120
- partitioning, allometric scaling 326–31
- Parus caeruleus* (blue tit) 229
- passive diffusion with a lower bound model 163
- patch-occupancy models 74, 75
- patchy environments 264, 288–9
  - see also* habitat patch
- pathogens, mutualisms 121
- patterns 9–10, 410
  - distribution of species 65, 66
  - echo 95, 96
  - evolutionary history effects 27–8
  - geographical and species richness 17
  - global scale 130–1
  - human impact 361–2
  - internal structure alteration 354
  - large-scale 360–2
  - local scale 117
  - scale invariance 64

## INDEX

- single explanations 10
- survivorship 415, 416
- universal processes 410–11
  - see also* abundance patterns; species richness, patterns
- PEMIN (minimum monthly PET) 110, 112–13, 114
- periwinkle 275
- pest mutualisms 121
- pest pressure hypothesis 120–1
- PET (potential evapotranspiration) 110, 112–13, 114
- Phalanger orientalis* (gray cuscus) 347
- Phanerozoic 134
  - diversity 143
    - marine 145
  - see also* fossil record
- phenotypic traits 279
- phylogenetic approach to body size 161–2, 164–8
- phylogenetic inheritance, shared 9
- phylogenetic non-independence 391–2
- phylogenetic-subtractive methods 400
- phylogeny, neutral theory of distribution 57–60
- phytoplankton, allometric scaling of population density 332–3, 334
- Pinus radiata* (Monterey pine) 239, 247, 248–9, 250–3
- Pinus* spp.
  - phylogenetic tree 250, 251
  - secondary radiation 250, 251, 252
- Pinus sylvestris* (Scots pine) 239, 246–7, 248–9, 250–3
- plant(s)
  - biomass production 325, 326
  - community structure and metabolism 333–5
  - density scaling 332–3, 414, 415
  - energy 110
    - processing 336
  - finite rate of population increase 257–8
  - flowering 240, 242–3, 244–5, 246–7, 248–9, 250–3
  - distribution comparative analyses 243, 246–7, 248–9, 250–3
  - heavy metal tolerance 275, 292–3
  - mass and population density 332–3
  - metabolic scaling 322, 324–5, 326, 414
  - niche invasion 399
  - occupancy and abundance relationship 268
  - patchy populations 268
  - population density allometric scaling 331–3
  - richness and climate-controlled water-energy dynamics 110, 111
    - see also* metapopulation
  - species in tree-less landscapes 123
  - stem sap flux 324–5
  - taxa differences 326–31
  - taxon-specific patterns of biomass partitioning 336–7
  - thinning law 410
  - tissue density 329–31
  - WBE model 323–4, 326–7
- plant size
  - abundance 333
  - distribution 335, 337
  - frequency distribution 335
  - hydrodynamic resistance 324
  - individuals per sample area 335, 336
  - population density 333, 334
- Pleistocene 136
  - climatic changes 368
  - fossil record 382–4
  - molluscan fauna 370–1, 384
- point mutation 47
- polar glacial processes, Indo-West Pacific region 142
- polar marine fauna, diversity 139–41, 146
- pollinators, mutualisms 121
- Polynesians 346, 348, 382
- Polypaga 19, 20
- population
  - declining 220
    - extinction risk 222, 223
    - factors affecting 231
  - density-dependent 225–6, 227, 228–9
  - density-independent 219–20, 221, 222–3, 224, 225
  - energy use 73
  - finite rate of increase 257–9
  - fluctuations 230
  - growth 196, 197
  - maximum sustainable yield 200
  - persistence 256, 259
  - processes 256–71
  - regional numbers and local abundance 262–4, 265, 266, 267, 268–70
  - sink 260, 279, 289
    - beneficial mutations 282
  - small
    - behavioural changes 223, 225
    - decline 220
  - source 260, 279, 289
  - spatially structured 229–30
  - vulnerability 198–204
    - causes 199
    - definition 199
    - life histories 204, 205–6, 207–11
    - mortality prediction 199–201

## INDEX

- population density
  - adaptation 279
  - allometric scaling 332–3
  - body mass 71–2
  - gradient 278
  - plant size 333, 334
  - scaling 332–3
  - trough 278
- population dynamics 9
  - life histories 195, 196, 197
  - stochastic components 219
  - stochastic events 220
  - vital rates 262–4, 265
- population growth rate
  - density-dependent populations 225
  - maximal 415
  - stochastic 223, 224, 225
- population size
  - birds 355–60
  - extinction risk 231–2
  - habitat occupancy 264, 265
  - range size 350, 352, 353
  - scaling from local to regional 267, 268
  - unstable equilibrium point 258–9
- power fraction model 70, 71, 74
- power law of variability 410, 420
  - behaviour 64
- predation
  - pressure 198
  - susceptibility 362
- predators, introduced 202
- Preston's canonical distribution of abundance 410
- Preston's log-normal model 66–8
- primates 203
  - adaptive radiation 403, 404
  - rarity 210
- production rate
  - optimal size 301–5, 306, 307, 310, 315
  - wasteful-frugal strategy axis 314
- productivity 115–17, 118
  - diversity 93–4
  - relationships 117, 118
  - unimodal relationships 115
- latitudinal gradient 93–4
- measurement 117
- natural selection 198
- net primary (NPP) 115, 116, 122
  - grasslands 123
- partitioning 333
- shifts 368
- species richness 115–17, 118
- protozoa 240
- provinces
  - area 103, 104
  - species diversity 96–7, 98, 99
- biogeographical 138–9
- diversification 139
- diversity 103, 143
- geographical range of species 89
- latitudinal gradients 90, 96–7, 98, 99, 104, 138–9
  - marine environment 138–9
- pseudo-endemic species 350
- pseudoreplication 159–60
- pseudosinks 260
- quantitative trait
  - evolution 279–81
  - genetic variance 281
- quarter-power scaling 412, 414
- Quaternary extinction 346
- Quercus* spp. insect species abundance 33, 35, 36
- rainfall, plant species richness 110, 112–13, 114, 115, 120
- random fraction model 70, 71
- range bleeding 103
  - intensity 99–100
- range boundaries 259, 260
- range limits/limitation
  - Allee effect 258
  - demographic processes 257–62
  - dispersal 259–60
  - individual-based simulation 283–4
  - mating area 285
  - metapopulation 261–2
- range margins 274
  - Allee effect 285, 288
  - causes 282
  - epistasis 289–90, 291
  - expansion 277, 281
    - genetic architecture of traits 282
    - genetic change 290, 291
    - multiple character changes 290
  - external 277
  - gene flow 292–3
    - internal 277
  - Kirkpatrick and Barton model 279–81
  - non-uniform environmental gradients 288–9
  - overlapping 282
  - patchy environments 288–9
  - species interaction 282–3
  - stable 292
  - tension zones 278, 281
  - types 277–8
- range size
  - abundance correlation 256, 257, 263–4, 269
  - changes 355
  - evolutionary dynamics 374
  - expansion in marine fossil record 370–1

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## INDEX

- islands 350
- local abundance 262–4, 265, 266, 267, 268–70
- mammals 350, 353
- population size 350, 352, 353
- speciation rate 92
- species
  - abundance 74
  - distribution 350, 352, 353, 360
- Rapoport's rule 410
- Rattus exulans* (kiore; Pacific rat) 347
- Red Data Book, invertebrate species 204
- regeneration niches 120
- regression analysis 418
- relative rate difference (RRD) 161–2, 166, 168
- reproduction
  - allometric constraints 178–9
  - energy requirement 186
  - life histories 198
  - output and optimal size 301–5
  - trade-off with growth 178–9, 180
- reproductive allocation, lifetime 314, 315
- reproductive number 76, 77, 78
- reproductive power optimization 163–4
- reproductive strategies in marine invertebrates 369
- reproductive tissue growth 178
- reptiles 209
  - population vulnerability and life histories 205–6, 209
- rescue effects in metapopulation processes 264, 266, 267, 268
- reserve size, carnivores 213
- resources
  - acquisition 74, 78, 80–1
  - rate and body size 307, 308, 309, 316
  - wasteful–frugal strategy axis 314
- allocation 412
- allometric scaling of requirements 414
- apportionment 74, 81
- conversion 74
- division 70–3
- extraction from environment 177
- limitations 414, 419
- mosaic elements 176
- spatial arrangement 176
- uptake 412
- use rate by vascular plants 323, 324
- Rossby internal deformation scale 131–2
- sample-size bias 90
- satellites 5
- scale 108–9, 114
  - geographical 116–17
- scaling 321–37
  - biomass partitioning 326–7
- metabolic production 326–7
- variation 413
  - see also* allometric scaling; metabolic scaling
- seasonality 124
- seawater temperature 132
  - global 135–6, 138
  - Indo-West Pacific (IWP) region 142
- seed-dispersal, mutualisms 121
- selection pressures 181–2
  - temporal fluctuations 289
- sequential niches model 398–9, 400
  - tree structure imbalance 403, 404
- Shakespeare, word use distribution 35, 37, 40
- shifting baseline syndrome 382
- silversword alliance, Hawaii 392
- sister comparisons 22
- site occupancy
  - habitat patch proximity 261
  - intraspecific patterns for mobile species 268–9
- snail, littoral 275
- snakes 209
- soil nutrients 120, 124
- somatic tissue growth 178
- source–sink dynamics 260
- space occupation 74
- sparrowhawk 229, 269
- spatial niche apportionment 79–80
- spatial scales 2–3, 114, 131–3, 409
  - conservation biology 346, 355–60
- speciation 17, 18–19
  - aquatic beetles 23–5, 28
  - dispersal 376–7
  - empty niche invasion 400
  - fossil record 374, 376–7, 378, 379
  - gastropods 377, 378
  - human impact 361
  - modelling 88
  - neutral theory of distribution 57–60
  - new habitat invasion 392
  - niche-filling models 397–8
  - parapatric 288
  - per-species rates 377
  - peripheral isolate 58–9, 60
  - point mutation 47, 50, 57–60
  - random fission 47, 50, 57, 58
  - rate 46, 88, 89
    - diversity 91–2
    - molluscs 146
    - per-taxon 91
  - species–body mass distribution 362
  - steady state 89
  - trait
    - divergence 394
    - value changes 397
  - zones of different areas 100
    - see also* allopatric speciation

## INDEX

- speciation-extinction dynamics 9
- species
  - climatic tolerance of new 99–100
  - density 114
  - descendants 167–8
  - establishment rate 168–9
  - fast–slow continuum 198
  - key 347
  - lifespans 58
  - loss 355
  - rare/rarity 47, 64, 203
    - birds 357, 359–60, 362
    - dispersal limitation 53
    - Fisher's log-series model 66
    - frequency 68
    - local extinction 47, 48
    - primates 210
  - sympatric coexistence of ecologically equivalent 120
  - turnover 114, 117
- see also* distribution of species; diversity
- species abundance 50
  - distribution 66, 79–80, 348, 350, 351
    - interspecific relationships 7
  - equilibrium 76
  - large spatial scales 67–8, 69
  - mechanistic models 7
  - neutral theory 46–8
  - patterns 31, 38–40, 65, 66
  - range size 74
  - relative 60, 65
  - reproductive number 76–7
  - within-patch dynamics 74
- Species of European Conservation Concern (SPEC) 352
- species richness 114
  - beetles, aquatic 17–29
  - body size 17
  - clades 17–18
  - climate 110, 111, 112, 113, 115
  - first arrivals on islands 382
  - geographical patterns 17
  - gradients 350, 353–5
  - islands 353
  - latitudinal gradient 382
  - linking mechanisms 117, 119–22
  - macroevolutionary approaches 18–19
  - mammals 123
  - marine bivalves 380–1
  - morphospace volume occupied 380
  - patterns 28, 117, 119
    - aquatic beetles 17–29
  - plants
    - mammal correlation 123
    - rainfall 120
  - productivity 115–17, 118
- transcalar models 124
- species-area relationships 48–50
  - intraprovincial 103
- species-energy hypothesis 109–10
- specific leaf area (SLA) 329
- statistics 8–9, 418–19
- stem sap flux 324–5
- stoichiometry, chemical 418, 419
- subclades 163, 164–5
- Sugihara's fixed fraction model 70, 71
- survival, population size effects 201
- survivorship 182, 183
  - geographical range 374–5
  - patterns 415, 416
- swallow, barn 222, 223
- swamping hypothesis 292–3
- symmetric models 51
- sympatry 25, 361
  - ecologically equivalent species 120
- Syrphidae 204
- taxa
  - age and body size 159–61
  - body size diversification 174–5, 185
  - pseudoreplication 159–60
  - sister 166
- taxonomic distinctness index in birds 210
- taxonomy, fossil record 379–82
- tectonic activity
  - Cenozoic 135–6, 143
  - frequency 137
  - Indo-West Pacific (IWP) region 142
- temperate forest, bird density 355
- temperature
  - amphibian diversity 417
  - Arabidopsis thaliana* distribution 242
  - biomes 102–3
  - cycles 132
  - fish mortality 416
  - global terrestrial 136
  - mammals 123
  - metabolic rate 412–13
  - metabolic scaling theory 412–13, 417–18
  - seawater
    - global 135–6, 138
    - Indo-West Pacific (IWP) region 142
  - tolerance of *Pinus* spp. 247, 249
  - tropical 100, 101
- temporal scales 2, 3, 4, 131–3, 409
  - conservation biology 346–8, 349, 350, 351–2, 353–5
- tension zone model 276, 288
- tension zones
  - position determination 278
  - range margins 278, 281

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

## INDEX

- terrestrial ecosystem productivity 414
- terrestrial environment
  - evolutionary history 134–5
  - extinctions 138
  - physical/biological processes 132–3
  - spatial scales 132, 133
  - temperature cycles 132
  - temporal scales 132, 133
  - variability difference from marine 133
- Tertiary mammals 170
- thermohaline circulation 135
- thinning law of plant ecology 410
  - resource-based 414
- ticks 347
- tissues
  - coordination 177
  - density 329–31
- tit, blue 229
- toad 276–7, 288
- topography 124
- trade-off model 50
- trait(s)
  - change
    - mode 398
    - non-Brownian component 400–1
  - distribution 398–400
  - divergence estimation 394
  - functional 18
  - genetic 281
  - space constraints 395–6
  - variance accumulation rate 395
- trait evolution
  - adaptive radiation 404
  - bivariate 393–6
  - ecological model 397
  - non-Brownian 401, 402
- trait values
  - adaptive constraint 397
  - changes 397
  - variance 393, 394, 395
- transformations 360–1
- tree species
  - density dependence 54–5
  - dispersal limitation 54
  - distribution comparative analysis 243, 246–7, 248–9, 250–3
  - dominance–diversity curve 47, 48
  - energy equivalence 122
  - productivity–species richness relationships 116–17
  - richness 109–10, 111–12, 113, 114, 115
- trees
  - allometric growth prediction 331
  - climatic controls on diversity 107
  - closed canopy forest 336
  - critical climatic thresholds 122
- energy budgets 110
- heat 110
- imbalance 403, 404
- light 110
- limits of growth 110
- metabolic scaling 414, 415
- size and number of individuals per sample
  - area 335, 336
- stem growth rate 329, 330
- structure 401, 403, 404
- trophically similar species 45–6
- tropical forest
  - bird density 355
  - density dependence 47, 48, 54–5, 120, 121
  - dispersal distance 56
  - fragmentation 211
  - linking mechanisms 117, 119
  - mammals 210–11
  - NPP 115, 116, 122
  - regeneration opportunity 120
  - species aggregation 120
  - stem growth rate of trees 329, 330
  - subsistence hunting 211
  - tree allometric growth prediction 331
- tropical provinces 96–7, 98
  - diversity 103
- tropics
  - area 100, 103
  - regional diversity 130, 131
  - Cenozoic 145–6
- turnover 119–20
- unified neutral theory 392
- unified phenomenological theory of biodiversity 31–40
- vascular plants, WBE model 323–4, 326–7
- vegetation zonation, grazing around watering points 259
- Vulpia* 260
- warblers, leaf, feeding traits 401, 402
- waste products, oceanic 132
- wasteful strategies 313–14, 315
- water
  - surface 124
  - see also* marine environment; seawater
  - temperature
- water–energy dynamics 109–10, 111–12, 113, 114, 115
  - seasonality 124
- watering points, grazing around 259
- West, Brown and Enquist (WBE) model 322–5, 326–7
  - biomass production rate 328
  - tissue density 329

Cambridge University Press

0521839963 - Macroecology: Concepts and Consequences - The 43rd Annual Symposium of the British Ecological Society held at the University of Birmingham, 17-19 April 2002

Edited by Tim M. Blackburn and Kevin J. Gaston

Index

[More information](#)

INDEX

xylem conduits 323–4  
Yule distribution 32–3  
    failure 37–8  
    fitting to data 33, 34, 35, 36, 37

zero-sum rule 45, 46  
multinomial distribution 47  
niche models 70  
zones of different areas 100