

## Index

---

- a-maximization of a partition sequence pair, 174
  - and the characterization of Pareto maximality without absolute continuity, 175
  - iterative nature of, 177
- absolute continuity, 13
- Akin, E., 173, 190, 221
- Archimedean preference relation, 221
- Arnold, R., 2
- Arrow, K., 417
- arrows, positive-to-positive, positive-to-zero, zero-to-positive, 209
- Austin, A. K., 4
  
- b-maximization of a partition sequence pair, 179
  - and the characterization of Pareto maximality without absolute continuity, 180
  - iterative nature of, 177–178
- Banach, S., 2, 3, 4
- Barbanel, J. B., 4, 5, 15
- Bell, J. L., 417
- Berliant, M., 341
- Bolker, E. D., 76
- boundary of the IPS
  - outer and inner
    - in the general n-player context, 97
    - in the two-player context, 32
  - Pareto boundary of the IPS, relationship between
    - without absolute continuity, 43–45, 115, 116
    - in the general n-player context, 98, 100, 102
    - in the two-player context, 33
- Brams, S. J., 2, 3, 5
  
- c-envy-free points. *See* chores envy-free points
- c-envy-freeness. *See* chores envy-freeness
- c-non-wasteful, 183
- c-proportional points. *See* chores proportional points
- c-proportionality. *See* chores proportionality
- chores concentration of the RNS, 330
  - and hyperplanes, families of, 332
  - and line segments on the inner Pareto boundary of the IPS, 332
  - and the minimization of convex combinations of measures, 331
  - and p-classes, 331
  - and relative agreement, 330
  - and chores w-association, 331
- chores cyclic boundary condition, 393
  - and strong Pareto minimality, 393–394
- chores cyclic product (CCP), 207
  - without absolute continuity, 218–219
- chores cyclic sequence (CCS), 207
  - without absolute continuity, 218–219
- chores envy-free points. 72. *See also* chores envy-freeness
- number, 94–95
  - without absolute continuity, 114
- chores efficiency (of a transfer), 368
  - and chores partition ratios
    - in the general n-player context, 368
    - in the two-player context, 368
  - and chores partition ratio functions, 369

- chores envy-freeness. 11–12. *See also* fairness;  
 chores envy-free points  
 with Pareto minimality, 351
- chores  $i, j$  boundary associated with  $\omega$ , 393
- chores partition ratios ( $qr_{ij}$ ), 207  
 without absolute continuity, 217  
 and the characterization of Pareto  
 minimality, 207  
 without absolute continuity, 219  
 and chores efficiency (of a transfer),  
 in the general  $n$ -player context, 368  
 in the two-player context, 368  
 and chores  $w$ -association, 358  
 without absolute continuity, 384  
 and the minimization of total utility, 368  
 and strong Pareto minimality, 393–394
- chores partition ratio functions ( $Qr_{ij}$ ), 369  
 and chores efficiency (of a transfer), 369
- chores proportional points. *See also* chores  
 proportionality  
 definition  
 in the general  $n$ -player context, 72  
 in the two-player context, 29
- number  
 in the general  $n$ -player context, 85–86  
 in the two-player context, 30  
 without absolute continuity, 42, 112
- and Pareto minimal points  
 without absolute continuity, 53–54, 132  
 number in the general  $n$ -player context,  
 109  
 number in the two-player context, 40
- chores proportionality. 11–12. *See also*  
 fairness; chores proportional points
- chores separability of the RNS, 332  
 and chores  $w$ -association, 334  
 and hyperplanes, families of, 334  
 and edge points, 334  
 and the minimization of convex  
 combinations of measures, 334  
 and  $p$ -classes, 334
- chores setting, 10
- chores  $w$ -association, 241, 258  
 and the characterization of Pareto  
 minimality, 260  
 without absolute continuity, 284  
 using hyperreals, 443  
 and the chores concentration of the RNS,  
 331  
 and chores partition ratios, 358  
 without absolute continuity, 384  
 and the chores separability of the RNS, 334
- and the minimization of convex  
 combinations of measures, 259  
 and strong Pareto minimality, 393–394
- concentration of the RNS, 309  
 without absolute continuity, 338  
 and hyperplanes, families of, 313  
 and the  $i, j$  boundary associated with  $\omega$ , 311  
 and line segments on the outer Pareto  
 boundary of the IPS, 314  
 and the maximization of convex  
 combinations of measures, 313  
 and  $p$ -classes, 312, 313  
 and relative agreement, 311  
 and strong chores-envy-freeness together  
 with Pareto minimality, 351  
 and strong chores-envy-freeness together  
 with strong Pareto minimality, 415  
 and strong envy-freeness together with  
 Pareto maximality, 350  
 and strong envy-freeness together with  
 strong Pareto maximality, 414  
 and  $w$ -association, 312, 339
- convex combinations  
 of elements of  $\mathbf{R}^n$ , 15  
 of measures, 163  
 positive, 172  
 of partitions, 374
- convex hull, 15
- convexity  
 and efficiency properties, 106–107  
 without absolute continuity, 134  
 and fairness properties, 96  
 without absolute continuity, 134  
 of the FIPS, 70  
 of the IPS, 17, 57  
 of subsets of Part, 374  
 and  $w$ -association  
 subsets of Part, 375  
 subsets of S, 375
- Conway, J., 3, 4
- corner points of the IPS, 305
- cyclic boundary condition, 386–387  
 and strong Pareto maximality, 388, 391
- cyclic sequence (CS), 202  
 without absolute continuity, 175, 212–213
- cyclic product (CP), 202  
 without absolute continuity, 180, 212–213
- cyclic trade (CT), 192
- Dall’Aglia, M., 173
- density functions, 221

- directed graphs associated with transitions  
 between partitions  $(G(P, Q))$ , 198  
 without absolute continuity, 209
- divide-and-choose procedure, 1, 2, 3
- Dubins, L. E., 4
- Dunz, K., 341
- Dvoretzky, A., 8
- Dvoretzky, Wald, and Wolfovitz's theorem, 8,  
 9, 16, 17, 57, 70
- edge points of the IPS, 324–325, 334  
 and the chores separability of the RNS, 334  
 and the separability of the RNS, 325
- efficiency (of a partition). 1, 12. *See also*  
 Pareto optimality; Pareto maximality;  
 Pareto minimality; strong Pareto  
 maximality; strong Pareto minimality  
 without absolute continuity, in the  
 two-player context, 43–51  
 and fairness  
 without absolute continuity, 341–351  
 in the general  $n$ -player context, 107–111  
 in the two-player context, 37–41  
 and the IPS in the two-player context, 31–36  
 and the IPS in the general  $n$ -player context,  
 96–107
- efficiency (of a transfer), 360, 366  
 without absolute continuity, 380, 383  
 and partition ratios  
 without absolute continuity, 380–381  
 in the general  $n$ -player context, 361  
 in the two-player context, 360  
 and partition ratio functions, 367  
 and trades, 358–369
- egalitarian partitions, 110–111  
 without absolute continuity, 133–134
- envy-free points, 71. *See also* envy-freeness  
 number, 87  
 without absolute continuity, 113
- envy-freeness, 3, 4, 11. *See also* fairness;  
 envy-free points  
 and the FIPS, 70, 71  
 with Pareto maximality, 341  
 relationship to other fairness properties, 11  
 in the two-player context, 25
- faces of the simplex, 261  
 proper, 261–265, 266
- fairness, 10–11. *See also* proportionality;  
 strong proportionality; envy-freeness;  
 strong envy-freeness; super  
 envy-freeness; chores proportionality;  
 strong chores proportionality; chores  
 envy-freeness; strong chores  
 envy-freeness; super chores  
 envy-freeness  
 without absolute continuity, in the  
 two-player context, 41–43  
 and efficiency  
 without absolute continuity, 341–351  
 in the general  $n$ -player context, 107–111  
 in the two-player context, 37–41  
 and the IPS in the two-player context, 25–31  
 and the IPS and FIPS in the general  $n$ -player  
 context, 77, 82–96
- fixed point, 342
- flat region of the IPS, 317
- Foley, D., 3
- For All Practical Purposes: Introduction to  
 Contemporary Mathematics*, 2
- fp-classes, 72  
 without absolute continuity, 113–114, 115  
 and fairness properties, 94, 96
- fp-equivalence, 72  
 without absolute continuity, 113, 114  
 and fairness properties, 92–93, 95
- fs-classes, 72  
 without absolute continuity, 113–114, 115  
 and fairness properties, 94, 96
- fs-equivalence, 72  
 without absolute continuity, 113, 114  
 and fairness properties, 92–93, 95
- Full Individual Pieces Set (FIPS), 70
- Gale, D., 3, 4
- Gamow, G., 3
- Grunbaum, B., 77, 164
- Handbook of Mathematical Economics*, 417
- Harrington, J., 1
- Henle, J., 417
- hypercube, unit, 15
- hyperplanes, 77, 82–96  
 families of, 166, 168, 299–300, 313–314,  
 324, 332, 334, 363–365, 442  
 without absolute continuity, 178
- hyperreal numbers, 417–418  
 infinite, 418  
 order of, 436  
 and Pareto maximality  
 characterization of, 436, 442  
 in the three-player context, 424–432  
 in the two-player context, 419–424  
 and Pareto minimality, characterization of,  
 443

- i, j* boundary associated with  $\omega$ , 310–311  
 and the *i, j*-concentration of the RNS, 311  
 and relative agreement, 311
- Individual Pieces Set (IPS)  
 definition  
   in the general *n*-player context, 56  
   in the two-player context, 16  
 and the Radon-Nikodym Set (RNS),  
   relationship between, 298–351  
   in the general *n*-player context, 308–335  
   in the two-player context, 301–308  
   without absolute continuity, 336–341
- shape  
   in the general *n*-player context, 57,  
   60–67, 291–297  
   in the two-player context, 16–18,  
   286–290  
   without absolute continuity, 338–341
- infinitesimals, 416, 417  
 infinitesimally close, 418  
 Intriligator, M. D., 417
- jagged points of the IPS, 325–327, 357
- k*-partitions, 449  
 Kakutani, S., 341  
 Kakutani's fixed point theorem, 342, 343, 344,  
 345–349  
 Keisler, H. J., 417  
 Kleinberg, E. M., 417  
 Knaster, B., 2, 3, 4  
 Kuhn, H. W., 2
- Leibniz, G., 416  
 line segments in  $\mathbf{R}^n$ , 73  
 Lyapounov, A., 8  
 Lyapounov's theorem, 8, 76
- maximization of convex combinations of  
 measures, 163  
   and the characterization of Pareto  
   maximality, 164  
   using hyperreals, 442  
   and the concentration of the RNS, 313  
   and the separability of the RNS, 323  
   and *w*-association, 241, 244
- measures, countably additive, 7  
 concentration on disjoint sets, 45, 117  
 concentration on the complements of  
 disjoint sets, 117  
 non-atomic, 7  
 probability measure, 7
- minimization of convex combinations of  
 measures, 168  
   and the characterization of Pareto  
   minimality, 184  
   without absolute continuity, 187, 204  
   using hyperreals, 443  
   and the chores concentration of the RNS,  
   331  
   and the chores separability of the RNS, 334  
   and chores *w*-association, 259
- Moulin, H. J., 1, 4  
 moving-knife schemes, 4
- Multi-Cake Individual Pieces Set (MIPS)  
   in the general *n*-player context, 447–450  
   in the three-player context, 444–447
- Newton, I., 416  
 Neyman, A., 76  
 Neyman, J., 4, 5  
 non-standard analysis, 416
- One Piece Set (OPS), 76
- p*-class  
   in the general *n*-player context, 56–57  
   without absolute continuity, 112,  
   120–121, 131–132, 133  
   and the chores concentration of the RNS,  
   331  
   and the chores separability of the RNS,  
   334  
   and the concentration of the RNS, 312,  
   313  
   and efficiency properties, 105, 106  
   and fairness properties, 85, 86  
   and fairness and efficiency properties  
   together, 108, 109–110  
   and the separability of the RNS, 320–321,  
   323  
   and strong Pareto maximality, 388, 391  
   and strong Pareto minimality, 393–394
- in the two-player context, 23  
   without absolute continuity, 42–43, 49,  
   51, 53, 54–55, 411–412  
   and efficiency properties, 36  
   and fairness properties, 29, 30–31  
   and fairness and efficiency properties  
   together, 39–40, 41  
   and strong Pareto optimality, 399
- p*-equivalence  
   in the general *n*-player context, 56–57

- without absolute continuity, 112, 120, 131, 132–133
- and efficiency properties, 105, 106
- and fairness properties, 85, 86
- and fairness and efficiency properties together, 108, 109
- and strong Pareto maximality, 388, 391
- and strong Pareto minimality, 393–394
- in the two-player context, 23
  - without absolute continuity, 42, 48, 51, 52–53, 54
  - and efficiency properties, 36
  - and fairness properties, 28, 30
  - and fairness and efficiency properties together, 38–39, 40
- Pareto bigger
  - in the general  $n$ -player context, 97
  - in the two-player context, 12
- Pareto boundary of the IPS
  - outer and inner
    - in the general  $n$ -player context, 97
    - ( $m, n$ )-, 446
    - in the two-player context, 32
  - boundary of the IPS, relationship between
    - without absolute continuity, 43–45, 115, 116
    - in the general  $n$ -player context, 98, 100, 102
    - in the two-player context, 33
- Pareto smaller
  - in the general  $n$ -player context, 3
  - in the two-player context, 12
- Pareto, Vilfredo, 1
- Pareto maximal points. *See also* Pareto maximality; Pareto optimality
  - definition
    - in the general  $n$ -player context, 97
    - in the two-player context, 31
  - and families of parallel hyperplanes, 166, 168
    - without absolute continuity, 178, 442
  - and families of parallel lines, 160–163, 167–168, 306, 307
    - without absolute continuity, 170–173, 177–178, 420–423
  - number
    - without absolute continuity, 46, 118
    - in the general  $n$ -player context, 102
    - in the two-player context, 34
  - number that are not strongly Pareto maximal
    - without absolute continuity, 410, 412
    - in the general  $n$ -player context, 401
  - in the two-player context, 395
  - and proportional points
    - without absolute continuity, 51–52, 129–130
    - number in the general  $n$ -player context, 107–108
    - number in the two-player context, 37
  - and strongly proportional points
    - without absolute continuity, 51–52, 129–130
    - number in the general  $n$ -player context, 107–108
    - number in the two-player context, 37
- Pareto maximality, 12. *See also* efficiency; Pareto maximal point; Pareto optimality
  - without absolute continuity
    - characterization involving the
      - a-maximization of partition sequence pairs, 175
      - b-maximization of partition sequence pairs, 180
    - characterization involving hyperreals and the maximization of convex combinations of measures, 442
    - characterization involving partition ratios, 214
    - characterization involving  $w$ -association, 277
    - characterization involving  $w$ -association and hyperreals, 436
    - and the maximization of convex combinations of measures, other results involving, 172
    - and  $w$ -association, other results involving, 261–265, 266
  - characterization involving the maximization of convex combinations of measures, 164
  - characterization involving partition ratios, 204
  - characterization involving  $w$ -association, 246, 258
  - classifying the failure of, 369–374
  - with envy-freeness, 341
  - and the maximization of total utility, 364
    - without absolute continuity, 381–383
  - with strong envy-freeness, 350, 408
  - and strong Pareto maximality, 386, 388, 391–393
  - without absolute continuity, 409–410

- Pareto minimal points. *See also* Pareto minimality; Pareto optimality  
 and chores proportional points  
   without absolute continuity, 53–54, 118, 132  
   number in the general  $n$ -player context, 109  
   number in the two-player context, 40  
 definition  
   in the general  $n$ -player context, 97  
   in the two-player context, 31  
 number  
   without absolute continuity, 46  
   in the general  $n$ -player context, 102  
   in the two-player context, 34  
 number that are not strongly Pareto minimal  
   without absolute continuity, 411, 413–414  
   in the general  $n$ -player context, 409  
   in the two-player context, 398–399  
 and strongly chores proportional points  
   without absolute continuity, 53–54, 132  
   number in the general  $n$ -player context, 109  
   number in the two-player context, 40  
 Pareto minimality, 12. *See also* efficiency;  
   Pareto minimal point; Pareto optimality  
 without absolute continuity  
   characterization involving hyperreals and the minimization of convex combinations of measures, 443  
   characterizations involving the minimization of convex combinations of measures, 184, 187  
   characterization involving chores partition ratios, 219  
   characterization involving chores  $w$ -association, 284  
   characterization involving chores  $w$ -association and hyperreals, 443  
   and the minimization of convex combinations of measures, other results involving, 182  
   characterization involving the minimization of convex combinations of measures, 168  
   characterization involving chores partition ratios, 207  
   characterization involving chores  $w$ -association, 260  
   classifying the failure of, 374  
   with chores envy-freeness, 351  
   and the minimization of total utility, 368  
   with strong chores envy-freeness, 351  
   and strong Pareto minimality, 386, 393–394  
   without absolute continuity, 409–410  
 Pareto optimality 1, 12. *See also* efficiency;  
   Pareto maximality; Pareto minimality;  
   Pareto maximal points; Pareto minimal points  
   classifying the failure of, 369–374  
 partitions, 8  
 partition ratios ( $pr_{ij}$ ), 202  
   without absolute continuity, 211–212  
   and the characterization of Pareto maximality, 204  
   without absolute continuity, 214  
   and efficiency (of a transfer)  
     without absolute continuity, 380–381  
     in the general  $n$ -player context, 361  
     in the two-player context, 360  
   and the maximization of total utility, 365  
   without absolute continuity, 383  
   and strong Pareto maximality, 388, 391  
   and  $w$ -association, 352–358  
     without absolute continuity, 377  
 partition ratio functions ( $Pr_{ij}$ ), 366  
   without absolute continuity, 383  
   and efficiency (of a transfer), 367  
 partitioning postulate, 3  
 partition sequence pair, 173  
 point-to-set mappings, 342  
 positive cyclic trades, 192  
   without absolute continuity, 208  
 proper subpartition Pareto maximality, 152  
   and Pareto maximality, 152–154, 206, 246–249  
 proper subpartition Pareto minimality, 158  
   and Pareto minimality, 158–159  
 proper matrices, 76  
 proportional points. *See also* proportionality  
 definition  
   in the general  $n$ -player context, 71  
   in the two-player context, 26  
 number  
   in the general  $n$ -player context, 84  
   in the two-player context, 27  
   without absolute continuity, 41–42, 111  
   and Pareto maximal points  
   without absolute continuity, 51–52, 129–130

- number in the general  $n$ -player context, 107–108
  - number in the two-player context, 37
- proportionality, 3, 11. *See also* fairness; proportional point
- and the FIPS, 70, 71
- relationship to other fairness properties, 11
  - in the two-player context, 25
- Radon-Nikodym derivative, 221
- Radon-Nikodym Set (RNS), 222
  - and the Individual Pieces Set (IPS), relationship between, 298–351
  - in the general  $n$ -player context, 308–335
  - in the two-player context, 301–308
  - without absolute continuity, 336–341
- Radon-Nikodym theorem, 221
- relation matrices, 149
- relative agreement, 311
  - without absolute continuity, 338
  - and the concentration of the RNS, 311
  - and the  $i, j$  boundary associated with  $\omega$ , 311
  - and  $i, j$  concentration with respect to  $\omega$ , 311
  - and strong chores-envy-freeness together with Pareto minimality, 351
  - and strong chores-envy-freeness together with strong Pareto minimality, 415
  - and strong envy-freeness together with Pareto maximality, 349–350
  - and strong envy-freeness together with strong Pareto maximality, 414
  - and strong Pareto maximality, 391–392
- Rescher, N., 1
- Robertson, J., 2
- Robinson, A., 416, 417
- Rudin, W., 221
- $s$ -classes
  - in the general  $n$ -player context, 56–57
    - without absolute continuity, 112, 120–121, 131–132, 133
    - and efficiency properties, 105, 106
    - and fairness properties, 85, 86
    - and fairness and efficiency properties together, 108, 109–110
    - and strong Pareto maximality, 388, 391
    - and strong Pareto minimality, 393–394
  - in the two-player context, 19
    - without absolute continuity, 42–43, 49, 51, 53, 54–55, 411–412
    - and efficiency properties, 36
    - and fairness properties, 29, 30–31
    - and fairness and efficiency properties together, 39–40, 41
    - and strong Pareto optimality, 399
  - $s$ -equivalence
    - in the general  $n$ -player context, 56–57
      - without absolute continuity, 112, 120, 131, 132–133
      - and efficiency properties, 105, 106
      - and fairness properties, 85, 86
      - and fairness and efficiency properties together, 108, 109
    - in the two-player context, 19
      - without absolute continuity, 42, 48, 51, 52–53, 54
      - and efficiency properties, 36
      - and fairness properties, 28, 30
      - and fairness and efficiency properties together, 38–39, 40
- Saari, D. G., 5
- Selfridge, J., 3, 4
- separability of the RNS, 318
  - without absolute continuity, 338
  - and hyperplanes, families of, 324
  - and edge points, 325
  - and the maximization of convex combinations of measures, 323
  - and  $p$ -classes, 320–321, 323
  - and  $w$ -association, 320–321
- simplex ( $S$ ), 14–15
  - hyperreal ( $S_H^+$ ), 418
- social hierarchy among players, 177, 260–283, 437
- Spanier, E. H., 4
- spread out regions of the RNS, 307
- standard setting, 10
- Steinhaus, H., 2, 3
- Stern, M., 3
- Stromquist, W., 4
- strong  $c$ -envy-freeness. *See* strong chores envy-freeness
- strong  $c$ -proportionality. *See* strong chores proportionality
- strong chores envy-freeness, 12. *See also* fairness; strongly chores envy-free point
  - with strong Pareto minimality, 415
  - with Pareto minimality, 351
- strong chores proportionality, 11–12. *See also* fairness; strongly chores proportional point

- strong envy-freeness, 11. *See also* fairness;  
 strongly envy-free point  
 and the FIPS, 70, 71  
 with Pareto maximality, 350, 408  
 with strong Pareto maximality, 414  
 relationship to other fairness properties, 11  
 in the two-player context, 25
- strong Pareto optimality, 385–415. *See also*  
 efficiency; strong Pareto maximality;  
 strong Pareto minimality  
 existence questions  
 in the general n-player context, 400–409  
 in the two-player context, 394–400
- strong Pareto maximality, 385–386. *See also*  
 efficiency; strongly Pareto maximal  
 point; strong Pareto optimality  
 characterizations, 388  
 without absolute continuity, 409–410  
 and p-classes and s-classes, 399  
 without absolute continuity, 411–412  
 and Pareto maximality, 386, 391–393  
 without absolute continuity, 409–410  
 with strong envy-freeness, 414
- strong Pareto minimality, 385–386. *See also*  
 strongly Pareto minimal point; strong  
 Pareto optimality  
 characterizations, 393–394  
 without absolute continuity, 409–410  
 and p-classes and s-classes, 399  
 without absolute continuity, 411–412  
 and Pareto minimality, 386  
 without absolute continuity, 409–410  
 with strong chores-envy-freeness, 415
- strong proportionality, 11. *See also* fairness;  
 strongly proportional point  
 and the FIPS, 70, 71  
 relationship to other fairness properties,  
 11  
 in the two-player context, 25
- strongly c-envy-free points. *See* strongly  
 chores envy-free points
- strongly c-proportional points. *See* strongly  
 chores proportional points
- strongly chores envy-free points, 72. *See also*  
 strong chores envy-freeness  
 number, 94–95  
 without absolute continuity, 114
- strongly chores proportional points. *See also*  
 strong chores proportionality  
 definition  
 in the general n-player context, 72  
 in the two-player context, 29
- number  
 in the general n-player context, 85–86  
 in the two-player context, 30  
 without absolute continuity, 42, 112  
 and Pareto minimal points  
 without absolute continuity, 53–54, 132  
 number in the general n-player context,  
 109  
 number in the two-player context, 40
- strongly envy-free points, 71. *See also* strong  
 envy-freeness  
 number, 87  
 without absolute continuity, 113
- strongly Pareto maximal points, 394. *See also*  
 strong Pareto maximality  
 number  
 without absolute continuity, 410, 412  
 in the general n-player context, 401  
 in the two-player context, 395
- strongly Pareto minimal points. *See also*  
 strong Pareto minimality  
 number  
 without absolute continuity, 411,  
 413–414  
 in the general n-player context, 409  
 in the two-player context, 398–399
- strongly proportional points. *See also* strong  
 proportionality  
 definition  
 in the general n-player context, 71  
 in the two-player context, 26  
 number  
 in the general n-player context, 84  
 in the two-player context, 27  
 without absolute continuity, 41–42, 111  
 and Pareto maximal points  
 without absolute continuity, 51–52,  
 129–130  
 number in the general n-player context,  
 107–108  
 number in the two-player context, 37
- super c-envy-free points. *See* super chores  
 envy-free points
- super c-envy-freeness. *See* super chores  
 envy-freeness
- super chores envy-free points, 72. *See also*  
 super chores envy-freeness  
 number, 94–95  
 without absolute continuity, 114
- super chores envy-freeness, 12
- super envy-free points, 71. *See also* super  
 envy-freeness



- number, 87
  - without absolute continuity, 113
- super envy-freeness, 11. *See also* fairness; super envy-free points
  - and the FIPS, 70, 71
  - relationship to other fairness properties, 11
  - in the two-player context, 25
  - and the RNS, 229
- super chores envy-freeness, 12. *See also* fairness; super chores envy-free point
- symmetry of the IPS, 17, 60–67
- Tannenbaum, P., 2
- Taylor, A. D., 2, 3, 4, 5
- Thomson, W., 335, 341
- total utility, 165–166, 363
  - maximization of, 363, 365
    - without absolute continuity, 381–383
    - and Pareto maximality, 364
    - and partition ratios, 365
  - minimization of, 368
    - and Pareto minimality, 368
    - and chores partition ratios, 368
- trades, and efficiency (of a transfer), 358–369
- transfers,
  - direct, 359
  - generalized, 359
    - intermediate player of, 359
    - positive, 359
    - without absolute continuity, 379
  - non-trivial collection of, 385
  - zero-to-zero, positive-to-positive, positive-to-zero, zero-to-positive, 184
  - trimming postulate, 3
- upper semicontinuous, 342, 345–349
- w-association, 240
  - without absolute continuity, 275
    - iterative nature of, 273–275, 281–283
  - and the characterization of Pareto maximality, 246, 258
    - without absolute continuity, 277
    - using hyperreals, 436
  - and the concentration of the RNS, 312
  - and the convexity of subsets of Part, 375
  - and the convexity of subsets of S, 375
  - and the maximization of convex combinations of measures, 241, 244, 258
  - and partition ratios, 352–358
    - without absolute continuity, 377
  - and the separability of the RNS, 320–321
  - and the strong Pareto maximality, 388, 391, 392–393
- Wald, A., 8
- wasteful, non-wasteful, 157
- weak additivity postulate, 3
- Webb, W., 2
- Wolfowitz, J., 8
- Weller, D., 151, 193, 220, 240, 246, 341
- Zwicker, W. S., 5