

Index

- absolute frequency 13
- alternative hypothesis 42–43, 47, 696
- alternatives 3–7, 696
 - refining the list of 104
- alternative-specific constants 312, 696
- asymptotic *t*-test 612
- attribute levels 88–93, 696
 - establishing for alternatives in a base year 451–452
 - establishing for alternatives in a forecast year 451–452
 - invariance 93–94, 696
 - refining the list of 105
- attributes 3–7, 696
 - allocating to design columns 131
 - refining the list of 105
- balanced designs 142, 696
- Bayes rule 608
- Bayesian determination 226, 697
- Bayes theorem 610
- Bayesian methods 610
- behavioral choice rule 82
- binary choice 327
- blocking 126, 697
- branches 398, 486
- calibration 438–439
 - to base years 438–439
 - to forecast years 438–439
- calibration constants 114, 697
- Chi-squared distribution 45
- Chi-squared test 332
- Chi-squared value 332
- choice-based sampling 95
- choice-based weights 413
- choice experiment 606
- choice models 7, 78, 82
- choice probabilities 153, 360, 399
 - obtaining for the sample 360
- choice settings 4–5, 697
- choice sets 4, 697
 - generating 4, 166
 - randomizing 170–171
- choice shares 5, 577, 697
- cholesky matrix 673, 698
- closed-form solution 518
- code books 165
- cognitive burden 114, 581, 698
- cognitive sensibility 156, 180
- combining data sources 225
- comparing two models 335
- composite alternatives 483–484, 698
- conditional choices 79, 228, 698
- conditional parameters 631, 683–684
- conditional probability density function (CPDF) 21, 698
- confidence interval 631
- confoundment 76, 141, 350, 698
- conjoint analysis 111, 698
- constant variance 77–78
- constrained distributions 614
- contingency tables 381–383, 699
- convergence 324
- correlated choice situations 617–618
- correlated parameters 667, 676
- correlation 33–34, 59–61, 117, 617–618, 699
- covariance 30–32, 38, 699
- critical value 46, 48
- cross-effect 267
- cross-elasticity 384
- cumulative distribution function (CDF) 16–17, 186, 699
- current alternative 178
- data cleaning 241, 699
- data collection 62, 162, 165, 178
- decision makers 4, 6, 62
- decision rule 49

- decision support system (DSS) 453, 699
 - improving the look of 472
 - using 475
 - using choice data in creating 461
 - using data sample averages in creating 455
- degenerate alternative 502, 571
- degenerate branch 530
- degenerate limb 506
- degenerate nest 572, 574
- degenerate nested logit (NL-DG) 494
- degenerate outcome 494, 699
- degenerate partition 514, 570–571
- degrees of freedom 118, 122–124, 699
- delay choice alternative 176, 230, 699
- design coding 156–157
- design columns 131
- design degrees of freedom 118, 700
- design strategies 107
- direct effect 391
- direct elasticity 384
- distributions 15–17, 39–40, 612, 700
 - imposing constraints on 614, 645
 - lognormal 613, 641
 - non-stochastic 659
 - normal 40, 84, 186, 613
 - selecting the number of points on 614
 - triangular 613, 632, 640
- d-optimality 153
- dummy codes 144, 346
 - interpreting parameters of 344
- effects codes 120
 - interpreting parameters of 344
- elasticities 226
 - arc 392–393, 426
 - cross 384–387
 - direct 384–387
 - point 384–387
- endogenous weighting 413, 700
- endpoint design 114
- error term; random 33
- exogenous weighting 226, 418, 425, 700
- expected value 25–27, 700
- experimental design 100, 245, 700
 - generating 102, 106, 128
 - reducing the size of 114
- extreme value type I (EV1) 84
- factor level 101, 701
- factorial design 109–112
 - full 109, 701
 - fractional 115
- fixed parameters 76, 535, 633, 701
- foldover, 147, 701
- generalised cost 66, 701
- goodness-of-fit 494
- gradient method 609
- grand mean, 116, 120
- Halton draws 616
- Hausman test 519, 701
- heteroskedastic extreme value (HEV) model 494
- heuristic, 106
- hierarchical choice 263
- hypothesis testing 41–43, 46, 701
- identification 85, 538
- importance weights 106
- inclusive value (IV) parameter 493, 547, 559
 - constraining 534–536
 - normalizing 534–536
- income effect 71, 702
- independence of irrelevant alternatives (IIA)
 - assumption 519, 524, 702
- independent and identically distributed (IID) terms 77, 84
- indifference curves 65, 702
- indirect utility 339, 702
- insignificance 351
- interaction effects 116, 123
- inter-attribute correlation 106, 702
- interval-scaled data 10, 703
- iterations to convergence 629
- joint probability density function (JPDF) 21, 703
- joint SP-RP model 589
- kernel density estimator, 684, 703
- labeled alternative 6, 113
- labeled experiment 113–114, 371, 703
- likelihood function 317
- likelihood ratio (LR) test 494, 612
- limbs 530, 703
- limited information maximum likelihood (LIML) 544
- linear restrictions 346, 703
- log likelihood function 153
- lognormal distribution 636
- logsum parameter 487
- main effects 117, 123, 703
- main-effects-only design 124, 127
- maintained assumptions, 76–77, 703
- marginal effects 393, 396, 703
 - categorical coded variables 408
 - reporting 411
- marginal probability density function (MPDF) 21, 703
- marginal utility 76, 108, 635, 704
- market segment 5
- maximum likelihood estimation (MLE) 317, 704
- mixed logit (ML) model 606, 618, 623
 - conditional distribution 610
 - conditional parameters 682
 - correlated choice situations 617–618
 - correlated parameters 667

716 Index

- mixed logit (ML) model (*cont.*)
 - correlation between parameters 618
 - estimation 625–626
 - handling insignificant heterogeneity around mean parameter estimates 661
 - interpreting 627
 - kernel density estimator 684
 - model specification issues 611
 - preference heterogeneity around mean of a random parameter 650, 706
 - selecting random parameters 611
 - selecting the distribution of random parameters 612
 - using random parameter estimates 689–690
 - willingness to pay 686
- mixing distributions 659
- model comparison 335
- model significance 326
- moments 23, 610, 704
- multicollinearity 116, 141, 242, 704
- multinomial logit (MNL) model 263, 384
 - comparing two models 335
 - indirect utility functions 339, 702
 - interactions 76, 116, 702
 - iterations to convergence 629
 - model significance 326, 334, 377
 - obtaining choice probabilities for the sample 360
 - pseudo- R^2 337, 706
 - sample size 184–196, 323–324
 - unlabeled experiments 112–113, 150–151, 371, 711
 - weighting criteria 323
 - willingness to pay 357–358, 686–687
- nested attributes 154
- nested logit (NL) model 482–483
 - combining sources of data 580–581
 - degenerate branch 530, 570
 - degenerate limb 507–508
 - degenerate nest 571, 574
 - degenerate nested logit (NL-DG) 577–580
 - degenerate partition 570–571
 - estimation 519
 - key relationships for establishing 482
 - meaningful linkage mechanism in tree structure 486
 - RU1 (Random utility model 1) 496
 - RU2 (Random utility model 2) 496
 - searching for the best tree structure 494
 - specifying utility functions at higher levels of the tree 564
 - technical details 495
 - three-level models 506
- no-choice alternative 227–228, 704
- nominal-scaled data 9, 704
- non-chosen alternatives 72, 84, 177, 222
- non-random draws 580, 704
- non-stochastic distribution 656, 705
- normal distribution 40, 613
- normalization 489, 705
- null hypothesis 42, 705
- one-tailed tests 43, 705
- ordinal-scaled data 9, 705
- ordinary least squares 326
- orthogonal code 110, 705
- orthogonal design 115
 - main-effects-only 116, 706
- orthogonality 115
- outliers 91
- over-identification 706
- over-sampling 706
- panel data 98, 706
- partial degenerations 574, 706
- part-worth utility 107, 706
- pooling 126, 385, 581
 - data 581
 - design 126
 - naïve 385, 395, 704
- population profiler 442
- population statistics 36
- preference heterogeneity 608, 611, 670, 706
- preferences 6, 63, 177, 706
- probability density function (PDF) 15–16, 706
- probability-weighted sample enumeration 706
- problem definition refinement 104
- profiles 101, 706
- pseudo- R^2 337–338, 545–546, 706
- p -values 50, 707
- quadratic effect 121
- qualitative attributes 107, 157, 707
 - assigning level labels for 107, 157
- quantitative attributes 107, 707
 - assigning level labels for 107, 157
- questionnaires 89
 - using revealed preference data in 177
- random draws 611, 625
- random parameter logit model 215
- random parameters 608, 611, 707
 - selecting distribution of 611
 - using estimates of 625
- random utility 496
- random utility maximization 83, 707
- ranking 9, 90
- rating 38, 65
- ratio-scaled data 9, 707
- relative frequency 13, 708
- relaxation of the IID assumption 385
- reliability 50, 93, 708
- response rates 114, 266, 708
- response stimuli 102, 708
- restricted models 523, 529
- revealed preference data 5, 92, 276
- RU1 (random utility model 1) 489, 538
- RU2 (random utility model 2) 489, 538

sample enumeration 386, 391, 440	transpose 53, 711
sample profiler 442, 448	treatments 54, 526, 711
sample size 14, 126, 185	treatment combinations 100, 109, 111, 115, 117, 122–126, 145, 711
sample statistics 40, 44	triangular distribution 609, 613, 624, 632–634, 641, 638
sampling distribution 40, 708	trunks 398, 530
mean of 40, 708	<i>t</i> -test 42, 45, 547, 612, 711
sampling error 93, 708	two-tailed tests 48
sampling for choice data 184, 193–195	type I error 46–47, 711
sampling frame 184, 708	type II error 46–47, 711
sampling strategy 184	
satisfaction 64–65, 708	unbalanced designs 142
scale parameter 74, 487–488, 709	unconditional choices 70, 711
sequential estimation 544	under-sampling 5, 711
shuffled draws 616	uniform distribution 444–445, 612
significance 45, 50, 141, 709	unlabeled alternatives 104, 196
significance levels 46–47, 709	unlabeled experiments 112–113, 151–152, 372
simulation methods 609	unobserved effects 77, 84, 420, 487, 621
simultaneous estimation 318, 544	unobserved heterogeneity 63, 617
socio-demographic characteristics (SDCs) 92, 709	utility 65–68, 78–79, 88–89, 119, 122, 156, 170, 340, 370–371, 456, 484, 500, 547, 606, 711
standard deviation 34, 186, 709	utility maximization 82, 488, 711
standard error 40, 709	
stated choice 88	validity 93, 711
stated-preference data 5, 75, 96	value of travel time savings 358, 494
stated preference experiments 168, 709	variance 25, 28–30, 32, 34, 77, 105, 487, 492, 533, 607, 621, 711
statistical independence 23, 709	vectors 52, 616
stimuli refinement 102, 104, 710	column 52, 55
substitution effect 71	row 52, 55
survey instruments 88, 102, 710	Wald-statistic 342, 547, 654, 711
construction of 161	Wald-test 342, 346, 349, 576, 711
switching models 178	Willingness to pay 7, 357, 620, 684
synthetic households 440, 710	
synthetic observations 439	Z-test 45, 712
task complexity 192–193	
tastes 88, 710	
testable assumptions 77, 82–83, 710	