

## Index

- abc*-conjecture
  - Baker's explicit version, 404
  - implies Catalan's conjecture, 403
  - implies Fermat's last theorem, 403
  - implies Roth's theorem, 406
  - $K$ -rational, 497
  - strong form, 402
    - over number field, 494
  - weak form, 403
- abc*-ratio, 423, 435
- abc*-theorem
  - for meromorphic functions, 456, 477
  - for polynomials, 416, 504
- Abel's theorem, 271
- Abelian extension, 113, 344
- Abelian subvariety, 233
- Abelian variety, 232
  - as a complex torus, 239
  - is commutative, 234
  - is projective, 254
  - simple, 267
- Absolute value, 1–4
  - archimedean, 2
  - discrete, 4
  - equivalent, 2
  - non-archimedean, 2
  - normalization of, 6, 9, 11
  - $p$ -adic, 2
  - trivial, 2
- Absolute values
  - of a function field, 12
  - of a number field, 10
- Additive reduction
  - of an elliptic curve, 427
- Adeles, 604–607
- Admissible pair, 372
- Affine chart, 521
- Affine open subset, 522
- Affine space, 514
- Affine variety, 515
  - associated complex analytic variety, 519
  - associated scheme, 516
  - basis of topology, 517
  - complex topology, 519
  - geometrically irreducible, 519
  - geometrically reduced, 519
  - open subsets are quasicompact, 517
- Ahlfors–Shimizu characteristic, 458
  - of a holomorphic curve, 468
- Albanese variety, 394
- Algebraic equivalence
  - of divisors, 562
  - of line bundles, 561–563
  - on an abelian variety, 255, 265
- Algebraic subgroup, 82
- Algebraic variety, 584
- Amoroso–Dvornicich theorem, 113
- Ample
  - Cartier divisor, 548
  - line bundle, 534
    - finite pull-back, 578
    - on abelian variety, 252–255
    - on curve, 583
- Approximation
  - class, 164
  - nontrivial, 164
- Approximation class
  - primitive, 200
- Approximation domain, 201
  - $v$ -adic, 201
- Approximation theorem, 4
  - strong form, 11
- Arakelov height
  - multiplicative, 66
  - of a matrix, 67, 69, 74
  - of a subspace, 67, 395
  - on projective space, 66
- Archimedean, *see also* Absolute value

## 644 Index

- Arithmetic genus, 583
- Artin–Schreier equation, 154
- Automorphism of group varieties, 232
- Bad reduction of elliptic curve, 426
- Banach’s fixed point theorem, 368
- Base change
  - and (very) ample, 534
  - and closed embeddings, 534
  - of a variety, 522
  - of a vector bundle, 529
  - of affine variety, 517
  - of coherent sheaf, 570
  - of cycle, 555
- Base-point
  - of a line bundle, 530
  - of complete linear system, 550
- Base-point-free
  - Cartier divisor, 548
  - line bundle, 530
- Belyi’s lemma, 404
- Belyi’s theorem, 413
- Bertram–Ein–Lazarsfeld theorem, 53
- Bi-elliptic curve, 391
- Bilu’s theorem, 102, 399
- Binet’s formula, 68
- Birational map, 574
- Birational to a hypersurface, 575–576
- Birational varieties, 575
- Birthday paradox, 423
- Bogomolov conjecture, 399
- Bogomolov property (B), 120
- Bogomolov’s conjecture, 400
- Bombieri–Lang conjecture, 486
- Bounded subset, 37, 54–57
- Bézout’s theorem, 561
- Canonical divisor, 583, 599
- Canonical form, 294
- Canonical line bundle, 473, 542, 582, 583
- Canonical metric, 303, 308
  - has harmonic Chern form, 311
- Cartan’s formula, 448
- Cartier divisor, 548
  - Čech cocycle, 566
  - associated Weil divisor, 549
  - effective, 550
  - of rational function, 549
- Catalan’s conjecture, 403
- Cauchy inequalities, 366
- Čech boundary, 565
- Čech cocycle, 565
- Čech cohomology group, 565
- Čech complex, 564
- Character, 607
- Characteristic function, 448
  - of a holomorphic curve, 466, 476
  - of Ahlfors–Shimizu, 458
- Chevalley–Weil theorem, 341
  - for abelian varieties, 341
  - for discrete valuations, 339
  - for number fields, 339
  - global version, 338
  - local version, 336
  - local version for abelian varieties, 340
- Chordal distance, 457
- Chow group, 553
  - of projective space, 560
- Chow’s lemma, 562
- Class group, 142
  - of  $S$ -integers, 348
- Closed embedding, 523
- Closed map, 535
- Closed subgroup, 232
- Closed subvariety, 523
  - ideal sheaf, 523, 528, 569
- Cocycle rule, 526
- Codifferent, 590
- Codimension, 523
- Coherent sheaf, 567–574
- Cohomology group
  - of coherent sheaf, 569–574
- Compact, xv
- Complete linear system, 550
- Complete variety, 535–536
- Completion, 2
- Complex analytic variety, 584
- Complex embedding, 7
- Complex manifold, 583–585
- Complex space, 584
- Complex topology, 519, 584
- Complex torus, 239
- Component
  - of a cycle, 551
  - of Weil divisor, 544
- Composition series, 552
- Conductor
  - of a meromorphic function, 456
  - of a point, 489
  - over function field, 499
- Conjugates
  - of a point in an affine variety, 516

- of a variety, 524
- Conormal bundle, 543
- Constancy lemma, 233
- Coordinate ring, 515
  - is noetherian, 517
- Correspondence, 309
- Cotangent bundle, 542
- Cotangent space, 542
- Counting function, 446
  - in diophantine approximation, 481
  - in diophantine geometry, 483
  - of a holomorphic curve, 466, 476
  - over function field, 499
- Covering group, 411
- Cube-slicing inequality, 618
- Curve, 581–583
  - rational, 237
- Cycle, 551
  - of a scheme, 555
- Darmon–Granville theorem, 441
- Davenport–Estermann theorem, 611
- Decomposition group, 597
- Dedekind domain, 589
- Dedekind’s different theorem, 594
- Dedekind’s discriminant theorem, 595
- Defect inequality, 452
- Defect of meromorphic function, 452
- Deficient value, 453
- Degree
  - essential, 88
  - is positive, 561
  - of a cycle, 559, 561
  - of a line bundle, 582
  - of a variety, 559
  - of an algebraic number, xvi
  - of morphism, 578
  - of zero-dimensional cycle, 557
- Derivation, 345
- Derivative, 536
- Descente infinie*, 350
- Different, 590–591
  - Dedekind’s theorem, 594
- Differential
  - of a function, 543
  - of a morphism, 537, 538
- Differential forms, 542
- Dimension
  - of cycle, 551
  - of topological space, 518
- Dimension theorem
  - for group varieties, 236
  - of varieties, 577
- Direct image of coherent sheaf, 568
- Direct sum of vector bundles, 527
- Dirichlet’s theorem, 181
- Dirichlet’s unit theorem, 18
  - for orders, 189
- Discrete valuation ring, 544
- Discriminant
  - absolute logarithmic, 487
    - for function fields, 499
  - Dedekind’s theorem, 595
  - Hermite’s theorem, 595
  - minimal global form, 429
  - minimal local form, 426
  - Minkowski’s theorem, 596
  - of a polynomial, 586–589, 592
  - of elliptic curve, 425
  - of free algebra, 586
    - over Dedekind domain, 589–591
- Discriminant ideal, 586
- Distorsion factor, 69
- Divisor, 544–551
  - Néron, 61
    - on regular variety, 549
    - special, 270
      - with normal crossings, 473, 484
- Dobrowolski’s theorem, 29, 107
- Domain, 574
- Dominant rational map, 574
- Drasin’s results on deficiencies, 454
- Dual abelian variety, 255
  - biduality, 256
- Dual vector bundle, 528
- Effective Cartier divisor, 550
- Effective cycle, 561
- Effective divisor, 549
- Effective methods, 146
  - for unit equation, 146
- Effective Weil divisor, 544
- Elliptic curve, 240–246, 425–431
  - addition law, 244
  - additive reduction, 427
    - good reduction, 426
    - multiplicative reduction, 427
      - split multiplicative reduction, 314
- Elliptic function, 453
- Endomorphism of group varieties, 232
- Enflo’s theorem, 29
- Enumerating function, 446

## 646 Index

- Essential degree, 88
- Étale morphism, 580
  - differential criterion, 581
  - for schemes, 598
  - local behaviour, 581, 598
- Euler characteristic
  - of coherent sheaf, 571
- Even elements, 258
- Even line bundle, 258
- Exact sequence
  - of sheaves, 564
- Exponent of field extension, 117, 344
- Exterior product of vector bundles, 529
  
- Faltings's big theorem, 391, 486
- Faltings's theorem, 352, 406, 485, 497
  - Vojta's proof, 352
- Faltings–Wüstholz theorem, 229
- Fano surface for cubic threefold, 394
- Fano variety, 393
- Fenchel's conjecture, 437
- Fermat curve, 495
- Fermat descent, 349, 350
- Fermat equation, 403
  - generalized, 435, 441
- Fermat's conjecture, 403, 429
- Fermat's last theorem, 403, 429
- Fibre of vector bundle, 526
- Fibre product of varieties, 535
- Filtration
  - Harder–Narasimhan, 229
  - jointly semistable, 228
- Finite length, 552
- Finite morphism, 577–579
- First Chern class, 554
- First main theorem
  - Ahlfors–Shimizu version, 458
  - for a holomorphic curve, 469
  - of Nevanlinna, 448
- Fischer's inequality, 68
- Flat module, 579
- Flat morphism, 579–580
  - for schemes, 598
  - is open, 580
- Fourier transform, 607
- Fox's theorem, 437
- Free  $\mathcal{O}_X$ -module, 566
- Frey curve, 429
- Frobenius map, 299
- Fubini–Study form, 457
- Fubini–Study metric, 58, 467
- Full module, 189
- Function field, 524
  - and birationality, 575
  - extension of, 12
  - of projective variety, 531
  - places of, 12
- Fundamental group, 411
- Fundamental inequality, 20
  
- GAGA-principle, 584
- Galois cohomology, 345
- Gap principle, 139
  - strong, 171
- Gauss norm, 22
- Gauss's lemma, 22
- Gelfond's lemma, 27
- general *abc*-theorem
  - for function field, 511
  - for several polynomials, 418, 511
- General Lang conjecture, 486
- General position
  - hyperplanes, 470
  - linear forms, 180
- Genus, 582
- Geometrically connected, 235
- Geometrically irreducible
  - affine variety, 519
  - smooth variety, 539
  - variety, 522, 524
- Geometrically reduced
  - affine variety, 519
  - variety, 522, 524
  - smooth points are dense, 540
- Global height, 40
- Global section, 549
  - of a vector bundle, 527
- Good reduction
  - of a curve, 438
  - of an abelian variety, 312, 340
  - of an elliptic curve, 426
- Group variety, 232
  
- Haar measure, 602–604
  - normalized on adèles, 605–607
- Hadamard's inequality, 26, 68
- Hall's conjecture, 425
  - strong form, 425
- Hall–Lang–Waldschmidt–Szpiro conjecture, 434
- Height, 15–21
  - function, 41, 63

- global, 40
- in affine space, 16
- in projective space, 16
- local, 35, 39
- multiplicative, 16
- Néron–Tate, 284–289
- of a matrix, 75
- of a presentation, 47
- of an algebraic number, 16
- of polynomials, 21–29
- over function field, 21, 44, 500
- standard, 94
- Hensel’s lemma, 4
- Hermite’s discriminant theorem, 595
- Hilbert polynomial
  - of coherent sheaf, 571–573
  - of projective subvariety, 573
- Hilbert’s basis theorem, 517
- Hilbert’s irreducibility theorem, 319, 326
- Hilbert’s Nullstellensatz, 515
- Hilbertian field, 314
- Homogeneous coordinate ring, 531
- Homogeneous coordinates, 531
- Homogeneous function, 285
- Homogeneous ideal
  - of projective variety, 531
- Homomorphism
  - of abelian varieties, 233
  - of algebraic subgroups, 82
  - of complexes, 565
  - of group varieties, 232
    - image, 235
    - kernel, 236
  - of sheaves, 521
    - cokernel, 564
    - image, 564
    - kernel, 564
    - surjective, 564
  - of vector bundles, 526
- Hurwitz’s theorem, 453, 600
- Hypercube representation, 31
- Hyperelliptic curve, 391
- Hyperelliptic equation, 142
- Hyperplane in projective space, 560
- Hyperplane section, 533
  
- Ideal of vanishing, 515
- Ideal sheaf of closed subvariety, 523
- Index of a polynomial, 156, 226
- Inertia group, 596, 597
- Inner derivation, 345
  
- Integer of a number field, 17
- Intersection multiplicity, 556
- Intersection number of divisors, 558
- Intersection product
  - non-negativity, 561
  - with a divisor, 555
- Intersection product of cycles, 560
- Inverse image of coherent sheaf, 568
- Invertible meromorphic section
  - of a line bundle, 529, 548
  - Weil divisor, 547, 554
- Invertible sheaf, 570
- Irreducible component, 518, 523
  - of a smooth variety, 539
- Irreducible subset, 518, 523
- Irreducible topological space, 518
- Isogeny, 267
- Isomorphism
  - of varieties, 521
  - of affine varieties, 516
  - of group varieties, 232
  - of sheaves, 521
  - of vector bundles, 526
  
- Jacobi criterion, 540
- Jacobi inversion theorem, 271
- Jacobian variety, 268–282
  - selfduality, 280
- Jensen’s formula, 23, 445, 446
- Jensen’s inequality, 462
- Join
  - of closed embeddings, 43
  - of morphisms, 43
  
- Kähler differentials, 543, 591
- Kronecker symbol, xv
- Kronecker’s theorem, 17, 289
- Krull dimension, 518
- Kummer pairing, 343
- Kummer sequence, 345
- Kummer theory, 344
- Künneth formula, 574
  
- $(L, M)$ -independence, 165
- Landau symbols, xv
- Large point, 296
- Large solution, 138
- Lattice, 83, 608
  - non-archimedean, 608
  - number field, 609
  - real, 608

## 648 Index

- Laurent's theorem, 193
- Lefschetz principle, 321
- Lehmer's conjecture, 28
- Leibniz's rule, 536
- Lemma on the logarithmic derivative, 451
- Length of module, 552
- Line bundle, 529
  - first Chern class, 554
  - generated by global sections, 533
  - metrized, 58
  - on multiprojective space, 535–539
  - on projective space, 532–533, 559
- Linear system, 550
- Linear torus, 82
- Liouville inequality, 154
- Liouville's inequality, 20, 150
  - projective, 71
- Local degree, 5
- Local discriminant, 336
- Local Eisenstein theorem
  - for a polynomial, 370
  - for a strictly convergent power series, 367
- Local height, 61
  - canonical, 304
  - over function field, 499
  - relative to a Cartier divisor, 35, 39
  - relative to a presentation, 35, 39
- Local parameter, 4, 544
- Local ring
  - in a prime divisor, 546
  - of a point in a variety, 516, 522
- Locally bounded
  - function, 55
  - $M$ -metric, 62
  - metric, 58
- Locally compact field, 4
- Locally free  $\mathcal{O}_X$ -module, 566
- Locally  $M$ -bounded function, 57
- Log-concave function, 616
- Long exact cohomology sequence, 569
- $M$ -bounded family of subsets, 56
- $M$ -bounded subset, 57
- $M$ -class group, 347
- $M$ -constant, 304
- $M$ -divisor, 346
- $M$ -metric, 62
- Mahler measure, 22
  - infimum of, 28
- Manin–Mumford conjecture, 400
- Meromorphic section of line bundle, 529
- Metric
  - $M$ -, 62
  - canonical, 303, 308
  - Fubini–Study, 58
  - locally bounded, 58
  - on a line bundle, 58
  - standard, 58
  - trivial, 58
- Metrized line bundle, 58
  - isometric, 58
  - pull-back of, 58
- Minimal polynomial, xvi
- Minimal subset for unit equation, 510
- Minkowski's discriminant theorem, 596
- Minkowski's first theorem, 615
- Minkowski's second theorem, 611, 614
- Monoidal transformation, 83
- Mordell conjecture, 352, 406
- Mordell–Weil group, 355
- Mordell–Weil theorem, 349
  - for finitely generated fields, 350
- Morphism
  - of affine varieties, 515
  - of topological coverings, 411
  - of varieties, 521
- Moving lemma, 305
- Multiplicative reduction of elliptic curve, 427
- Multiplicity
  - of a cycle, 551
  - of a divisor, 544
- Multiprojective space, 534
  - cohomology, 574
- Mumford's formula, 294
  - generalization, 359
- Mumford's gap principle, 298
- Natural density, 319
- Néron divisor, 61
- Néron model, 312, 327, 340
- Néron symbol
  - on abelian varieties, 304
  - on complete varieties, 308
  - on curves, 310
- Néron–Tate height, 284–289
  - associated bilinear form, 289–293
- Nevanlinna's inverse problem, 454
- Noetherian ring, 517
- Non-archimedean, *see also* Absolute value
- Norm, 586
- Norm-form equation, 189
  - family of solutions, 190

- Normal bundle, 543
  - and self-intersection, 556
- Normal variety, 546
- Normalization
  - of a curve, 581
  - of a variety, 578
    - in a field, 12
- Normalized variance, 122
- Northcott property, 117, 298
- Northcott's theorem
  - for algebraic numbers, 25
  - for varieties, 44
- Number field, 4
- Numerical equivalence, 563
  
- Odd elements, 258
- Odd line bundle, 258, 265
- Open subvariety, 522
- Order
  - of a meromorphic function, 450
  - of a number field, 189
  - of a rational function, 545, 547, 552
  - of a section, 547
- Ostrowski's theorem, 3
  
- $p$ -adic, totally, 120
- $p$ -adic integers, 3
- $p$ -adic numbers, 3
- Padé approximant, 129
- Pell equation, 191
- Picard group, 529, 548, 549
  - Čech cohomology group, 566
  - isomorphic to first Chow group, 555
  - of affine space, 559
  - of multiprojective space, 559
  - of projective space, 559
- Picard scheme, 249
- Picard variety, 246–252
- Picard's little theorem, 455
- Pisot–Vijaraghavan number, 116
- Place, 2
  - complex, 7
  - division of, 2
  - extension of, 2
  - finite, 605
  - infinite, 605
  - lying over, 2
  - ramified, 592
  - real, 7
  - tamely ramified, 594
  - totally ramified, 596
  - unramified, 592, 598
  - wildly ramified, 594
- Plane curve, 582
- Poincaré class, 249
  - is even, 266
- Poincaré's complete reducibility theorem, 267
  - complex analytically, 268
- Poisson's formula, 445
- Poisson–Jensen formula, 445
- Pole-divisor, 544
- Preperiodic point, 288
- Presentation
  - degree of, 47
  - height of, 47
  - of a Cartier divisor, 35
  - of a morphism, 47
  - pull-back of, 36
  - sum of, 36
- Presheaf, 520
  - associated sheaf, 563
- Prevariety, 521
- Prime cycle, 551
- Prime divisor, 544
- Primitive solution, 425
- Primitive subgroup, 83
- Principal Cartier divisor, 549
- Principal Weil divisor, 547, 553
- Product formula, 9
  - for function fields, 12
  - for number fields, 10
- Product of prevarieties, 521
- Product theorem, 226
- Product variety, 522, 524
  - of affine varieties, 519
- Projection formula, 555, 556
- Projective distance, 69
- Projective linear subspace, 560
- Projective space, 531
- Projective space over function field, 499
- Projective variety, 531
  - is complete, 536
- Proper intersection product
  - with a divisor, 556
- Proper morphism, 535–536
- Proximity function, 447
  - in diophantine approximation, 481
  - in diophantine geometry, 483
  - of a holomorphic curve, 466, 476
  - over number field, 499
- Pull-back
  - of Cartier divisor, 551

## 650 Index

- of coherent sheaf, 568
- of divisor class, 556
- of  $k$ -forms, 543
- of vector bundle, 529
- Push-forward
  - of cycle, 553
  - of principal divisor, 554
  - on Chow groups, 554
- Quadratic form, 258
- Quadratic function, 258
  - associated bilinear form, 258
  - associated linear form, 259
  - associated quadratic form, 259
- Quasi-homogeneous function, 285
- Quasicompact, xv, 517
- Quotient sheaf, 564
- Quotient vector bundle, 529
- Radical ideal, 515
- Radical of an ideal, 515
- Radical of an integer, 402
- Ramification defect
  - of a meromorphic function, 452
- Ramification divisor, 473, 599–601
- Ramification index, 4
- Rank of an abelian group, 297
- Rational equivalence
  - of cycles, 553
  - of Weil divisors, 547
- Rational function, 524
- Rational map, 574–577
  - image of, 574
  - on curve, 577
- Rational point, 522
  - of an affine variety, 516
- Real embedding, 7
- Reciprocity law, 309
- Reduced divisor, 600
- Reduced  $K$ -algebra, 515
- Reduction, 3
- Refinement of open covering, 565
- Regular curve, 581
- Regular function, 515, 521
- Regular in codimension 1, 546
- Regular local ring, 538
- Regular point, 538
- Regular variety, 538
  - is normal, 546
- Residue degree, 4
- Residue field, 3
  - of a point, 522
- Restriction map for presheaves, 520
- Restriction of a vector bundle, 529
- Resultant, 588–589
- Riemann form, 239
- Riemann surface, 585
- Riemann theta function, 262
- Riemann's existence theorem, 412, 585
  - Grothendieck's generalization, 415
- Riemann–Roch theorem
  - for abelian varieties, 262
  - for curves, 582
  - for surfaces, 583
- Rigidified line bundle, 302
  - pull-back, 302
  - tensor product, 302
- Roth's lemma, 159
  - generalized, 207
- Roth's theorem, 152–156, 164, 179, 181, 406
  - with moving targets, 170
- Runge's theorem, 317, 326
- $S$ -integer, 17, 348
- $S$ -integral point, 183
- $S$ -unit, 17, 348
- Schanuel's theorem, 393
- Scheme, 522, 555, 567, 573, 598–599
  - affine, 516
- Schmidt–Struppeck–Vaaler theorem, 69
- Schwarz's lemma, 366
- Second main theorem, 451
  - Ahlfors's proof, 460
  - Cartan's generalization, 471
    - over function field, 505
  - Cartan–Vojta version, 473, 484
  - equidimensional case, 475
  - for projective curve, 474, 476
    - truncated version, 476
  - Griffiths's conjecture, 473
    - in diophantine approximation, 482
- Section of vector bundle, 527
- Seesaw principle, 247
- Segre embedding, 531, 535
- Semistable reduction of elliptic curve, 427
- Separable degree of morphism, 579
- Separable morphism, 581
- Serre duality, 571
- Sheaf, 520, 528, 563–574
  - of  $k$ -forms, 542
  - on singular varieties, 543
  - of modules, 566



- of relative differentials, 543
- Short exact sequence of sheaves, 564
- Shuffle of type  $(d, e)$ , 31
- Siegel's lemma, 72
  - Bombieri–Vaaler version, 74
  - relative version, 79
- Siegel's theorem, 184, 484
- Singular point, 538
- Size of approximation class, 164
- Skyscraper sheaf, 569
- Small point, 296
- Small solution, 138
- Smooth point, 539
  - and regularity, 539
- Smooth variety, 539–543
- Smyth's theorem, 29, 116
- Special divisor, 270
- Special set of a variety, 486
- Spherical proximity function, 458
- Standard affine open subsets, 531
- Standard metric, 58
- Standard étale morphism, 581
  - for schemes, 598
- Stein factorization, 578
- Stereographic projection, 457
- Stewart–Tijdeman theorem, 419
- Stothers–Mason theorem, 418, 503
- Strictly convergent power series, 364
- Strong approximation theorem, 11
- Subbundle of vector bundle, 526
- Subfamily of  $\text{Pic}^0(X)$ , 248
- Subsheaf, 563
- Subspace theorem, 177
  - absolute, 228
  - affine, 178
  - basic inequality, 199
  - Evertse's lemma, 217
  - general, 180
  - primitive solutions, 199
- Successive minimum, 76, 611
- Superelliptic equation, 145
- Support
  - of a cycle, 551
  - of Cartier divisor, 550
  - of coherent sheaf, 571
  - of Weil divisor, 544
- Szpiro conjecture, 431
- Tangent bundle, 542
  - of affine space, 540
- Tangent space, 536–540
- Tate uniformization
  - of complex elliptic curve, 312
- Tate's elliptic curve, 314
- Tate's limit argument, 286
- Tautological line bundle, 532
- Taylor coefficients, 366
- Taylor series, 366
- Tensor product of vector bundles, 528
- Theorem of the cube, 260
  - complex analytically, 262
  - for varieties, 261
- Theorem of the square, 253
  - complex analytically, 257
- Theta divisor, 272
  - is ample, 280
- Theta function, 261
  - normalized, 261
  - trivial, 261
- Thue equation, 150, 189
- Thue's theorem, 150
- Thue–Mahler equation, 140
- Topological covering, 411
  - finite, 412
- Torsion coset, 83, 399
- Torsion sheaf, 599
- Torus
  - coset, 82
  - linear, 82
- Totally real algebraic number, 107
- Trace, 586
- Transition function, 529
- Transition matrix, 526, 527
- Translation, 235
- Transversal intersection, 557
- Triangle group, 437
- Triangle inequality, 1
  - ultrametric, 2
- Trivial metric, 58
- Trivial vector bundle, 526
  - of rank 1, 528
- Trivialization of vector bundle, 526
- Truncated counting function
  - higher, 508
  - of a holomorphic curve, 475
  - of a meromorphic function, 455
- Unit equation, 125–140
  - general, 186
- Unit of a number field, 17
- Universal covering, 412
- Unramified field extension, 591–597

## 652 Index

- outside  $S$ , 348
- over  $M$ , 346
- Unramified morphism, 580
  - for schemes, 598–599
  - local behaviour, 581, 598
- $v$ -topology, 55
- Vaaler's cube-slicing theorem, 618
- Valiron's result on deficiencies, 455
- Valuation, 346, 593
  - discrete, 544
- Valuation ring, 3
  - discrete, 544
- Value group, 4, 593
- Variety, 522
  - associated complex analytic variety, 584
  - associated scheme, 522
  - basis of topology, 522
  - codimension of a closed subset, 523
  - dimension, 523
  - equidimensional, 523
  - general type, 486
  - geometrically irreducible, 522, 524
  - geometrically reduced, 522, 524
  - of pure dimension, 523
  - rationally connected, 237
- Vector bundle, 525–530
  - generated by global sections, 530
  - on projective variety, 533
  - rank, 526
  - sheaf of sections, 528, 566
- Vector field, 540, 542
- Very ample line bundle, 533
  - on curve, 583
- Vinogradov symbols, xv
- Vojta divisor, 356–359
  - with small height, 378
- Vojta's conjecture, 483
  - over function field, 503
  - with ramification, 488
  - for curves, 494
- Vojta's height inequality, 483
- Vojta's theorem, 387
- Waring's problem, 153, 393
- Weak Mordell–Weil theorem, 341, 349
  - for elliptic curves, 329–335
- Weierstrass equation, 242
  - global minimal form, 429
  - minimal local form, 426
- Weierstrass  $\wp$ -function, 246, 453
- Weil divisor, 544
  - component, 544
  - effective, 544
  - of invertible meromorphic section, 554
  - of rational function, 545, 547, 553
  - of section, 547
- Weil height, 42–45
- Weil's theorem of decomposition, 63
- Weyl sum, 393
- Wieferich pair, 404
- Wronskian, 450, 471
- Wronskian criterion, 160
- Ye's error term, 460
- Zariski topology, 515
  - on projective space, 530
- Zariski's tangent space, 538
- Zero set, 515, 530
- Zero-divisor, 544
- Zhang's theorem, 94