

Cambridge University Press

978-0-521-84711-7 - Introduction to Astronomical Photometry, Second Edition

Edwin Budding and Osman Demircan

Index

[More information](#)

Author index

- Aarseth, A. J., 275
Abhyankar, K. D., 305
Abramowitz, M., 411
Achterberg, H., 285, 304
Adelmann, S. J., 244
Afşar, M., 371
Akimov, L. K., 155
Al Naimiy, H. M. K., 276
Albayrak, B., 371
Alexander, M. E., 274
Allen, C., 274
Allen, C. W., 36, 68, 152, 411
Aller, Lawrence, 155
Alvarez, R., 109, 153
Andersen, J., 337
Anderson, L., 336
Andreon, S., 156
Andrews, F. P., 36
Applegate, J. H., 306
Arago, François, 19
Ardabili, Y. R., 336

Baade, W., 407
Baierlein, R., 36
Baily, F., 34
Bakiş, Hicran, 224n
Bakiş, V., 274, 307
Baliunas, S., 370
Ballard, S. A., 140, 156
Balog, Z., 407
Balona, L. A., 100, 153, 407
Banks, T., 155
Bappu, M. K. V., 153
Barden, S. C., 307
Barnes, J. V., 96–7, 153
Barnes, T. G., 64–5, 68

Bartholdi, P., 154
Bartolini, C., 307
Barucci, M. A., 156
Bateson, F. M., 34
Batten, A. H., 273
Battistini, P., 241, 244
Batyushkova, B. N., 402, 408
Bayer, Johann, 17
Becker, W., 35, 86, 152, 407
Bedding, T., 152
Bergeat, J., 305
Berry, R., 200
Bertelli, G., 153
Bessell, M. S., 68–9, 243–4
Bevington, P. R., 272, 321
Biermann, P., 306
Binzel, R. P., 156
Blackwell, D. E., 69
Blanco, C., 370
Blow, G. L., 69
Bode, M. F., 244
Böhm-Vitense, E., 69, 399, 403, 407–8
Boksenberg, A., 201
Bolton, C. T., 306
Boltzmann, L., 42, 68
Bone, D. A., 201
Bonifazi, A., 241, 244
Bono, G., 408
Bookbinder, J., 370
Booth, A. J., 152, 408
Bopp, B. W., 349–51, 370
Borkovits, T., 305
Bosch, G., 132, 156
Bottke, W. F., Jr., 156
Bottlinger, K. F., 407
Bouguer, Pierre, 17, 19, 35

- Bowers, R. L., 274
 Boyd, Louis, 8
 Bozkurt, Z., 292, 305
 Bracewell, R. N., 157
 Bradstreet, D. H., 306, 371
 Brandt, J. C., 408
 Brault, J. W., 154
 Bregman, J. D., 157
 Brown, J. C., 156, 273, 372
 Brown, T. M., 10
 Budding, E., 35, 70, 153, 155, 157, 201, 244,
 274–6, 305–6, 335–7, 349, 350, 364–6,
 370–3, 408
 as ‘present authors,’ 273
 Buil, C., 200
 Bulut, I., 274
 Buratti, B. J., 124, 127, 155
 Burnell, J., 200
 Burnet, M., 154
 Burt, D. J., 200
 Butler, C. J., 35, 243–4, 370
 Byrne, P. B., 370, 372
- Caccin, B., 407
 Cameron, A. C. *See* Collier Cameron, A.
 Caplan, J., 156
 Caputo, F., 408
 Carbon, D. F., 276, 395
 Carney, B. W., 407
 Carstensen, E., 337
 Carter, B., 399, 408
 Castelli, F., 68
 Catchpole, R. M., 407
 Cavanaggia, R., 407
 Cayrel, R., 408
 Cayrel de Strobel, G., 68
 Cellino, A., 156
 Chambliss, C. R., 306
 Chandler, S. C., 305
 Cherepashchuk, A. M., 154, 273, 337
 Chisari, D., 335
 Chiu, H.-Y., 153
 Choea, S. H., 336
 Chong, E. K. P., 272
 Christy, R. F., 406
 Ciçek, C., 274
 Cinzano, P., 155
 Claret, A., 276, 336
 Clausen, J. V., 275, 337
 Code, A. D., 69, 102, 153
 Cohen, J. G., 408
- Cohen, R. J., 154
 Colina, L., 68
 Collar, A. R., 151
 Collier Cameron, A., 354–6, 371
 Connors-Smith, R., 336
 Cooper, W. A., 242, 406
 Cousins, A. J., 243
 Cousins, A. W. J., 205, 243–4
 Cox, A. N., 68, 152, 398–9, 403, 406, 408,
 411
 Cox, J. P., 406
 Craig, I. J. D., 273, 372
 Crawford, D. L., 92, 95–7, 104, 105, 152–4
 Crawford, J. A., 305
- Davis, J., 152
 Davis Phillip, A. G., 152
 De Boere, K. S., 275
 De Cusatis, C., 68
 de Souza, R. E., 156
 de Vaucouleurs, A., 134
 de Vaucouleurs, G., 134, 156
 Deeming, T., 274
 Degirmenci, O. L., 292, 305
 Deharveng, L., 156
 Demircan, O., 307, 337
 as ‘present authors,’ 273
 Devinney, E. J., 317, 337
 Di Benedetto, G. P., 69, 407
 Dickow, P., 110, 153
 Djorgovski, S., 156
 Djurasevic, G., 336
 Dodd, R. J., 36
 Dokuchaev, V. I., 274
 Donahue, R. A., 370
 Draine, B. T., 151
 Drechsel, H., 306
 Dresner, S., 68
 Duerbeck, H. W., 322, 336
 Duffet-Smith, P., 222n, 244
 Duncan, W. J., 151
 Dupree, A. K., 306
 Dusek, J., 305
- Eaton, J. A., 322, 336
 Eberhard, G., 35
 Eccles, M. J., 201
 Eddington, A. S., 383, 407
 Eggen, O. J., 306
 Eiby, G., 24n, 35
 El-Worfaly, H. M. H., 275

- Elias, N. M., 157
 Ellery, L., 36
 Elliott, I., 243–4
 Elston, R., 243
 Elvidge, C. D., 155
 Emslie, A. G., 156
 Erdem, A., 274
 Estalella, R., 157
 Evans, D. S., 64–5, 68, 156, 349–51,
 370
 Evans, N. R., 407–8
 Fabian, A. C., 274
 Fabricius, David, 2, 16
 Fabry, C., 21
 Feast, M. W., 407
 Fechner, G. T., 19
 Fehrenbach, C., 152
 Fernie, J. D., 153, 403, 405, 408
 Fernley, J., 408
 Finlay-Carling, E. B., 305
 Fisher, W. A., 306
 Fitch, W. S., 304, 370
 Fitzgerald, G. F., 23
 Fitzpatrick, E. L., 275
 Florkowski, D. R., 273
 Flower, D. R., 156
 Forbes, M. C., 153, 202, 274
 Fordham, J. L. A., 201
 Fracastoro, M. G., 250, 273
 Frazer, R. A., 151
 Frieboes-Conde, H., 305
 Friedjung, M., 274
 Fukuda, I., 306
 Fukugita, M., 152
 Gamal El Din, A. I., 134, 156
 Gaposchkin, S. L., 275
 Garstang, R., 154
 Gautschy, A., 406–7
 Gehrels, T., 156
 Genet, D. R., 201
 Genet, K. A., 201
 Genet, R. M., 8, 35, 201
 Ghedini, S., 242, 245
 Gibson, D. M., 371
 Giménez, A., 275, 337
 Gingerich, O., 276, 395
 Goecking, K. D., 306
 Golay, M., 9, 25n, 69, 89, 151–2
 Goncharskii, A. V., 273, 337
 Gonzalez Jorge, H., 244
 Good, G. A., 9
 Gordon, K. C., 335
 Gould, A., 36
 Graham, J. A., 275
 Grandjean, J., 407
 Gray, H. J., 36
 Greenstein, J. L., 153
 Grewing, M., 371
 Groenewegen, M. A. T., 407
 Grosbøl, P., 156
 Grygar, J., 338
 Grynko, Y. S., 155
 Guarneri, A., 241, 244
 Guenther, E., 256n
 Guinan, E. F., 275, 306
 Gunn, J. E., 102, 152–3
 Guthrie, B. N. G., 336
 Gyldenkerne, K., 337
 Hadrava, P., 337
 Hagen, J. G., 303
 Haken, H., 36
 Hall, D. S., 8–9, 35, 244, 289, 304, 306, 348,
 361, 370
 Hamaker, J. P., 157
 Hamamura, S., 155
 Hapke, B., 155
 Hardie, R. H., 35, 134, 155, 242–3
 Harmanec, P., 70
 Harries, T. J., 336
 Harris, D. L., 68
 Hartley, H. O., 267
 Hartmann, L., 152
 Hatzes, A. P., 371
 Hauck, B., 68, 152
 Hayes, D. S., 69, 151–2, 201
 Hayli, A., 274
 Hearnshaw, J. B., 34
 Heckert, P. A., 371
 Hegedüs, T., 305
 Heggie, D. C., 275
 Helt, B. E., 337
 Henden, A. A., 8, 10, 192, 200–2,
 242–3
 Henry, G. W., 244
 Héraudeau, Ph., 156
 Herbig, G. H., 151
 Herczeg, T., 305
 Hertzsprung, E., 66
 Heudier, J. L., 35

- Hilditch, R. W., 275, 336, 371
Hill, G., 306, 336–7
Hills, J. G., 274
Hiltner, W. A., 201, 242
Hindsley, R. B., 407
Hoffleit, D., 206n
Hoffmeister, C., 273
Hofsommer, D. J., 266n, 406
Hogg, H. S., 274
Holmgren, D., 306
Holst, G. C., 201
Holzwarth, V., 372
Honeycutt, R. K., 338
Horak, B., 338
Hosokawa, Y., 336
Howell, S. B., 201
Hoyle, F., 305
Hrivnak, B. J., 306
Huang, S. S., 306
Hubble, E., 156
Husar, D., 285, 304
Hut, P., 274–5

İbanoğlu, C., 307, 371
Ilyas, M., 155
Inagaki, S., 275
Irvine, W. M., 155
Irwin, J. B., 276
Isaacs, A., 36
Isobe, S., 155
Ivanov, G. R., 407
Ivanova, N., 275

Jacobsen, T. S., 391–2, 408
Janes, K. A., 408
Janesick, J. R., 201
Janszoon Blaue, W., 16–17
Järvinen, S. P., 372
Jaschek, C., 9, 151, 206n
Jaschek, M., 9, 151
Jassur, D. M. Z., 371
Jeans, J. H., 68
Jeffers, S. V., 372
Jeffreys, H., 335
Jensen, K. S., 275
Jimenez, A., 244
Johnson, Howard L., 25, 35, 69, 89, 152, 164.
 See also UBV system
Jones, A., 9
Jones, D. H. P., 154
Jorden, A. R., 201

Jørgensen, H. E., 337
Joy, A. H., 306

Kahn, F. D., 70
Kaitchuk, R. H., 8, 10, 192, 200–2, 242–3
Kaler, J. A., 155
Kallrath, J., 337
Kang, Y. W., 336
Kanto, V., 200
Kapteyn, J. C., 22
Kasten, F., 75, 151
Kaszas, G., 407
Katz, J. I., 274
Kaye, G. W. C., 411
Keenan, P. C., 81
Keller, C. F., 407
Kellman, E., 81
Kemp, J. C., 144, 157
Kenyon, S. J., 152
Kermani, M. H., 371
Kervella, P., 403–4, 406, 408
Khan, M. A., 337
Kholopov, P. N., 222n
Kikuchi, S., 338
Kilkenny, D., 115, 154, 243
Kim, C.-H., 301, 305
King, I., 156
Kitamura, M., 325, 337
Kitchin, C., 243
Kiurkchieva, D. P., 336
Kiyokawa, M., 338
Kjurkchieva, D. P., 371
Knapp, G. R., 152
Knobel, E., 15, 34
Koch, R. H., 273
Kochiashvili, N. T., 336
Koen, C., 287, 304
Koestler, A., 35
Kollath, Z., 372
Kondo, Y., 274
Kong, J. A., 156
Kopal, Z., 35, 155, 266n, 275–6, 305, 325,
 327, 335–6
Kordylewski, Z., 305
Kormandy, J., 156
Kourganoff, V., 68
Kovács, G., 407
Kovtyukh, V. V., 407
Kowalski, R., 155
Kraft, R. P., 305
Kraicheva, Z. T., 273

Author index

417

- Kreiner, J. M., 301, 305
 Krolik, J. H., 274
 Kron, Gerald E., 24, 35, 260–1, 267, 269,
 272, 320, 335, 341
 Kron, R. G., 152
 Kuiper, G. P., 68, 290, 305
 Kukarkin, B. V., 406
 Kurtz, D. W., 70, 244, 371, 407
 Kuulkers, E., 274
 Kuznetsova, E. F., 273, 307
 Kwee, K. K., 244
 Labs, D., 68
 Laby, T. H., 411
 Lacy, C. H., 65, 276, 307
 Lago, M. T. V. T., 306
 Lallemand, A., 35, 201
 Landolt, A. U., 204, 243
 Lang, K. R., 156, 305
 Lanz, T., 152
 Lanza, A. F., 307, 371
 Latham, D. W., 151
 Leavitt, H. S., 378, 407
 Ledoux, P., 406–7
 Lee, R. B., 68
 Lee, S. W., 244
 Leene, A., 156
 Léna, P., 36, 201
 Lester, T. P., 155
 Leung, Kam-Ching, 305
 Lindblad, B., 108, 153
 Linskey, J. L., 370–2
 Lipaeva, N. A., 154
 Lister, T. A., 371
 Liu, T., 408
 Livio, M., 274
 Lockwood, G. W., 108–9, 153
 Lodén, K., 152
 Lodén, L. O., 152
 Lombard, F., 287, 304
 Lorenz, R., 307
 Lubow, S. H., 338
 Lucy, L. B., 336
 Ludendorff, H., 35
 Lundmark, K., 35
 Lynas-Gray, A. E., 69
 Maceroni, C., 305, 306
 MacGillivray, H. T., 36
 Mackay, C. D., 200
 Madore, J., 406
 Makarova, E. A., 68
 Mander, J., 104, 153
 Manfroid, J., 8, 200, 244
 Marchev, D. V., 371
 Marconi, M., 400, 408
 Marngus, N., 153, 337
 Matese, J. J., 306
 Mathieu, R. D., 274
 Matthews, J. M., 406
 Matthews, M. S., 156
 Mauder, H., 325, 336
 Mayer, P., 307
 Mazeh, T., 10
 McCall, M. L., 155
 McClain, Bill, 244
 McGraw, J. T., 112, 154
 Mclean, I. S., 156, 200
 McNally, D., 154
 Meaburn, J., 201
 Meeks, M. L., 151
 Meeus, J., 244
 Menzies, J. W., 243
 Merrill, J. E., 261–3, 275
 Mestel, L., 305
 Meylan, G., 275
 Mikulasek, Z., 244
 Milone, E. F., 152, 337
 Minnaert, M., 34
 Mitchell, John, 18–19, 35
 Mizser, A., 304
 Moffatt, A. F. J., 307
 Moffett, T. J., 68, 407
 Monck, W. H. S., 23
 Moon, T. T., 153
 Mordvinor, A. V., 68
 Morgan, W. W., 25, 81
 Moutsoulas, M., 155
 Muinonen, K., 156
 Mullan, D. J., 370, 372
 Munger, J., 200
 Mutschlechner, J. P., 407
 Nail, V. M., 275
 Najim, N. N., 335
 Nakamura, Y., 336
 Napier, W. M., 336
 Nather, R. E., 111, 154
 Neckel, H., 68
 Neild, K. M., 202
 Nemec, J. M., 406
 Neugebauer, G., 152

- Nha, I.-S., 301, 305
 Niarchos, P., 337
 Nicholson, S., 52–3, 68, 171
 Nicolet, B., 152
 Noels, A., 406
 Nomoto, K., 336
 Nordgren, T. E., 408
 Nordström, B., 337
 O’Connell, D. J. K., 315, 335
 Oja, T., 244
 Oke, J. B., 102, 153, 407
 Okomoto, I., 305
 Oláh, K., 304, 357, 371–2
 Olbers, H. W. M., 116, 154
 Oliver, C. J., 201
 Oliver, J. P., 273
 Olson, E. C., 305, 334, 335, 337
 Oswalt, T. D., 9
 Ozernoi, L. M., 274
 Pagel, B., 408
 Palmer, S. E., 34
 Panchatsaram, T., 305
 Paolicchi, P., 156
 Pasinetti, L. E., 152
 Patsis, P. A., 156
 Patterson, J., 306
 Pearson, E. S., 267
 Pecker, J. C., 407
 Peña, J. H., 100, 153
 Peniche, R., 100, 153
 Penrod, G. D., 371
 Percy, J. R., 9, 407
 Periaiah, A., 336
 Persha, G., 243
 Pervozkina, E. L., 273
 Peters, G. J., 338
 Petit, M., 406
 Pettit, E., 52–3, 68, 171
 Pickering, E. C., 20–2, 407
 Piotrowski, S. L., 305
 Piskunov, N. E., 372
 Planck, Max, 42, 68
 Plavec, M. J., 274, 337
 Plez, B., 68, 109, 153
 Pogson, N. R., 19
 Poincaré, H., 335
 Polidan, R. S., 274
 Popper, D. M., 65–6, 69–70, 274, 307, 337,
 368–9, 371
 Poretti, E., 244
 Pottasch, S. R., 156
 Press, W. H., 154, 273–4
 Pribulla, T., 371
 Pringle, J. E., 273–4
 Pustyl’nik, I. B., 336
 Qian, S., 305
 Rabello-Soares, M. C., 244
 Radhika, P., 371
 Ramsey, L. W., 370
 Rayleigh, Lord (J. W. Strutt), 68
 Reay, N. K., 156
 Rees, M. J., 274
 Reisenweber, R. C., 9
 Remo, J. L., 153
 Reynolds, J. H., 156
 Rhodes, M., 244, 318, 372
 Ribárik, G., 371
 Ribas, I., 275
 Richard, J., 201
 Richards, J. A., 43n
 Richards, M. T., 338
 Richter, G., 273, 406
 Ripepi, V., 408
 Robinson, E. L., 112, 154
 Rodgers, A. W., 406
 Rodonò, M., 307, 335, 370, 372
 Romanov, S. Y., 273
 Ronan, C. A., 35
 Rosner, R., 307
 Rosseland, S., 406
 Rougier, G., 155
 Rowe, C., 195, 202
 Rubin, M. L., 34
 Ruciński, S. M., 306, 336
 Rudy, R. J., 144, 157
 Rufener, F., 154
 Russell, Henry Norris, 65–6, 260–3,
 275
 Sadik, A. R., 202
 Sahade, J., 273
 Saio, H., 406
 Saitta, T., 335
 Sault, R. J., 157
 Savage, A., 401, 408
 Scaltriti, F., 157
 Scarfe, C., 274
 Scargle, J. D., 154

Author index

419

- Schaefer, B. E., 35, 155
 Schaefer, D., 102, 153
 Schatzman, E., 306
 Schiller, K., 303
 Schmidt, E. G., 406–7
 Schnider, G. R., 408
 Schoenberg, E., 151
 Schüssler, M., 372
 Schuster, W. J., 244
 Schwarzschild, K., 20
 Schwarzschild, M., 387, 391–2, 408
 Scott, R. M., 401, 407
 Seares, F., 22
 Sears, F. W., 43n
 Selam, S. O., 307
 Semel, M., 370
 Semeniuk, I., 65, 70, 306
 Sérsic, J. L., 134, 137, 156
 Shakhovskoi, N. M., 141, 156
 Shapiro, S. L., 274
 Shapley, H., 275
 Sharov, A. S., 154
 Sharpless, S., 35
 Shaviv, G., 274
 Shkodrov, Vl. G., 336
 Shkuratov, Y. G., 155
 Shobbrook, R. R., 100, 153
 Shu, F. H., 336, 338
 Shulov, O. S., 141, 156
 Shurcliff, W. A., 140, 156
 Siedentopf, H., 22
 Sim, M. E., 201
 Simon, N. R., 407
 Simon, V., 296, 305
 Sinnerstad, U., 152
 Sion, E., 274
 Sistero, R., 274
 Skiff, B., 205, 243
 Skody, P., 408
 Skumanich, A., 306
 Smart, R. L., 36
 Smart, W. M., 311n
 Söderhjelm, S., 298, 336
 Soydugan, E., 274
 Soydugan, F., 274
 Spitzer, L., Jr., 274
 Spruit, H. C., 306
 Srinivasa Rao, M., 336
 Stagg, C. R., 152
 Stebbins, Joel, 23–4, 86–9, 152, 388–9, 391, 393, 408
 Stefan, A. J., 68
 Stegun, I. A., 411
 Stellingwerf, R. F., 408
 Stencel, R. E., 370
 Sterken, C., 8–9, 200, 244
 Sterne, T. E., 287
 Stetson, P. B., 205, 235, 243
 Stickland, D., 10
 Stobie, R. S., 406–7
 Stock, J., 244
 Storm, J., 407
 Straizys, V. L., 9, 69–70, 153
 Strand, K. A., 68–9
 Strassmeier, K. G., 357, 370–2
 Strömgren, B., 35, 92, 152–3
 Strutt, J. W. (Lord Rayleigh), 68
 Struve, O., 305
 Sufi, Abd al Rahman, 15–16
 Sullivan, D., 244
 Sullivan, W. T., 154
 Sung, H., 244
 Svechnikov, M. A., 273, 307
 Svoreň, J., 123, 155, 244
 Swenson, L. S., Jr., 36
 Szabados, L., 289, 407
 Szeidl, B., 289, 304
 Tanabe, W., 154
 Tassoul, J.-L., 336
 Tassoul, M., 336
 Tatum, J. B., 155
 Taylor, M. M., 408
 Tedesco, E. F., 127
 Terlevich, E., 156
 Terlevich, R., 132, 156
 Teukolsky, S. A., 274
 Tholen, D. J., 127, 155–6
 Thomas, N., 155
 Thomas, S., 68
 Thuillier, G., 68
 Tinbergen, J., 244
 Toller, G., 154
 Tomkin, J., 307
 Torres-Peimbert, S., 155
 Tovmassian, G., 274
 Trimble, V., 274
 Tritton, K. P., 201
 Tsesevich, V. P., 263, 273
 Tuominen, I., 372
 Turner, D. G., 407

- Uesugi, A., 306
Ulrich, R. K., 274, 337
Ustinov, E. A., 155

van Buren, D., 306
van den Bergh, S., 275
van den Heuvel, E. P. J., 274
van der Hucht, K. A., 274
van der Riet, R. P., 266n
van Hamme, W., 276
van Heel, A. C. S., 36
van Hoof, A., 407
van Paradijs, J., 274
van Woerden, H., 244
van't Veer, F., 305–6
Vaughan, A. M., 370
Vaz, L. P. R., 336–7
Velzel, C. H. F., 36
Venkataraman, P., 272
Vesper, D. N., 338
Vilhu, O., 372
Vinko, J., 407
Viotti, R., 274
Vivekananda Rao, P., 371
Vogt, S. S., 371

Wade, R. A., 273
Walker, E. N., 243, 406
Walker, W. S. G., 408
Wallenquist, Å., 335
Wallerstein, G., 370, 408
Walter, K., 305
Waranus, F. B., 155
Warasila, R. L., 153
Wardle, R., 197, 201
Warner, B., 111, 154
Weaver, H. F., 35
Weber, E. H., 19
Wehr, M. R., 43n
Weinberg, J. L., 154
Weisner, D. E., 200
Wells, G. L., 34
Wenzel, W., 273, 406
Wesselink, A. J., 407
West, R. M., 35

Westerlund, B. E., 68, 152
White, O. R., 154
Whitelock, P. A., 406
Whitford, A. E., 24, 86–9, 152, 388
Whitmire, D. P., 306
Whitney, C., 407
Wien, W., 68
Wild, W. J., 155
Williams, H., 408
Williams, J. A., 105
Williams, P. M., 274
Willson, R. C., 68
Wilson, O. C., 153
Wilson, R. E., 317, 336–7
Wilson, R. S., 68
Wing, R. F., 407
Winget, D. E., 154
Wood, D. B., 99, 153, 273,
 317
Wood, F. B., 36, 273, 290, 306
Woolley, R., 399, 401, 408
Worden, S. P., 155
Worley, R., 336
Wrubel, M. H., 306
Wu, Z.-Y., 102, 153
Wyse, A. B., 306

Yagola, A. G., 337
Yamasaki, A., 336
Yoon, T. S., 244
Young, A. T., 75, 151–2, 154–5, 244,
 306

Zak, S. H., 272
Zanstra, H., 128, 130
Zeilik, M., 243, 364–6, 370–3
Zejda, M., 273
Zemansky, M. W., 43n
Zerbi, F., 244
Zhevakin, S. A., 406
Zinnecker, H., 274
Ziznovsky, J., 244
Zoffoli, M., 307
Zola, S., 371
Zöllner, J. K. F., 19

Cambridge University Press

978-0-521-84711-7 - Introduction to Astronomical Photometry, Second Edition

Edwin Budding and Osman Demircan

Index

[More information](#)

Subject index

- a-parameter, 98
- A0 type stars, 22, 392
 - Balmer decrement and, 85, 96
 - UBV magnitude scale, 25, 58–9
- AAVSO (American Association of Variable Star Observers), 9, 34, 303
- AB Dor, 354–5, 367–8, 370, 372
- Abell clusters, 134, 135
- absolute magnitude, 27–8
 - β index and, 100, 106–7
 - Ca II H K line and, 110
 - cepheid variables, 378, 385, 393, 400
 - Mira-type variables, 64
 - of the Sun, 46
 - UBV system, 57, 83
- absolute photometry, 204
- absorption lines, 28, 86, 375
- AC Her, 402, 408
- accretion disks, 290, 305, 329–32
- ACRIM (Active Cavity Radiometer Irradiance Monitor) instrument, 47
- ‘active cool stars,’ 341–3, 358, 361–2, 369
 - See also* spotted stars
- active galactic nuclei, 14, 115
- aether, 33
- AH Cep, 294
- air masses
 - atmospheric extinction and, 73–7, 209–10, 213–15
 - differential photometry, 225, 226
 - logarithmic magnitude scale and, 19
- Airy images, 234
- Albategnius, 15
- albedo, 119, 146, 319–20
- Alfvén radius, 291, 299
- Alfvén velocity, 372
- Algol (β Per), 18, 35
 - as an EAS type binary, 251
 - light curve, 23–4
- polarization curve, 144–5, 157
 - as a triple system, 294
- ‘Algol paradox,’ 253, 290
- Algol-type binaries, 141–5, 251
 - black body approximation, 319–20
 - evolution, 255–6, 328, 335
 - narrowband photometry, 327
 - O–C diagram, 283–4, 288, 297
 - period change, 290–1, 302–4
 - statistical data, 301–2
- alkali metal photocathodes, 24
- all-sky photometry, 204
- Almagest, 15, 17
- α Cen A, 54, 116
- α CMa (Sirius), 56, 58–9
- α CrB, 249
- α integrals, 264–6, 347
- α Lyr. *See* Vega
- alt-azimuth, transformations, 75–7
- altitude variation. *See* air masses
- amateurs, scope for, 2
- amplification
 - CCD cameras, 185
 - photoelectric photometry, 192–3
 - photoemission detectors, 171
 - pulse counting systems, 197–8
 - telescope photometry and, 48
- amplification noise, 194, 196
- analogue measurement techniques, 192–6
- analogue to digital conversion, 195, 233–4
- Andromeda Nebula, 15, 118
- ångstrom unit, 11, 62
- angular diameters, 55–6, 64, 403–6
- angular frequency, 138, 148–9, 283
- angular momentum
 - evolution of eclipsing binaries, 253, 291, 297
 - in single and binary stars, 298–300
- apertures, 164–5
- apostilb (unit), 41–2

- apparent brightness, 116–17
 apparent magnitude
 bolometric magnitude and, 49
 cepheids, 384, 389, 397
 differential photometry, 225
 interstellar extinction and, 79
 spotted stars, 351
 uvby system and, 96
 apsidal motion, 291–2, 305, 315–16
 APTs (automated photometric telescopes), 5,
 343, 370, 372
 AR Lac, 341
 area (reflection) law, 122
 areal detectors, 179–82.
 See also charge coupled devices
 atmospheric scintillation and, 112–13
 distinguished from linear, 161
 electronic, 174–5
 flat-fielding, 170, 191, 232–3
 intercalibration, 232–3
 photographic emulsions as, 180, 275
 pixel size, 177
 telescope suitability, 163
 Argelander, F. W., 18
 Aristotle, 16–17
 Association Française des Observateurs
 d’Etoiles Variables, 9
 asteroids, 145–7, 156
 ASTM 2000 solar irradiance, 56
 astrometry
 Algol, 297
 close binary systems, 310–12, 335
 distinction from spectrometry, 1
 parallax determination by, 65
 space missions, 4, 55, 298
 ATMEX program, 229–30
 atmospheric extinction, 72–7, 244
 differential extinction, 224–5, 229
 differential photometry, 237
 dynamic extinction, 191
 extinction coefficients, 206, 208–9, 213,
 216, 226
 nearband photometry and, 107, 151
 standard star calibration and, 205–6, 209,
 215, 217, 219
 atmospheric mass. *See* air masses
 atmospheric pulsation lag, 387
 atmospheric ‘window’ for radiation, 11, 47
 automated photometric telescopes (APTs), 5,
 343, 370, 372
 avalanche enhancement, 179
 averted vision, 46
 axial rotation, 98

B – V values
 b – y values and, 95
 cepheid binarity and, 390

 colour temperature and, 25, 54, 65,
 67, 73
 differential photometry, 230
 H–R diagram derivation, 82
 spotted stars, 357
 standard stars calibration, 58, 210, 212,
 216–17, 237
 surface temperature correlation, 81
 U – B *versus*, 84, 85–6
b – y values
 B – V values and, 95
 metallicity index and, 97
 Baade–Wesselink (B–W) methods, 8, 377–8,
 383–8, 398–400, 406–7
 CORS method, 404–5
 background radiation, 222
 backwarming, 86
 Balmer decrement, 28, 82, 84–5
 β index and, 107
 four-colour system, 95–7
 six-colour system, 87
 Vilnius system, 101
 Balmer series lines, 103–7, 128–30, 341
 bandpass filters, 58–9
 bandwidth types, 30
 ‘barium stars,’ 256
 Barnes–Evans approach, 64, 388, 397, 404
 BASS (BAse de données Solaire Sol), 68
 BATC system, 102
 Be stars, 256
 beam-splitting, 168
 Bemporad’s formula, 75, 151
 Bessel functions, 148, 327
 best fit method, 239–41
 β Dor, 398–9
 β index, 106–7, 328–30, 333–4
 β Lyr, 251–3
 β Per. *See* Algol
 β photometry, 103, 329, 333
 BH Vir, 369
 bias, CCD camera frames, 231–2
 bias, semiconductors, 173
 ‘bin’ data, 262–3
 binarity
 cepheid variables, 390, 392–3, 405
 stellar peculiarities related to, 256
 unresolved, 98–9
 Binary Maker program, 371
 binary systems
 See also close binary systems; cool
 binaries; eclipsing binaries; triple star
 systems
 angular momentum evolution, 298–301
 dwarf novae as, 255
 incidence, 256, 274
 interactive binaries, 7, 250
 possible third components, 293

- spotted stars in, 348, 358–61
 X-ray binaries, 256
- BL Her type stars, 380
- BL Lac type objects, 14
- black body approximation, 318–19
- black body radiation, 42–4
 gradient and, 29
 six-colour system, 87, 388
 solar spectrum and, 45
 UVB diagram and, 85
- black holes, 19
- blanketing lines, 86, 99
- blazars, 115
- Blazhko effect, 284–5, 289
- blocking, 86, 95, 98, 387, 397
- blooming. *See* saturation, detectors
- blue sensitivity, CCDs, 187
- bolometric albedo, 120–1
- bolometric corrections, 28, 30, 48–51, 55–6, 69
- bolometric luminosity, 401
- bolometric magnitude, 28, 30, 52
 apparent magnitude and, 49, 55
 Pettit and Nicolson's technique, 52–3, 68, 171, 407
- Sun, 47–8, 68
- Bonner Durchmusterung*, 3
- Boss 4342, 42
- Bouguer's law, 73–4
- Brackett series lines, 132
- Bright Star Catalogue*, 206
- brightness assessment
 accuracy, compared with position, 13
 apparent magnitude and, 28
 Sun, Moon etc., 116–17
- brightness ratio, eclipsing binaries, 250
- brightness temperature, 54, 92, 386–7, 395–7
- British Astronomical Association, 9
- broadband filters, 56–63, 80–91
 colour temperature relationships, 386
 interstellar extinction and, 77–8
 magnitude-aperture curve, 135
 other than UVB, 86–91
- broadband photometry, 30
- CQ Cep, 7
- Johnson and Morgan, 25
- light curve analysis, 6
- limitations, 8
- U Cep and U Sge, 332–5
- BS 6850 and BS 6388, 216
- BS 7302 and BS 7862, 210
- BY Dra type stars, 294
- C-Munipack program, 235–6
- Ca II H K line, 110
- calibration
 CCD cameras, 231, 235
 differential photometry, 221–30
- intercalibration of areal elements, 232–3
 standard stars experiment, 204–20, 244
- Çanakkale Onsekiz Mart University (COMU) Observatory
- differential photometry software, 222, 225, 229
- standard star calibrations, 206, 219
- candela (unit), 40–2
- carbon compounds, 90, 123–4
- cataclysmic variables, 2, 14, 114
- Catalogue of Algol type Binary stars*, 301, 307
- Catalogue of Bright Stars*, 206
- CC Eri, 349–50, 370
- CCD cameras, 26, 183, 184, 185, 200.
See also charge coupled devices
 applications, 231–7
 eclipsing binary detection, 275
 example photometry, 235–7
 image frame transfer, 185–7
 safe parking, 235
- Center for Backyard Astrophysics, 5, 10
- cepheid variables
 binarity effects, 390, 392–3
 distance estimates, 394
 period change, 289, 304
 period-luminosity law, 378
 six-colour data, 388–400
 subgroups, 380–1
- CF Tuc, 157, 373
- CFCs (current frequency converters), 195
- CG Cyg, 371
- charge coupled devices (CCDs), 26
See also CCD cameras
 detectors based on, 182–8
 linearity, 176
 noise in, 190–1
 spectral sensitivity, 187–8
- charge-voltage product, 178–9
- chart recorders, 194–5, 244
- X² minimization, 266–9, 272, 320–1, 326
See also curvature Hessians
- cepheid variables, 383, 393, 397
 starspot models, 344, 349–50, 357–8
- CIE (International Commission on Illumination), 49
- circular polarization, 139, 150, 151
- circular spot model (CSM), 345–7
 curve-fitting, 348–51, 363
- MEM compared to, 355, 370
- circumstellar material, 290, 297, 305, 328–32
- 'Clairaut' stability criteria, 319
- 'clocking noise,' 191
- close binary systems, 6, 310–35
 angular momentum, 300
 apparent period changes, 286–7
 coordinate transformation, 310–12

- close binary systems (cont.)
 eclipsing binaries and, 249, 273–4
 frequency domain analysis, 325–7
 globular clusters, 256, 275
 narrowband photometry, 327–35
 orbital eccentricity, 312–16
 proximity effects, 316–20
 sixteen parameter model, 317, 320–7
 spotted stars and, 341
- clouds, 74, 204
- clusters of galaxies, 134
- clusters of stars
 brightness of h Per and $\chi \text{ Per}$, 116
 colour-magnitude sequences, 66, 79, 102
 H-R diagrams of open clusters, 100
 NGC 604 in M33, 116–17
- collimation, 168
- colour
 effective temperature and, 55, 65, 400
 magnitude scales and, 20
 surface flux correlations, 63–5
 wavelength and, 12
- colour coefficient, 214
- colour excess, 28, 97, 107
- colour index, 13, 29, 73, 386
 spectral type and, 31
 surface temperature and, 83
- colour-magnitude diagrams, 26, 66
See also Hertzsprung-Russell diagram;
 Main Sequence
- colour temperature, 54, 92, 96
- column densities
 apparent brightness and, 118
 interstellar extinction and, 78–9
- comets, 16, 123, 124, 155
- Commission 42 (IAU), 9, 337
- ‘common envelope’ binary systems, 254–5
- comparison stars. *See* reference stars
- computer languages, 243
- computer programs, 210
See also data analysis
 CCD photometry, 235–7
 data reduction in differential photometry, 225, 227, 229
 image location, 222
 light-curve analysis, 262–72, 317, 357–8, 371
- COMU Observatory. *See* Çanakkale Onsekiz Mart University
- constants, mathematical, physical and astronomical, 411–12
- contact binary systems, 254–5, 299, 320, 336
- convective effects, 320, 336, 341
- cool binaries, 157, 299, 341
See also active cool stars; spotted stars
- coordinate transformations, 75, 119, 242
 close binary systems, 310–12
 spotted stars, 346
- Copenhagen system, 110, 153
- CORS method, 404–5, 408
- cosmic rays, 189
- cosmology, 91, 131
- COSMOS machine, 36
- CQ Cep, 6, 7
- Crab Nebula, 128
- CSM. *See* circular spot model
- current frequency converters (CFCs), 195
- curvature Hessians, 321–2, 344, 350, 353
- curve-fitting problems
 Baade-Wesselink (B-W) methods, 383, 387
 circular spot model (CSM), 348–56
 eclipsing binary light curves, 247–9, 258, 262, 266, 272, 328
 five parameter curve fitting, 322, 324
 four parameter curve fitting, 333
 sixteen parameter model, 317, 320–7
 spotted stars, 345, 353–255
- CURVEFIT program, 317–18, 371
- cyanide, 123, 124
- cyclic changes and O-C diagrams, 297, 301
- DAOPHOT procedure, 235
- dark currents, 189–91, 231
- data analysis, 243.
See also computer programs
 CCD cameras, 188
 data-logger output, differential photometry, 223, 225, 227, 230
 information content of data, 248–9
 standard star calibration, 211
 use of personal computers, 5
- data binning, 262–3
- data space and parameter space, 247–8
- de Vaucouleurs law, 135–7
- ‘dead time,’ 198–9, 202
- declination, 76
- deferred charge, 184
- $\delta \text{ Cep}$, 389, 391–7, 403
 prototype cepheid, 375
- $\delta \text{ Scu}$ type stars, 114, 401
- detached binary systems, 254–5, 300
- detectors, photometric, 161–2, 170–92, 201
 photon pulse counting, 196–200
 quantum efficiency and responsivity, 175
 solid state detectors, 168–75
- determinacy issue. *See* parameter determination
- DI (Doppler Imaging), 342, 369–70, 372
- DIBs (diffuse interstellar bands), 90
- differential extinction, 224–5, 229
- differential magnitude, 224, 263

Subject index

425

- differential photometry, 210, 221–30
 differential rotation, 348–9, 355, 369
 diffuse interstellar bands (DIBs), 90
 diffusion approximation, 318
 digitization, 195, 233–4
 discrimination, photoelectron pulses, 196, 198
 ‘dog-eat-dog’ scenario, 305
 DOPPEL program, 357–8
 Doppler Imaging (DI), 342, 369–70, 372
 double stars. *See* binary systems
DQ Her, 111, 154
DR Vul, 292
 dwarf novae, 111, 255–6
 dynamic extinction, 191
 dynamic range, photometric detectors, 176
 dynode chains, 177, 189
 EA type binaries, 251, 255, 297, 301–2
 Earth-based observations. *See* ground-based observations
 Earth orbital motion effects, 227
 EB type binaries, 253, 255, 322–5
 eclipsing binaries
See also Algol; EA type binaries
 angular diameter determination, 55
 discovery, 18
 dwarf novae, 111, 255–6
 geometry of eccentric systems, 313
 incidence, 256
 light curve analysis, 6, 247–73, 343, 360
 narrowband photometry, 327–35
NY Aqr, 114, 115
 orbital inclination, 144
 period changes, 286–7, 289–97
 photometric classification, 249–56
 planetary eclipses, 3, 249n
 shell and disk sources, 329–32
 spotted stars in, 359
 total and annular eclipses, 259
 wider utility of, 65–6
Edinburgh, Royal Observatory, 26, 36
EE Peg, 294
 effective radius, galaxies, 134
 effective temperature, 29, 51, 54–5
 a-parameter and, 98
 cepheid brightness temperature and, 395–6
 colour and, 55, 65, 385, 397
 reference stars, 56
 Sun, 44–5
 effective wavelength, 29, 60–2, 384, 388
 eight parameter model, 260, 267, 269, 317
Einstein, Albert, 33
 electromagnetic spectrum, 11, 12
 electron mass, charge and magnetic moment, 411
 electron pressure, 85
 electrons, photo-ionic, 34
 elliptical galaxies, 134
EM Cep, 222–3, 229–30
 EMI 9558, 190
 EMI 9813, 197
 enhancers, areal detectors and, 179–82
 entropy, maximum entropy methods, 352–5
 envelope convection, 297
ER Ori, 294
ER Vul, 371
 error formulae, 208–9, 268, 272, 322
See also parameter determination
η Aql, 387, 391–7, 403
 evolution of binary systems, 255–6, 298–300, 328
 EW type binaries, 253, 255, 291
 extended objects, 14, 46, 116–38, 154
 extinction. *See* atmospheric extinction;
 interstellar extinction
 extrafocal image measurement, 21
 extrasolar planets, 3–4, 10, 249n
 eye-based observations, 34
 accuracy, 3, 13
 bolometric correction, 49
 extended objects, 116
 sensitivity of the human eye, 11, 46
 variable star types, 5
 visual object identification, 164, 166
 eye sensitivity function, 43–4
F2 system, 103
 Fabry lenses, 21, 165, 169–70
 fall time, photometric detectors, 176
 fast photometry, 110–15
 CCD cameras, 187
 Noise, 196
 solid state detectors, 168
 telescope stability, 163
Fermi level, 172, 174
 FETs (field-effect transistors), 174
FHWM (full width at half maximum) values, 236
 field-effect transistors (photo-FETs), 174
 figures of merit, 177
 filters, 152, 169, 243
See also broadband filters
 CCD cameras and, 26
 cepheid variable observations, 385, 388–90, 407
 Cousins and Johnson differences, 205
 Gaia mission, 103
 infrared, 152
 intermediate band photometry, 92–9
 longpass and bandpass, 58–9
 magnitude system definition and, 25
 molecular hydrogen, 133
 narrowband photometry, 30, 154
 six-colour system, 386

- filters (cont.)
 spectrometric and spectrophotometric, 13
 standard star calibrations, 205–6, 213
 UVB system, 56–63, 69, 169
- fitting functions
 cepheid variables, 385
 eclipsing binary light curves, 247–9, 266,
 320–1
 spotted stars, 345, 352–4, 356, 359
- five parameter curve-fitting, 322, 324
- Flamsteed, John, 17
- flare stars, 14, 341, 349
- flat-fielding, 170, 191, 232–3
- flow charts, 267–8
See also computer programs
- flux, 29–30
 infrared flux method, 69
 stellar flux and colour, 66
- flux spillage, 234
- focussing and CCD use, 235
- foreoptics, 161, 163, 200, 232
- four-colour system. *See* uvby system
- four parameter curve fitting, 333–4
- frame bias; frame transfer. *See* CCD cameras
- frequency domain analysis, 325–7
- full width at half maximum (FWHM) values, 236
- G band, 99, 108
- GAIA mission, 4, 10, 103, 244, 298
- gain, detectors, 190, 194, 234
- galactic acceleration, 290, 305
- galactic direction
 distribution of stellar types, 86
 interstellar extinction and, 77–8, 80
 narrowband photometry, 110, 132
 period change in eclipsing binaries, 289
- galaxies, 131–138
 brightness distribution of, 118
 catalogues of, 136–8
 classification of, 133
 distance estimates, 131
 eclipsing binary detection in, 256, 275
- Galileo Galilei, 17
- General Catalogue of Variable Stars (GCVS)*, 222
- giant branch, (MS) stars, 66–7, 83
- giant emitting hydrogen region (GEHR), 131–2
- GL Car, 337
- globular clusters, 256, 274–5, 289, 399
- glossary, 27–32
- Golay box, 25
- goodness of fit, 266–9, 272, 345
See also curve-fitting problems
- Goodricke, John, 18–19, 35, 391
- gradients, 29, 53–4
- gravitational lensing experiments, 26
- gravity
 B–W radii and, 398, 402
 ‘pressure broadening,’ 105
- gravity-brightening effect, 318–19, 323, 325, 336
- ‘grey’ extinction, 80
- ground-based observations, 3, 26–7
See also atmospheric extinction
- GSC I and GSC II catalogues, 27, 36, 166
- Guide Star Catalogs* (GSC I and II), 27, 36, 166
- H II regions, 131–2
- H–R diagram. *See* Hertzsprung–Russell (H–R) diagram
- $H\alpha$ to $H\beta$ ratio, 131–2
- Halley, Edmund, 17
- Hamamatsu R6358 photomultiplier, 213
- hand solutions, light curve analysis, 257–62
- Hankel transform, 327, 336
- Harvard Standard Regions, 22
- H_β line, narrowband photometry, 103–4
- HD 1743, 236–7
- HD 208218, 230
- HD 209458, 3, 4, 10
- HD 208218 and HD 208440, 229
- HD 44179 nebula, 90–1
- heliocentric correction, 227–30
- heliocentric Julian days, 279–80, 304
- helium, 189
- Helix nebula, 130
- hemispherical sources, surface mean
 intensity, 51
- Henry Draper Catalogue*, 3
- HEPA (Hipparcos Epoch Photometry Annex)*, 4, 10, 27, 36
- Herschel, John and William, 18–19, 35
- Hertzsprung gap, 289
- Hertzsprung–Russell (H–R) diagrams
 B – V values and, 82
 instability strip and pulsating stars, 381–2
- κ Cru, 101
- narrowband photometry and, 107
- open clusters, 100
- variable star positions on, 382
- Heumann’s Λ -function, 265–6
- Hipparchos of Nicea, 1, 15–17
- Hipparcos Epoch Photometry Annex (HEPA)*, 4, 10, 27, 36
- Hipparcos Space Astrometry Mission, 27, 55, 65–6, 103, 368–9, 394
- historical notes, 14–27, 34–5
- hour axis, 76
- Hubble–Reynolds law, 133–4, 156
- Hubble Space Telescope, 4, 27, 125–6, 275

- human eye, 11, 12
See also eye-based observations
- hydrogen, β photometry, 103
- ill-posed problems, 353, 372
- illuminance, 30
magnitude scales and, 64
Sun, 45
telescope diameter and, 62
- image frame transfer, 185–7
- image intensification, 169, 181–2
- Information Bulletin on Variable Stars*, 9
- information limit, data analysis, 249
- information space. *See* parameter space
- information transfer efficiency, 175, 192, 201
- infrared flux method, 69
- infrared radiation
interstellar extinction, 78, 89–90
molecular hydrogen in NGC 5861, 132
pulsating star observations, 407
sensitivity of photometers, 11, 174
UBV system extension, 89
- instability strip, H-R diagram, 381–2
- instrumentation, 161–70
- integrals, evaluation, 264–5, 276, 320, 404
 α integrals, 264–6
 σ integrals, 346–7
- intensity, 39–40
hemispherical sources, 51
moments of, 41
‘Stokes’ parameters and, 138
- interactive binaries, 7, 250, 255–6, 328, 335
See also close binary systems
- interference
coherent backscattering, 146–7
filters, 92, 104
- interferometry
angular diameter determination, 55, 404
microwave polarimetry, 149
speckle interferometry, 293
theories of light and, 32
- intermediate-band photometry, 30, 92–103, 199
- International Amateur–Professional Photoelectric Photometry, 5, 9
- International Astronomical Union, 9
- International Commission on Illumination (CIE), 49
- interstellar extinction, 29–30, 77–80, 151
cepheid variables, 385, 391–2
Crab Nebula, 128
infrared studies, 89–90
narrowband photometry and, 107
six-colour system, 89
UBV filters and, 82
- interstellar reddening, 30, 97, 389, 391–2, 400
- inverse-square law, 18, 46
- ionization and recombination, 381–3
- IPCS (Image Photon Counting System), 181, 201
- IRAS data, 152, 156
- iris diaphragm photometers, 11, 22, 23, 35
- iron abundance, 96
- irradiance, 30
filter bandwidth and, 59
radioastronomy, 41n
solar, 56, 68
- irregular variables, 14
- Isaac Newton Telescope, 181
- Islam, 15, 117, 155
- isochrones, 101–2, 107, 110
- isophotal wavelength, 29, 61
- IUE satellite, 392
- jansky (unit), 41n
- Johnson (H. L. Johnson) magnitudes. *See* UVB system
- ‘Johnson noise,’ 192, 194
- Julian dates, 279–80, 304
- ‘kappa mechanism,’ 383
- κ Cru, 101
- Kepler, Johannes, 16–18
- King law (I. King), 134, 156
- KVW (Kwee and van Woerden’s) method, 238–9, 241
- Kwee and van Woerden’s (KVW) method, 238–9, 241
- 1 Car, 403–5, 408
- Lagrangian points, 254, 316
- λ Tau, 293
- lambert (unit), 42, 118n
- Lambert’s law, 120, 122
- light, theories of, 32–4, 36
- light curve analysis
best fit methods, 239–41
broadband light curves, 6
close binaries, 310–36
computer-based, 262–72
displacement of minima, 313–14
eclipsing binaries, 247–73, 337
Fourier coefficients, 325
hand solutions, 257–62
KVW method, 238–9
middle line method, 241–2
polygonal line method, 241
sliding integrations method, 242
solutions and models, 249
- light curves
differential photometry, 221
eclipsing binaries, 6, 23–4, 250, 257, 276, 363
eight parameter model, 260, 267, 269, 317

- light curves (cont.)
 - pulsating stars, 375–9, 381
 - six parameter model, 260, 322
 - sixteen parameter model, 317, 320–7
 - spherical model, 260–4, 317, 320
 - spotted stars, 342–3, 349–51, 360, 361–70
 - variable stars, 237–42
- light element determination, 280–2
- light emitting diodes (LEDs), 199–200
- light ‘pollution,’ 117–18, 154
- light travel time effect, 227–8, 290, 292–6, 305
- limb-darkening
 - cepheids, 383
 - eclipsing binaries, 259–61, 264, 319, 326, 329, 334
 - Solar System, 120
 - spotted stars, 344, 348, 351, 359
 - the Sun, 18
- limb-darkening coefficients, 120, 261, 276, 320, 329
- Lindblad criteria, 107
- line blocking, 86, 95, 98, 387, 397
- line index, 30
- linear detectors, 161
- linear gradients, 53–4
- linear polarization, 139, 141–5, 147
- linearity, photodetector, 175
 - areal detectors, 179
 - CCDs, 184, 231–3
 - pen recorders, 194
 - photographic emulsions, 179
 - photomultipliers, 178
 - solid state detectors, 168
- local-to-standard calibration coefficients, 210
- Lockwood’s system (G. W. Lockwood), 108, 109, 158, 407
- logarithmic magnitude scale, 19
- LONEOS catalogue*, 243
- longitude preferences, 362, 367
- longpass filters, 58–9
- LQ Hya, 372
- lumen (unit), 40–1, 43
- luminosity, 30
 - β index and, 107
 - broadband filters and, 81–2, 89
 - solar, 68
 - stars of known radii, 65
 - U – B values and, 85, 95
 - uvby system and, 96, 99
- luminosity classification, 81
- luminous power (luminous flux), 39
- lunation, timing of observations, 222–3
- lux (unit), 41
- Lyman α lines, 128–9
- MACHO project, 26, 36
- maculation. *See* spotted stars
- Magellanic clouds, 403
- magnetic braking, 291, 297, 299, 301, 305
- magnetic fields and starspots, 342
- magnetic pressure, 297, 306
- magnitude-aperture curve, 135–6
- magnitude bandwidth, 30
- magnitude scales
 - calibration, 68
 - Hipparcos of Nicea, 1, 15
 - illuminance and, 64
 - logarithmic basis, 19
 - monochromatic magnitude, 31, 53
 - standard magnitude, 32
 - the Sun and, 46–7, 412
 - zero constant question, 49
- Main Sequence (MS) stars, 66–7, 81
 - in eclipsing binaries, 251, 253, 259–60, 272, 275
 - instability strip and, 381–2
- mass ratio, 325
- mass transfer and loss
 - in Algol-type binaries, 290–1, 297, 301, 329, 333, 335–338
 - cepheid variable radii, 399
 - period change in variables, 287, 289
- massive binaries, 300
- mathematical constants, 411–12
- mathematical functions for light curves, 237
- Mauna Kea observatory, 3
- Maxim DL program, 235
- maximum entropy methods (MEM), 352–5, 371
- maximum usable signal, 176
- Maxwell, James Clerk, 32–3
- mean structural constant, 315
- mean wavelength, 29
- measurement noise, 193–4
- MEM (maximum entropy methods), 352–5, 371
- metal oxide semiconductors, 182–4
- metallicity, 86, 96, 110
- metallicity index, 31, 82, 97–8
- microchannel plate, 180–1, 185
- microwave polarimetry, 148–51
- MIDAS (Munich Image Data Analysis System), 188
- migrating waves, starspots, 348
- mildly interacting binary systems, 7
- Milky Way, 117–18
 - See also* galactic direction
- minor planets, 145–7, 156
- Mira (*o* Ceti), 2, 16, 407
- Mira type stars
 - apparent period changes, 286
 - B-W analysis, 400–1

- light curves, 379
 light element determination, 280–1
 radius estimate for R Tri, 64
 temperature and brightness changes, 51
 TiO and VO photometry, 108–10
 mirror surfaces and magnitude, 25
 MKK (Morgan, Keenan, Kellman) system, 31
 MOA project, 36
 models
 stellar atmospheres, 397
 variable star light curves and, 238
 molecular hydrogen, 132
 monochromatic magnitude, 31, 53, 73, 93
 monochromators, 104
 Moon, 116–17, 155, 222–3
 Morgan, Keenan, Kellman (MKK) system, 31
 MS. *See* Main Sequence stars
 Mueller matrix, 140–1, 156
 multi-band stellar radio astronomy, 8
 multi-beam photometry, 166
 multi-channel photometry, 166
 multi-wavelength studies, spotted stars, 343, 356–8, 370
 multiplication noise, 189–90, 196
 Munich Image Data Analysis System (MIDAS), 188
 naked-eye observations. *See* eye-based observations
 narrowband photometry, 103–10
 close binary systems, 7–8, 327–35, 337–8
 filters, 30, 154, 168
 interactive binary evolution, 335
 Pluto, 127
 nebulae, 90–1, 127–32
 ‘negative dissipation,’ 383
 ‘negative’ polarization, 147
 Newton, Isaac, 32
 nit (unit), 42
 noise
 See also signal-to-noise ratio
 CCD detectors, 185
 distribution as non-Poissonian, 112, 168, 175
 in photometry, 188–92
 read-out noise, 233–4
 in the ultraviolet, 218
 noise equivalent power, 175
 North Polar Sequence, 21–3, 25, 35, 58
 novae, 16, 111, 255–6
 null-method photometers. *See* iris diaphragm photometers
 NY Aqr, 114, 115
 O–C (observed-minus-calculated) analysis, 279–84, 302
 O–C diagrams
 basic forms, 281–4, 303
 complexities, 284–7
 cyclic changes and, 297, 301
 period changes and, 289–92
 occultations
 eclipsing binaries, 249–50, 257, 259, 263
 lunar and planetary, 55, 69, 115
 OGLE project, 36
 Olbers’ Paradox (H. W. M. Olbers), 116, 154
o Ceti. *See* Mira
 ‘opposition effect,’ 123, 145–5
 Optec Manual, 10
 optical depth, 41
 optical spectrum. *See* visible spectrum
 optimization analysis, 247, 249, 266–7, 272
 orbital eccentricity, 250, 279, 290, 312–16
 orbital inclination, 144, 250, 257, 262, 331
 orbital motion and time difference, 227
 overtone pulsators, 381, 407
 P Cyg, 16
 P–E diagrams, 284, 288, 294, 298
 p-i-n photodiodes, 173
 Padova model, 102–3, 153
 PAHs (polycyclic aromatic hydrocarbons), 90–1
 ‘parabolic interpolation,’ 267
 paradoxes, EAS and EW binaries, 253
 parallaxes, 53, 55
 eclipsing binaries, 65–6
 errors, 368–9, 371
 photometric, 19
 parameter determination
 See also n-parameter curve-fitting/models
 set size and, 219–20, 321
 spotted stars, 346, 350–3, 372
 standard star calibrations, 214
 parameter space, , 247–8, 262, 320, 352–3
 parsecs, 28n
 Peltier effect, 185, 231
 pen recorders, 194–5, 224
 periastron longitudes, 310–11, 313
 perimeter curves, 121
 period changes, 279–307
 in Algol-type binaries, 290–1
 apparent, 286–7
 cyclic internal changes, 297
 eclipsing binaries, 289–97
 observational aspects, 287–97, 304
 pulsating variables, 289
 theoretical aspects, 298–300
 period-luminosity laws, 378, 380, 407
 personal computer use, 2, 5
 Pettit and Nicolson’s technique, 52–3, 68, 171, 407
 phase determination, 263
 ‘phase law,’ 121–3

- phase scales, 280
 phot (unit), 41
 photo-ionisation, 34
 photocathodes, 170, 172, 174, 181
 photoconductive effect, 171–5
 photodiodes, 173, 190–1, 194
 photoelectric effect, 33–4, 36
 photoemission detectors, 170–1
 photographic emulsions, 20–1, 179–80, 275
 ‘photometer head,’ 164, 165, 198
 photometers, 161–70
See also detectors; photomultipliers
 CCD cameras and, 26
 components of, 162, 165
 infrared and ultraviolet sensitivity, 11
 iris diaphragm, 11, 22, 23
 measurements, 192–200
 photoelectric, 23, 110–15
 Schilt type, 22
 setting up, 204
 photometric parallax, Vega, 19
 photomultipliers, 24–5, 177–9
 efficiency, 171
 Hamamatsu R6358, 213
 linearity, 178
 noise in, 188–90
 photon counting, 197
 use with CCDs, 185
 voltages, 190
 photon counts
See also detectors
 IPCS, 181
 photon pulse counting, 196–200
 telescope diameter and, 62–3
 zero constant, 213n
 photon noise, 112–13
 photons, 33
 detection processes, 170–92
 effects on semiconductors, 172–3
 thermionic work function and, 172
 photopic illuminance, 46, 49
 photopic sensitivity, 43–4, 47
 photopolarimetry, 138–51, 168–9
 phototransistors, 174–5
 photovoltaic effect, 172
 physical constants, 411–12
 Piggott, Edward, 391
 pixel size, 177
 pixel well capacity, 233–4
 Planck, Max, 33
 Planck functions, 61
 planetary companions, 3–4, 10, 249n
 planetary nebulae, 90–1, 128–30
 Pluto, 124–7
 point spread function (PSF), 234–5
 Poissonian distribution and noise, 112, 168, 175
 polarimetry
See also circular polarization; linear polarization; photopolarimetry
 close binaries, 318
 microwave polarimetry, 148–51
 polycyclic aromatic hydrocarbons (PAHs), 90–1
 polygonal line method, 241, 244
 polynomials, best fit method, 239–41
 position and brightness assessments, 13
 postdetection systems, 198
 power spectra, 112, 113
 preamplifiers, 198
 precession of the equinoxes, 15, 17
 predetector units, 162, 163
 ‘pressure broadening,’ 105–6
 primary, in eclipsing binaries, 250
 primary extinction, 213
 programs. *See* computer programs
 Project Pluto, Guide 7.0 software, 222
 proximity effects, 264, 316–20
 proximity integrals, 326
 PSF (point spread function), 234–5
 Ptolemy, Claudius, 15, 17, 34
 pulsars, 128, 274
 pulsating variables, 375–408
 Baade–Wesselink procedures, 383–8
 light curves, 376–9
 p-mode and g-mode oscillations, 382
 period changes, 289
 six-colour data on Cepheids, 388–400
 pulsational radii, 400–6, 408
 ‘pure scattering’ approximation, 319
 Q, U curves, 141, 143–5
 Q parameter, UVB system, 85
 ‘quantization to h ,’ 43
 quantum efficiency, 175, 184, 214
 quantum theory, 33
 quasars, 4, 27, 103, 115
 $r^{1/4}$ law, 134, 137
 R Tri, 64
 radial velocity, cepheid variables, 377, 383–4, 387, 391, 408
 radiation
 atmospheric ‘window,’ 11, 47
 black body, 42–4
 nature of, 32–4
 radiation field concepts, 39–42
 radiation intensity, 43
 radiation pressure, 41
 radioastronomy
 irradiance unit, 41n
 microwave polarimetry, 148–51, 157
 multi-band, 8
 of star clusters, 131

- Rayleigh scattering, 73–4, 80
 recorders, pen, 194–5, 224
 recovery time, photometric detectors, 176
 red leak, 169, 174, 219
 ‘Red Rectangle’ (HD 44179), 90–1
 red sensitivity, detectors, 169, 184, 188
 reddening
 anomalous, 91
 interstellar, 30, 97, 389, 391–2, 400
 uvby corrections for, 97, 99
 reddening line slope, 79, 85
 reference stars
 See also standard stars
 basic photometric data, 56
 calibration with single, 210
 cepheid six-color system, 393
 differential photometry, 221
 spotted binaries, 362
 reflection axes, light curves, 238–9,
 241–2
 reflection coefficient (albedo), 119, 146,
 319–320
 reflection laws, 122
 relative gradient, 29, 54, 61
 relativity, 23, 33, 316
 remote centring and guiding, 167
 reradiation, 120, 143
 reset noise, 191
 response functions
 broadband filter, 57, 87
 cathode, 59, 82, 174
 detector, 25, 129, 148–9, 169–70
 monochromatic magnitude and, 31
 response time, photometric detectors, 176,
 194
 responsivity of detectors, 175
 reverse biasing, 173–4
 RGU filter system, 86
 Richardson law, 191
 rise time, photometric detectors, 176
 ‘Roche lobe,’ 7, 254–5, 290–1, 301
 rods, retinal, 43, 46
 rotation matrices, 75, 151
 application to binary systems, 141, 311
 heliocentric correction, 227–8
 planetary surfaces, 119
 spotted stars, 346
 Royal Astronomical Society of New Zealand
 (RASNZ), 9, 34
 RR Lyr type stars
 B–W analysis, 400, 402, 408
 light curves, 376
 period changes, 281, 283–5, 289, 304
 period-luminosity relationship, 380
 position on H–R diagram, 382
 RS CVn, 370
 RS CVn type stars
- AR Lac as, 341
 differential rotation, 348–9
 light curves, 255, 361–70
 magnetic braking, 291, 299, 307
 parallax errors, 368–9
 polarimetry, 150–1, 157
 starspot parameters, 346, 362, 366, 372
 RT And, 300, 369, 371
 RT Lac, 362, 367–8, 371
 RT Per, 284, 298
 RV Tau type stars, 400–2
- s-cepheids, 381
 S Mus, 381, 398, 408
 saturation, detectors, 176, 184, 232–3
 saturation, U Sge absorption, 334
 scattering, electrons, 141–2
 Schilt type photometers, 22
 Schott filters, 213
 scintillation, 112–13, 192
 scotopic sensitivity, 44
 selenium photoconductors, 23
 semiconductors
 See also charge coupled devices
 microchannel plate, 180
 photoconductive effect, 171–5
 semidetached binary systems, 254–5, 299
 sequences, 31, 66
 See also Main Sequence
 Sérsic form (J. L. Sérsic), 134, 137, 156
 set size and parameter determinacy,
 219–20
 Seyfert galaxy NGC 7496, 137
 shot noise, 112, 188–93, 227
 SI units, 41
 σ functions, 155, 331, 336, 359
 σ integrals, 346–7
 signal-to-noise (S/N) ratio
 dark currents and, 191
 mean flat field, 232
 photoelectric detection, 24, 196
 quality of measurements and, 3, 10
 shot noise and, 189
 solid state detectors, 168–9, 175
 SIMBAD database
 positional data and, 222, 230
 UVB system values, 54n, 69, 219
 single channel photometry
 amplification noise and, 196
 areal compared with, 179
 CCD cameras and, 231, 234
 design issues, 162, 164, 166, 194
 differential photometry and, 221, 224
 single detector transfer efficiency, 185
 six-colour system, 87–9, 386–400
 sky brightness, 234, 412
 ‘sky limited’ detection, 192

- 'sky' variation, 222
 sliding integrations method, 242, 245
 Sloan Digital Sky Survey (SDSS), 4, 10, 36,
 91, 152
 SML program, 371
 S/N ratio. *See* signal-to-noise ratio
 societies and groups, 9–10
 software. *See* computer programs
 Solar System photometry, 115, 118–24
 solid state detectors, 168–9, 200.
See also phototransistors; semiconductors
 South Polar Sequence, 22
 southern skies, 17, 26, 243
 space-based observations, 27
 astrometry, 4, 55, 298
 solar radiation, 45, 47–8
 variable stars, 298, 369
 special relativity, 23
 specific brightness, 39
 speckle interferometry, 293
 spectra. *See* wavelength
 spectral illuminance, 30, 54, 61
 spectral resolution, 31
 spectral response, detectors, 176
 spectral type, 31–2, 62
 temperature and, 67
 U – B values against, 84
 spectrophotometry, 1, 13, 129
 spectroscopic binaries, 55, 255,
 310, 318
 spectroscopy of pulsating stars, 375–6
 specular reflection law, 122, 123
 spherical model, 260–4, 317, 320, 323
 spherical trigonometry, 77
 sphericity, departures from, 264, 316
 'spin-orbit coupling,' 291, 297, 301, 307
 SPOT program, 357–8
 spotted stars, 341–73
 in binary systems, 348, 358–61
 light curve analysis, 360–70
 parameter sets, 355
 photometric effects of spots, 344–7
 RR Lyrae type stars, 289
 RS CVn type stars, 361–70
 spot temperatures, 356–8
 standard stars.
See also reference stars
 calibration experiment, 204–20, 243
 differential photometry compared to, 221
 UVB system, 58
Catalogue of Algol type Binary stars, 301,
 307
Catalogue of Bright Stars, 206
General Catalogue of Variable Stars
 (GCVS), 222
Guide Star Catalogs, 27, 36, 166
- Hipparcos Epoch Photometry Annex*
 (HEPA), 4, 10, 27, 36
 historical, 3, 15–17, 34
LONEOS catalogue, 243
 star charts, 17
 star clusters, colour-magnitude diagrams, 26
 star forming regions, 131
 star spots. *See* spotted stars
 stars
See also binary systems; variable stars
 absolute parameters of, 65–7
 distance determination, 64
 evolutionary models, 107–8
 giant and dwarf, 81, 96
 size determination, 53–5, 64
 spectral type, 31–2
 stellar winds, 301
 Vogt–Russell theorem of structure, 253
 stationary light, times of, 238–42
 Stebbins and Whitford system, 86–9, 152,
 388–400
 Stefan's constant (A. J. Stefan), 63
 Stefan's law, 42, 68
 stellar temperatures. *See* surface temperatures
 steradians, 39–40
 stilb (unit), 42
 'Stokes' parameters, 138–40, 144, 149–50, 156
 strip charts, 194–5, 224
 strongly interacting binary systems, 6
 successive approximations analysis, 8
 Sun
 cepheid colour model and, 387
 heliocentric correction, 227–30
 limb darkening, 18
 photometric characterisation, 44–8
 spotted star photometry and, 369
 UBV magnitude, 57
 visual and bolometric magnitude, 412
 supergiants, 83, 87
 supernova remnants, 128
 supernovae, 17, 401
 surface flux, colour correlations, 63–5
 surface mean intensity, 52
 surface temperature, 69
 correlation with B – V values, 81–2
 relative gradient and, 61–2
 six-colour system, 87
 spectral type and, 31
 SV Cam, 360
 SW Cyg, 295
 'symbiotic stars,' 256
- Taylor expansions, 53, 59, 61, 92
 telescopes, optical
 extended source brightness, 14
 fainter stars revealed by, 17
 mirror surface effects, 25

- photometric use, 2, 5, 48, 162–4, 200
 photon counts and, 62–3
 remote centring and guiding, 167
 television cameras as detectors, 174–5,
 181–2
 temperature.
See also effective temperature; surface
 temperature
 black body radiation dependence on, 42
 cepheid luminosity and, 376
 cooling CCD cameras, 185, 231, 235
 flux and bolometric correction, 50
 spectral type and, 67
 star spots, 342, 356–8
 stellar flux and, 51–6
 uvby values and, 98–9, 107
 temperature differences, 319–20
 temperature effects on noise, 189, 191, 193
 terminology, 27–32
 thermal noise, 193–4, 196
 thermionic effects in photomultipliers, 178,
 189
 thermionic work function, 172
Third Reference Catalogue (RC3), 137
 three-spot fitting option, 354, 372
 tidal interactions, 251, 299
 time
 differences and orbital motion, 227
 Julian date unit, 279–80
 light travel time, 227–8, 289–90, 292–6,
 305
 of stationary light, 238–42, 244
 timing of observations, 222
 time-phase conversion, 280
 time resolution, 115, 167–8, 198
 limits, 194, 196
 TiO bands, 101, 103, 108, 110
 ‘tracing paper’ methods, 238, 241, 258–9
 transits and occultations, 249–50, 257,
 259, 265
 transmission functions
 narrowband filters, 105
 UBV filters, 58–61, 93, 214
 triple star systems, 293–5
 two-beam photometry, 168
 two-colour diagrams, 79
 two-spot fitting option, 125–7, 354, 372
 Tycho Brahe, 16–17
- U – B* values
 colour temperature and, 25
 intrinsic luminosity and, 95
 spotted stars, 357
 standard star calibrations and, 58, 217–19
u – b values, 98, 107
 U Cep, 7, 251, 288, 298, 329
 broadband photometry, 332–5, 337
- U Her, 255
 U Sge, 7, 251, 329, 332–5
 UBV system
See also *B – V* values; broadband
 photometry;
 U – B values; *V* magnitude
 clusters, 79–80
 filters, 56–63, 69, 80–6, 214
 modifications and extensions, 56–63, 89,
 91,
 152, 244
 reddening line slope, 79
 SIMBAD database, 219
 standard star calibrations, 206–7
 telescope type, 164
 UBVIJKLMNOP system, 89–90
 UK Schmidt Telescope (UKST), 26, 36
 ultraviolet radiation
 atmospheric absorption, 47, 163, 218
 CCD camera sensitivity, 187
 detection of binarity, 392
 interstellar extinction, 90
 spotted stars, 369
 telescope sensitivity, 162, 164
 VV Ori light curves, 323
 white dwarf detection, 294
 Ulugh Beg, 16, 34
 uniformly diffusing flat disk, 123
 units, 40–2
 UV Psc, 369, 371
uvby system, 25, 92–8, 152
See also intermediate band photometry
 β filters and, 98–100
 Balmer decrement measures, 28
 extensions to, 99, 101–2, 153
 metallicity index, 31
 UX Ari, 150–1
 UX Tri, 285
 UZ Lib, 371
- V – R* values
 Barnes-Evans approach, 64, 388, 397, 404
 XX Tri, 357
 V745 Cas, 236–7
 V477 Cyg, 315–16
V magnitude, UBV system, 27, 55–9
 individual star data, 230, 237, 404
 uvby *y* and, 93
 V calibration, 210, 212–13, 230
 V833 Tau, 372
 vacuum tube detectors, 182
 Variable Star Observers League in
 Japan, 9
 variable stars
See also eclipsing binaries; light curves;
 period changes; pulsating variables
 definition, 2, 375

- variable stars (cont.)
 eye-based observations, 5
 historical recognition of, 15–18
 light curves, 237–42
Mira group stars, 2
 period changes, 279–307
 rapid blue variables, 111
 minimum S/N for differential photometry, 3, 24
 technology and discovery rate, 26–7
 WET project, 114
 white dwarf G 29 – 38, 112, 113
Variable Stars as Essential Astrophysical Tools, 307
 VAROBS program, 225
 Vega
 basic photometric data, 56
 as magnitude standard, 32, 58–9, 62, 412
 parallax, 19, 412
 Vereinigung der Sternfreunde, 5, 9
 vibrating stars. *See* pulsating variables
 Vidicon cameras, 182
 Vilnius photometry, 101, 153
 ‘virtual observatory,’ 180
 visible spectrum
 interstellar extinction, 78
 visual photometry, 117–18
 visual object identification, 164, 166
 VO band, 108, 110
 Vogt–Russell theorem, 253
 voltage frequency converters (VFC), 195, 207, 210, 224
 ‘von Ziepel’ law, 319
 VV Ori, 293, 322–5, 336
 W-D program, 317, 337
 W UMa, 251–4, 306
 W Vir type stars
 B-W method, 387, 399, 408
 light curves, 377
 period-luminosity law, 378
 wave theory of light, 32–3
 wavelengths
 See also spectra
 black body radiation, 42–3
 bolometric magnitude, 28
 colour and, 12
 effective wavelength, 29, 60–2, 384, 388
 extinction coefficient dependence on, 74, 217
 gradient and, 29
 sensitivity of CCDs, 187
 sensitivity of optical telescopes, 162
 sensitivity of photographic emulsions, 21
 sensitivity of semiconductors, 172, 176–7
 sensitivity of the human eye, 49
 solar spectrum, 43, 45–7
 UV filters, 59–60
 well capacity, CCDs, 233–4
 white dwarfs, 112–14, 294
 Whole Earth Telescope (WET) project, 114, 115, 154
 Wien’s displacement law, 43, 60–1
 Wilson and Devinney (W-D) program, 317
 Wilson–Bappu effect, 110, 153
 WINK program, 317
 Wolf–Rayet stars, 6, 154
 work functions
 dark currents and, 189
 microchannel plate, 180
 photoemission detectors, 171–2, 176
 working range, photometric detectors, 176
 WY Cnc, 371
 X-ray astronomy, 369
 X-ray binaries, 256, 274
 XX Tri, 357–8
 XY Cyg, 285
 XY Leo, 293–4
 XY UMa, 363, 371
 Y Cam, 295
 YY Gem, 341, 343, 370
 YZ Cas, 260, 262, 267, 269–72, 276
 Z Dra light curve, 240
 ZDI (Zeeman Doppler Imaging), 8, 342, 344, 353, 369–70, 372
 zero constant
 magnitude scales, 63
 standard star calibration, 210, 213–14
 zero point, differential photometry, 225