

Cambridge University Press

978-0-521-84751-3 - Boolean Functions: Theory, Algorithms, and Applications

Yves Crama and Peter L. Hammer

Index

[More information](#)


---

## Index

---

- 2-SAT problem, *see* quadratic equation
- 3-SAT problem, *see* DNF equation, degree 3
- absorption, 9, 26  
 closure, 131
- affine Boolean function, 110
- algebraic normal form, *see* representation over GF(2)
- aligned function, 398–399
- almost-positive pseudo-Boolean function, 604
- apportionment problem, 434
- approximation algorithm, 117
- arborescence, 613
- artificial intelligence, 50–52, 68, 124, 174, 273–274, 279–280, 511, 566, 569, 599
- association rule, 521–522
- assummable function, 414–417  
*k*-assummable  
 definition, 414
- 2-assummable  
 complete monotonicity, 396  
 definition, 395  
 vs. threshold function, 416
- threshold function, 414
- weakly assummable function, 429  
 Chow function, 430
- backdoor set, 83
- Banzhaf index, 57–58  
 and pseudo-Boolean approximations, 593  
 and strength preorder, 360  
 definition, 57  
 in reliability, 59  
 of threshold functions, 349, 434, 436, 437  
 raw, 57
- BDD, *see* binary decision diagram (BDD)
- belief function, 569
- belt function, 159
- bidirected graph, 206, 210
- binary decision diagram (BDD), 46–49  
 and orthogonal DNF, 48  
 ordered (OBDD), 47
- bipartite graph, 542, 549, 611  
 and conflict codes, 216, 592  
 and Guttman scale, 443  
 and posiforms, 604  
 complete, 611  
 recognition, 219
- black box oracle, *see* oracle algorithm
- blocker, 179
- Boolean equation  
 complexity, 72–74, 104–111  
 consistent, 67  
 definition, 67, 73  
 DNF, *see* DNF equation  
 generating all solutions, 112  
 inconsistent, 67  
 parametric solutions, 113–115
- Boolean expression  
 definition, 10  
 dual, 14  
 equivalent, 12  
 length, size, 12  
 of a function, 10–13  
 read-once, 448  
 satisfiable, 68  
 tautology, 68  
 valid, 68
- Boolean function, 3  
 expression, representation, 10–13  
 normal form representations, 15–19

- bottleneck optimization, 180
- branching procedures for Boolean equations, 80–87
  - branching on terms, 83
  - branching rules, 82
  - complexity, 104, 105
- Choquet capacity, 569
- Chow function, 429
  - weakly assumable function, 430
- Chow parameters
  - and Banzhaf indices, 57
  - and degree sequences, 441
  - and essential variables, 31
  - and reliability, 59
  - and strength preorder, 355
  - complexity, 61, 436
  - definition, 24
  - modified, 56, 66, 431
  - of threshold functions, 428–438
- circuit: combinational, logic, switching, 5, 52–55, 69–71, 142, 174, 405, 456, 558
- clause, 15
- clique, 610
- clutter, 60, 177, 451, 614
- CNF, *see* conjunctive normal form (CNF)
- co-Horn DNF, 207
- co-Horn function, 309
  - and Schaefer's theorem, 110
- co-occurrence graph, 449, 455
  - of read-once function, 458
  - oracle algorithm, 475
- coalition
  - blocking, 182
  - maximal losing, 56
  - minimal winning, 56
  - winning, 56
- cograph, *see*  $P_4$ -free graph
- coloring
  - of graphs, 121, 220
  - of hypergraphs, 71–72, 178–180
- complementation (Boolean), 8
- complete DNF, 27
  - recognition, 134
- completely monotone function, 391–397
  - 2-assumability, 396
  - dual-comparability, 394–395
  - recognition, 396
  - vs. threshold function, 392
- completely unimodal pseudo-Boolean function, 606
- computer vision, 567
- concave envelope of a pseudo-Boolean function, 581
- condensation of a digraph, 613
- conflict code, 216
- conflict graph, 216–218, 591
  - stable set, 591
- conflicting terms, 216, 545, 591
- conjunction
  - Boolean, 8
  - pseudo-Boolean, 574
- conjunctive normal form (CNF), 14–19
  - clause, 15
  - definition, 15
  - of a function, 15–19
  - pseudo-Boolean, 576
- connected component, 611
- consensus
  - Chvátal cut, 99
  - closure, 131, 293
  - derivation, 93
  - of two conjunctions, 92
  - unit consensus, 95, 97, 102
- consensus procedure for Boolean equations, 92–95
  - and cutting-plane proofs, 99
  - complexity, 104, 108
  - hard examples, 105
  - input consensus, 122
  - linear consensus, 102, 122
- consensus procedure for prime implicants, 130–138
  - disengagement order, 256
  - input consensus, 289
  - input disengagement, 255
  - input prime consensus, 291
  - prime implicant depletion, 287
  - term disengagement, 137
  - variable depletion, 135
- constraint satisfaction problem, 108–111
- constraint set, 108
- control set, 83, 86
- convex Boolean function, 545
- convex envelope
  - of a Boolean function, 546
  - of a pseudo-Boolean function, 581
- convex hull of terms, 546
- Cook's theorem, 41, 72–74, 230, 622–624
- correlation polytope, 595
- coterie, 182
- crossover point, 108
- cube, 15
- cut-threshold graph, 444
- cutset, 181
- cutting-plane proof, 99
  - Chvátal closure, 98
  - Chvátal cut, 98

- complexity, 104
- consensus cut, 99
- hard examples, 105
  
- data mining, 511, 521, 522, 538, 567
- databases, 274–275, 593
- Davis-Putnam rules, *see* DNF equation,
  - Davis-Putnam rules
- De Morgan's laws, 9
- decision tree, 47–49
  - complexity, 175
  - construction, 48
  - depth, 49, 175
  - of a pdBf, 526
- decomposable function, 540
- degree
  - of a Boolean function, 492
  - of a DNF, 18
  - of a polynomial threshold function, 407
  - of a pseudo-Boolean function, 571
  - of an elementary conjunction, 18
  - of prime implicants, 163, 193
- degree- $k$  DNF, 41, 197
  - functions representable by, 41
    - characterization by functional equations, 500, 506
    - recognition, 43
- degree- $k$  extension, 535
- degree- $k$  function, 491–495
  - characterization by functional equations, 494, 496
- degree- $k$  pseudo-Boolean approximation, 593
- disjunction
  - Boolean, 8
  - pseudo-Boolean, 574
- disjunctive normal form (DNF), 14–19
  - complete, 27
    - recognition, 134
  - definition, 15
  - degree
    - definition, 18
    - typical, 163
  - extremal size, 161
  - irredundant, 27
  - linear, 18
  - mixed, 207
  - monotone, 35
  - negative, 35
  - of a function, 15–19
  - orthogonal, *see* orthogonal DNF
  - polar, 207
  - positive, 35
  - prime, 27
  - pseudo-Boolean, 575
  - quadratic, 18
  - random, 106
  - redundant, 27
  - term, 15
    - transformation into, 19–22
- distributed computing, 182, 407
- DNF, *see* disjunctive normal form (DNF)
- DNF equation
  - branching procedures, 80–87
  - consensus procedure, 92–95, 135
  - counting solutions, 111
  - Davis-Putnam rules, 84, 91
  - definition, 67, 73
  - degree 3 (3-SAT), 73, 74, 105, 121
    - random, 107
    - reduction to, 77
  - heuristics, 86, 102
  - Horn relaxation, 86
  - integer programming approaches, 95–100
  - nonlinear programming approaches, 100–102
  - preprocessing, 84–87
  - quadratic relaxation, 87
  - random, 106
  - relative strength of procedures, 104
  - relaxation schemes, 86
  - rewriting rules, 84
  - satisfiability problem, 74
  - variable elimination, 87–91
- domishold graph, 444
- don't care points, 512, 558
- dual expression, 14
- dual function, 13
  - mutually dual functions, 168, 183, 190
- dual implicant, 169, 177, 308, 450, 458
- dual subimplicant, 452
  - recognition, 455
  - theorem, 453
- dual-comparable function, 170–174, 178–179, 394
- dual-major function, 170, 179, 180, 182, 394, 411
- dual-minor function, 170, 178, 180, 182, 394, 411
- duality
  - and bottleneck optimization, 181
  - and game theory, 13, 56, 182, 477–480
  - and hypergraphs, 61, 177, 179
  - and integer programming, 180
  - and reliability theory, 181
  - principle, 169
- dualization
  - algorithms, 183–189, 192–196
  - Berge multiplication, 187
  - by sequential distributivity, 186–189

dualization (*cont.*)

- complexity, 183–186, 189–192, 481
- double dualization, 141, 188
- equivalent problems, 191, 196
- Fredman-Khachiyan algorithm, 192–196, 308
- of Horn functions, 306–309
- of quadratic functions, 263–266
- of regular functions, 369–377
- of shellable functions, 336–338
- recursive algorithm, 197
- vs. identification, 196

- electrical engineering, 5, 52–55, 69–71, 174, 224–226, 405

## elementary conjunction

- Boolean, 15
- pseudo-Boolean, 575

## elementary disjunction

- Boolean, 15
- pseudo-Boolean, 576

## elementary operations, 8

- properties, 9

## ESPRESSO, 69, 82

## essential variable, 30

- of a read-once function, 474, 484
- recognition, 43, 436, 484

## exclusive-or, 44

## expert system, 50, 68, 124, 205, 273, 512, 566

expression, *see* Boolean expression

## extension of a pdBf, 514–558

- best fit, 548
- bi-theory, 525
- convex extension, 545–547
- decision tree, 529
- decomposable extension, 539–545
- definition, 511
- degree- $k$  extension, 535
- existence, 514
- Horn extension, 535–538
- largest, 515
- monotone extension, 532–534
- positive extension, 531
- smallest, 515
- theory, 519
- threshold extension, 538–539
- with errors, 547–551
- with missing bits, 551–558
  - consistent, 552
  - fully robust, 552, 553
  - most robust, 552
- extension of a pseudo-Boolean function, 578
  - concave, 581–583, 589–590
  - concave envelope, 581
  - convex, 581–583

## convex envelope, 581

- Lovász extension, 583, 590
- paved upper-plane, 583
- polynomial, 579, 588–589
- standard, 582, 590, 595

## facility location, 570

- false points, 3
- maximal, 38

Fourier expansion, *see* representation over the reals

## functional equations

- addition of inessential variables, 495
- certificate of non-membership, 501, 505
- characterizable classes, 490, 495–506
- definition, 489
- finitely characterizable classes, 500–506
- for co-Horn functions, 491
- for degree- $k$  positive functions, 494
- for Horn functions, 208, 278, 491
- for linear functions, 493
- for positive functions, 488
- for quadratic functions, 208, 493
- for submodular functions, 309, 492
- for supermodular functions, 492
- forbidden identification minors, 504
- identification of variables, 495
  - non-characterizable classes, 496
- fuzzy measure, 569

## game theory

- characteristic form, 568, 593
- positional games, 477–480
- simple games, 7, 55–58, 182, 348, 354, 360, 391, 406, 434–436, 593
  - constant-sum, 182
  - decisive, 182
  - proper, 182
  - strong, 182

## greedy heuristic

- for Boolean equations, 86, 135
- for logic minimization, 156–159
- for set covering, 156
- for submodular optimization, 603
- Guttman scale, 443

## Hamming distance, 523

## heuristics

- for Boolean equations, 86, 102

## Horn DNF

- definition, 51, 270
- dual recognition, 308
- extended, 319

- generalized, 320
- irredundant and prime, 283, 294–296, 314
- literal minimization: approximability, 301
- literal minimization: complexity, 301
- minimization, 297
- polynomial hierarchies, 320–321
- pure, 270
- renamable, 235, 314–316
- source sides minimization: complexity, 302
- term minimization: approximability, 300–301
- term minimization: complexity, 298–300
- Horn equation, 86, 281–286
  - and forward chaining, 284–285
  - and unit literal rule, 281–284
  - unique solution, 286
- Horn function
  - acyclic, 313–314
  - and Schaefer's theorem, 110
  - bidual, 311–312
  - characteristic models, 280, 322
  - characterization by functional equations, 278, 491
  - definition, 271
  - double Horn, 312–313
  - dual, 306
  - dual recognition, 307
  - dualization, 306–309
  - false points, 277–280
  - generation of prime implicants, 140, 286–292
  - maximal minorant, 279, 321–323
  - minimal majorant, 321–323
  - properties of prime implicants, 292–296
  - pure, 271
  - recognition, 272
  - renamable, 316, 317
- Horn term
  - definition, 269
  - head, 270
  - positive, 270
  - pure, 270
  - subgoals, 270
- hypergraph, 60–61, 298
  - coloring, 71, 178–180
  - definition, 614
  - directed, 275
  - hierarchy, 320
  - regular, 360
  - stable sets, 7, 34
  - transversal, 177, 179
- ideal function, 399–400
- identification minor, 503
- identification of variables, 495
- implicant
  - complexity of recognition, 138
  - definition, 26
  - dual, 169, 450
  - geometric interpretation, 31
  - pseudo-Boolean, 576
  - vs. true point, 39
- implicate
  - definition, 28
  - dual, 169
  - pseudo-Boolean, 576
  - vs. false point, 39
- implication graph, 212–216, 247
  - and generation of prime implicants, 250–254
  - and irredundant quadratic DNFs, 261–263
  - Mirror property, 212
  - solving quadratic equations, 239–240
- incompletely specified function, *see* partially defined Boolean function
- inessential variable, 30
  - addition, 495
- input consensus, 122, 255, 289, 291
- integer programming
  - MAX SAT, 117
  - aggregation problem, 422, 442
  - Boolean equations, 95–100
  - Boolean formulations, 62–65, 180–181
  - Boolean preprocessing, 72
  - extended Horn equations, 319
  - Horn equations, 276–277
  - knapsack problem, 407, 426, 427
  - logic minimization, 143, 156
  - monotone pdBf extension, 533
  - nonlinear, *see* pseudo-Boolean optimization
  - pdBf support set, 532
  - pseudo-Boolean formulations, 568–570
  - regular set covering, 377–380, 388–390
  - set packing, 442
  - strength preorder, 359
  - total unimodularity, 221
- $k$ -monotone function, 391–397
  - dual, 394
  - related properties, 430
- Karnaugh map, 32
- knapsack problem, 64, 407, 426, 427
- Kónig-Egerváry property, 72, 211, 223–224, 231
- LE property, *see* lexico-exchange property
- leader, 339, 359
- left-shift, 362–365
  - ceiling, 363, 420
  - definition, 362, 420
  - floor, 363, 420

- level graph, 227
- lexico-exchange property, 338–346
  - dualization, 345–346
  - orthogonal form, 345
  - quadratic functions, 346–347
  - recognition, 340–345
  - regular functions, 359
  - shellability, 339
- lexicographic order
  - of points in  $\mathbb{R}^n$ , 366, 374
  - of sets, 336, 338, 362
- linear equations over GF(2), 110
- linear function
  - characterization by functional equations, 493
- linearly separable function, *see* threshold function
- list-generating algorithms
  - complexity, 625–626
  - for prime implicants, 128–141
  - for solutions of Boolean equations, 112
  - for solutions of quadratic equations, 244
- local maximum of pseudo-Boolean function, 606
  - complexity, 587
  - definition, 586
- logic minimization, 141–159
  - approximability, 156–159
  - complexity, 150–156
  - extremal number of terms, 161
  - literal minimization, 142
  - set covering formulation, 143–150
  - term minimization, 142
  - typical number of terms, 164
  - with don't cares, 558–561
- logical analysis of data, 512
- Lovász extension, 583, 590
  - and supermodular functions, 601
- Möbius transform, 571
- machine learning, 47, 52, 196, 473, 512, 522, 538, 547, 567
- majorant
  - definition, 24
  - Horn, 321–323
  - regular, 380–390
  - smallest positive, 66
  - smallest regular, 380, 386
- matched graph, *see* quadratic equation
- matching, 610, 614
- matroid, 197, 348, 566
- MAX SAT problem, *see* maximum satisfiability
- max-cut problem, 565, 603
- max-quadratic pseudo-Boolean function, 226
- maximum satisfiability, 115–121
  - MAX 2-SAT, 249
  - approximability, 118–121
  - complexity, 116
  - integer programming formulation, 117
  - pseudo-Boolean formulation, 566, 590
- maxterm, 17
  - (Boolean) expression, 17
- median graph, 243
- membership problems
  - complexity, 42
  - definition, 40
  - DNF, 40
  - functional, 40
    - certificate of non-membership, 501
- min-cut problem, 603, 604
- minorant
  - definition, 24
  - largest positive, 66, 166
  - largest regular, 380, 382, 389
  - maximal Horn, 279, 321–323
  - regular, 380–390
- minterm, 17
  - (Boolean) expression, 17
  - (pseudo-Boolean) PBNF, 572
- models (of a Boolean equation), 51, 68, 273, 279, 280
- monomial, 15
- monotone Boolean function, 34
  - $k$ -monotone, 392
  - characterization by functional equations, 496
  - completely monotone, 392
- monotone literal rules, 85
- monotone pseudo-Boolean function, 566, 568, 569, 596–598
  - derivatives, 596
  - DNF and CNF, 597
  - recognition, 596
- multicriteria decision-making, 569, 578
- multilinear expression, extension, *see* polynomial expression, extension
- mutually dual functions, 168, 183, 190
- negation (Boolean), 8
- negative function, 34
- Negative Unit Literal Rule (NULR), 281
- neural network, 406, 408
- nonlinear programming
  - for Boolean equations, 100–102
- normal form of a pseudo-Boolean function (PBNF), 572
- normal function, 450
  - recognition, 468, 483

- ODNF, *see* orthogonal DNF (ODNF)
- oracle algorithm, 5
- for essential variables, 484
  - for identification, 196
  - for read-once learning, 473–476, 485
  - for read-once recognition, 472
  - for regular recognition, 369
  - for supermodular optimization, 603
  - for threshold recognition, 417, 445
- orthogonal DNF (ODNF), 22, 48, 326
- algorithms, 326–330
  - of a regular function, 361
  - of a shellable DNF, 331–335
  - reliability, 58
  - vs. dual DNF, 329
- $P_4$ -free graph, 449
- complement, 462
  - cotree, 464
  - recognition, 465
  - vs. cograph, 463–466
- parametric solution of equations, 113–115
- quadratic equations, 246–249
  - reproductive, 114
- parity function, 44, 66, 162, 444
- parse tree
- as game tree, 478
  - of a positive expression, 456
  - of a read-once expression, 456
- partially defined Boolean function, 511
- basic theory, 520
  - bi-theory, 525–526, 529
  - co-pattern, 520
  - co-theory, 520
  - decision tree, 526–531
  - extension, 511, 514–558
  - irredundant theory, 519
  - logic minimization, 558–561
  - missing bits, 551
  - pattern, 518, 567
  - prime pattern, 518
  - prime theory, 519
  - support set, 515
  - theory, 518–526
    - definition, 519
- pathset, 58, 181, 348
- pattern (of a pdBf), *see* partially defined Boolean function, pattern
- paved upper-plane, 583
- extension, 583
- PBNF, *see* normal form of a pseudo-Boolean function
- pdBF DECISION TREE, 528
- pdBf, *see* partially defined Boolean function
- perceptron, 406
- perfect matrix, 277
- Petrick function, 144
- phase transition for DNF equations, 108
- piecewise linear representation of a pseudo-Boolean function, 574
- pigeonhole formula, 105
- polar function
- Boolean, 208, 492
  - pseudo-Boolean, 604
- polynomial delay: definition, 625
- polynomial expression
- of a Boolean function, 45
  - of a pseudo-Boolean function, 571
- polynomial extension of a pseudo-Boolean function, 579
- optimization, 588–589
- polynomial incremental time: definition, 625
- polynomial total time: definition, 625
- posiform of a pseudo-Boolean function, 572
- optimization, 590–592
- positive function, 34
- recognition, 43
- prime implicant
- definition, 26
  - dual, 169, 177, 183
  - essential, 146, 311, 314
  - linear, 125
  - number of, 129, 159–161
  - of Horn functions, 292–296
  - of positive functions, 35–38
  - pseudo-Boolean, 576
  - quadratic, 126
  - redundant, 146, 314
  - small degree, 125, 193
  - vs. minimal pathset, 58
  - vs. minimal true point, 39
  - vs. minimal winning coalition, 56
- prime implicant generation, 128–141
- by consensus, 130–138
  - by double dualization, 141, 188
  - by term disengagement, 137
  - by variable depletion, 135
  - complexity, 139, 141
  - for Horn functions, 140, 286–292
  - for quadratic functions, 140, 250–254
  - for threshold functions, 423–428
  - from transitive closure, 251–254, 310
  - from true points, 128
  - tractable classes, 140
- prime implicate
- definition, 28
  - dual, 169
  - pseudo-Boolean, 576

- prime implicate (*cont.*)
  - vs. maximal false point, 39
  - vs. maximal losing coalition, 56
- problem definition
  - $(T, F) \parallel \phi \parallel$ -MINIMIZATION, 143
  - $T \parallel \phi \parallel$ -MINIMIZATION, 143
  - $\min T \parallel \phi \parallel$ -MINIMIZATION, 143
  - $\parallel \phi \parallel$ -MINIMIZATION, 143
  - ADD- $j$ , 197
  - BEST-FIT( $C$ ), 548
  - BOOLEAN EQUATION, 73
  - CE( $C$ ) (consistent extension), 553
  - DNF DUALIZATION, 183
  - DNF EQUATION, 73
  - DNF MEMBERSHIP IN  $C$ , 40
  - DUAL RECOGNITION, 183
  - DUALIZATION, 183
  - EXTENSION( $C$ ), 514
  - FRE( $C$ ) (fully robust extension), 553
  - FORBIDDEN-COLOR GRAPH BIPARTITION, 221
  - FUNCTIONAL MEMBERSHIP IN  $C$ , 40
  - HORN  $\mu$ -MINIMIZATION, 298
  - HORN DUAL RECOGNITION, 308
  - IDENTIFICATION, 196
  - IMPLICANT RECOGNITION, 138
  - ISOTONY, 227
  - MRE( $C$ ) (most robust extension), 553
  - MIN-SUPPORT( $C$ ), 515
  - POSITIVE DNF DUALIZATION, 190
  - POSITIVE DUAL RECOGNITION, 190
  - PRIME IMPLICANTS, 128
  - QUADRATIC DNF DUALIZATION, 263
  - READ-ONCE EXACT LEARNING, 474
  - READ-ONCE RECOGNITION, 466
  - REGULAR DUALIZATION, 369
  - REGULARITY RECOGNITION, 365
  - SATISFIABILITY, 74
  - SET COVER, 515
  - SHELLABILITY, 349
  - THRESHOLD RECOGNITION, 417
- procedure
  - AHK READ-ONCE EXACT LEARNING, 474
  - BRANCH (solving equations), 81
  - CHECKING NORMALITY, 469
  - CONSENSUS\* (prime implicants), 131
  - CONSENSUS (solving equations), 94
  - DECISION TREE, 48, 528
  - DISENGAGEMENT CONSENSUS, 138
  - DUALREGO (regular dualization), 372
  - DUALREG (regular dualization), 376
  - ELIMINATE (solving equations), 89
  - EXPAND\* (Tseitin's procedure), 77
  - EXPAND (Tseitin's procedure), 22
  - FK-DUALIZATION (Fredman and Khachiyan), 196
  - FORWARD CHAINING, 285
  - GMR READ-ONCE RECOGNITION, 467
  - IMPLICANT, 342
  - INPUT CONSENSUS, 289
  - INPUT DISENGAGEMENT CONSENSUS, 257
  - INPUT PRIME CONSENSUS, 291
  - LE-PROPERTY (lexico-exchange), 344
  - MINTRUE, 424
  - NULR (Negative Unit Literal Rule), 282
  - ORTHOGONALIZE., 328
  - PRIME IMPLICANT DEPLETION, 287
  - PRIME PATTERNS, 559
  - QUADRATIC PRIME IMPLICANTS, 254
  - RECOGNIZE DUAL, 194
  - REGCOVERo (regular set covering), 377
  - REGCOVER (regular set covering), 379
  - REGMINOR (largest regular minorant), 383
  - REGMINOR (largest regular minorant), 386
  - REGULAR (recognition), 368
  - SD-DUALIZATION (sequential distributive), 188
  - THRESHOLD (recognition), 418
  - TREE-DNF, 527
- production planning, 569
- projection of a Boolean function, 28
- propositional logic, 5, 50–52, 68, 124, 273–274
- pseudo-Boolean function
  - almost-positive, 604
  - approximation, 593
  - completely unimodal, 606
  - concave extension, 581–583
  - continuous extensions, 578–585
  - convex extension, 581–583
  - definition, 564
  - degree, 571
  - derivative, 586, 596, 599
  - DNF and CNF, 574–578
  - linear, 601
  - Lovász extension, 583–585
  - modular, 601
  - monotone, 596–598
  - normal form (PBNF), 571–572
  - paved upper-plane extension, 583
  - piecewise linear representation, 573–574
  - polynomial expression, 570–571
  - polynomial extension, 579–580
  - posiform, 572–573
  - quadratic, 594–596
  - representation, 570–578
  - standard extension, 582
  - submodular, 599–603
  - supermodular, 599–605



- threshold, 606
- unate, 604
- unimax, 606
- unimodal, 605–606
- unimodular, 604–605
- pseudo-Boolean optimization
  - concave extension, 589–590
  - conflict graph, 590–592
  - continuous relaxations, 588–590
  - linearization, 589
  - local optima, 585–587, 606
  - Lovász extension, 590
  - methods, 585–592
  - models, 565–570
  - polynomial extension, 588–589
  - quadratic, 594–596
  - rounding (Rosenberg’s theorem), 101, 193, 588, 590
  - standard extension, 589–590
  - standard extension bound, 590, 595
  - supermodular function, 603–605
  - transformation to the quadratic case, 594
  - variable elimination, 587–588
- psychology, 443, 512, 538
  
- Q-Horn
  - DNF, 317
  - equation, 318
  - function, 317
- quadratic equation (2-SAT), 230–243
  - Alternative Labeling algorithm, 234–235
  - and Schaefer’s theorem, 109
  - definition, 204
  - forced literal, 214
  - generating all solutions, 244
  - implication graph, 212–216, 239–240, 247
  - Labeling algorithm, 231–234
  - matched graph, 210–212, 236–239
  - number of solutions, 61, 244
  - on-line, 249
  - parametric solution, 246–249
  - random, 107, 241–243, 267–268
  - reducibility to, 218–230
  - set of solutions, 243
  - Strong Components algorithm, 239–240
  - Switching algorithm, 235–239
  - twin literals, 215
  - variable elimination, 230
  - vs. 2-SATISFIABILITY, 205
- quadratic function
  - and Schaefer’s theorem, 109
  - and transitive closure, 210, 251–254
  - characterization by functional equations, 208, 493
  - definition, 203
  - generation of prime implicants, 140, 250–254
  - purely quadratic, 204
  - shellability, 346–347
- quadratic graph, 216–218
- quadratic irredundant DNF
  - and transitive reduction, 261–263
- quadratic pseudo-Boolean function
  - optimization, 594–596
  - super- or submodular, 601
- quadric polytope, 595
  
- random Boolean function, 163
- random DNF equation, 106
  - crossover point, 108
  - phase transition, 108
  - quadratic, 241–243, 267–268
  - threshold conjecture, 107
- random DNF expression, 106
- rank function (vector space, matroid), 566
- read- $m$  function, 476–477
- read-once expression
  - definition, 448
  - parse tree, 456
  - unicity, 456
- read-once function
  - $P_4$ -freeness, 461
  - characterization, 450, 458
  - characterization by functional equations, 496
  - co-occurrence graph, 456
  - definition, 448
  - learning with oracle, 473–476
  - normality, 459
  - positional game, 477–480
  - recognition, 466–473
    - arbitrary representation, 470–473
    - complete DNF expression, 466–470
- Reed-Muller expansion, *see* representation over GF(2)
- regular function
  - characterization by functional equations, 496
  - definition, 354
  - dualization, 369–377
  - largest regular minorant, 380–390
  - left-shifts, 362–365
  - lexico-exchange property, 359
  - maximal false points, 371, 375
    - number of, 376
  - prime implicant recognition, 367–368
  - recognition, 365–369
  - set covering, 377–380
  - smallest regular majorant, 380–390
  - threshold graph, 439
  - vs. aligned, 400

- regular function (*cont.*)  
 vs. ideal, 400  
 vs. weakly regular, 400  
 Winder matrix, 367
- regular hypergraph, 360
- reliability polynomial, 59, 361, 580
- reliability theory, 7, 34, 58–59, 181, 348,  
 361–362, 406
- renaming variables, *see* switching variables
- representation by Boolean expressions, 10–13  
 normal forms, 15–19
- representation over  $GF(2)$ , 44  
 linear equations, 110
- representation over the reals, 45
- resolution principle, 92
- resolvent of Boolean constraints, 62, 407, 422
- restriction of a Boolean function, 28
- roof dual, 595  
 strong persistency, 595
- satisfiability problem, *see* DNF equation
- satisfiable expression, 68
- Schaefer's theorem, 108–111
- self-dual extension, 172, 402, 412
- self-dual function, 13, 170, 179–180, 182–183,  
 196, 199, 402, 412, 445
- set covering problem, 63, 66, 143, 147, 150,  
 156, 180, 299, 422, 515, 532, 562  
 generalized, 62, 276, 422  
 regular, 377–380, 388–390
- set function, 564
- shadow, 332, 337, 362
- Shannon expansion, 29–30, 44, 88
- shellable DNF, 330  
 dualization, 336–338, 349  
 orthogonal form, 331–335  
 recognition, 335, 349
- shellable function, 335  
 characterization by functional equations, 496
- shelling, 330  
 recognition, 335
- signed graph, 220
- Sperner family, Sperner hypergraph, 60, 177,  
 614
- split graph, 220
- spread of a function, 162
- stability function, 7, 34, 60, 209, 402
- stable set, 7, 34, 60, 71, 177, 197, 263, 439, 610,  
 614  
 and pseudo-Boolean optimization, 565,  
 590–592, 594
- standard extension of a pseudo-Boolean  
 function, 582  
 bound, 590, 595
- strength relation, 351–362, 391–397  
 $k$ -monotonicity, 392  
 and Chow parameters, 355  
 and regular functions, 354  
 and reliability theory, 361  
 and simple games, 355, 360, 391  
 complete monotonicity, 392  
 leader, 359  
 of dual function, 358  
 of restrictions, 357, 393  
 on subsets, definition, 391  
 on variables, definition, 352  
 recognition, 356, 366–369, 401  
 Winder matrix, 366
- strong component, 613
- strongly connected digraph, 613
- struction, 592
- stuck-at fault, 69–71, 87
- subcube, 31
- submodular Boolean function, 208, 309–311  
 characterization by functional equations, 309,  
 492
- submodular pseudo-Boolean function, 566,  
 599–603  
 derivatives, 599  
 quadratic, 601  
 recognition, 601
- sum of disjoint products, *see* orthogonal DNF
- superadditive pseudo-Boolean function, 568
- supermodular Boolean function, 208  
 characterization by functional equations, 492
- supermodular pseudo-Boolean function,  
 599–605, 608  
 derivatives, 599  
 Lovász extension, 601  
 optimization, 603–605  
 quadratic, 601  
 recognition, 601
- support set of a pdBf, 515–518  
 minimum, 515  
 complexity, 517  
 positive, 532
- swing, 57, 433
- switching variables, 235–239, 314–316, 321,  
 604–605
- symmetric  
 function, 65, 159, 361  
 variables, 352, 356
- system of equations (Boolean), 74–76
- tautology, 68
- term, 15
- theory (of a pdBf), *see* partially defined Boolean  
 function, theory

- threshold conjecture, 107
- threshold dimension, 443, 446
- threshold function
  - asummability, 414, 502
  - certificate of non-membership, 501
  - characterization by functional equations, 499, 501–503
  - Chow function, 429
  - Chow parameters, 428–438
    - computation, 435
    - vs. separating structure, 430–435
  - complete monotonicity, 392, 411
  - definition, 404
  - dual, 411
  - generation of prime implicants, 423–428
  - linear programming characterization, 413
  - number of threshold functions, 412
  - polynomial threshold function, 407
  - prime implicant characterization, 423
  - pseudo-Boolean, 606
  - recognition, 417–422
    - complexity, 418, 421
    - oracle algorithm, 417, 445
  - regularity, 410
  - related graph classes, 438–444
  - related properties, 430
  - restrictions, 408
  - separating structure, 404, 408–410
    - cone, 409
    - integral, 409
    - random, 432, 435
    - size of weights, 413
  - shellability, 348
  - vs. 2-asummability, 416
- threshold graph, 438–444
  - aggregation problem, 442
  - degree sequence, 440–442, 446
  - forbidden subgraphs, 440
  - Guttman scale, 443
  - threshold dimension, 443
- threshold synthesis, 417
- topological ordering of a digraph, 613
- totally unimodular matrix
  - and Horn functions, 277
  - pseudo-Boolean optimization, 604
  - recognition, 221
- transitive closure, 613
  - and quadratic functions, 210
  - by consensus, 255–261
- transitive reduction, 613
  - and irredundant quadratic DNFs, 261–263
- transversal, 64, 177–181, 610, 614
- tree, 611
  - rooted, 611
- triangulated graph, 346, 565
- true points, 3
  - minimal, 38
  - number of, 23, 24, 61, 111, 163, 327, 436
- truth table, 4, 143, 156, 158, 417
- Tseitin's procedure, 19–22, 76
- unate function
  - Boolean, 34
  - pseudo-Boolean, 604
- unimax pseudo-Boolean function, 606
- unimodal pseudo-Boolean function, 605–606
- unimodular pseudo-Boolean function, 604–605
- unique games conjecture, 121
- unit literal rules, 85
  - and extended Horn equations, 319
  - and Horn equations, 281–284
- unit resolution, 85
- variable elimination
  - complexity, 104, 106
  - for Boolean equations, 87–91
  - for pseudo-Boolean optimization, 587–588
- weakly regular function, 397–398
- weighted majority game, 56, 182, 348, 406, 407, 434, 436
- Zhegalkin polynomial, *see* representation over GF(2)