

Index

- 6A-99 and barrel cortex-specific gene expression 245
- Ablating a single barrel (effect on plasticity expression) 185
- Absorption spectra for hemoglobin 220
- Acetylcholinesterase barrel field visualization 8 and staining the barrel field 10 transient developmental expression 104
- ACI (adenylyl cyclase type 1) 235 role in barrel formation 100 role in silent synapse conversion 102
- Active touch 142–145, 227–234
- Activity blockade and dendrite orientation 97
- Adenosine and cortical blood flow 223 and hemodynamic coupling 223
- Adenylyl cyclase type 1 *see* ACI
- Adjacent spared whiskers 174
- Adolescence (in rodents) 182
- Adult plasticity 182–183
- Age effect on plasticity 180–183
- American opossum 6
- AMPA receptor insertion during development 102 and spine movement 205 and synaptic transmission 61 and thalamic axon development 101–103
- Anesthetic effect on blood flow 222, 223 effect on receptive field 130
- Angiogenesis 226–227
- Anterior lateral barrel subfield 1, 3, 10
- Anterior thalamic nucleus 21, 23
- Antidromic activation (and cortical stimulation) 151
- Apoptosis and nerve section 211
- APV (2-amino-5-phosphonovaleric acid) effect on cortex development 96 effect on lesion-induced plasticity 96
- Australian opossum 6
- Autophosphorylation, CaMKII and plasticity 196
- Axon-targeting cells (and single-layer cortex) 75
- Barrel composition 6–10 dimensions in mouse 113 dimensions in rat 113 formation 79, 97–98 sub-barrels 30
- Barrel-column 113
- Barrel field as phenotypic trait 243 size 241
- Barrel formation 98 and competition for space 97 timing 97
- Barrel pattern 2 and growth associated protein 14, 208 rotation in thalamocortical afferent trajectory 29 use in pathway tracing 14
- Barrel wall 6 coronal section 9
- Barrelette anatomical orientation 18 definition and the trigeminal nuclei 17

288 Index

- Barrelette (cont.)
 - and interpolaris neurons' dendritic trees 12
- Barrelless mouse
 - and ACI 235
 - AMPA insertion 156
 - and AMPA receptor insertion 102
 - and development of barrel field 98
- Barreloids
 - caudal tail innervation 24
 - location 23
 - size and orientation 22, 24
- Basket cell 55–56
 - and gap junctions 71
 - large 56
 - nest 56
 - postulated role in DSI 63
 - projections to somata 40
 - small 55
 - and VPM terminations 30
- BDNF (brain-derived neurotrophic factor)
 - and CREB in plasticity 209
 - rescue of infraorbital nerve section 94
 - role in silent synapse conversion 102
 - and rescue of apoptosis 211
- Bidirection synapses 157
- Bipolar cells 57
- Birthday of individual cortical layers 83
- Bitufted cells 57
- Blood flow 218–227
 - fluorescence methods 219
 - oxygenation levels 220
 - radiographic methods 218
 - stroboscopic methods 219
 - supply to the barrel 218
- Brain-derived neurotrophic factor *see* BDNF
- Caged glutamate 234
 - and depression in the layer IV to II/III pathway 192
- Cajal–Retzius cells 58
 - in cortical development 83
- Calbindin-positive interneurons 40
- Calcium-calmodulin-dependent protein kinase II, *see* CaMKII
- CaMKII (calcium-calmodulin-dependent protein kinase II)
 - autophosphorylation 196
 - experience-dependent plasticity 197
 - dependence of LTP 157
 - and LTP induction in cortex 161
 - molecular switch hypothesis 195
 - percentage of postsynaptic density 196
 - role in experience-dependent plasticity 195–196
- Cannabinoid receptors in layer V inhibitory cells 43
- role in DSI 63
- role in LTD 168
- Capsaicin and plasticity 215
- Carnivores 6
 - and whiskers 2, 7
- Catecholamine receptors 43
- Caudal nucleus (nomenclature) 17
- Caudalis
 - facial nucleus projection 20
 - and fur innervation 19
 - and primary afferent termination 19
- Cell density and barrel formation 97
- Center receptive field origins 132
- Centrolateral nucleus
 - projections 44
- Cerebral blood flow 219, 220
- C-fibers and tonic inhibition 215
- C-fos and plasticity 206
- Chandlier cells 56
 - receptive fields in layers II/III 42
 - receptive field size 128
 - and VPM terminations 30
- Chemical LTD 163
- Chessboard deprivation
 - pattern 174
 - and depression 179
 - and potentiation 179
- Cholinergic input to cortex 43
- Cholinergic receptors 44
- Chinchilla 2, 7
- Clonal relationship of cortical cells 81
- Column (cortical) 112
- Columnar architecture (exceptions in barrel cortex) 12
- Columnar hypothesis 11, 112–113
 - exceptions in barrel cortex 113
 - and latency 117, 121
 - transmission 117, 120–122
- Computer modeling 237–240
- Connexins 72
- Contact response during whisking 144
- Convergence (of whisker information) 115, 120
- Correlated activity (role in pattern formation) 87

Cortical activity block effect on lesion-induced plasticity 210	Cumulative plasticity and CREB 208	cortical mechanisms 136–138 of primary afferents 135 proportion of cortical cells 136
Cortical circuits 69	Databases for cortical information 240	Discrimination of horizontal position 142
Cortical column 11–12 and modeling 237	Deep vibrissae nerve 15, 16	Disinhibition (for induction of LTP) 151
Cortical connections with MI 45 with SII 45	Dendrite-targeting cells (and single-layer cortex) 75	Dopaminergic input to cortex 43
Cortical origin of depression 179 of plasticity 183–186	Dendrites (orientation within layer IV) 30	Double bouquet cells 57
Cortical plate in developing cortex 83 and layer development 83	Dendritic plasticity 210	DSI 63, 64 differences between layer Va and Vb 63
Cortical projections and back projections 45 and forward projections 45 to other cortical areas 45	2-deoxyglucose and follice reinnervation 214 and single-whisker stimulation 173 uptake in trigeminal nuclei 19	Dynamic receptive fields 131
Cortical rhythms 240	Depolarization-induced suppression of inhibition <i>see</i> DSI	Dysgranular zone (projection received from VPM(vl) 24
Corticothalamic cells (percentages of inputs from VPM) 30	Depressing synapse layer VI to layer IV RS 70 and multipolar cells 70 short-term dynamics 64	Electrical synapses 71–73
CPG15 and CREB in plasticity 209	Depression magnitude with whisker deprivation 174	Electroencephalography (use in defining receptive field size) 130
CREB (cAMP response element-binding protein) knockouts and plasticity 209 and plasticity 207, 208	Deprivation patterns 174	Electromyograph during whisking 144
Critical period comparing visual and somatosensory cortex 182 lack of for potentiation in layers II/III 182 for layer IV 181 LTP 154, 210 for nerve degeneration 211	Development of intracortical connections 106–108 of receptive fields and role of activity 94 role of activity in 94	ENU (N-ethyl-N-nitrosourea) mutagenesis 242
Cross-whisker potentiation 177	Diagonal pathways (for plasticity) 190	EPSP miniature EPSP and effect of deprivation 186 timecourse 59
Cytochrome oxidase (CO) 9 staining in oralis 19 and trigeminal nuclei 17 and VPM staining 22, 24	Diffusible factors in cortical development 89	Ex vivo studies of cortical plasticity 192
	Dil (1,1-dioctadecyl-3,3,3,3- tetramethylindocarbonyl- cyanine percholate) barrel field visualization 9	Excitatory postsynaptic potential <i>see</i> EPSP
	Dimensions (of barrels) 10	Excitatory synaptic transmission 59–62
	Direction selectivity 135–138	Experience-dependent depression (relationship to LTD) 168–169
		Experience-dependent plasticity 172–210 and LTP 159–162

290 Index

- Facial motor nucleus and
 sensory-motor loops
 147
 superior colliculus input 148
 Facilitating synapse
 and bitufted cells 70
 layer VI to LTS 70
 and LTS cells 68
 short-term dynamics 64
 Facilitation and direction
 selectivity 139
 of adjacent whisker
 responses 139
 Far side of the barrel
 (response latency) 118,
 122
 Fast rhythmic bursting cell
 239
 Fast spiking cells
 characteristics of 66
 direction selectivity 136
 receptive field size 127
 Fast spike units 125
 Feedback
 connections to trigeminal
 nuclei and plasticity 215
 inhibition 124
 loop types 145
 Feedforward inhibition
 (evidence for) 126
 fibroblast growth factor 8
 (role in providing
 position cue in
 development) 89
 fifth cranial nerve 16
 Firing rate in vivo during
 whisker deprivation 169
 Follicle 14–16
 ablation
 effect on development 95
 effect on intracortical
 axons in adult 213
 effect on dendrites in
 adults 214
 composition and blood
 vessel innervation 16
 and plasticity 210–212
 reinnervation following
 damage 213
 sinus 4, 14, 15
 Forepaw representation and
 dendritic orientation
 212
 Forward genetics 241
 Free nerve endings (location)
 16
 Fur innervation (in the
 trigeminal nuclei) 19
 GABA (gamma aminobutyric
 acid) 62
 GABA receptors
 GABA_A 62
 GABA_B 62
 GABA_C 63
 Gamma oscillations 239
 and exploratory whisking 72
 and whisker stimulation 232
 Gamma-aminobutyric acid *see*
 GABA
 Gap junctions 71–73
 in adult cortex 71
 between excitatory cells in
 neonates 101
 between inhibitory
 interneurons 42
 extent and range of
 network 71
 postulated between
 excitatory cells 72
 Gene expression and
 plasticity 206
 Gene trapping 245
 Gerbil 10
 Gestation
 in mice 80
 in rats 80
 Glassy membrane 14
 GluRs 61
 GluR1
 knockouts and
 presynaptic plasticity
 159
 and experience-dependent
 depression 199
 insertion 198
 phosphorylation by PKA
 198
 and rectification 156, 236
 role in experience-
 dependent plasticity
 198–199
 role in LTD 167
 role in postsynaptic LTP
 157
 tagging with green
 fluorescent protein 156
 and whisker trimming 236
 GluR2 4, 104
 lack of experience
 dependence 236
 Glutamate
 evidence for being a
 cortical transmitter 60
 and spine movements
 205–206
 Glutamate receptors *see*
 GluRs; *see also* mGluRs
 growth-associated protein-14,
 208
 H-2ZI and barrel-specific gene
 expression 244–245
 Halothane and cortical blood
 flow 224
 Handshake hypothesis 91
 Hemodynamic coupling 223
 and stroke 227
 Heterosynaptic depression
 depriving one whisker 178
 in vivo 177
 Heterosynaptic LTD 162

Hippocampus	Inhibition	LTS cells 42
and discovery of LTP 151	development of 108–109	Martinotti cells 43
and LTD 163	and direction selectivity	parvalbumin staining 40
and single-layer cortex 73	139–141	Inhibitory postsynaptic
Homeobox genes (role in	and dual-frequency	potential <i>see</i> IPSP
segmentation) 89	response circuits 71	Inhibitory synapses
Homosynaptic depression	feedforward and feedback	effect of whisker trimming
depriving all whiskers 178	120	during development
in vivo 177	latency and duration in	109
Homosynaptic LTD 163	layer IV 124	timing of development
Horizontal pathways 190	lateral 126	109
anatomical evidence 189	local in the absence of	and transmission 62–63
for excitatory transmission	intracortical	and transmission in
between barrels 123	transmission 134	neonatal cortex 101
for potentiation 188–191	and modeling 238	Innervation
and peripheral lesions 212	reversal potential in	of the follicle 2–3
5HT (role in thalamocortical	development 108	levels in relation to size of
patterning) 100	role in plasticity 162	cortical area 2
5HT _{1B} receptors 4, 104, 242	timing of onset 108	Intrinsic burster (IB) cell
barrel field visualization 8	Inhibition in layer V	and inhibitory input 37
and staining the barrel	sources for layer Va and	and intracortical
field 9	Vb 43	connectivity 37
5HT transporter 4, 104	sources for regular spiking	and lack of thalamic
role in thalamocortical	and intrinsic bursting	input 30
patterning 100	cells 43	morphology 53
Hypertensive endothelial	Inhibitory cells 55–58	and plasticity pathways
nitric oxide synthase	origin in development 82	191
knockouts 224	receptive fields 133–134	pyramidal cells 53
Inducible cAMP-responsive	Inhibitory connections on	Intermediate progenitor
early repressor and	spines 109	cells 80
plasticity 209	Inhibitory feedback within	Interpolar nucleus
Immediate early genes	the barrel 115, 119	(nomenclature) 17
206, 207	Inhibitory interneurons	Interpolaris
Infraorbital nerve 16	40–43	and cortical feedback 147
development of mystacial	calretinin staining 40	dendritic field relative to
pad innervation 93	fast spiking cells 42	barrelettes 22, 24
section	and gap junctions 42	and primary afferent
and barrel formation 211	general classification 40	termination 19
effect on horizontal	in layers II/III and their	and receptive field size 22,
connections 108	projections 42	24–25
intracortical connections	in layer IV	thalamic projection 19
212	and projections 41–42	Intracortical connections
and pattern formation 93	and thalamic efficacy 41	excitatory 31–40
	in layer VI 43	general overview 32

292 Index

- Intralaminar nuclei
 - projections to cortex 31, 44
- Intrinsic imaging of cortex during whisking 233
- Ionotropic receptors 61
- IPSP (inhibitory postsynaptic potential)
 - effect on EPSP 59
 - timecourse 59
- Ischemia 225
- JunB and plasticity 207
- Kainate receptor
 - elimination during LTP 154
 - postsynaptic receptors in development 105
 - presynaptic receptors in development 105
 - quantal activation 235
 - role in development of thalamocortical transmission 105
- KROX24 and plasticity 206
- Labeled line
 - and context of information 114
 - salience of information 114, 117, 121
 - in sensory processing 113–114
- Lanceolate endings
 - location 16
 - rapidly adapting receptors 16
- Laser Doppler flow cytometry 219
- Late-phase plasticity 199–201
- Latency
 - of layer IV GABAergic cells 115, 120
- of response in layers IV and Vb 118, 122
- of response in whisking 143
- of response to principal whiskers within the column 117, 121
- of thalamic responses 115, 118
- of thalamocortical input 115, 118
- Lateral inhibition 127–129
 - anisotropy within receptive field 129
 - and cortical substrates 128
 - role in plasticity 180
 - size of in the cortex 128
- Lateral and medial ganglionic eminence (cortical progenitors) 82
- Layer II/III to Vb pathway for depression 192
- Layer IV receptive field size 130
- Layer V pathways for plasticity 191
- Layer VI recurrent collaterals
 - frequency response 70
 - on to inhibitory cells 70
 - and plasticity 204
- Lectin binding and map formation 91
- Lemniscal pathway 19
- Lidocaine and effect of peripheral nerve block on VPM 214
- Long-term memory and neocortical plasticity 153
- Long-term depression *see* LTD
- Long-term potentiation *see* LTP
- Loops
 - as anatomical pathways 145
 - sensory 146–147
- as sensory-motor mechanisms 145
- sensory-motor 147–148
- Low threshold spiking *see* LTS
- LTD
 - early phase 194
 - induction methods 163
 - timing window 164
- LTP
 - critical period of thalamocortical synapse 154
 - early phase 194
 - effect of experience on probability 160
 - in layer II/III cells 157–159
 - methods of induction 151
- LTS
 - cells and short-term dynamics 68
 - characteristics of 66
- Magnetic resonance imaging
 - arterial spin 219
 - blood flow measurement 219
 - BOLD functional MRI 220
- Marginal zone
 - and layer I 83
 - in cortical development 83
- Marsupials 6
- and evolution 6
- Martinotti cell 57–58
 - as an analogue of the hippocampal OL-M cell 75
 - and cross-column inhibition 58
- Merkel's disc
 - location 16
 - slowly adapting receptors 16
- Metabotropic glutamate receptors *see* mGluRs

mGluRs (metabotropic glutamate receptors)	Myomorphs 6	dependence of LTD 166
61, 62		dependence of LTP 157
group I 62	Nearside of the barrel and response latency	and in vivo plasticity 195
mGluR1 α 62	118–120, 122	and neonatal cortical transmission 101
mGluR2/3 62	Neighboring barrels and cross barrel-column	presynaptic 167
mGluR5 62	transmission 117, 122–124	role in barrel formation 99
in development of thalamocortical transmission 105	Nerve growth factor (overexpression in mystacial pad) 94	role in detecting correlated activity 88
role in barrel formation 99	Network tension 238	role in development of horizontal connections 108
MI projections from barrel cortex 45	NeuroD2 and plasticity 208	role in LTD 166
Migration	Neurogliaform cells 58	subunits
of cells during development 84	Neuropeptide expression in GABAergic inhibitory cells 63	NR1 knockout mice and somatotopic pattern 96
period of in the rat 83	and inhibitory cells 55	NR2A 4, 104
Miniature EPSPs and effect of deprivation 186	Neurotrophins and cell death in principalis 94	NR2B 4, 104
Minicolumns 112	neurotrophin-3 rescue of infraorbital nerve section 94	NR2C 61
Monoamine oxidase knockout and thalamocortical afferent patterning 99	and pattern formation 93	and synaptic transmission 61, 194–195, 197–198
mutant mouse strain 242	Nicotinic receptors 4, 104	Noradrenergic input to cortex 43
Monocular deprivation in relation to barrel cortex plasticity 177	modulation of glutamatergic transmission 105	Occlusion of LTD by whisker deprivation 169, 193
Motor cortex primary area <i>see</i> MI	and staining the barrel field 9	Ocular dominance plasticity and LTD 163
Motor cortex and sensory-motor loops 148	transient developmental expression 104	Oral nucleus (nomenclature) 17
Multiwhisker responses 138–141	Nissl stain 9	Oralis and primary afferent termination 19
integration in texture discrimination 142	barrel field visualization 9	Optical imaging of blood flow 221
summation in plasticity 180	Nitric oxide synthase and cortical blood flow 223	spectroscopy 223
Muscimol and barrel inactivation 133	and hemodynamic coupling 223–224	Parafascicularis projections 44
and preventing plasticity 184	role in LTP 162, 198, 199	Parvalbumin and connexin 10–11
	NMDA receptor contribution to sensory transmission 61	staining in layer IV 41
		Pattern formation 79 and acetylcholinesterase staining 91

294 Index

- Pattern formation (cont.)
 and infraorbital nerve transection 92
 Pattern information 98
 and thalamic afferents 92
 theories on where it is carried in development 89
 Pattern of whiskers 2
 Peripheral pattern as a source of central pattern 93
 Phase comparator and whisking 145
 Phase lock and whisking 148
 Phase-locked loop and decoding contact 145
 Phosphatase (role in LTD) 167
 Photostimulation 234
 and intracortical pathways 235
 Pinipeds 6
 PKA (protein kinase A)
 and CREB in plasticity 208
 and immature synapse potentiation 199
 regulatory subunits and barrel field formation 242
 role in reversal of LTD 166
 see also RII β -subunit of PKA
 Phospholipase C β_1 -subunit
 role in barrel formation 98, 100
 Point-spread function 117, 122–124
 Polymerization of actin and spine movement 205
 POM (posterior medial thalamic nucleus)
 26–29
 back projections from cortex 48
 control of receptive fields 28
 and cortical feedback 146
 cortical input from layer V 28
 influence of zona incerta 28
 inputs from superior colliculus 28
 inputs from trigeminal nuclei 27
 projections from the trigeminal nuclei 24
 projections to cortical layer IV 26
 projections to cortical layers I to V 26
 topography of receptive fields 28
 and transcortical relay 28
 Pontine nuclei (projections from barrel cortex) 47
 Posterior medial barrel subfield 1, 3, 10
 Posterior medial thalamic nucleus *see* POM
 Posterior nucleus 21, 23
 caudal division 22, 24
 Postnatal plasticity 181
 Poststimulus time histogram (measuring receptive fields) 130
 Potentiation
 in a deprived barrel 177
 magnitude with whisker deprivation 174
 timecourse 179
 Premap hypothesis
 theory (manifestation in the ventricular zone) 85
 transplantation studies 86
 Preplate (in cortical development) 83
 Presynaptic
 factors expressed on thalamocortical afferents 103
 LTP in cortex 157
 plasticity (experience-dependent) 203–205
 Primary afferent activity during whisking 144
 Principal nucleus (nomenclature) 17
 Principalis
 and lateral inhibition 127
 and primary afferent termination 18
 receptive field size 22, 23
 thalamic projection 19
 tonic and phasic responses 22, 23
 Probability of LTD and effect of whisker deprivation 193
 Progenitor cells (in the cortex) 80–83
 Protein kinase A *see* PKA
 Protraction of whiskers (relation to cortical firing) 148
 PSD-95 involvement in AMPA insertion 162
 Purkinje cells and LTD 163
 Pyramidal cells 51–55
 axons
 layer II cells 51
 layer III cells 52
 connectivity of layer V cells 37
 corticothalamic cells of layer VI 38
 dendrites
 layer II cells 51
 layer III cells 52
 of layer II 36
 of layer III 36
 of layer V 37
 of layer V 52–55
 of layer Va 37
 of layer Vb 37

- of layer VI - axonal projections 55 - polymorphic 55 - of layer VIa and their connections 39 - of layer VIb and their connections 39 - methods of definition 51 - recurrent collaterals 54 - regular spiking and intrinsic bursting 37	- Receptor insertion in adults 156 - Rectification in GluR1 - homomeric channels 156 - Recurrent collaterals (as pathways for plasticity) 189 - Reelin (role in cortical development) 83 - Regular spiking 53 - Regular spiking units 126 - direction selectivity 136 - Regular spiking cells - characteristics of 65 - and inhibitory input 37 - and intracortical connectivity 37 - and plasticity pathways 191 - Reptilian cortex - and single-layer cortex 73 - synaptic physiology 73 - Response latency of layer VI - recurrent collaterals 70 - Resonance of whiskers 228, 230 - Rete ridge 16 - Reticular nucleus of the thalamus 22, 23, 25–26 - cortical projections 25 - projections to POm 26 - projections to thalamic nuclei 25 - projections to VPm 25 - and thalamic spindle oscillations 25 - Reverse genetics 240 - RIIβ-subunit of PKA - and barrel formation 99, 100 - specificity of isoform effect on LTD 198, 199 - ROCK-PIIa and spine movements 206	- Row transmission (asymmetry) 123 - Septae 6 - Septal areas - columns (effect of deprivation during development) 193 - connections (inputs from POm) 30 - connections to MI and SII 45 - neurons (receptive fields) 123 - pathways (and LTP) 189 - regions (connectivity) 10–11 - tenascin staining 10 - Serotonergic - input to cortex 43 - receptors 44 - role in thalamic axon development 99, 104 - Short-term dynamics - between excitatory cells 66 - changes during experience-dependent plasticity 159 - effects of age 64 - effects of deprivation 192 - effects of plasticity 65 - intrinsic diversity of connections 65 - and release probability 67 - SII projection from barrel cortex 45 - Silent synapses - in development 101 - and LTP 154 - and NeuroD2 208 - timecourse of elimination 102 - Simulation of a cortical column 239
---	--	---

296 Index

Single spared whisker 174	classification 201	to sensory structures 48
Single-layer cortex 73–75	density 203	Subplate cells role in
relationship to layers II/III 75	motility effect of whisker trimming 107	thalamocortical afferent in growth 91
relationship to layer IV 77	and plasticity 201–203	Subventricular zone (in development) 83
relationship to layer V 77	turnover 201	Succinate dehydrogenase 9
Slowly adapting fibers 21, 23	turnover and chessboard deprivation 202	Summation
and direction selectivity 135	Spiny stellate cell 49–50	role in multiwhisker plasticity 180
Somatosensory cortex	axonal projections 50	supralinear in whisker responses 139
barrel cortex as part of 2	columnar projections 34–36	Superficial vibrissae nerve 15, 16
proportion devoted to barrel cortex 2	dendrite orientation 50	Superior colliculus and sensory–motor loops 148
Somatosensory area I and II	septal connectivity 34	Suppression of interwhisker responses 139
<i>see</i> SI and SII, respectively	Stability	Surround receptive field and the cortical component 132
Somatostatin expression in Martinotti cell subtypes 58	synaptic 193	Symmetrical synapse
Sonic hedgehog and spinal cord development 85	of synapses (percentage) 201	increase during development 109
Spared whisker response spread 176	of axonal arbors 204	Synapse
Spatial summation of cortical EPSPs 62, 151	Star pyramidal cells 50–51	density developmental timecourse 101
Spider’s web cells 58	apical dendrite 51	formation (timing in layers II/III) 106
Spike pairing and presynaptic plasticity 157	axonal projections 51	synaptogenesis and late-phase plasticity 201
Spike threshold (and effect on direction selectivity) 137	basal dendrites 51	Synaptic depression and LTD at the thalamocortical synapse 165
Spike timing	intracortical connectivity 34	Syndactyly 172
and induction of LTD 164–165	Striatal connections (septal diffuse pathway from cortex) 47	SynGAP knockout (and barrel formation) 99
<i>in vivo</i> (effect of whisker deprivation) 169	Striatum (projection from barrel cortex) 47–48	<i>Tabla rasa</i> hypothesis and transplantation studies 86
Spinal V nuclei (nomenclature) 17	Stroke 225–226	Temporal summation (and thalamocortical
Spindle oscillations and the reticular nucleus 25	and vascular ligation 225, 226	
Spine	photothrombotic infarct 225	
attractant and spine movements 205	Strontium 234	
behavior during whisker deprivation 186	Subcortical contribution to cortical surround receptive fields 132	
	Subcortical plasticity 183, 211, 213–215	
	in adults 213	
	Subcortical projections to motor structures 46–48	

response	and short-latency responses	Ventrolateral nucleus 21, 23
transformation) 115,	115, 118–119	Ventral posterior medial
118–119	and short-term dynamics	thalamic nucleus <i>see</i>
Temporal synchrony (role in	68	VPm
receptive field	Thalamocortical response	Vertical pathways for LTD 191
generation) 133	transformation	vesicular glutamate
Tenascin	118–120, 122	transporter 1 (VGLUT1)
barrel field visualization 8	Thalamus and direction	and vesicle localization
staining in the barrel	selectivity 136	61
field 10	Three-eyed frogs (role of	vesicular monoamine
Tetrodotoxin (blockade of	correlated activity in	transporter and pattern
infraorbital nerve	development) 88	formation 100, 242
activity during	Tonic inhibition 63	Visual processing (rerouted to
development) 94	Transplantation	somatosensory
Texture discrimination	of cortical cells during	cortex) 86
142	development 86–87	Voltage-sensitive dyes (and
Thalamic input	visual to barrel	horizontal
modeling 238	cortex 86, 87	transmission) 123
to fast spiking cells 42	Trigeminal ganglion	VPm
Thalamocortical afferent	and direction selectivity 136	back projections from
arbor development 96,	number of cells per	cortex 48
101–106	whisker 2	core projection to
axon projection 29–31	Trigeminal nuclei 17–22	cortex 25
connection on spiny	back projections from	and lateral inhibition 127
stellate cells 29	cortex 48	plasticity in adults 185
lack of projections to LTS	and fur innervation 19	projections from the
cells 42	and primary afferent	trigeminal nuclei 24
location in barrel 6–9	innervation 18–19	projections to cortical
and neonatal experience-	projections within the	layers I and III 31
dependent plasticity	trigeminal nuclei 20	thalamocortical axon
204	and receptive fields 20–22	trajectory 29
percentage of synapses in	and whisker pattern 17	ventroposteriomedial
layer IV barrels 29	Trimming whiskers <i>see</i>	thalamic nucleus 22,
percentage of synapses on	Whisker trimming	24–25
inhibitory cells 30	Tufted pyramidal cells (and	VPm(vl)
pattern 91	lack of thalamic	cortical projection pattern
and specificity of	input) 30	24
projection 115	Vasointestinal polypeptide in	and interpolaris
synapse development 79	bipolar cells 57	projections 24
terminations on inhibitory	Velocity sensitivity 134	
cells 29	of primary afferents 21, 23	Walrus 6
timing of ingrowth in	and whisking movements	Whisk 6
development 91	142	Whisk cycle 143
Thalamocortical inputs		amplitude control 148

298 Index

Whisk cycle (cont.)	supralinear 139	patterns 141
and phase sensitivity of	suppression of	stick and slip movements
cortical neurons 143	interwhisker	228
and position encoding 144	responses 139	and texture discrimination
Whisker	texture discrimination 142	142
natural resonance	Whisker trimming	Whisk phase
properties 228	effect on septal and barrel	and anticipatory responses
metal 230	pathways 236	233
multichannel stimulator	and GluR1 insertion 236	cortical responses 144
231	and intracortical axons 213	responses intracellular
pattern 2	and plasticity 172	recording 233
resonance 228, 230	spared whisker response	Working memory 154
single-spared 174	spread 176	
stimulator 232	Whisking	Zona incerta (influence on
summation of responses	bending moment 230	POM) 28
role in plasticity 180	frequency 142	Zinc staining 175