

Index

- absorption properties 15
- agostic H 154
- alkyne cluster $[\text{Ta}(\text{t-Bu}_3\text{SiO})_3]_2\text{C}_2$ 264
- alkyne complex
 - $[\text{Mn}(\text{CO})_5]_2\text{C}_2$ 263, 265
 - $[\text{RuCp}(\text{PPh}_3)_2]_2(\text{C}_4)$ 269
 - $[\text{ScCp}^*]_2\text{C}_2$ 263
- alkyne metathesis 320
- amorphous boride films 318
- amorphous metal alloy films 317
- atomic orbitals
 - core energy level 328
 - electron–electron interactions 328
 - H atom 325
 - Hund’s rule 329
 - one-electron approximation 327
 - Pauli principle 327
 - Slater’s rules 327
- atomic properties
 - binding forces 257
 - electron affinity 324
 - electronegativity 324
 - ionization energy 324
 - model 324
 - size 324
- band theory
 - band folding 219
 - band structure 214
 - band structure cubic H 238
 - band structure, multidimensional 236
 - band structure, poly-BHNNH 253
 - band structure, stacked benzene 253
 - band width 214
 - Bloch function 212, 217
 - Bloch function, Al metal 243
 - Bloch functions, p-block element 226
 - Bloch functions, transition metal 229
 - Brillouin zone 213, 217, 225, 236
 - conduction band 224
 - COOP d-block element chain 231
 - crystal orbital overlap population 216
 - crystal orbital vs. molecular orbital parameters 235
- density of states 215
- dispersion 214
- electron count and instability 224
- Fermi level 214
- Fermi level, d-block element chain 231
- H cubic lattice 237
- H square array 238
- insulator 223
- LiH chain 232
- linear H_N 212
- Peierls instability 222
- semiconductor 337
- semimetal 246
- valence band 224
- bond parameters
 - B–B distances 50
 - B–B–B 57, 66
 - B–H distances 50
 - B–H–B 20, 21, 54, 64
 - B–H–B bridge 19
 - C–H–M 20
 - double M=C 154
 - double M=Ge 155
 - double M=Si 155
 - Ga–Ga–Ga 37
 - Ge–Ge–Ge 68
 - M–H–M bond 20
 - P–H–P 39
- bond properties
 - coordinate covalent 340
 - covalent radius 325, 331
 - donor–acceptor 340
 - hypercoordinate 27
 - hypervalent 27
 - hypovalent 27
 - ionic radius 325
 - multicentered 39
 - three-center 18, 27, 28, 53, 56
 - three-center–four-electron bond 21, 28
 - three-center–two-electron bond 18, 19, 37, 86, 108, 336
 - two-center–two-electron bond 8, 28, 29, 34, 35, 85, 108

372

borane anions
 $[\text{B}_{10}\text{H}_{10}]^{2-}$ 44, 64
 $[\text{B}_{12}\text{H}_{12}]^{2-}$ 41, 42
 $[\text{B}_{14}\text{H}_{14}]^{2-}$ 60
 $[\text{B}_{20}\text{H}_{18}]^{2-}$ 64
 $[\text{B}_2\text{H}_4]^{2-}$ 20
 $[\text{B}_5\text{H}_{10}]^-$ 49
 $[\text{B}_6\text{H}_6]^{2-}$ 54, 57, 93, 116, 141, 166, 168,
 180, 251, 283
 $[\text{B}_9\text{H}_9]^{2-}$ 42, 70
 $[\text{B}_n\text{H}_n]^{2-}$ 43

borane clusters
 $[\text{B}_5\text{H}_9]_2$ 60, 283
 $\text{B}_{10}\text{H}_{14}$ 50, 316
 $\text{B}_{10}\text{H}_8(\text{N}_2)_2$ 44
 $\text{B}_{12}\text{H}_{10}(\text{CO})_2$ 45
 $\text{B}_{18}\text{H}_{22}$ 63
 $\text{B}_{20}\text{H}_{16}$ 60, 62
 B_2H_6 27, 28, 41, 340
 B_4Cl_4 37
 B_4H_{10} 79, 170
 B_5H_{11} 48, 170
 B_5H_9 54, 56, 57, 97, 147, 150, 168
 $\text{B}_5\text{H}_9(\text{PMe}_3)_2$ 53
 B_6H_{10} 47, 169
 B_6H_{12} 79
 B_9Cl_9 70

boride
 $\text{Gd}_5\text{Si}_2\text{B}_8$ 286
 B_6 lattice 283
 CaB_6 283
 $\text{Gd}_5\text{Si}_2\text{B}_8$ 286
 GdB_4 285
 LaB_6 284
 Li_2B_6 285
 Li_3B_{14} 285
 LiB 275
 Na_2B_{29} 285
 Na_3B_{20} 285

boron carbide 315
 B_4C 315
 LaBC 274
 Sc_2BC_2 271, 273
 ThBC 276
 YBC 276

boron wheel
 $[\text{B}_8]^{2-}$ 71
 $[\text{B}_9]^-$ 71

bridging H 47

Brönsted acid 341

C_{60} 73, 121, 245, 278, 282, 333, 334
 $\text{Rb}_2\text{CsC}_{60}$ 281
 electronic structure 279
 K_3C_{60} 279

C_8K 253

carbide
 Ag_2C_2 264
 CaC_2 267
 $\text{Gd}_{10}\text{Cl}_8\text{C}_4$ 264
 $\text{Gd}_{10}\text{Cl}_8\text{C}_4$ 264

Index

$\text{Gd}_2\text{Cl}_2\text{C}_2$ 264
 LaC_2 268
 NbC 260
 RuC 261
 Sc_3C_4 270
 $\text{Ti}_8(\text{C}_2)_6$ 266
 WC 260
 YC_2 268
 ZrC 261

carbon nanotubes 245

carborane complex
 $[\text{Co}(\text{C}_2\text{B}_9\text{H}_{11})_2]^-$ 157
 $\text{CpCo}(\text{C}_2\text{B}_9\text{H}_{11})$ 158
 $\text{Si}(\text{C}_2\text{B}_9\text{H}_{11})_2$ 156

ceramic fibers 316

ceramic polymer precursor 315

Chevrel phases 291

close packing 336
 cubic close packed (ccp) 336
 face-centered cubic (fcc) 336
 hard sphere model 208
 octahedral hole 208
 tetrahedral hole 208

cluster
 bicapped square antiprism 43
 borane paradigm 166
 building blocks 308
 closed (*closo*) 43
 debor process 51
 definition 33, 34
 diamond–square–diamond rearrangement 71,
 183
 electron precise 35
 expanded solids 305
 face-capped deltahedron 91
 four-connect 39, 90
 fusion 60, 209
 icosahedral 40
 ion beams 120
 isomers 45, 48, 50, 63, 206
 linked 60
 naked 64, 73, 120
 networks 283
 non-deltahedral shape 60
 octahedron 40, 89
 open (*arachno*) clusters 48, 89
 open (*nido*) clusters 45
 oxidative coupling 64
 polar deltahedra 40
 polyfunctionalized 307
 precursors 303
 ring-cap model 54, 74, 95
 shape relationships 51–53
 three-connect 34, 35
 trigonal bipyramid 40
 trigonal prismatic 89
 unsaturated 174
 vertex connectivity 39

conductivity
 metallic 224
 semiconductor 224

- Coulomb blockade 131
 crystal field theory 348
 crystal orbitals 212
 cubane
 Cp₄Fe₄(C₂H₂)₂ 202
 (CpM)₄E₄H₄ 152
 (NO)₄Fe₄S₄ 193
 [(RS)₄Fe₄S₄]²⁻ 194
 [BuGaS]₄ 305
 [Cp₄Fe₄S₄]ⁿ⁺ 189, 192
 cluster 189, 305
 Cp*₃Ru₃Co(CO)₂(BH)₃(CO) 192
 Cp₄Co₄B₄H₄ 192
 Cp₄Co₄S₄ 189, 192
 Cp₄Cr₄S₄ 195
 Cp₄Fe₄(CO)₄ 192, 202
 Cp₄Ni₄B₄H₄ 192
 Cp₄Ti₄S₄ 195
 Mo₂Ir₂S₄ core 202
 cubic clusters 198
 (CO)₈Ni₈(PPh)₆ 198
 [I₈Fe₈S₆]³⁻ 198
 CVD deposition 305
- deltahedra 39
 Dewar model 266, 347
 diamond 58
 diborane 18, 20, 27, 28
 dipole moment 5, 339, 340
 DOS 260
 Al (111) surface 250
 Al metal 243
 Al metal COOP 243
 Al₇₇ nanoparticle 251
 C non-metal 245
 C₆₀ 279
 CaB₆ 284
 Co₉S₈ 297
 cubic H 238
 d-block element chain 229
 d-block metal 242
 diamond 245
 Fermi level 262, 273, 277, 294
 GdB₄ 285
 graphite 245
 K₂Mo₉S₁₁ 294
 metallic nanoparticle 251
 Ni metal 244
 p-block element chain 227
 p-block metal 242
 Sc₂BC₂ density of states 273
 Sc₂BC₂ 273
 ThBC 277
 thin film 250
 TiO₂ 290
 YBC 277
- elementary bonding
 [HP₄]⁺ 39
 [I₃]⁻ 342
 [SiF₆]²⁻ 342
 CH₄ 341
 BMe₃ 26
 HF 340
 Hund's rule 348
 N₂F₄ 341
 N₂H₄ 341
 NF₃ 341
 NH₃ 340, 341
 P₂H₄ 338, 339
 P₃H₅ 338
 PH₃ 338, 341
 phosphorus hydrides 338
 PMe₃ 341
 rotational barrier 339
 SiCl₄ 341
 elementary bonding rules
 16-electron complex 345
 8- and 18-electron rules 22, 24, 28, 29, 34, 39, 140, 287, 329
 electron count
 cluster-fusion rule 62
 cve count for open metal clusters 94
 count deltahedral clusters 4*n* + 2 cve rule 41, 42, 143
 deltahedral clusters *n* + 1 rule 41, 42
 hypercloso 182
 isocloso, *isonido*, *isoarachno* 182
 metal cluster capped cve count 100
 metal clusters 14*n* + 2 rule 90, 93, 143
 three-fold axes 70
 three-connect clusters 3/2*n* sep rule 36, 87
 three-connect clusters 5*n*, 15*n* cve rule 36, 88, 143
 unusual count, unusual shape 182
 variation count, constant shape 179
 electron counting rule 22, 35, 42
 6*m* + 2*n* 75
 cluster valence electrons (CVE) 36
 mno rule 61
 skeletal electron pairs (sep) 36
 styx rule 57
 electron deficient 26, 41
 electron precise 48, 50
 electrophilic 340
 element properties 324
 Al 336
 B, 58
 B rhombohedral 335
 C, diamond 333
 C, allotropes 258
 C, C₂ 263
 C, C₆₀ 278, 282
 C, carbyne 333
 C, chains 269, 270
 C, graphite 333
 C, single-walled nanotubes 281
 P, P₄ 143
 P, rhombohedral 333, 334
 solids cubic close packed Al 206
 elementoid clusters 73, 128
endo-H 49

374

films 309
 fragments
 BH 147
 Ru(CO)₃ 150
 CpFe(CO)₂ 149, 155
 CpML_n 146
 CpMo(CO)₃ 149
 CpW(CO)₂ 150
 Fe(CO)₄ 145
 Ni(PR₃)₂ 146
 fragment concepts
 building blocks 197
 frontier orbitals 140
 isolobal EH_n 140
 isolobal ML_m 142, 143
 non-bonding electrons 38
 utilization of t_{2g} set 148
 fullerenes 278
 heteroboranes 43
 [C₂B₄H₆]²⁻ 80
 [C₂B₉H₁₁]²⁻ 46, 56
 [CB₁₁H₁₂]⁻ 44
 C₂B₁₀H₁₂ 44
 C₂B₃H₅ 79
 C₂B₃H₅ 151
 C₂B₃H₇ 79
 C₂B₄H₆ 45, 47, 79
 C₂B₄H₈ 48, 79
 C₂B₈H₁₀ 44
 C_nB_{6-n}H_{1-n} 166
 NB₁₁H₁₂ 44
 role of electronegativity 48
 hexagonal close packed (hcp) 336
 hydrides
 [(Pr₃P)₆Rh₆H₁₂]²⁺ 113
 H₂Os₆(CO)₁₈ 101, 107
 H₄Re₄(CO)₁₂ 86
 Mg₂CoH₅ 288
 Mg₂FeH₆ 287
 H bonding 340
 isolobal analogy 139, 265
 ancillary ligand geometry 145
 ancillary ligands 145
 C₁ analog complexes 154
 isomers 339
 LCAO-MO model 1
 Lewis acid–base complexes
 BH₃NH₃ 342
 BMe₃NMe₃ 342, 344
 CH₃CNBF₃ 342
 Lewis acids, bases 9, 35, 159, 342
 ligands
 [C₅H₅]⁻ (Cp) 344
 [C₅R₅]⁻ (Cp*) 48
 C₅H₆ 50
 Cp analog [C₂B₉H₁₁]²⁻ 155, 156
 Cp analog [C₂B₃H₇]²⁻ 156
 Cp analog [P₅]⁻ 156

Index

Cp analog [SC₂B₂H₄]⁻ 156
 hapticity 345
 R₄C₄ 38
 TCNQ 253
 TTF 254
 macropolyhedral clusters 62
 magnetically oriented films 319
 melting point
 NbC 262
 NbN 262
 metal 337
 metal catalysis 319
 metal cluster
 alkali-metal clusters 119
 alkoxide ligands 109
 carbonyl 93
 central cluster with metal ligands 124
 early metals 107
 face capping 99
 fragment cone angle 106
 fusion 103, 126
 gold clusters 117
 group-10 metals 114, 115
 group-11 metals 117
 high nuclearity 122
 interstitial atoms 96, 123
 interstitial cluster with bonded outer cluster 125
 isomers 95, 101
 large metal clusters 123
 late transition metals 114, 115
 multiple redox states 114
 naked clusters 120
 sep count 95
 steric effects 105
 π-acceptor ligands 93, 108
 π-donor ligands 93, 107, 108
 metal cluster compounds
 [(Au₁₃)₁₃]_n metals 131
 [Au₁₃Cl₂(PR₃)₁₀]³⁺ 117
 [Au₆(PR₃)₆]²⁺ 119
 [Au₆C(PR₃)₆]²⁺ 120
 [Au₇(PR₃)₇]⁺ 119
 [Au₉(PR₃)₈]³⁺ 118
 [Co₃(μ-dppm)(CO)₇]₂(C₂₆) 269
 [Co₆N(CO)₁₅]⁻ 98
 [Co₆Ni₂(C₂)(CO)₁₆]²⁻ 263, 265, 266
 [Co₆P(CO)₁₆]²⁻ 259
 [Co₈S₂(SPh)₈]^{4-/-} 2, 298
 [Cp*₄Rh₄H₄]²⁺ 87
 [Fe₄(CO)₁₂CC(O)Me]⁻ 171
 [Fe₄(CO)₁₃]²⁻ 107
 [Fe₄C(CO)₁₂]²⁻ 98
 [Fe₄RhC(CO)₁₄]⁻ 98
 [Fe₆C(CO)₁₆]²⁻ 97
 [HO₈(CO)₂₂]⁻ 104
 [Mo₆Cl₈L₆]⁴⁺ 107, 114, 115
 [Nb₆Cl₁₂(CN)₆]⁴⁻ 307
 [Ni₁₂Ge(CO)₂₂]²⁻ 97, 259
 [Ni₃₈Pt₆(CO)₄₈H_(6-n)]ⁿ⁻ 123, 124
 [Ni₈C(CO)₁₆]²⁻ 259

- $[\text{Ni}_n]^+$ 121
 $[\text{Os}_{10}\text{C}(\text{CO})_{24}]^{2-}$ 101, 125, 207
 $[\text{Os}_6(\text{CO})_{18}]^{2-}$ 100
 $[\text{Os}_8(\text{CO})_{22}]^{2-}$ 102
 $[\text{Pb}_5\{\text{Mo}(\text{CO})_3\}_2]^{4-}$ 163
 $[\text{Pt}_{24}(\text{CO})_{30}]^{2-}$ 133
 $[\text{Pt}_{38}(\text{CO})_{44}\text{H}_m]^{2-}$ 124
 $[\text{PtIr}_4(\text{CO})_{12}]^{2-}$ 133
 $[\text{PtIr}_4(\text{CO})_{14}]^{2-}$ 133
 $[\text{Re}_4(\text{CO})_{16}]^{2-}$ 94
 $[\text{Re}_4\text{Se}_8\text{I}_6]^{4-}$ 134
 $[\text{Re}_6\text{Te}_8(\text{CN})_6]^{4-}$ 305
 $[\text{Re}_8\text{C}(\text{CO})_{24}]^{2-}$ 133
 $[\text{Rh}_{14}(\text{CO})_{26}]^{2-}$ 105
 $[\text{Rh}_{24}(\text{CO})_{26}]^{2-}$ 126
 $[\text{Rh}_2\text{Fe}_4(\text{CO})_{16}\text{B}]^-$ 172
 $[\text{Rh}_2\text{Fe}_4\text{B}(\text{CO})_{16}]^-$ 98
 $[\text{Rh}_6\text{C}(\text{CO})_{13}]^{2-}$ 98, 259
 $[\text{Ru}_{11}\text{H}(\text{CO})_{27}]^{2-}$ 134
 $[\text{Ru}_5\text{N}(\text{CO})_{14}]^-$ 98
 $[\text{Ru}_6(\text{CO})_{18}]^{2-}$ 92, 95, 97, 107, 166, 168
 $[\text{SFe}_3(\text{CO})_9]^{2-}$ 175
 $[\text{Ta}_6\text{Cl}_{12}\text{L}_6]^{2+}$ 107, 114, 115
 $[\text{W}_6\text{CCl}_{18}]^{2-}$ 113, 262
 $[\text{Zr}_6(\text{B})\text{Cl}_{18}]^{5-}$ 313
 $[\text{Zr}_6\text{CCl}_{18}]^{4-}$ 261
 $[\text{Zr}_6\text{Cl}_{18}\text{B}]^{5-}$ 110
 $\{\text{Re}(\text{CO})_3\}_2\text{Pt}_3(\text{PBu}_3)_3$ 116
 $\{\text{Re}(\text{CO})_3\}_2\text{Pt}_3(\text{PBu}_3)_3\text{H}_3$ 116
 $\text{Au}_{55}(\text{PR}_3)_{12}\text{Cl}_6$ 130
 $\text{Ba}_2\text{Zr}_6\text{Cl}_{17}\text{X}$ 112
 $\text{CFe}_5(\text{CO})_{15}$ 168
 $\text{Co}_4(\text{CO})_{12}$ 86, 106, 143, 144
 Co_9S_8 296
 $\text{Co}_9\text{Se}_{11}(\text{PPh}_3)_6$ 295
 $\text{Cp}_3\text{Rh}_3(\text{CO})_2\text{R}_2$ 151
 $\text{Cp}_3\text{Rh}_3\text{C}_2\text{R}_2$ 151
 $\text{CRu}_5\text{H}_2(\text{CO})_{15}$ 168
 $\text{Cs}_2\text{Mo}_{12}\text{Se}_{14}$ 293
 $\text{CsKZr}_6\text{Cl}_{15}\text{B}$ 111
 $\text{Cu}_{26}\text{Se}_{13}(\text{PEt}_3)_{14}$ 314
 $\text{Fe}_3(\text{CO})_{12}$ 142
 $\text{Fe}_3(\text{CO})_9(\text{C}_2\text{R}_2)$ 152
 $\text{Fe}_3(\text{CO})_9\text{N}_2\text{R}_2$ 176
 $\text{Fe}_4(\text{CO})_{11}(\text{PR})_2$ 95, 180
 $\text{Fe}_4(\text{CO})_{12}(\text{PR})_2$ 180
 $\text{Fe}_4\text{C}(\text{CO})_{13}$ 171
 $\text{Fe}_5\text{C}(\text{CO})_{15}$ 97, 258
 $\text{HFe}_4(\text{CO})_{12}\text{EH}_n$ 171
 $\text{HPTOs}_3(\text{CO})_{10}(\text{dppm})\{\text{Si}(\text{OMe})_3\}$ 134
 $\text{Ir}_4(\text{CO})_{12}$ 85, 107
 $\text{K}_2\text{Mo}_9\text{S}_{11}$ 294
 $\text{K}_3\text{Zr}_6\text{Cl}_{15}\text{Be}$ 111
 $\text{KZr}_6\text{Cl}_{15}\text{C}$ 111
 $\text{La}_2\text{Mo}_{16}\text{O}_{28}$ 295
 $\text{Li}_2\text{Zr}_6\text{Cl}_{15}\text{Mn}$ 112
 $\text{LiZr}_6\text{Cl}_{15}\text{Fe}$ 112
 $\text{M}_4\text{S}_4(\text{PR}_3)_4$ 314
 $\text{M}_{55}\text{L}_{12}\text{Cl}_x$ 129
 $\text{M}_8\text{S}_8(\text{PR}_3)_6$ 314
 $\text{Nb}_2\text{Mo}_{16}\text{O}_{28}$ 295
 $\text{Os}_3(\text{CO})_{12}$ 88
 $\text{Os}_4(\text{CO})_{13}\text{S}$ 94
 $\text{Os}_5(\text{CO})_{16}$ 96
 $\text{Os}_5\text{C}(\text{CO})_{16}$ 166, 168
 $\text{Os}_5\text{C}(\text{CO})_{16}$ 168
 $\text{Os}_5\text{S}(\text{CO})_{15}$ 99
 $\text{Os}_6(\text{CO})_{21}$ 132
 $\text{Os}_7(\text{CO})_{21}$ 99
 PbMo_6S_8 292
 $\text{PCo}_3(\text{CO})_9$ 143
 $\text{Pd}_{59}(\text{CO})_{32}(\text{PMe}_3)_{21}$ 127
 $\text{Pt}_{309}\text{phen}^*_{36}\text{O}_{30}$ 132
 $\text{Rb}_2\text{Mo}_{12}\text{Se}_{14}$ 293
 $\text{Rb}_3\text{Mo}_{15}\text{Se}_{17}$ 293
 $\text{Rb}_5\text{Zr}_6\text{Cl}_{18}\text{B}$ 110
 $\text{RCCo}_3(\text{CO})_9$ 144
 $\text{Rh}_{13}(\text{CO})_{24}\text{H}_5$ 125
 $\text{Ru}_5(\text{C}_2)(\text{CO})_{11}(\text{PPh}_2)(\text{SMe})_2$ 263
 $\text{Ru}_5(\text{CO})_{15}(\text{PPh})$ 94, 151
 $\text{Ru}_6\text{C}(\text{CO})_{17}$ 97, 259
 $\text{W}_6\text{S}_8(\text{PR}_3)_6$ 114
 $\text{Zr}_6(\text{Z})\text{Cl}_{12}(\text{EtNH}_2)_6$ 313
 $\text{Zr}_6\text{Cl}_{15}\text{Co}$ 112
 $\text{Zr}_6\text{Cl}_{15}\text{N}$ 111
 metal complexes
 $(\text{CO})_4\text{FeBCp}$ 162
 $(\text{CO})_4\text{FeH}_2$ 161
 $(\text{CO})_4\text{FePMe}_3$ 161
 $[(\text{CO})_4\text{Mo}(\text{BH}_4)]^-$ 154
 $[\text{BH}_4]^-$ 154
 $[\text{Co}(\text{NH}_3)_6]^{3+}$ 15
 $[\text{Fe}(\text{C}_2\text{B}_9\text{H}_{11})_2]^{2-}$ 156
 $[\text{FeCp}(\text{CO})_2]^-$ 345
 $[\text{FeCp}(\text{CO})_2]_2$ 149, 345, 346
 $[\text{Mn}(\text{CO})_5]_2$ 344
 $[\text{Mn}(\text{CO})_5]_2\text{C}_2$ 263, 265
 $[\text{Mn}(\text{CO})_6]^{+}$ 344
 $[\text{Ni}(\text{C}_2\text{B}_9\text{H}_{11})_2]^{2-}$ 157
 $[\text{ReCp}^*(\text{PPh}_3)(\text{NO})]_2(\text{C}_{20})$ 269
 $[\text{RuCp}(\text{PPh}_3)_2]_2(\text{C}_4)$ 269
 $[\text{ScCp}^*]_2\text{C}_2$ 263
 $[\text{Ta}(\text{t-Bu}_3\text{SiO})_3]_2\text{C}_2$ 264
 $[\text{V}(\text{CO})_6]^-$ 344
 $\{\text{CpMo}(\text{CO})_2\}_2$ 149
 $\text{C}_2\text{H}_4\text{Fe}(\text{CO})_4$ 142, 145
 $\text{CH}_2\text{Fe}_2(\text{CO})_8$ 142
 $\text{CH}_3\text{Mn}(\text{CO})_5$ 142
 $\text{Co}_2(\text{CO})_8$ 344
 $\text{Co}_2(\text{CO})_8(\text{C}_2\text{R}_2)$ 144
 $\text{Cp}^*(\text{CO})_2\text{CrHSiR}_3$ 154
 $\text{Cp}^*\text{Cr}_2(\text{CO})\text{C}_4\text{Ph}_4$ 173
 CpCoC_4H_4 150
 $\text{CpMn}(\text{CO})_3$ 149
 $\text{CpTi}(\text{CO})_2$ 316
 $\text{Fe}(\text{CO})_4(\text{C}_2\text{H}_4)$ 346
 $\text{Fe}_2(\text{CO})_6\text{S}_2\text{R}_2$ 176
 $\text{FeCp}(\text{CO})_2\text{H}$ 345
 ferrocene 344
 $\text{Ir}(\text{PPh}_3)_2(\text{CO})\text{Cl}$ 345
 $\text{Mn}(\text{CO})_5\text{H}$ 344
 $\text{Mn}_2(\text{CO})_{10}$ 142

- metal complexes (*cont.*)
 Ni(C₂B₉H₁₁)₂ 157
 Rh(PPh₃)₃Cl 345
 Rh(PPh₃)₃Cl(H)₂ 345
 V(CO)₆ 344
 W(CO)₆ 343
 WBr₄(MeCN)₂ 343
 WMe₆ 343
- metal complex types
 carbyne 154
 multidecker 158
 spectrochemical series 15
 tripledecker 158
- metallaboranes 166
 HFe₃(CO)₉BH₄ 317
 (C₆H₆)RuB₉H₉ 184
 (Cp*Re)₂B₅H₂Cl₅ 185
 (Cp*Re)₂B₆H₄Cl₂ 185
 (Cp*Re)₂B₇H₁₁ 186
 (Cp*Re)₂B₈H₈ 184
 (Cp*Ru)₂(C₆H₆)RuB₇H₇ 184
 [(C₆H₆)RuB₉H₉]²⁻ 184
 {Cp*Co}₂B₃H₇ 150
 Cp*₂Cr₂B₄H₈ 173, 183
 Cp*₂Ir₂B₂H₈ 171, 172
 Cp*₂Ir₂H₂B₄H₈ 171
 Cp*₂M₂B₄H₈ 172
 Cp*₂Re₂B₄H₈ 172, 185
 Cp*₂Re₂B_{*m*}H_{*m*} 183
 Cp*₂Ru₂(CO)₂B₃H₇ 170
 Cp*₂Ru₂B₄H₈ 172
 Cp*CoB₄H₁₀ 170
 Cp*CoB₄H₈ 170
 Cp*Ir(H)₂B₃H₇ 170
 Cp*IrB₄H₁₀ 170
 Cp₂Co₂B₈H₁₂ 176
 Cp₃Co₃(CO)B₃H₃ 176
 Cp₄Co₄B₂H₂PPh 176
 CpCoB₄H₈ 150
 Fe₂(CO)₆B₂H₆ 317
 HFe₄(CO)₁₂BH₂ 171
 HFe₄(CO)₁₂BH₂ 317
 Os₅(CO)₁₆BH 166, 168
- metallaborane types
closo 166
 metal variation 172
arachno 170
nido 168
- metallocarbohedranes
 (met-cars) 266
 Ti₈(C₂)₆ 266
- metalloid clusters 73
- main-group clusters
 (CR)₆(AlH)₆(AlNMe₃)₂ 78
 (H)(CR)₅(AlMe)₈ 78
 [(R₂C₂B₄H₄)₂Ga]⁻ 62
 [Al₁₂R₁₂]²⁻ 45
 [Al₁₄R₆I₆]²⁻ 72, 76
 [Al₆₉R₁₈]³⁻ 76, 123, 128, 206, 207, 242, 313
 [Al₇₇R₂₀]²⁻ 76, 129, 200, 247, 251
 [Al₇R₆]⁻ 314
- [Ga₉R₆]⁻ 80
 [Ga₁₃R₆]⁻ 81
 [Ga₁₉R₆]⁻ 74, 76, 128, 201
 [Ga₂₆R₈]²⁻ 75
 [Ge₁₀R₆I]⁺ 67, 74
 Al₄R₄ 37
 As₇(SiMe₃)₃ 80
 Ga₁₀R₆ 69
 Ga₄R₄ 37, 87, 88
 Ga₉R₉ 70
 Ge₆R₂ 67, 76
 In₈R₆ 101
 P₂ 335
 P₄ 38, 332
 SiAl₈(AlCp*)₆ 77
 Sn₁₅R₆ 81
 Sn₈R₄ 76, 80
 Sn_{*n*}R_{*n*} 79
 [Cp*Si]⁺ 81
- MO descriptions
 [B₆H₆]²⁻ to [B₆]²⁻ 283
 [H₃]⁺ 21, 27
 [HeH]⁺ 5
 [I₃]⁻ 13
 [Re₂Cl₈]²⁻ 16
 [Ru₆C(CO)₁₈]²⁺ 260
 Al₆ 251
 B₂ 5
 B₂H₆ 18, 20
 BF₃ 26
 bond energy 331
 C₂ 16
 CO 8, 9
 Cr(CO)₆ 13, 15
 H₂ 330
 H₂ model 2, 210, 214
 H₃BNH₃ 12
 H_{*n*} oligomers 211
 I₂ 13
 LiH 4
 N₂ 8, 332
 O₂ 8, 332
 P₃H₅ 11
 R₄E₄ 37
 S₈
 SF₄ 27
 SF₆ 28
 XeF₂ 27, 28
- MO concepts 2
 basis functions 5
 bonding–antibonding 2
 closed shell principle 22
 coordination compounds 13
 Dewar model 16
 diatomic molecules 330
 donor–acceptor complex 12
 Fe–CO bond 10
 fragment analysis 264
 frontier orbitals 9
 ground state 3
 HOMO 9

- HOMO–LUMO gap 15, 23, 24, 26
 ionization 3
 Jahn–Teller first order instability 23
 Jahn–Teller second order instability 23
 Jahn–Teller stability 22, 221
 Koopmans' theorem 3, 331
 LUMO 9
 MO vs. CO parameters 235
 Mulliken populations 5, 9
 one-electron model 7
 polyatomic molecules 10, 332
 protonated double-bond model 20
 quadruple bond 16
 symmetry 15
 united atom model 330
 Walsh correlation 10, 221
 π complex 16
 σ aromaticity 72, 75
- nanofibers 316
 nanoparticles 129, 206, 252
 water soluble 131
 nanowheels 71, 72
 networks
 $(\text{Me}_4\text{N})_2[\text{Mn}(\text{salen})]_2[\text{Nb}_6\text{Cl}_{12}(\text{CN})_6]$
 308
 $\text{Fe}_4[\text{Fe}(\text{CN})_6]_3 \cdot x\text{H}_2\text{O}$ 305
 nitrides
 NbN 262
 nucleophilic 340
- oxides
 $\text{La}_2\text{Mo}_{16}\text{O}_{28}$ 295
 $\text{Nb}_2\text{Mo}_{16}\text{O}_{28}$ 295
 TiO_2 289
 TiO_2 structure 289
 TiO_2 electronic structure 290
 VO_2 291
- p-block–d-block clusters 165
 $[\text{Br}_6\text{Fe}_6\text{S}_6]^{3-}$ 196
 $[\text{Ni}_{12}\text{As}_{21}]^{3-}$ 188
 $[\text{Rh}_9(\text{CO})_{21}\text{P}]^{2-}$ 201
 bare 177
 cluster internal atoms 187
 $\text{Co}_3(\text{CO})_9\text{Bi}$ 201
 $\text{Co}_3(\text{CO})_9\text{GeFe}(\text{CO})_2\text{Cp}$ 176
 $\text{Co}_3(\text{CO})_9\text{SiCo}(\text{CO})_4$ 175
 $\text{Fe}_3(\text{CO})_{12}(\text{CH})\text{As}$ 201
 $\text{Fe}_3(\text{CO})_9\text{C}_2\text{BH}_3$ 201
 $\text{HRu}_3\text{Fe}(\text{CO})_{12}\text{N}$ 201
 M_4E_2 175
 M_4E_4 189
 M_5E 175
 $\text{Re}_8\text{In}_4(\text{CO})_{32}$ 203
 Peierls distortion 275, 276
 periodic table 325
 photodiodes 309
 photoelectron spectra 3, 10
 poly(hexenyldeca borane) 316
 polyacetylene 224
- polyhedranes 74
 polyketone 277
 porous materials 305
 Prussian blue 197, 305
- single-walled nanotubes (SWNT) 281
 solvents
 $(\text{ImCl})/\text{AlCl}_3$ 313
 molten salt 313
 solid-state compounds
 $[\text{Sb}_7\text{Li}_3:\text{HNMe}_3]$ 308
 Co_9S_8 296
 $\text{Cs}_2\text{Mo}_{12}\text{Se}_{14}$ 293
 GaS 304
 GdB_4 structure 285
 graphene 246, 281
 III/VI semiconductor 303
 $\text{K}_2\text{Mo}_9\text{S}_{11}$ 294
 metal properties 324
 $\text{M}_x^l[\text{Zr}_6(\text{Z})\text{Cl}_{12}]\text{Cl}_n$ 312
 NbC arrangement 260
 PbMo_6S_8 electron count 292
 PbMo_6S_8 structure 292
 $\text{Rb}_2\text{Mo}_{12}\text{Se}_{14}$ 293
 $\text{Rb}_3\text{Mo}_{15}\text{Se}_{17}$ 293
 $\text{Tl}_2\text{Mo}_6\text{Se}_8$ 293
 solid-state systems
 BN chain 233
 Bravais lattice 242
 C chain 225
 carbyne 228
 glide plane 225
 heteroatomic chains B_5C_5 274, 276
 heteroatomic chains B_5C_8 275
 heteroatomic chains BC, infinite linear 275
 heteroatomic chains BC, infinite zigzag 275
 linear $(\text{H}_2)_N$ 217
 metal chains 229
 Miller indices 250
 Ni chain 229
 periodicity 210
 polymorphism 241
 reciprocal unit cell 236
 repeat unit size 219
 screw axis 225
 semiconductor 223
 sphalerite structure 253
 steps to band structure 235
 translational vector 224
 unit cell 239
 unit cell cubic close packed 240
 unit cell hexagonal close packed 240
 stability 323
 superconductors
 K_3C_{60} 280
 $\text{Rb}_2\text{Cs}_{60}$ 281
 supraicosahedral clusters 59
 surface properties
 array of Lewis bases on Lewis acidic surface 253
 band structure, square B-atom array 253
 d-block metal surface states 248

378

surface properties (*cont.*)
 dangling bonds 40, 248
 defects 250
 polarization 249
 reconstruction 206
 square N₂ surface array 253
 states 247
 surface vs. bulk atoms 205
 surface vs. bulk properties 205

thin films 250

tripledecker complexes 153, 183
 [Cp*₂Co₂(Et₂C₂B₃H₃)] 159
 CpM(C₃B₂H₅)M'Cp 158

united atom model 2, 11

valence shell electron pair repulsion (VSEPR)
 model 338

van der Waals radii 325

Werner complexes 343, 347

X-ray photoelectron spectroscopy 328

Index

Zintl ion clusters 66, 177, 180, 303, 308, 312
 [(CO)₃MSn₉]⁴⁻ 178
 [(Ph)(Ph₂Sb)-Ge₉]²⁻ 310
 [(Ph₂Bi)₂Ge₉]²⁻ 310
 [(Ph₂Sb)₂Ge₉]²⁻ 310
 [(PhSb)₂-(Ge₉)₂]₂ 310
 [As₇]³⁻ 80
 [B₅H₈]₂ 310
 [Bi₉]⁵⁺ 70
 [E₇]³⁻ 177
 [Ge₄]⁴⁻ 66
 [Ge₄]⁴⁻ 310
 [Ge₅]²⁻ 67
 [Ge₉]⁴⁻ 67
 [Ge₉]⁴⁻ 310
 [Ge₉=Ge₉=Ge₉]⁶⁻ 311
 [Ge₉=Ge₉=Ge₉=Ge₉]⁸⁻ 311
 [Ge₉-Ge₉]⁶⁻ 310, 312
 [In₁₁]⁷⁻ 71
 [Sb₇]³⁻ 308
 [Sb₇Ni₃(CO)₃]³⁻ 203
 [Sn₉]⁴⁻ 70
 [TlSn₉]³⁻ 67
 Zintl-Klemm concept 263