

Index

abstract reasoning 76
 abulia 304, 311
 acalculia 294
 (*N*)-acetyl aspartate (NAA) 108–109
 acetylcholinesterase inhibitors
see cholinesterase inhibitors
 achromatopsia 310
 acquired immunodeficiency
syndrome (AIDS) 354
 acute confusional state *see* delirium
 age
 90 or older *see* oldest-old
 delirium risk and 369, 371
 age-associated cognitive decline 172, 189
 age-associated memory impairment
 172, 189
 age-related cognitive decline 189
 age-related white matter changes
 (ARWMC) 319–320
 age-specific incidence 120, 121
 age-specific prevalence 120
 oldest-old 257
 aggression 86–87
 management 233, 236–240
 aging
 animal studies 136
 cognitive decline 161, 188–189
 agitation, management 233, 236–240
 agnosia 232–236
 agrammatism 280
 agraphia 77, 281, 309
 akinesia 305–306
 akinetic mutism 304, 346, 351
 alcohol consumption 124
 alcohol withdrawal 370
 alexia 77
 Hanja (Korean ideogram) 309, 310
 progressive non-fluent aphasia 281
 vascular dementia 309

Alzheimer-type dementia 214–215
 Alzheimer's disease (AD) 56–66
 amnestic mild cognitive impairment
 as prodrome 161, 162
 amyloid hypothesis 28
 amyloid imaging 63, 111–112
 animal models 132–134, 136–137
 APOE 29–30, 57–58
 clinical features 5–6, 59–60
 CT 62
 costs 120
 definite 60
 diagnosis 59, 214
 diagnostic criteria 60, 144–145
 early-onset familial (FAD) 28–29
 epidemiology 56, 120–121
 functional MRI 109–110
 future directions 65–66
 genetics 28–30, 57–58
 hippocampal injury 104, 162
 history and neurological
 examination 60–61
 laboratory evaluation 61–62
 late onset 28, 29–30
 MRI 62, 104–105, 106, 108
 mental status examination 78–79
 neuroimaging 62–63
 neuropathological diagnosis 59
 neuropathology 58–59, 144–145
 neuropsychiatric symptoms 89–90
 neuropsychological testing 61
 overlap with dementia with Lewy
 bodies 15, 18
 pathogenesis 5, 28, 145
 PET 62–63, 102–103, 110–111
 possible 59, 60
 probable 59, 60
 progressive non-fluent aphasia
 and 282
 rapidly progressing 352–353
 risk factors 56–57, 121–126
 selective vulnerability 143
 SPECT 62, 102–103
 treatment 63–65, 214–215
 and variants 214–230
 vs. dementia with Lewy bodies
 13–14, 16–17
 vs. frontotemporal dementia
 46–47, 51

vs. subcortical vascular dementia
 316–317
 Alzheimer's Disease Cooperative Study
 (ADCS) 181–182
 amnesia *see* memory impairment
 amyloid angiopathy *see* cerebral
 amyloid angiopathy
 amyloid β (A β ; A β 40) 28
 α -synuclein interaction 15
 APOE interactions 30
 CSF 62, 178
 mutations causing abnormal
 production 57
 neuritic plaques 58
 proteolytic formation 28, 29
 treatment targeting 65, 215
 amyloid β 42 (A β 42) 28, 29, 58
 animal studies 136
 CSF, Creutzfeldt–Jakob disease
 346–347
 neuritic plaques 144, 145
 pathogenic role 145
 vaccine 65
 amyloid hypothesis, Alzheimer's
 disease 28
 amyloid imaging 63, 111–112
 frontotemporal lobar dementia
 51, 111
 mild cognitive impairment 180
 pros and cons 112
 amyloid precursor protein (APP) 28
 animal studies 136
 protease-dependent processing 28, 29
 amyloid precursor protein gene
 (APP) 57
 alternative mRNA splicing 28
 invertebrate orthologs 136
 mouse (hAPP) models 132–133
 mutations 28
 amyotrophic lateral sclerosis (ALS),
 frontotemporal dementia with
 see frontotemporal dementia
 with motor neuron disease
 angiotensin-converting enzyme, DD
 genotype 336–337

Index

- angular gyrus syndrome 307
- animal models 131–137
- advantages 131–132
 - CADASIL 336
 - invertebrate 134–137
 - vertebrate 132–134
- anomia
- corticobasal syndrome 294
 - progressive non-fluent aphasia 280, 281
 - semantic dementia 265–266, 267, 283
- anosmia 202, 203, 204
- anterior cerebral artery (ACA) territory infarction 303–306
- anti-AMPA receptor 378, 379, 381, 389
- anti-amphiphysin antibodies 378, 382, 386
- anti-CV2/CMRP-5 antibodies 353, 378, 382, 386
- anti-Hu antibodies 353, 378, 379, 382, 385–386
- anti-Ma1 antibodies 387
- anti-Ma2 antibodies 353, 378, 382, 387
- anti-Ma2 encephalitis 386–387, 388
- anti-neuropil antibodies 353–354, 378, 379, 382
- anti-NMDA receptor 378, 379, 381, 389
- anti-Ri antibodies 378, 386
- anti-voltage-gated potassium channel (VGKC) antibodies 353–354, 378, 379, 382, 386
- antibodies, paraneoplastic *see* paraneoplastic antibodies
- anticipation, genetic 37
- antidepressants 95, 241
- Alzheimer's disease 64
 - behavioral dyscontrol 237
 - dementia with Lewy bodies 217
- antihypertensive therapy 126
- antioxidants 65, 124
- antiplatelet agents 339
- antipsychotic drugs (neuroleptics) 95
- atypical 95
 - Alzheimer's disease 64
 - behavioral dyscontrol 236–240
 - dementia with Lewy bodies 19, 217, 218
 - frontotemporal dementia 52
- Parkinson's disease with dementia 219, 223
- behavioral dyscontrol 236–240
- delirium 374
- sensitivity, dementia with Lewy bodies 11, 200, 217
- Anton's syndrome 310
- anxiety
- dementia with Lewy bodies 13
 - management 233, 241
- anxiolytics, Alzheimer's disease 64
- apathy 87–88
- management 233, 240
- aphasia 77
- Alzheimer's disease 59
 - corticobasal syndrome 292–293
 - global 307
 - management 232
 - progressive *see* progressive aphasia
 - progressive fluent *see* semantic dementia
 - progressive non-fluent *see* progressive non-fluent aphasia
 - transcortical 307, 309
 - vascular dementia 307, 312
- APL-1 136
- apolipoprotein E (APOE) 29–30, 57–58
- based mouse models 133
 - dementia with Lewy bodies and 18
 - mild cognitive impairment and 178, 181–182
 - primary progressive aphasia variants 284
 - white matter lesions and 337
- APP *see* amyloid precursor protein
- APP-like protein (APPL) 136
- appetite disturbances 89
- apraxia 236
- corticobasal syndrome 293–294
 - ideomotor *see* ideomotor apraxia
 - progressive non-fluent aphasia 281
 - progressive supranuclear palsy 297
 - of speech 280, 281, 297–298
 - vascular dementia 305–306
- L-arginine 340
- arteriosclerosis, small artery 315
- aspirin 339
- astrocytes
- thorny 151
 - tufted 151
- astrocytic plaques 150, 151
- attention
- deficits, delirium 371, 372
 - fluctuations, dementia with Lewy bodies 8–9
- autoimmune encephalopathies, rapidly progressing 353–354
- autonomic dysfunction
- dementia with Lewy bodies 10–11, 202
 - as early symptoms 204, 208–209
 - FTDP-17 208–209
 - Parkinson's disease with dementia 10, 203
- Balint syndrome 215–216, 294, 310
- ballooned cells *see* Pick cells
- basal ganglia lesions 311–313
- basal temporal language area 309
- behavior, observations 3
- behavioral and psychological symptoms of dementia 236–240
- behavioral disturbances 85, 86–89
- assessment 85–86
 - corticobasal syndrome 289–292
 - first symptoms 2
 - management 94–95, 233, 236–240
 - progressive supranuclear palsy 297
 - semantic dementia 266
 - specific dementia syndromes 89–94
 - see also* neuropsychiatric symptoms
- Behavioral Pathology in Alzheimer Disease Rating Scale (BEHAVE-AD) 85–86
- Behavioral Rating Scale for Dementia (BRSD) 85–86
- behavioral risk factors 123–125
- behavioral syndromes 86–88
- benzodiazepines 236, 374
- Binswanger's disease 213, 303, 316, 317
- genetic aspects 336–337
 - lacunar changes with 316, 317
 - neurological aspects 317–318
 - see also* subcortical vascular dementia
- bismuth intoxication 348, 357
- blood oxygen level dependent (BOLD) signal 109

Index

- Borrelia burgdorferi* 355
 bovine spongiform encephalopathy (BSE) 231–232, 351
 boxers 125
 bradyphrenia, progressive supranuclear palsy 296
 brain biopsy, Creutzfeldt–Jakob disease 347
 Broca's aphasia 307
 bromocriptine 284
 CADASIL 213, 329–340
 animal models 336
 clinical features 330–332
 differential diagnosis 339
 epidemiology and risk factors 329–330
 genetic testing 339
 genetics 213, 337–338
 MRI 332–334
 management 339–340
 pathogenesis 338
 pathology 334–336, 337, 338
Caenorhabditis elegans 134–137
 California Verbal Learning Test (CVLT) 14
 callosal disconnection syndrome 306
 Camel and Cactus test 267–268
 cancer
 causes of delirium and cognitive dysfunction 380
 diagnosis 381
 rapidly progressing dementia 356
 see also paraneoplastic neurologic disorders
 cancer-related dementia 377
 Capgras syndrome 12–13, 88, 201
 capsular genu infarction 312–313
 carbamazepine 95, 236
 carbidopa, dementia with Lewy bodies 217
 cardiovascular risk factors 122–123
 multiple 123
 caudate infarction 311–312
 CBD see corticobasal degeneration
 cerebral amyloid angiopathy (CAA) 58–59, 352
 cerebral amyloidosis, APP mutations 28
 cerebral atrophy
 Alzheimer's disease 62, 104–105
 CADASIL 333
 cerebrovascular disease-related 162
 cognitive impairment and 163
 dementia with Lewy bodies 16–17
 frontotemporal lobar degeneration 105, 106
 regional, imaging 104–107
 see also hippocampal injury/atrophy
 cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy *see* CADASIL
 cerebral hemorrhage with amyloidosis, hereditary 28
 cerebral hypoperfusion, chronic 311
 cerebral infarction
 anterior cerebral artery territory 303–306
 borderzone 310–311
 cortical 303–311
 middle cerebral artery territory 306–308
 multiple cortical *see* multi-infarct dementia
 posterior cerebral artery territory 308–310
 silent 123, 162, 163
 single cortical 303
 subcortical 311–315
 see also multi-infarct dementia, stroke
 cerebral metabolism, regional 102–103
 cerebral microbleeds, in CADASIL 332–333
 cerebral perfusion, regional
 MRI and CT 103–104
 PET and SPECT 102–104
 cerebral small vessel disease 303, 329
 CADASIL 334–336
 dementia *see* subcortical vascular dementia
 pathology 315–316
 cerebral small vessels, anatomy 315
 cerebrospinal fluid (CSF) biomarkers
 Alzheimer's disease 62
 Creutzfeldt–Jakob disease 346–347
 mild cognitive impairment 178
 paraneoplastic limbic encephalitis 384
 cerebrovascular disease 162–167
 amnestic mild cognitive impairment 164–165, 167
 delirium 370
 as dementia risk factor 123
 depression and 319
 impact on cognition 162–164
 large vessels 303
 rapidly progressing dementia 354
 small vessels *see* cerebral small vessel disease
 spectrum of changes 162
 see also stroke, vascular dementia
 cerebrovascular risk factors 162–164
 impact on cognition 162–164
 charged multivesicular body protein 2B, *CHMP2B* mutations 32, 50
 Charles Bonnet syndrome 11–12
 cholinergic agonists 232
 cholinergic system
 delirium 371
 dementia with Lewy bodies 15–16
 PET 110–111
 cholinesterase inhibitors 232
 Alzheimer's disease 63, 64
 behavioral dyscontrol 236, 237
 delirium 371, 374
 dementia with Lewy bodies 13, 18–19, 217, 218
 frontotemporal dementia 52, 227, 228
 mild cognitive impairment 181–182, 184, 215
 neuropsychiatric symptoms 95
 Parkinson's disease with dementia 219, 223
 progressive supranuclear palsy 230
 vascular dementia 224, 225
 chorea, paraneoplastic 387–388
 chronic obstructive pulmonary disease 311
 cingulate cortex 105
 clinical features, major dementing diseases 6–5
 Clinician Assessment of Fluctuation 8
 clonazepam 242
 cognitive assessment
 delirium 371
 mental status examination 75–77
 oldest-old 259–260

Index

- cognitive function
 - age-related decline 161, 188–189
 - impact of cerebrovascular disease 162–164
 - normative, oldest-old 258–259
- cognitive impairment
 - CADASIL 331–332
 - corticobasal degeneration 288–294
 - delirium risk 367, 369
 - management 232–236
 - mild *see* mild cognitive impairment
 - progressive supranuclear palsy 288, 294–296
- cognitive impairment no dementia (CIND) 189
 - vascular (VCIND) 303, 319, 320
- cognitive reserve hypothesis 56–57
- cognitive training 123–124
- coiled bodies 150–151
- coiled tangles 151
- color vision disturbances 204, 310
- common disease common variant (CDCV) hypothesis 38
- complex genetic disorders 38
- compulsive behavior, vascular dementia 304–305
- computed tomography (CT)
 - Alzheimer's disease 62
 - regional cerebral perfusion 103–104
 - regional tissue content 104, 112
- Confusion Assessment Method (CAM) 372–373
- confusional state, acute *see* delirium
- Consortium to Establish a Registry for Alzheimer's Disease (CERAD) criteria 144
- constraint-induced movement therapy (CIMT) 236
- constructional tasks 77
- Contursi kindred 33
- coronary artery bypass grafting 311
- cortical blindness 310
- cortical thickness mapping 106
- corticobasal degeneration (CBD) 205–207, 229
 - clinical features 5–6
 - cognitive deficits 288–294
 - diagnosis 229
- differential diagnosis 198
- genetics 34–35
- management 229
- neuropsychiatric symptoms 93–94
- pathology 51, 147, 149–152, 288
- progressive non-fluent aphasia and 47, 49, 282
- rapidly progressing 352–353
- selective vulnerability 143
- underlying biology 5
- corticobasal degeneration syndrome (CBDS) *see* corticobasal syndrome
- corticobasal syndrome (CBS) 205–207, 229–230
 - apraxia 293–294
 - asymmetry and laterality 293
 - case reports 289–291
 - clinical features 206–207
 - diagnostic criteria 206
 - differential diagnosis 198
 - early clinical features 207
 - frontal/behavioral change 289–292
 - genetics 33, 34
 - language 292–293
 - management 229–230
 - overlap with frontotemporal dementia 288–289
 - progressive non-fluent aphasia and 285
 - progressive supranuclear palsy and 288, 297–298
 - visuospatial impairment 294
- costs, economic
 - delirium 367–368
 - dementia 120
- Creutzfeldt–Jakob disease (CJD)
 - 230–231, 345–350
 - brain biopsy 347
 - clinical features 6–5
 - diagnosis 231
 - epidemiology 345
 - familial (fCJD) 350–351
 - genetics 35–36
 - management 231, 351–352
 - mechanisms 5, 348–349
 - MRI diagnosis 347, 351
 - neuroimaging 107, 108
 - putative biomarkers 346–347
 - sporadic (sCJD) 345–350
 - demographics 345–346
 - diagnosis 346, 348
 - differential diagnosis 348, 349
 - genetic markers 349–350
 - variant (vCJD) 231–232, 351
- Cryptococcus* infections 355
- CSF *see* cerebrospinal Acid
- CT *see* computed tomography
- cytotoxic T cells, paraneoplastic disorders 377–379
- dardarin 34
- daytime somnolence, excessive *see* hypersomnia/hypersomnolence
- default mode network 110
- delirium 308, 367–375
 - clinical characteristics 368–369
 - definition 367–368
 - diagnosis and evaluation 368, 371–373, 374
 - diagnostic scales 372–373
 - epidemiology, morbidity and costs 367–368
 - etiologies 370–371, 380
 - future directions 374–375
 - investigations 373
 - management 373–374
 - pathophysiology 371
 - postoperative 367, 369
 - risk factors 369–370
- delusional misidentification syndromes 2, 88, 201
- delusions 88
 - dementia with Lewy bodies 12–13
 - management 233, 240–241
- dementia
 - CADASIL 331–332
 - delirium risk 367, 369
 - progressive supranuclear palsy 297
 - see also* cognitive impairment, specific types of dementia
- dementia lacking distinctive histopathology (DLDH) 149, 282
- dementia pugilistica 125
- dementia with Lewy bodies (DLB) 7–20, 197–202, 213, 216–223
 - autonomic dysfunction 10–11, 202
 - clinical features 5–6, 7–14, 200–202
 - diagnosis 216
 - diagnostic criteria 7–8, 200
 - differential diagnosis 198
 - early clinical features 203–204
 - epidemiology 7
 - fluctuations in attention 8–9, 202
 - functional MRI 17, 110
 - future research 19–20
 - genetics 17–18, 33–34

Index

- management 18–19, 216–223
 mental status examination 80
 neuroimaging 16–17, 103, 108
 neuropathology 14–15, 152–153
 neuropsychiatric symptoms 11–13, 92–93, 201
 neurotransmitters 15–16
 overlap with Alzheimer's disease 15, 18
 parkinsonism 9, 201
 prodrome 19–20, 203
 rapidly progressing 352–353
 REM sleep behavior disorder 9–10, 200, 201
 selective vulnerability 143
 sensitivity to medication and infection 11
 underlying biology 5
 vs. Alzheimer's disease 13–14, 16–17
 vs. delirium 370
 vs. Parkinson's disease with dementia 197–200, 216
 depression 87
 cerebrovascular disease and 319
 as dementia risk factor 125
 dementia with Lewy bodies 13
 history taking 2
 management 233, 241
 mental status examination 77
 post-stroke 308
 presenting as dementia 357
 diabetes mellitus 122
 diagnosis
 clinical 1–6
 oldest-old 260
 diencephalic amnesia 313–314
 dietary risk factors 57, 124–125
 diffusion tensor imaging (DTI) 107–108, 112
 CADASIL 333–334, 335
 dementia with Lewy bodies 16–17
 diffusion-weighted imaging (DWI) 107–108, 112
 digit span tests 76
 disinhibited behavior 86–87
 management 233, 240
 vascular dementia 304–305
DJ-1 gene 34
 DLB *see* dementia with Lewy bodies
 donepezil
 Alzheimer's disease 63, 64
 dementia with Lewy bodies 18–19
 mild cognitive impairment 181–182, 184
 neuropsychiatric symptoms 95
 dopamine agonists 19, 217, 223
 dopaminergic system
 dementia with Lewy bodies 16
 PET 111
 dorsolateral prefrontal cortex (DLPFC) 162
 damage, vascular dementia 306–307
 disruption of neural circuits 165
 white matter hyperintensities and 165–166
 Down's syndrome
 Alzheimer's disease 28, 57
 β-amyloid protein 28
 doxycycline 352
 driving, discontinuation 64
Drosophila melanogaster 134–137
 drug misuse 370
 dysosmia 204
 dysphagia 61
 dysprosody 77
 see also prosody, emotional
 eating behavior, disturbances in 89
 education, dementia risk and 122
 EFA6A antigen 389
 electroencephalography (EEG)
 Alzheimer's disease 62
 Creutzfeldt–Jakob disease 346, 347
 dementia with Lewy bodies 9
 paraneoplastic limbic encephalitis 383
 emotional lability 233, 241
 encephalomyelitis, paraneoplastic 380
 enteroviral meningoencephalitis 355
 entorhinal cortex 104, 178, 272
 epidemiology 120–127
 see also prevalence
 estrogen replacement therapy 65, 126–127
 ethnic differences 121–122
 euphoria 89
 executive dysfunction
 management 236
 progressive non-fluent aphasia 280
 progressive supranuclear palsy 296
 vascular dementia 306–307, 318
 executive function (EF), mental status examination 75–76
 exercise 57, 124
 extrapyramidal symptoms
 see parkinsonism
 falls, as early symptom 2
 fatal familial insomnia (FFI) 35, 36, 350–351
 fatal insomnia, sporadic (sFI) 350
 fatigue, affecting cognitive testing 259–260
 FDDNP (fluoro-dicyano-dimethylamino-naphthalenyl-propene) 179
 fish consumption 124–125
 flexibility, mental 76
 fluctuations
 dementia with Lewy bodies 8–9, 202
 as early symptom 204
 Parkinson's disease with dementia 203
 fluency 76
 fluoro-dicyano-dimethylamino-naphthalenyl-propene (FDDNP) 179
 flupirtine 231
 folic acid supplements 123
 forgetfulness *see* memory impairment
 14-3-3 protein 231, 346–347
 fractional anisotropy (FA) 108
 frontal lobe dysfunction
 cerebral infarction 303–305
 corticobasal syndrome 289–292
 see also executive dysfunction
 frontotemporal dementia (FTD) 45–52, 213–214
 animal models 134, 136–137
 behavioral or frontal variant (bv-FTD) 45, 47–48, 227
 clinical features 47–48
 diagnosis 227
 management 227
 neuroimaging 51, 105
 pathology 146, 147, 148, 149
 selective vulnerability 143
 clinical features 5–6, 47

Index

frontotemporal dementia (FTD)
 (cont.)
 diagnosis 46–47
 functional MRI 110
 genetics 30–33, 49–50
 mental status examination 79
 neuroimaging 103, 108
 neuropsychiatric symptoms 91–92
 overlap with corticobasal degeneration 288–289
 with parkinsonism 46
 pathology 145–149
 prodrome 191
 temporal variant (tv-FTD)
see semantic dementia
 treatment 52, 228
 underlying biology 5

frontotemporal dementia with motor neuron disease (FTD-MND) 46, 48
 clinical features 47
 genetics 50
 pathology 51, 146, 149
 rapidly progressing 352–353
 selective vulnerability 143

frontotemporal dementia with parkinsonism linked to chromosome 17 (FTDP-17) 207–209
 clinical features 207
 differential diagnosis 198
 early clinical features 208–209
 genetics 31, 49
 pathology 147

frontotemporal lobar degeneration (FTLD) 45–52
 amyloid imaging 51, 111
 clinical syndromes 47
 genetics 30–31, 49–50
 history 45–46
 mental status examination 79–80
 neuroimaging 51, 103, 105–106
 neuropsychiatric symptoms 91–92
 pathology 50–51, 145–149
 selective vulnerability 143
 subtype classification 45, 46
 tau-positive (FTLD-T) 146, 147
 treatment 52, 224–230
 ubiquitin-positive/tau-negative (FTLD-U) 146, 147–149, 150

FTDP-17 *see* frontotemporal dementia with parkinsonism linked to chromosome 17
 functional assessment 2, 77–78

400

functional magnetic resonance imaging (fMRI) 109–110, 112
 dementia with Lewy bodies 17, 110
 dorsolateral prefrontal cortex activation 165–166
 resting state 110

galantamine
 Alzheimer's disease 63, 64
 mild cognitive impairment 182
 neuropsychiatric symptoms 95

gaze palsy, vertical supranuclear 205, 207

gender differences
 dementia in oldest-old 256–258
 dementia risk 121
 progressive non-fluent aphasia 282–283

genetic disorders, complex 38

genetic testing 4

genetics *see* neurogenetics

Gerstmann–Straussler–Scheinker disease (GSS) 35, 36, 350–351

Gerstmann's syndrome 309

glial cytoplasmic inclusions 153–154

glial nuclear inclusions 153–154

globular tangles 151

glucose metabolism, regional brain 102–103

granular osmophilic material (GOM) 334, 336

granulovacuolar degeneration 58–59

Hachinski Ischemic Score (HIS) 302, 321

hallucinations 88
extracampion 12
 management 233, 240–241
see also visual hallucinations

haplo-insufficiency 33, 50

Hashimoto's encephalopathy 354

head trauma 125–126

hearing loss 259–260

heart failure 311

heavy metal intoxication 356

hereditary cerebral hemorrhage with amyloidosis 28

^{99m}Tc-hexamethylpropyleneamine oxime (HMPAO) 102

hippocampal injury/atrophy
 Alzheimer's disease 104, 162
 CADASIL 331–332
 mild cognitive impairment 178, 179
 semantic dementia 272
 severe and mild cognitive impairment (MCI-HA) 164–165

hippocampus 162

history, clinical 1–2

hoarding 304–305

homocysteine 123

hormone replacement therapy 65, 126–127

Human Genome Project 27, 38

human immunodeficiency virus (HIV) 354

huntingtin (Htt) 37, 154

Huntington's disease (HD) 36–37, 143, 154

hydrgine 224, 225

hyperphagia 241

hypersomnia/hypersomnolence as early clinical feature 201, 203–204
 management 233, 242

hypertension
 cerebral small vessel pathology 315
 cognitive impairment and 163
 dementia risk 122, 162–163
 genetic aspects of white matter lesions 336–337

hypokinesia 305–306

hypomania 89

hypothalamic syndrome, neural crest tumors 391

ideomotor apraxia
 corticobasal syndrome 293
 pathophysiology 306, 307
 vascular dementia 305–306, 307

illusions, visual 12, 201, 236

imitation behavior 305

impulsive behavior, vascular dementia 304–305

incidence, dementia 120, 121

inclusion body myopathy associated with Paget's disease and frontotemporal dementia (IBMPFD) 31–32, 50

Index

- infarction *see* cerebral infarction
- infectious diseases
 - delirium 370, 371
 - rapidly progressing dementia 354–356
 - sensitivity, dementia with Lewy bodies 11
- inhibition, response 76
- insomnia
 - management 233, 241
 - see also* sleep disturbances
- intensive care unit, delirium 367, 372–373
- International Hap Map Project 38
- invertebrate models 134–137
 - dementia 136–137
 - therapeutic potential 137
- investigations 4–6
- ischemic episodes, in CADASIL 330
- ischemic-hypoperfusive vascular dementia (VaD) 310–311
- ischemic white matter changes 316
- IT15* (gene for huntingtin) 37
- Jakob–Creutzfeldt disease
 - see* Creutzfeldt–Jakob disease
- JC virus infections 355
- Kuf's disease 356
- kuru 36
- laboratory testing 4–6
- lacunar infarction 315–316
 - CADASIL 330, 332, 333, 334–335
- lacunar state 303, 316
 - neurological aspects 317–318
 - white matter changes with 316, 317
 - see also* subcortical vascular dementia
- language
 - areas of brain 307
 - mental status examination 76–77
- language problems
 - Alzheimer's disease 59
 - corticobasal syndrome 292–293
 - as first symptoms 2
 - progressive supranuclear palsy 297
 - subcortical vascular dementia 318
 - see also* aphasia
- late-life forgetfulness 189
- Leisure World Cohort Study 254
- lentiform nucleus infarction 312
- leucine-rich repeat kinase 2, *LRRK2* mutations 34
- leukoaraiosis 316
- levodopa (L-dopa)
 - dementia with Lewy bodies 19, 217, 218
 - Parkinson's disease with dementia 219, 223
- Lewy bodies (LB) 14, 152
 - Alzheimer's pathology with 15
 - brainstem 152, 153
 - cortical 152, 153
- Lewy body dementia *see* dementia with Lewy bodies
- Lewy neurites 152, 153
- lexical decision task, semantic dementia 268–269
- lifestyle
 - modification, mild cognitive impairment 184
 - risk factors 123–125
- limb apraxia
 - progressive non-fluent aphasia 281
 - progressive supranuclear palsy 297
- limbic, diencephalon and brainstem encephalitis (Ma2 encephalitis), paraneoplastic 386–387, 388
- limbic encephalitis
 - differential diagnosis 385
 - paraneoplastic *see* paraneoplastic limbic encephalitis
 - with anti-VGKC antibodies (non-paraneoplastic) 384, 386
- limited dementia 189
- linkage analysis 27
- lipohyalinosis 315
- lithium 227
- lod score 27
- logopenia, progressive supranuclear palsy 297
- logopenic progressive aphasia (LPA) 283–284
- Lyme disease 355
- lymphoma
 - intravascular 354, 356
 - primary CNS (PCNSL) 356
- mad cow disease 231–232
- see also* bovine spongiform encephalopathy
- magnetic resonance imaging (MRI) 4–6, 112
 - Alzheimer's disease
 - see* Alzheimer's disease
 - CADASIL 332–334
 - cortical thickness mapping 106
 - Creutzfeldt–Jakob disease 347, 351
 - dementia with Lewy bodies 16–17
 - diffusion tensor imaging
 - see* diffusion tensor imaging
 - diffusion-weighted imaging (DWI) 107–108, 112
 - functional *see* functional magnetic resonance imaging
 - iron-dependent T₂-weighted contrast 109
 - magnetic resonance spectroscopy with 108–109, 112
 - paraneoplastic neurological disorders 381, 383, 384, 387, 388
 - rapidly progressing dementias 348, 349
 - regional cerebral perfusion 103–104, 112
 - regional tissue content 104–107
 - risk factors for dementia 123
 - voxel-based morphometry (VBM) 105–106
- magnetic resonance spectroscopy (MRS) 108–109, 112
- malignant disease *see* cancer
- manganese toxicity 356
- mania 89, 306
- MCI *see* mild cognitive impairment
- medical examination 3
- medical history, past 2
- medications
 - causing delirium 370, 371
 - past history 2
 - sensitivity, dementia with Lewy bodies 11, 19
- melatonin 218, 240–241, 242
- memantine
 - Alzheimer's disease 63, 64
 - behavioral dyscontrol 236, 237
 - dementia with Lewy bodies 217
 - neuropsychiatric symptoms 95
- memory 161–162
 - episodic 75, 161–162
 - explicit 161

Index

memory (cont.)
 implicit 161
 mental status examination 75
 semantic *see* semantic memory
 working 76

memory impairment
 Alzheimer's disease 59
 corticobasal syndrome 294
 as first symptom 2
 management 232, 233
 progressive supranuclear palsy 296
 semantic dementia 266, 267–272
 vascular dementia 309, 312,
 313–315, 318
see also senescent forgetfulness

mental activity 123–124

mental status examination 2–3,
 74–81
 cognitive 75–77
 delirium 372
 differential diagnosis 78–81
 functional status 77–78
 suggested 78
see also neuropsychological profiles

meta-iodoenzylguanidine (MIBG)
 cardiac scintigraphy 10

metabolic disorders 356–357, 370

metabolic syndrome 123

microtubule-associated protein tau,
 the *MAPT* gene
 invertebrate studies 136–137
 mutations 30–31, 32, 35, 49
 polymorphisms 35
 transgenic mouse models 133–134
see also tau

middle cerebral artery territory
 infarction 306–308

migraine
 CADASIL 330
 familial hemiplegic (FHM) 339

mild behavioral impairment
 (MBI) 191

mild cognitive impairment
 (MCI) 172–185
 Alzheimer's disease prodrome
 161, 162
 amnestic (aMCI) (multiple domain)
 conceptualization 190
 progression 177–178
 amnestic (aMCI) (single
 domain) 191
 cerebrovascular contributions
 161–167

clinical trial data 180–183
 conceptualization 190
 conversion to dementia
 192–193
 diagnosis 175–176
 evidence for vascular 164–165
 management 215
 memory impairment 161–162
 neuropathology 179–180, 193
 outcomes 176–177, 178
 APOE and progression 178, 181
 application to clinical practice
 183–184
 cases 173, 175–176
 clinical severity 177
 clinical trials 161, 180–183
 conceptualization 161, 188–189
 corticobasal syndrome
 prodrome 207
 counseling patients 184
 CSF and plasma biomarkers 178
 dementia with Lewy bodies and
 19–20, 203
 diagnostic criteria and diagnosis
 174–176, 190
 dysexecutive 191, 192, 193
 epidemiology 172–174
 FTDP-17 prodrome 208
 functional MRI 110
 future research prospects 184–185
 historical context 172
 introduction of term 188, 189
 language 192
 MRI 105, 106, 108, 178, 179
 multiple cognitive domains
 (MCI-MCDT; md-MCI;
 memory plus) 192
 conceptualization 190
 conversion to dementia 192–193
 neuropathology 179–180
 neuropsychiatric symptoms
 89, 90
 non-amnestic (naMCI)
 (multiple domain) 176
 conceptualization 190
 diagnosis 175
 non-amnestic (naMCI) (single
 domain) 176, 191–192
 conceptualization 190
 outcomes 176–177
 Parkinson's disease with dementia
 prodrome 203
 PET 102, 178–179
 predictors of progression 177–179
 progressive supranuclear palsy
 prodrome 205
 with severe hippocampal atrophy
 (MCI-HA) 164–165

with severe white matter
 hyperintensities
 (MCI-WMH) 164–165

subgroups 161, 188–194
 clinical outcomes 192–193
 conceptualization 190–191
 conversion diagnoses 190
 conversion to dementia 192–193
 mortality 193
 neuroimaging 192
 neuropathology 193
 prevalence 191
 vascular 303, 319, 320
 visuospatial 192

Mini-Mental State Examination
 (MMSE) 2, 74–75

delirium 372

dementia with Lewy bodies 14
 oldest-old 258

minimal dementia 189

misidentification errors 200, 236

mood disorders
 dementia with Lewy bodies 13
see also depression, mania

mood-stabilizing agents 95

Morvan's syndrome 382, 386

motor/extrapyramidal symptoms
see parkinsonism

motor hyperactivity 88

motor impersistence 305–306

motor intentional disorders 305–307

motor neuron disease (MND),
 frontotemporal dementia
with see frontotemporal
 dementia with motor neuron
 disease

motor problems, as early symptoms 2

motor speech disorder, pure 284

mouse models 132–134
 Alzheimer's disease 132–134
 frontotemporal dementia 134

MRI *see* magnetic resonance imaging

multi-infarct dementia 213, 303, 304

multiple system atrophy 14, 143,
 153–154

mutism, akinetic *see* akinetic mutism

mycobacterial infections 355

myoclonus 61

N-acetyl-aspartate (NAA) 108–109

Index

- National Institute on Aging/Ronald and Nancy Reagan Institute of the Alzheimer's Association (NIA-Reagan) criteria 144–145
- naturopathic medications 65
- neglect
- unilateral spatial 308
 - visuospatial 309–310
- neural crest tumors, paraneoplastic syndromes of children with 389–391
- neuritic plaques (NPs) 58
- Alzheimer's disease 144–145
 - dementia with Lewy bodies 152–153
- neurofibrillary tangles (NFTs) 31, 58
- Alzheimer's disease 59, 144–145
 - dementia with Lewy bodies 152–153
- progressive supranuclear palsy 151
- neurogenetics 27–38
- future 37–38
 - techniques 27
- neuroimaging 4–6, 101–113
- alternative metabolic and functional analyses 108–112
 - alternative structural analyses 107–108
 - regional glucose metabolism and brain perfusion 102–104
 - regional tissue content/atrophy 104–107
 - techniques compared 112
 - see specific modalities*
- neuroleptic agents *see antipsychotic drugs*
- neurological examination 3
- neuron-specific enolase (NSE) 231, 346–347
- neuronal ceroidal lipofuscinosis 356
- neuronal cytoplasmic inclusions (NCIs) 153–154
- neuronal intermediate filament inclusion disease (NIFID) 149
- neuronal nuclear inclusions 153–154
- neuropathology 142–155
- Neuropsychiatric Inventory (NPI) 85–86
- neuropsychiatric symptoms 85–95
- assessment 85–86
- CADASIL 331
- dementia with Lewy bodies 11–13, 92–93, 201
- mental status examination 77
- progressive supranuclear palsy 297
- specific dementia syndromes 89–94
- treatment 94–95
- vascular dementia 90–91, 308, 318–319
- see also behavioral disturbances*
- neuropsychological profiles
- Alzheimer's disease 61
 - dementia with Lewy bodies 13–14
 - normative, for oldest-old 258–259, 261
 - progressive non-fluent aphasia 281
 - semantic dementia 267–272
 - see also mental status examination*
- neurosyphilis 355
- neurotransmitters
- dementia with Lewy bodies 15–16
 - PET 110–111, 112
- niacin deficiency 356
- 90+ Study, The 254–261
- cognitive assessment 259–260
 - dementia prevalence 256–258
 - dementia screening 258
 - normative neuropsychological data 256, 258–259
 - participants and methodology 254, 255, 256
 - see also oldest-old*
- NMDA-receptor antagonists 63, 64, 95
- non-steroidal anti-inflammatory drugs (NSAIDs) 65, 126
- non-vasculitic autoimmune meningoencephalitis (NAIM) 354
- Notch3* mutations 329, 337–338
- animal models 334
 - diagnostic testing 339
 - pathophysiological effects 338
- novel tool test 270
- object decision task, semantic dementia 268, 269
- object-use apraxia
- corticobasal syndrome 293
 - semantic dementia 266, 270–271
- oldest-old 254–261
- cognitive assessment 259–260
 - dementia prevalence 254–258
 - diagnostic considerations 260
- neuropathology of dementia 260
- normative neuropsychological data 256, 258–259
- numbers in population 255
- research challenges 260–261
- research questions 254
- screening for dementia 258
- omega 3 polyunsaturated fatty acids (PUFA) 124–125
- onconeural antigens, antibodies against 377–379
- see also paraneoplastic antibodies*
- One Day Fluctuation Assessment Scale 8
- opsoclonus–myoclonus (–ataxia) 380, 389–391
- orbitofrontal lobe damage, anterior cerebral artery infarction 304–305
- orthostatic hypotension 10, 203
- management 217, 233
- ovarian teratoma, encephalitis with 389
- palipsychism 313
- pallidopontonigral degeneration 49, 208–209
- PAR-1*, gene for serine/threonine kinase 136–137
- paraneoplastic antibodies 378, 381–382
- onconeural antigens 377–379
 - paraneoplastic limbic encephalitis 379, 384–386
 - see specific antibodies*
- paraneoplastic limbic encephalitis (PLE) 353, 377, 383–386
- antibodies 382
 - diagnosis 379, 380, 384–386
 - investigations 381, 383–384
 - pathology 378, 384
- paraneoplastic neurologic disorders (PND) 353, 377–391
- antibody testing 381–382
 - children with neural crest tumors 389–391
 - diagnostic criteria 382–383
 - frequency 377
 - pathogenesis 377–380
 - symptom presentation and diagnosis 380–383
 - treatment strategies 390, 391
- paraoxonase, *PON1* LL genotype 337

Index

- parasomnias 242
- PARK1–8* mutations 17
- parkin* gene 17, 34
- parkinsonian-related dementias
 - comparison between 198
 - early clinical features 197–209
 - genetics 33–35
- parkinsonism (motor/extrapyramidal symptoms)
 - corticobasal syndrome 206
 - delirium with 372
 - dementia with Lewy bodies 9, 201
 - as early symptom 203, 205, 207
 - FTDP-17 208
 - management 233
 - Parkinson's disease with dementia 9, 203
 - progressive supranuclear palsy 205
- Parkinson's disease with dementia (PDD) 202–204, 213, 223
 - autonomic dysfunction 10, 203
 - clinical features 202–203
 - diagnosis 7–8, 223
 - diagnostic criteria 202
 - differential diagnosis 198
 - early clinical features 203–204
 - genetics 17–18
 - imaging 111
 - management 219, 223
 - motor/extrapyramidal symptoms 9, 203
 - neuropsychiatric symptoms 92–93, 202
 - neurotransmitters 15–16
 - pathology 14
 - prodrome 191
 - vs. dementia with Lewy bodies 197–200, 216
- periodic limb movement disorder 233, 241
- periodic sharp-wave complexes 346
- perirhinal cortex, semantic dementia 272–273
- perseveration 318
 - motor 305–306
- person recognition problems, semantic dementia 267
- personality changes
 - corticobasal syndrome 289–292
 - as first symptoms 2
 - progressive supranuclear palsy 297
 - semantic dementia 266
- PET *see* positron emission tomography
- phonemic paraphasias 280, 281
- physical activity 57, 124
- Pick bodies 51, 147, 148
- Pick cells (ballooned cells) 51, 147, 148, 151
- Pick's disease 45–46
 - historical background 264
 - overlap with corticobasal degeneration 289
 - pathology 50–51, 147, 148, 150
 - semantic dementia 273, 274
- PINK1* (gene for PTEN-induced kinase1) 17, 34
- Pittsburgh compound B (PIB) 51, 63, 111–112, 179
- polyglutamine repeats 37
- polyunsaturated fatty acids (PUFA) 124–125
- positional cloning 27
- positron emission tomography (PET) 6
 - Alzheimer's disease 62–63, 102–103
 - amyloid imaging *see* amyloid imaging
 - cerebral glucose metabolism 102–103, 112
 - frontotemporal dementia 51
 - mild cognitive impairment 102, 178–179
 - neurotransmitter systems 110–111, 112
 - paraneoplastic neurologic disorders 381, 383–384, 389
- postoperative delirium 367, 369
- post-stroke dementia 302
- posterior cerebral artery territory infarction 308–310
- posterior cortical atrophy 215–216
- presenilin (genes *PS1* and *PS2*) 29, 57
 - mouse models 133
- prevalence
 - dementia 120, 121
 - dementia in oldest-old 254–258
 - mild cognitive impairment 172–174
 - mild cognitive impairment subgroups 191
 - vascular dementia 302
- prevention of dementia
 - medications for 126–127
 - mild cognitive impairment trials 180–183
 - potential impact 120–121
- primary progressive aphasia (PPA) 46, 227–229, 279
 - bimodal distribution 264
 - conceptualization 284
 - genetics 33, 284
 - management 229, 284
 - mild cognitive impairment and 192
 - overlap with corticobasal degeneration 289
 - variants 283–284
 - see also* progressive non-fluent aphasia, semantic dementia
- prion diseases 214, 345–352
 - diagnosis and management 230–232
 - epidemiology 345
 - genetics 35–36, 350–351
 - mechanisms 348–349
 - treatment 351–352
 - see also* Creutzfeldt–Jakob disease
- prion protein
 - PrP^C* 349
 - function 349
 - PrP^{Sc}* 35–36, 349
 - direct detection assays 347–348
 - treatments targeting 351–352
 - type 1 or 2 350
 - variant Creutzfeldt–Jakob disease 351
- PRNP* gene
 - mutations 35–36, 350–351
 - polymorphisms 36, 349–350, 351
- programulin, *PGRN* mutations 32–33, 49–50, 52, 149
- progressive aphasia 279
 - logopenic 283–284
 - primary *see* primary progressive aphasia
- progressive asymmetrical rigidity and apraxia (PARA) syndrome 229–230
- progressive fluent aphasia
 - see* semantic dementia
- progressive limbic encephalopathy (PLE) *see* paraneoplastic limbic encephalitis

Index

- progressive non-fluent aphasia (PNFA) 46, 48–49, 227–229, 279–285
 behavioral or frontal variant (bv-FTD) 147
 case report 285
 classification 45
 clinical features 5–6, 47, 48–49
 corticobasal degeneration and 47, 49, 282
 definition and diagnostic criteria 280–281
 demographics 282–283
 genetics 33
 management 229, 284
 neuroimaging 281
 neurological examination 281
 neuropsychiatric symptoms 91–92
 pathology 146, 149, 282
 progressive supranuclear palsy and 47, 49, 282, 297
 selective vulnerability 143
 underlying biology 5
 progressive perceptual-motor syndrome 229–230
 progressive posterior cortical syndrome 215–216
 progressive simultagnosia 215–216
 progressive supranuclear palsy (PSP) 204–205, 230
 clinical features 5–6, 204–205
 cognitive deficits 288, 294
 corticobasal syndrome and 288, 297–298
 diagnosis 230
 diagnostic criteria 204
 differential diagnosis 198
 early clinical features 205
 genetics 34–35
 historical aspects 294–296
 management 230
 mental status examination 79, 80–81
 neuropsychiatric symptoms 93–94, 205
 pathology 51, 147, 149–152, 288
 progressive non-fluent aphasia and 47, 49, 282, 297
 rapidly progressing 352–353
 selective vulnerability 143
 underlying biology 5
 progressive visuoperceptual syndrome 215–216
 prosody, emotional 293, 308
 prosopagnosia 309, 310
- protein misfolding cyclic amplification (PMCA) 348
PrP see prion protein
 PSAPP mice 133
 pseudobulbar affect 233, 241
 PSP see progressive supranuclear palsy
 psychiatric disorders 357
 psychiatric history 2
 psychiatric observations 3
 psychiatric symptoms
 see neuropsychiatric symptoms
 psychosis 88
 psychosocial risk factors 125
 pure motor speech disorder 284
 puromycin-sensitive aminopeptidase 137
 Pyramids and Palm Trees Test 267–268
 questionable dementia 189
 quinacrine 231, 351–352
 racial differences 121–122
 radiation therapy, whole brain (WBRT) 356
 radiologic risk factors 123
 raloxifene 127
 rapid eye movement *see* REM
 rapidly progressing dementias (RPDs) 345–357
 autoimmune encephalopathies 353–354
 diagnosis 357
 differential diagnosis 348, 349
 infectious diseases 354–356
 malignancies 356
 non-organic (psychiatric) causes 357
 non-prion neurodegenerative diseases 352–353
 toxic-metabolic conditions 356–357
 vascular disease 354
see also Creutzfeldt–Jakob disease, prion diseases
 RBD *see* REM sleep behavior disorder
 reduplicative paramnesia 12–13
 reflexes, pathological 306
 REM sleep behavior disorder (RBD) 89
- dementia with Lewy bodies 9–10, 200, 201
 as early symptom (“idiopathic”) 2, 203
 Parkinson’s disease with dementia 203
 pathology 10
 progressive supranuclear palsy 205
 treatment 217, 233, 242
 resting state networks 110
 restless legs syndrome 233, 241
 risk factors, dementia 121–126
 rivastigmine
 Alzheimer’s disease 63, 64
 dementia with Lewy bodies 18–19, 217
 mild cognitive impairment 182
 neuropsychiatric symptoms 95
 Rivermead Behavioural Memory Test (RBMT) 78
 RNA interference (RNAi) 135
 rofecoxib, mild cognitive impairment 182–183
 S-100 protein, CSF 346–347
 salience network 110
 sarcoidosis 354
 scrapie 35–36
 screening, dementia, in oldest-old 258
 secretases 28, 29
 as therapeutic target 65
 seizures, paraneoplastic limbic encephalitis 383, 386
 selective serotonin-reuptake inhibitors (SSRIs) 95
 Alzheimer’s disease 64
 frontotemporal dementia 52, 228
 primary progressive aphasia 284
 selective vulnerability 142, 143
 semantic dementia (SD) (temporal variant frontotemporal dementia; tv-FTD) 46, 48, 227–229, 264–275
 classification 45
 clinical features 5–6, 47, 48, 265–267
 historical background 264–265
 management 229, 273–275
 mental status examination 79–80
 neuroimaging 51, 265, 272–273
 neuropathology 146, 147, 148, 149, 273, 274

Index

- semantic dementia (SD) (cont.)
 neuropsychiatric symptoms 91, 92
 neuropsychological findings 265,
 267–272
 prognosis 273
 right temporal variant 265, 266, 267
 selective vulnerability 143
 underlying biology 5
 vs. other primary progressive
 aphasia variants 283
- semantic knowledge, assessing
 non-verbal 267–268
- semantic memory 264
 corticobasal syndrome 294
 testing in semantic dementia 267
- semantic paraphasias, semantic
 dementia 283
- senescent forgetfulness
 benign 189
 malignant 189
- senile plaques *see* neuritic plaques
- sensory disturbances
 corticobasal syndrome 206, 207
 dementia with Lewy bodies 202
 as early symptoms 204, 207
 oldest-old 259–260
 Parkinson's disease with
 dementia 203
- serum biomarkers
 cancer 381
 mild cognitive impairment 178
- short interfering RNA (siRNA) 135
- simultanagnosia, progressive 215–216
- single nucleotide polymorphisms 38
- single-photon emission computed
 tomography (SPECT) 6,
 102–103, 112
 Alzheimer's disease 62, 102–103
 dementia with Lewy bodies 16
 frontotemporal dementia 51
- sleep apnea 2, 201, 241
- sleep disturbances 89
 dementia with Lewy bodies
 201–202
 as early symptoms 203–204, 208
 FTDP-17 208
 management 233, 241–242
 Parkinson's disease with
 dementia 203
 progressive supranuclear palsy 205
see also REM sleep behavior
 disorder
- small-cell lung cancer (SCLC) 353,
 377, 385–386
- small-vessel disease dementia
see subcortical vascular
 dementia
- smoking 124
- social engagement 125
- socially inappropriate behavior 240
- sociopathy, acquired 305
- somnolence, excessive daytime
see hypersomnia/
 hypersomnolence
- sortilin-related receptor (SORL1) 58
- SPECT *see* single-photon emission
 computed tomography
- speech problems
 Alzheimer's disease 59
 as first symptoms 2
 progressive non-fluent aphasia 280
 pure motor speech disorder 284
- spirochaete infections 355
- statins 126
- Steele–Richardson–Olszewski
 syndrome *see* progressive
 supranuclear palsy
- stereotyped interests, semantic
 dementia 266–267
- steroid-responsive encephalopathy
 associated with autoimmune
 thyroiditis (SREAT) 354
- striatal encephalitis, paraneoplastic
 387–388
- stroke 162
 delirium after 370, 372
 ischemic, in CADASIL 330
 multi-infarct dementia and 303
 post-stroke dementia 302
 subcortical 311–315
see also cerebral infarction,
 vascular dementia
- Stroop interference tests 76
- subacute sclerosing
 panencephalitis 355
- subcortical arteriosclerotic
 encephalopathy
see Binswanger's disease
- subcortical dementia 205, 296
- subcortical ischemic vascular
 dementia (SIVD) 224
- subcortical stroke 311–315
- subcortical vascular dementia (SVdP)
 303, 311–315, 316–319
 CADASIL 329
 lacunar type *see* lacunar state
 mixed type 316, 317
 neurological aspects 317–318
 neuropsychiatric aspects 318–319
 neuropsychological aspects 318
 types 316
 vs. Alzheimer's disease 316–317
 white matter type *see* Binswanger's
 disease
- subcortical vascular mild
 cognitive impairment
 (svMCI) 319, 320
- sundowning 242, 368
- symptoms
 first 1–2
 management of target 232–242
 progression 2
- α -synuclein 14–15
 gene mutations (*PARK1/SNCA*)
 17–18, 33–34
 immunoreactive inclusions 154
 synergism with β -amyloid 15
 transgenic mice 134
- synucleinopathies 33–34, 213
 pathology 14, 152–154
- syphilis 355
- TAR DNA-binding protein (TDP-43)
 33, 49–50, 51
- tau 30–31, 34
 Alzheimer's disease
 pathogenesis 145
 corticobasal degeneration 289
 CSF 62, 178, 346–347
 filamentous deposits 51, 147
 frontotemporal dementia 289
 gene *see* microtubule-associated
 protein tau, the *MAPT* gene
 inclusions 51, 151
 neurofibrillary tangles 58, 145
 PET 179
 as therapeutic target 65
- tauopathies 34–35, 213–214
 animal models 133–134, 136–137
 dementia-movement disorder
 149–152
 pathology 147, 149–152
 progressive non-fluent aphasia 282
- TDP-43 (TAR DNA- protein) 33,
 49–50, 51

Index

- temporal lobe atrophy, semantic dementia 272
- temporal lobe encephalitis, paraneoplastic 388–389
- terminal end-of-life delirium 370–371
- testicular tumors 387
- tetracyclines 352
- thalamic infarction 313–315
 - inferolateral territory 315
 - paramedian artery territory 314–315
 - tuberothalamic arterial territory 313–314
- thiamine deficiency 356
- thymoma 353, 377
- toxic-metabolic conditions 356–357
- Trail Making Test 76, 258–259
- transgenic invertebrate models 135
- transgenic mice 132–134
- transient brain ischemia 162
- transmissible spongiform encephalopathies (TSEs) 35–36
- trazodone, frontotemporal dementia 52
- treatment of dementia 213–242
- tricyclic antidepressants 95
- trinucleotide repeats 37, 154
- Triopheryma whippelii* 355–356
- ubiquitin-TDP-43 33, 49–50
 - neuronal inclusions 147–149
- UCHL1* gene 34
- University of California at San Francisco (UCSF) cognitive battery 3
- urinary incontinence 241
- urinary symptoms 10
- utilization behavior 305
- valosin-containing protein mutations in *VCP* 31–32, 50
- valproate/valproic acid 95, 236
- vascular cognitive impairment with no dementia (VCIND) 303, 319–320
- vascular dementia (VaD) 213, 223–224, 302–320
 - clinical features 5–6
 - cortical territorial infarction 303–311
 - definition and prevalence 302
 - diagnosis 224
 - diagnostic criteria 302, 320–322
 - epidemiology 120
 - ischemic-hypoperfusive 310–311
 - management 224, 225
 - neuroimaging 103
 - neuropsychiatric symptoms 90–91, 308, 318–319
 - risk factors 121, 122–123
 - small-vessel ischemic disease 303, 315–319
 - subcortical *see* subcortical vascular dementia
 - subtypes 303
 - underlying biology 5
 - see also* cerebrovascular disease
- vascular disease
 - rapidly progressing dementias 354
 - see also* cerebrovascular disease
- vascular mild cognitive impairment 303, 319–320
- vascular smooth muscle cells (VSMCs), changes in CADASIL 334, 336, 337
- VGKC *see* voltage-gated potassium channels
- visual anosognosia 310
- visual deficits
 - as first symptoms 2
 - oldest-old 259–260
 - vascular dementia 309
- visual hallucinations 2, 88
 - dementia with Lewy bodies 11–12, 201
 - as early symptoms 203
 - management 240–241
- visual object agnosia 310
- visuoperceptual dysfunction
 - corticobasal syndrome 294
 - management 236
- visuoperceptual syndrome, progressive 215–216
- visuospatial abilities, mental status examination 77
- visuospatial dysfunction
 - Alzheimer's disease 59
 - corticobasal syndrome 294
 - management 236
 - vascular dementia 307–308, 318
- vitamin B₁ deficiency 356
- vitamin B₁₂ supplements 123
- vitamin C supplements 124
- vitamin deficiencies 356
- vitamin E supplements 124, 127
 - mild cognitive impairment 181–182
- voltage-gated potassium channels (VGKC) antibodies 353–354, 378, 379, 382, 386
- von Economo neurons (VENs) 50–51, 148, 149, 150
- voxel-based morphometry (VBM) 105–106
- wandering 88
- Wernicke's aphasia 307
- Wernicke's encephalopathy 356
- Whipple's disease 355–356
- white matter changes
 - age-related (ARWMC) 319–320
 - genetic aspects 336–337
 - subtle, in CADASIL 333–334, 335
- white matter hyperintensities (WMH) 162
 - amnestic mild cognitive impairment 164–165
 - anatomical basis 165
 - CADASIL 332–333
 - cognitive impairment and 163
 - dorsolateral prefrontal activation and 165–166
 - mild cognitive impairment with severe (MCI-WMH) 164–165
- whole genome association (WGA) studies 38
- word alienation 266
- word comprehension 280