

Index

- acedia 77
- adolescence
 - trigger events in 246
 - onset of social phobia 258, 350
- adrenaline 151, 152
- aggressive behavior, lack of 61
- agoraphobia 14
 - measurement studies 92–3, 204
 - shared features 105, 136, 137
- Alcohol, Drug Abuse and Mental Health Administration (ADAMHA), *see* WHO/ADAMHA
- alcohol, use in treatment 19, 23
- alcoholism 104, 110, 137, 349, 350
 - of parents 274
- alprazolam 217, 322–7
- amygdala hyperactivity 159, 165, 168
- analytic philosophy 224
- Anorexia Nervosa
- anthrax, and terrorism 32
- anxiety
 - contrast with fear 30–1
 - in social context 31–2
 - definition of 30, 34, 35
 - emotion 30, 31
 - genetic component 71–2
 - short alleles 180–1
 - intra-personal conception of 63, 292
 - lay construct of 52, 64
 - manifestations of 33
 - measurement of 46
 - reduction strategies
 - cognitive restructuring 291–9, 329
 - evaluation of 328
 - exposure 291–9, 328, 346, 357
 - and social functioning 329–31, 358
 - scientific construct 34–5
 - social interactive perspective 62–3
 - see also* clinical anxiety; fear
- anxiety-neurosis 18, 77
- anxious withdrawal, index of 102
- anxiously attached children 277, 279
 - and social anxiety 280–1
 - submissiveness of 280
- APA, disorders or diseases 73
- appeasement 9
- Asian v. Western culture, and behavioral inhibition 251–2
- atenolol 97, 216, 218, 306, 319–20, 322–7, 332
- attachment 275–6, 344
 - as opposed to temperament 282
 - common features with behavioral inhibition 283–4, 345–6
 - infant temperament 278
 - patterns of relationships 277–8
 - long-term implications 278
 - quality of 279–80
 - role in social phobia 281, 282
 - The Strange Situation 276–7, 279
- attachment relationship, importance of 62
- attention bias
 - identification of angry/happy faces 201–2
- lexical tasks 199
 - homographs 201
 - modified Stroop task 199–200
 - latency 200
 - under levels of discomfort 200–1
- attention, escaping of 9
- Audience Sensitivity Index 50, 194
- Australian National Survey of Mental Health and Well-Being 106, 130
- authority, fear of 54
- automaticity 186
- autonomic responses 91
- avoidance
 - behavioral sign of social anxiety 48–9
 - of social interactions 7, 61
 - see also* social avoidance
- avoidant disorder of childhood or

- avoidant personality disorder 57, 124, 137, 170
 - and sexual coercion 275
 - and social skills deficits 237
 - and social skills training 240–1
- avoidantly attached infants 277
- behavior patterns
 - formulation of construct 78, 137
 - inhibition, study of 102–3
 - differences between sexes 103
- behavioral assessment tests (BAT) 134
- behavioral inhibition 248, 255, 344
 - and anxiety disorders 248
 - association with social fears 262
 - common features with anxious attachment 283–4, 345–6
- evidence against construct
 - social/non-social inhibition 253–4
 - use of extreme scoring individuals 254–5
- evidence for construct 251
 - correlates of behavioral inhibition 252–3
 - differing cultural values 251–2
 - heredity 253
 - predictive features 253
 - reliability 252
 - validity 253
- experiments of 249
- inhibited/uninhibited profiles 250–1
- links with adult social phobia 261, 281, 282
- parental influence 268–9
- physiological measurement 250
- precursors to construct 259–60
- retrospective studies 260–1
- studies of 248–9
 - see also* attachment; childhood social phobia; index of behavioral inhibition temperament
- behaviorism, clash with cognitivism 292
- benzodiazepines 145, 166, 305, 307–20
- biochemical abnormalities, and anxiety 71–2
- blushing 4, 5, 7, 9
 - and heart rate 57
 - phobia 19, 27, 348
- Body Dysmorphic Disorder 109
- botox, and paroxetine 358
- brain function, and neuroimaging 159–65
- brain structure 159
- breathing, fast 6, 7, 20, 28, 348
- Brief Social Phobia Scale (BSPS) 205
- brofaromine 218, 307–18, 331
- bullying, *see* victimization
- buspirone 166, 217, 305, 307–18, 322–7
- cardiovascular functions, measurement of 91–3
- catecholamines 72, 152
- causation, Aristotelian 342
 - analysis of final causes 342–4
- childhood adversity, and later psychological problems 275
- childhood social phobia
 - and anxiously attached infants 280
 - flaws in studies of 258–9
 - indicators of 255–6, 354–5
 - link with behavioral inhibition 256
 - comparisons using parents with anxiety disorders 257–8
 - family members 257
 - predisposition to social phobia or avoidant disorder 258
 - prevalence rates 256
 - relation to avoidant disorder 256
- childrens' fears 37
 - separation from caregiver 44
 - of strangers 44
- Chronic Fatigue Syndrome 77
- citalopram 150, 319–20, 331
- clinical anxiety 28, 44
 - definition of 45
- clonazepam 94, 96, 97, 160, 217, 218, 307–20, 322–7, 331
- clonidine 151, 152
- CO₂ provoked panic, cognitive processes compared 207
- cognition 90
 - clinical use of term 185
 - manifest in actual behavior 188
 - meaning of 185, 186, 219
 - see also* behavioral cognition; cognitive behavior therapy; thought processes
- cognitive and somatic anxiety questionnaire (CSAQ) 191
- convergent validity 191–2
- differences between social phobic subtypes 206
- internal consistency 191
- predictive validity 192–3
- cognitive behavior therapy (CBT) 292–9, 328, 329, 332
 - see also* cognitive modification techniques; cognitive therapy and cognitive changes
- cognitive biases and social phobia 187, 222–3, 344
- beliefs 223
- in common situations 184

426 *Index*

- definition of 219–20
- differences between sub-groups of social phobics 205–7
- maintenance of social phobia 209, 221–2
 - responses to Interpretation Questionnaire (IQ)
 - tests using imagery 209–10, 221
- separation of agent and environment 223
 - category mistake 223
 - see also* cognitive model
- cognitive distortions, specific to disorders 207–9, 220–1
- cognitive model 187
 - and anxiety 186–7
 - attention biases 199–202
 - behaviorism 186
 - Cartesian philosophy 224
 - imagery 204–5
 - judgment biases 202–3
 - memory biases 196–9
 - negative self-appraisal 194–6
- cognitive modification techniques 211–15
 - cognitive behavior therapy compared to pharmacotherapy 216–18
 - compared to behavioral treatments 211
 - compared to cognitive behavior therapy 211–16
- cognitive science 185, 220
 - and therapy 186
- cognitive therapy and cognitive changes, comparison with other treatments 211–16, 222, 239, 293–8, 332
- communication problems 27
- competitive activities, fear of 11, 12, 37
- competitive societies, and social anxiety 62–3
- concentration, lack of 27
 - see also* diminished responsiveness
- concurrent validity, of the construct of social phobia
 - and age of onset and sex 88–9
 - demographic factors 89–90
 - and neurobiological factors 93
 - and psychological factors 90–1
 - and psycho-physiological patterns of responding 91–3
- confrontation, fear of 4
- construct validation 81–2
 - content validity 80–8
 - criterion validity 80–2, 88–104
 - measurement 78–9
 - predictive validity 93–104, 137
 - relationship to other psychological constructs 83, 105
 - factor-analytic studies 105
 - testing 79
- control, and social skills 227
- convergent validity, of construct 81–3, 105
- cortical control, and social phobia 159–65
- cortisol 151, 154
 - and HPA axis 157
- cramps 28
- cultural differences, in social phobic patterns 13–14, 269
- Darwin, and origins of social fears 42
- demographic factors, and social phobic individuals 89–90
- Demosthenes 18
- depression, links with social phobia 104, 113, 137
 - cortisol responses 151
 - prevalence among relatives 169
 - recovery rates 114
 - and social skills 227
- Descartes 33, 344
- diminished responsiveness 7, 20, 348
- discipline, by parent 267
- discriminant validity, of construct 81–3, 105–25
- discrimination, social systems of 39
- disease, and social phobia 67, 70–4, 139, 339–40
 - definition of 68, 70
 - or disorder 68–9
 - pathological definition 69–70
 - use of terms in medicine 69
 - and psychotropic medication 72–3
- disorders
 - definition of 68–9, 75–6
 - links between 105
 - metaphoric disease 70
- dissembling 7–8
- dominance, and submission 35–6
- drug abuse, prevalence among relatives of social phobics 169
- DSM (Diagnostic and Statistical Manual)
 - defining criteria of social phobia 75, 76
 - rates of reliability 85
- dualism, and cognitive program 224
- dysfunctional thought
 - cognitive and somatic anxiety questionnaire (CSAQ) 191–3
 - measurement of 188–9
 - social interaction self-statement test (SISST) 189–91
- early separation anxiety 103–4
- eating disorders
 - see also* social phobia

- electrophysiological studies of social phobics 165
- emotion
 - and anxiety 30
 - and attachment theory 276
- emotional conditioning studies 162
- employment, and social phobic individuals 114–15
- environmental conditions, and anxiety 41–2
- epidemiological studies of social phobia 125–32, 135
 - ecological validity 133–4
 - patterns of psychopathology 133
 - predictors of response to treatment 95–8
 - reliability 86–7
 - support for entity hypothesis 136
 - ambiguous 136–7
 - undermining evidence 137–8
 - variability in prevalence rates 132, 138
 - within the USA 132–3
- erutophobia, *see* blushing phobia
- escitalopram 307–18, 331
- etiology, in construct validation 78
- external validity, of construct 81–3, 125–35
- family environmental influences 263–6, 270–1
 - low-care 266
 - overprotection 263–6
 - see also* family sociability; shyness; social phobic parents
- family sociability 266, 267
 - and children's shyness 267
 - influence on children's sociability 270
- fascist Italy, and intimidation 38
- fear
 - and anxiety 30–1, 338
 - attempts to understand xvi–xvi
 - common fears 28
 - core of social phobia 16–17
 - in formal/institutional situations 10
 - group membership 10–11
 - hiding of physical manifestations of 7–8, 21, 348
 - historical approaches to 17–18
 - and lack of danger 27
 - of others 4–5
 - and shame 19
 - and social danger 42
 - of strangers 11–12
- Fear of Negative Evaluation (FNE) 190, 192, 193, 211, 216
- convergent validity 194
- discriminant validity 194
- predictive validity 194
- reliability 193
- Fear Survey Schedule 52, 105
- fearfulness, as predictor of social phobia and depression 101–2
- Fels longitudinal program 259
- fenfluramine 150, 151
- fluoxetine 95, 305, 307–18, 322–7
- fluvoxamine 307–18, 331
- Freud
 - and anxiety 30
 - and fear 18
- functional approach, in treatment of social phobia 299–300
- gabapentin 166, 305, 307–18, 331
- general neurotic syndrome 137
- generalizability, of construct 125, 139
 - epidemiological studies 125–32
 - patterns of psychopathology 133
- generalized anxiety disorder 165
- generalized social anxiety
 - assessment of 103
 - association with other anxiety disorders 105
 - predicted by social phobia 113
- genetic transmission of social phobia 23, 246, 344, 345
 - and behavioral inhibition 262
 - and environmental conditions 246
 - see also* temperament
- Goldstein, and anxiety 30
- groups
 - membership of 40
 - relationships of members 11
- habituation, principle of 291
- hair raising 7, 8
- Hamilton Anxiety Scale 51
- Hamilton Depression Scale 51
- hands, trembling of 20
- harmful acts, on fellow humans 37
 - by bands 38–40
- headaches 7, 28
- heart rate, and public speaking 57
- Hippocrates 17, 18
- history, of individual social phobics 246, 247, 260
- Hobbes 40
- homosexuality, relabeling of 77
- Horney, and anxiety 30
- Hume, primacy of feeling 224
- humiliation, fear of 13
- hyperthyroidism 157
- hypothetical constructs 77, 337
 - validation of 77–83, 138–9

428 *Index*

- ICD (International Classification of Disease)
 definition of social phobia 75, 76
 reliability rates 85
 illness behavior, as predictor of depression 101
 imagery, tests of social phobics
 detail of recall 204
 recall tests 204
 seeing from outside 204, 205
 index of behavioral inhibition (IBI) 249, 250
 individual differences between social phobics 15
 inhibitory neurotransmitters 72
 Interpretation Questionnaire (IQ) 210, 219
 intimate relations, and social phobia 12
 Irrational Beliefs Test (IBT) 190, 192
 isolation, of parents 266
- Jackson Personality Research Form 50, 194
 Japanese samurai, and social anxiety 63
 judgment biases
 ambiguous situations 203
 observable features of social phobia 203
 Probability Cost Questionnaire (PCQ) 202
 of social/non-social events 202, 203
- kappa statistic 84
 interpretation of 84
- leeches, use in treatment of social phobias 19, 23
 Lenin 70
 levodopa 151
 loneliness, and fear 6
 low-care in childhood 266, 267
 lymphocyte beta adrenergic receptors, measurement of 145
- magnetic resonance imaging (MRI) 157
 marital difficulty, as result of social anxiety 5
 Marlowe-Crowne Social Desirability Scale 50, 194
 marriages, arranged, and social phobia 14
 Marx, and consciousness 224
 maternal behavior, influence on childhood social behavior 269–70
 m-CPP 150, 151
 measurement reliability 79, 80
 calculations of agreement 84
 on features of entity 88
 types of assessors 85
 rates of 85
- medicalization, of experience of fear 17
 meeting new people, fear of 54
 melancholia 17
 memory biases, specific to social phobia 197
 completion rates 198
 implicit/explicit memory tasks 197
 recall of negative elements of feedback 197
 recall and recognition task 197, 198
 mental state, as psychological construct 33–4
 military society 39
 Mill, J.S. 78
 Missouri Adolescent Female Twin Study 120
 moclobemide 94, 95, 97, 305, 319–20, 331
 and placebo effect 167, 218, 305, 307–18
 monoamine oxidase inhibitors (MAOI) 166, 305, 307–18
 muscle tension 6, 20
- National Comorbidity Survey (NCS) 108, 127, 132
 National Epidemiologic Survey on Alcohol and Related Conditions 111, 126
 naturalistic approach, to social phobia xvi, 16–17
 neck and shoulder stiffness 7, 28
 negative self-appraisal in social phobics 194–6
 perceptions of success 195
 response to positive environmental influences 196
 neurasthenia 18
 neurobiological formulation of social phobia 143–4, 167–8, 182–3, 344
 identification of abnormalities 144–5
 pharmacological treatment 165–7
 principles of 144
 neuroendocrine function
 hypothalamic-pituitary adrenal axis 156–8
 hypothalamic-pituitary thyroid axis 157
 neuroimaging methods 150, 157–65, 168
 neurological disease
 explanation of abnormality 70–1
 and social phobia 72, 143–4, 340
 neurotransmitter systems
 activation by means of pharmacological agent 146–8, 150–2
 DA transporter sites in social phobics 150
 direct measurement of 145–50
 neuroimaging methods 150

- neurotransmitter systems (cont.)
 - panic-inducing agents 153–5
 - caffeine-dependent 154
 - cholecystokinin-dependent 154–6
 - CO₂-dependent 156
 - lactate-dependent 154
 - postural challenges 152–3
- observation, and construct formulation 78
- obsessive-compulsive disorder
 - comparisons with social phobia 210–11
 - link with social phobia 105
- occupations, and social anxiety 20
- olanzapine 166, 305, 307–18
- opium, use in treatment of social phobia 19, 23
- overall percentage of agreement 84
- overanxious disorder 280
- overprotective parents 263–6
- palpitations 6, 7, 19–20, 28, 348
- panic
 - fear of 27
 - chemically induced 153–4
 - measurement of anxiety 46
- panic disorder 165
 - comparisons with social phobia 92–3, 156, 207
 - cortisol responses 151
 - recovery rates 114
 - and sexual coercion 274
- parental influence, on development
 - of social behavior 269–70, 284–5, 354
- parental loss or separation 274
- parental strife 274
- paroxetine 95, 218, 307–20, 331
 - with addition of botox 358
- passivity 9
 - see also* behavioral inhibition
- patterns of behavior, and final causes 342–3
- patterns, of social phobia 6
 - case descriptions 4–6
 - long-term 243
- pedophilia, cortisol responses 151
- peer environment
 - popularity 271, 272
 - shyness 271, 272
 - see also* bullying
- performance difficulty (SAS) 50
- personal history, of social phobics 15
- Pervasive Developmental Disorder
- pharmaceutical companies, marketing
 - campaigns and social phobia 73, 183
- pharmacological treatment of social phobia
 - 307–18, 332
 - adverse effects 306, 321, 332, 358
 - marketing departments and designation of medication 304
 - monoamine oxidase inhibitors (MAOI) 305, 307–18
 - and placebo effects 305–6, 331
 - psychotropic compounds 304, 331
 - selective serotonin reuptake inhibitors (SSRIs) 305, 307–18
 - suppressants of neural excitability 305, 307–18, 346
- pharmacotherapy, compared to placebo 216
- phenelzine 216–18, 306, 319–20, 322–8, 331, 332
- phobia
 - classification of 19
 - historical background 17
- platelet transporters, measurement of 145
- Plato, and cognition 185
- positive parental experience 266
- Positron Emission Tomography (PET) 157
- post-traumatic stress disorder 77, 165
- power, in social interactions 35, 36, 352–3
 - of ruling groups 38–40
- predictive validity, of social phobia
 - construct 95–8
 - and alcoholism 104
 - and depression 104
 - family history 94–101
 - children of social phobic parents 101
 - pharmacological treatment 94
 - prospective studies 101–3
- pregabalin 307–18, 331
- Price Foundation Collaborative Genetics Study 109
- Probability Cost Questionnaire (PCQ) 219
- Project MATCH 121
- prolactin 151
- propranolol 322–7
- propriety, standards of 9
- protection from danger, and attachment theory 276
- psychiatric disorders, existence of 75–6
- psychological approach, to treatment of social phobia 23
- psychologization, of experience of fear 18
- psychopathology, history of 77
- psychotropic medication 72–3, 97
- public speaking, fear of 54–5, 66
 - measurement of social anxiety 56–7, 163–4
- in Stroop test 200–1

430 *Index*

- punishment, patterns of 284
- pupils, dilation of 7
- queasiness 7
- quinagolide 151
- reductionistic programs, and causes of
 - social phobia 344
- regional cerebral blood flow (rCBF), changes in 159–65
- rejection, by parent 266, 267
- respiratory function, measurement of 91–3
- retrospective self-report of behavioral inhibition (RSRI) 260, 261
- reversible inhibitors of monoamine oxidase (RIMAs) 305, 319–20
- rigid rules, and child behavior 270–1
- Robbins Pathological Basis of Disease 69
- role-play tests
 - molar 231
 - molecular 231
 - simulated social interaction test (SSIT) 231–4
- Scale for Interpersonal Behavior (SIB) 229–31
- schizophrenia, and social skills 226
- Schoppenhauer xvi
- securely attached infants 277
- security in being liked 8
- selective serotonin reuptake inhibitors (SSRI) 150, 166, 305, 307–20
- self-disparagement 4
- separation anxiety 276, 280, 354
 - organized response 276
 - uncertainty of availability of caregiver 278
- sertraline 95, 218, 307–18, 331
- sex differences, chronic social phobia 113
- sex distribution, of social phobics 89
- sexual coercion in childhood 274–5
- sexual functioning 79, 90, 110
 - and social skills 227
- sexual history 90
- shaking, fear of 27
- shyness
 - in adults 60
 - and anxiety 20
 - comparisons of 57
 - adolescents and young adults 59
 - children 58–9
 - link with adult social phobia 60
 - and parental discipline 267
 - as predictor of social phobia 102
 - relationship with sociability in children 59–60
 - social 36
- simulated social interaction test (SSIT) 231–3
 - concerns over validity of test 232
 - identification of common difficulties 231–2
 - lack of generalizability 232
- single photon computed tomography (SPECT) 150, 157
- situational phobias 19
- skin conductance, measurement of 91–3
- social anxiety xvii, 4, 338, 352
 - among adults 54–6
 - comparisons of 56
 - among children and adolescents 52–4
 - comparisons of 56
 - among students 53
 - commonplace 66, 338
 - degrees of 42–4, 338
 - individual differences 43–4
 - interpersonal locus of 20
 - intra-personal construction 64–5
 - link with cognitive processes 205
 - measurement of 21, 29, 46
 - and fear response 46–7
 - exclusion of behavior 47–8
 - parental behavior 266–8
 - and schizophrenia 21
 - self-reported scores 45
 - social phobic pattern of conduct 6, 19, 44, 61–6, 338, 353–4
 - somatic loans of 6–8, 13, 22, 338
 - unidentified danger 37
 - see also* anxiety
- Social Anxiety Scale (SAS) 48, 50–2
 - reliability 51
 - validity 51–2
- Social Avoidance and Distress (SAD) 48–50, 190, 192
 - reliability 49
 - validity 49–50
- social avoidance, as prediction of social phobia 101–2
- social contact, in infancy and childhood 40
- social danger, and environmental conditions 41–3
- social difficulty 50
- social environment 355
 - and social phobia 263
- social fear, definition of 35, 37
- social functioning, treatment and improvement 301–3, 347, 358
 - evaluation of 329–31
 - functional 299–300

- social functioning, treatment and improvement (cont.)
 - results 300–4
 - structural 299, 300
 - social skills training 300
- social gatherings, fear of 54
- Social Interaction Anxiety Scale 51
- Social Interaction Self-Statement Test (SISST)
 - accuracy of measurement 189
 - convergent validity 189–90
 - differences between subtypes of social phobia 206–7
 - discriminant validity 190
 - frequency of occurrence of thoughts 189
 - levels of social anxiety 205
- social life, necessity of 40–1
- social phobia 337
 - affective disorders 107–9, 120, 124, 341, 350
 - age of onset 21, 88–9, 350
 - anxiety disorders 106–7, 124, 136, 341, 350, 351
 - categorical and dimensional approaches to 23–4
 - causes xviii–xviii, 23, 284, 342–6, 351–7
 - chronic 113–14
 - dangers evoking self-protective measures 348, 356
 - definition xvii–xvii, 3, 75, 137, 347–9
 - differing perspectives 16–17
 - demographic factors 89–90
 - distinct from alcoholism 121
 - distinct from avoidant personality disorder 121–3, 341
 - distinctiveness from normality 112–13, 137, 138, 350
 - dual locus 23, 62, 348–9
 - eating disorders 109, 121, 124, 341
 - economic, educational and social consequences 114–15
 - entity hypothesis 135, 340–1
 - environmental conditions 284–5, 356
 - plus other factors 285–6
 - family history of 99–100
 - genetic marker studies 174, 178
 - association studies 178–81
 - linkage analysis 178, 179
 - genetic vs. environmental factors 173, 181–2
 - in twin studies 176
 - high-risk children 171–2
 - history of term 16, 17, 63, 162
 - indicators 3
 - interpersonal cluster of fears 29, 64
 - lack of theory 139, 168, 337
 - links with other hypothetical constructs 137, 341
 - long-term patterns of behavior 243, 244, 355
 - nature of xvii–xvii, 27, 63, 66, 225, 337–42, 349–51, 356
 - and personality disorders 111, 124, 341, 351
 - predictions from social avoidance scores 261
 - prevalence among adults 126–31, 289, 341
 - prevalence among relatives 169–73
 - rate of consultation 114
 - sex distribution 89, 350
 - and social anxiety disorder 22, 64–6, 338, 346, 350
 - social functioning 242, 351
 - in pursuit of different goals 242–3
 - subtypes of 22
 - treatment xviii, 23, 29, 95–8, 137
 - twin studies 174–5
 - factor independence 177
 - lack of environmental evidence 176–7
 - notion of heritability 177–8
 - using psychiatric patients 175
 - using subjects not seeking help 175–6
 - validity xvii–xviii
 - see also* behavioral inhibition; childhood social phobia; construct validation; disease; epidemiological studies; social anxiety; social skills
- Social Phobia Scale 51
- social phobic parents 268
- social situations, avoidance of 27
- social skills
 - assessment of
 - interpersonal approach 229
 - intra-personal approach 228–9
 - role-play tests 231–4
 - self-rating 229–31
 - subtypes of social phobia 236–8
 - comparisons of social phobics and others 234–8
 - getting acquainted 235
 - public speaking 234–5
 - speaking to interviewer 235
 - concept definition 227–8, 234, 236
 - deficiency 90, 226, 243–4, 344, 345
 - elements of 227
 - lack of 225
 - links with social phobia 241–2
 - notion of 226
 - recognizability of 228

432 *Index*

- training in 238–9, 241, 244, 245, 300, 330
 - improvements in skills 239–40
 - need for 240–1
 - non-defensive methods of dealing with situations 244
- somatic reactions
 - experienced by social phobics 143
 - regulation by brain processes 143–4
 - vicious circles 187
- Sophocles 1
- speech difficulties 6, 20
- St John's Wort 305, 307–18
- Stalinist repressions 41
- stammering 5, 59, 348
- Stanford Shyness Survey 58
- status, in social interactions 35–352, 353
 - and shame/humiliation 36
- Strange Situation, the 276–7
- Stroop test 199–200, 207–8
- submissiveness 79
- sweating 6, 7, 19, 28, 348
- Taylor Manifest Anxiety 50, 194
- temperament
 - definition of 247–8
 - four categories 248
 - as opposed to attachment 282
 - perspective on development 281–2
- thought processes, tests of
 - comparisons of social phobics with panic disorder subjects 207–8
 - comparisons of social phobics with obsessive-compulsive subjects 208–9
- nature of 187
- validity of 185
- thyrotropin 93
- training, *see* social skills training
- treatment of social phobia
 - comparison of psychological and psycho-pharmacologic treatment 306–28, 332–4
 - demand for 333
 - distinction between specific and generalized 332–3
 - psychological
 - anxiety reduction 291–9, 328, 357
 - dropout rates
 - evaluation of 328–31
 - improvements in social functioning 299–304, 329–31
 - predictors of response 95–8
 - psycho-pharmacological 304–6
 - valuation of 289
 - outcome considerations 290–1
 - requirements for 289–90
- Tully 18
- urge to urinate 6, 7, 20, 28, 348
- vagus nerve, and CCK receptors 156
- Valsalva maneuver 91
- venlafaxine 306–18, 331
- victimization 271–3, 280
- violence between parents 274
- World Health Organization (WHO)
 - social phobia as disease 73
 - WHO/ADAMHA field trials 86–7
- writing, fear of 5–6
- Yule's Y 84