

Index

- avalanche, 244
- calculatealongchannelslope, 239
- computelexure, 249
- fillinpitsandflats, 235
- fourn, 258
- hillslopediffusioninit, 244
- hillslopediffusion, 229
- malloc.h, 222
- math.h, 222
- nr.h, 222
- nrutil.h, 222
- realft, 256
- setupgridneighborsperiodic, 224
- setupgridneighbors, 223
- setupmatrices, 249
- stdio.h, 222
- stdlib.h, 222
- 3DEM, 223
- advection equation
 - analytic methods for, 88–90
 - contrasting behavior to diffusion equation, 31, 87
 - introduction to, 87
 - method of characteristics, 88
 - numerical methods for, 90–93
 - Lax method, 91
 - stability criteria, 91
 - Two-step Lax–Wendroff method, 91
 - upwind differencing method, 92
- alluvial channels
 - diffusion equation model of, 8, 102
 - introduction to, 4
- alluvial fan
 - cut and fill cycles on, 38
 - introduction to, 9
 - windblown sand transport across, 17
- Alternating Direction Implicit (ADI) method
 - code for 2D implementation of diffusion equation, 229
 - code for 2D implementation to solve flexure equation, 259
 - introduction to, 63
 - use of to solve the 2D flexure equation, 122
- Amargosa Valley
 - example of dust emission from playas, 13, 53
- Lathrop Wells cone
 - age of, 79
 - diffusive evolution of, 51
 - study site for contaminant dispersion model, 79–83
 - study site for flood hazard assessment, 73
 - study site for potential fluvial system contamination, 75
 - study site for radionuclide dispersion in soils, 46
- Andes, 119
 - best-fit flexural parameter of, 113
- Cordillera Real
 - glacial erosion and exhumation of, 28
 - example of 1D flexure solution, 113
 - example of 2D flexure solution, 115
 - example of curvature effects in 2D flexure, 116
 - example of foreland basin model, 119–120
 - landslide distributions from, 209
 - use as a paleo analog for western US, 1
- Antarctic ice sheet
 - introduction to, 20
 - model reconstruction of, 138
- Appalachian Mountains, 101
- arid cycle of erosion, 169
- arroyos, 169
- ASHPLUME plume deposition model, 83
- balance velocity method, for ice velocities, 136, 149
- basal sliding
 - introduction to, 20
- Basin and Range, 1–2
- Beartooth Mountains
 - cirques of, 27
- bedload transport, 8, 171
- bedrock channels
 - abrasion, 4
 - cavitation, 4
- coupled evolution with alluvial channels
 - models for, 101–103
- introduction to, 4
- plucking, 4
- sediment flux driven model
 - behavior of in block-uplift example, 94
 - code for 2D implementation, 248
 - introduction to, 6, 94
 - role in model of persistent mountain belt topography, 105–107
- sediment flux driven model
 - application to the Sierra Nevada, 96–101
- stream power model
 - application to the Sierra Nevada, 96–101
 - as a type of advection equation, 87
 - behavior of in block-uplift example, 94
 - code for 2D implementation, 243
 - introduction to, 5
 - role in model of persistent mountain belt topography, 105–107
- Bessel function
 - code for numerical integration, 232
 - code for summing series solutions for volcanic cones, 233
 - use of for modeling diffusive evolution of cinder cones, 49
- boundary condition
 - introduction to, 34
- boundary conditions
 - periodic vs. fixed, 223
- Brooks Range
 - glacier model reconstruction of, 146
- channel head
 - definition of, 4
- channel meandering, 164
- introduction to, 164
- model of, 165–166

- channel oscillations
 - code for implementation, 270
 - model for, 169–173
 - observations of, 169, 173
- cinder cones
 - use of diffusion equation for, 49–51
- cirques, 27
- climate oscillations
 - ice ages
 - model for, 210–220
 - role in modulating sediment production from drainage basins, 11
 - role of in controlling dust emission, 194
- coherence resonance
 - introduction to, 211
 - model for ice ages
 - code implementing the model, 277
- compaction, *see* deformable porous media
- complementary error function
 - definition of, 37
- conservation of mass
 - role in the diffusion model of landform evolution, 9, 30, 170
- contaminant dispersion in fluvial systems
 - introduction to, 74
 - previous work on, 75
 - role of bed scour in, 77
- cosmogenic isotopes
 - erosion rates in Sierra Nevada, 93
 - role in dating fan terraces, 10
 - role in understanding hillslope evolution, 3
- Crank–Nicholson method, 62
- D_{∞} flow routing, 68
- debris flow
 - rheology of, 22
- deformable porous media, 174
- delivery ratio, sediment, 119
- delta progradation
 - diffusion equation model for, 51–53
- dendrochronology
 - use of to infer channel bank migration rates, 166
- desert pavement
 - coevolution with dust deposition, 15
- introduction to, 15
- role in trapping windblown dust, 15, 194
- role of parent-material texture in, 15
- deterministic models
 - limitations of, 188
- diffusion equation
 - analytic methods for, 34–57
 - as one part of a more complex model, 32
 - model for hillslope evolution
 - introduction to, 3
 - requirements for applicability, 30, 33
 - nondimensionalization of, 37
 - use in foreland basin modeling, 116
 - with stochastic noise, 191–193
- Diffusion-Limited Aggregation (DLA)
 - application to drainage network evolution, 198
- diffusivity
 - typical values for western US, 33
 - units of, 30
- discretization
 - introduction to, 57
- divides
 - no-flux boundary condition, 2, 34
- drainage density
 - definition of, 4
 - role in producing sediment-flux variations through time, 10
 - role of in contaminant dispersion model, 77
 - use of to distinguish channels from hillslopes in 2D drainage network evolution modeling, 96
- droughts, 191
- drumlins
 - controls on geometry, 182
 - introduction to, 23, 174
 - role of sediment deformation in creating, 174
 - stratigraphy of, 182
 - use of to reconstruct ice flow directions, 23
- dust cycle, 53, 194
 - importance of, 14
 - introduction to, 13
 - open system nature of, 13
- dust transport and deposition
 - model of
 - application to Amargosa Valley, 54–57
 - introduction to, 14
- elasticity, *see* flexure
- entrainment
 - introduction to, 14
- eolian dunes
 - barchans
 - how they form, 19
 - introduction to, 18
 - longitudinal
 - how they form, 19
 - relationship to ripples and megadunes, 18
 - role of grain size in, 18
 - role of sand supply and wind-direction variability in, 18
 - spacing of, 168
 - Werner’s model, 166–169
 - code for implementation, 267
 - introduction to, 19
- equilibrium line altitude (ELA)
 - introduction to, 26
 - late Miocene lowering of, 29
 - localized erosion beneath, 27
 - map of in the western US, 121
 - role in model of cirque formation, 27
- erosion rates
 - determined by cosmogenic isotopes, *see* cosmogenic isotopes
 - relationships with elevation and relief, 101, 103
- error function
 - definition of, 37
 - use of for modeling radionuclide concentrations in soil, 48
 - use of in solutions for scarp evolution, 43
- Eulerian vs. Lagrangian methods, 90
- excitable media, 185
- explicit vs. implicit numerical methods, 58, 62
- extension
 - role in Basin and Range topography, 1
- fault scarps
 - application of the diffusion equation to, 42–45

- Finger Lakes, 181
 drumlin field, 182
 introduction to, 23
 model for formation of, 157–158
 model of ice flow over, 144
 observations of, 159
- firn, 20
- flexure
 coherence method
 use of to map elastic thickness, 111
 elastic thickness
 definition of, 111
 equation
 introduction to, 111
 forebulge
 definition of, 112
 integral method for, 113
 introduction to, 109
 series solutions, 112–116
 solution methods in 1D, 111–113
 solution methods in 2D, 113–116
 wavelength
 comparison of values for rock vs. ice loading, 112
 role in controlling glacial erosion, 152
 typical range, 109
- flood-envelope curve
 role of in contaminant dispersion model, 78
- flow routing methods
 $\rho 8$, 67
 $D\infty$, 68
 $D8$, 66
 DEMON, 68
 introduction to, 66
 multiple flow direction (MFD)
 routing method, *see* Multiple Flow Direction (MFD) routing method
 range of applications for, 66
 what is best?, 69
- flux-conservative equations, 88
- foreland basins
 modeling of, 116–120
- Forward Time Centered Space (FTCS) method
 code for 1D implementation of nonlinear diffusion model, 227
 code for 2D implementation of diffusion equation, 225
- failure of for the advection equation, 90
 introduction to, 57
 stability criterion for, 59
 why use it?, 59
- Fourier filtering method
 code for 1D generation of fractional noises, 274
 code for 1D implementation to solve flexure equation, 256
 code for 2D generation of fractional noises, 275
 code for 2D implementation to solve flexure equation, 258
 use of for solving the flexure equation, 112–116
 use of to generate fractional noises, 190
- Fourier series method
 for solving the diffusion equation, 35
 use of for linear equations only, 36
- fractal scaling
 of drainage networks, 196
 of dust accumulation, 195
 of landslide distributions, 205–210
 of soil moisture fields, 207
 of topographic transects, 207
- fractional noises
 geoscience applications of, 190
 how to construct, 190
 introduction to, 190
- Gaussian plume
 definition of, 15
- glacial buzzsaw hypothesis, 28
- glacial erosion
 Hallet's model for, 21, 151
 introduction to, 21
 modeling flexural response to unloading, 120–123
- glacially-carved lakes
 frequency-size distribution of, 24
 introduction to, 24
 model for, 153
 near ice margins, 157
- glaciers
 1D profile modeling of uniformly-sloping bed, 127
 wavy bed, 127
 difference from ice sheets, 25
 introduction to, 20
 role in sediment production, 12
- Glen's Flow Law
 1D profile modeling of ice body subject to, 128
 introduction to, 22
- Great Lakes
 as outliers in the frequency-size distribution of glacially-carved lakes, 25
 model for, 154
 role of flexure in controlling, 154
- Greenland ice sheet
 model reconstruction of, 137
 use in code implementing the sandpile model, 265
- Greenland ice sheet (LIS)
 introduction to, 19
- groundwater flow
 as a type example of an advection-diffusion process, 32
- Hanaupah Canyon
 application of ADI method to modeling evolution of, 63
 example of terrace evolution in, 38
 type example of a fluvial system, 1–12
 use of for illustrating multiple-direction flow-routing methods, 68
- hanging valleys, 26
- hillslope processes
 bioturbation, 33
 creep, 33
 mass movements, 33
 model for hillslope evolution with, 60, 61
 models for, 205–210
 model for tephra transport at Yucca Mountain, 75
 rain splash, 33
 rilling, 33
 slope wash, 33
 model for hillslope evolution with, 33, 59
 those that are diffusive, 33
- Horton's Laws
 introduction to, 196
 statistical inevitability of, 197
- hummocky moraine, 178
- Hurst phenomenon, 189
- hydrologically-corrected DEM
 code for implementation, 235

- ice sheets
 - basal shear stress
 - observations of, 132
 - cold vs. warm-based, 21
- ice-albedo feedback, 214
 - role of in controlling bistability of the climate system, 215
- implicit method
 - computational advantage of, 62
 - introduction to, 62
 - stability of, 62
- isostasy
 - Airy limit, 113
 - in the evolution of the Sierra Nevada, 97
 - introduction to, 109
 - role in ice sheets
 - introduction to, 23
 - model of, 127, 139
 - role in prolonging the mountain belt denudation, 109
 - role in relief production, 28
 - role in shaping Basin and Range topography, 1
 - role in the formation of Great Lakes, 25
 - role of in 2D bedrock drainage network modeling, 94
 - time-dependent response of, 111
- Kardar–Parisi–Zhang (KPZ) equation, 207
- kei(r)
 - series expansions for, 257
 - use as a basis function for series solutions to the flexure equation, 114
- Kelvin functions, *see* kei(r)
- knickpoints
 - introduction to, 6
 - modeling of using advection equation, 90
- Langevin equations, 191
- Lathrop Wells cone, *see* Amargosa Valley
- Laurentide ice sheet (LIS)
 - impact on global climate, 215
 - introduction to, 23
 - model of, 138
- lava channels
 - meandering of, 164
- lava flow
 - 2D radially-symmetric model
 - code for implementation, 263
 - modeling of
 - temperature-dependent viscous behavior of, 130–132
 - rheology of, 22, 125
- LIDAR, 67, 71
- linear stability analysis, 165
 - application to channel meandering, 164
 - introduction to, 161
 - of oscillating alluvial channels, 171
- lithology
 - role in controlling bedrock channel erosion, 5, 103
- load-accumulation feedback, 216, 218
- load-advance feedback, 217
- longitudinal profile
 - analytic model for coupled bedrock-alluvial channels, 103
 - code implementing 1D coupled bedrock-alluvial model, 242
 - influence on glacial erosion, 21
 - model for steady-state bedrock channel, 5
- Lorentzian spectrum, 212
- Mars
 - application of flow routing methods to, 69
 - aeolian dunes on, 168
 - fluvial activity on, 12
 - spiral troughs
 - code for 1D model implementation, 271
 - model of, 183–187
- method of characteristics, *see* advection equations
- Microsoft
 - Excel, 223
 - Visual C++, 222
- Mohr–Coulomb criterion, 207
- moisture
 - role in controlling particle entrainment
 - introduction to, 14
 - role of in triggering mass movements, 205
- Monte Carlo methods, 188
- moraines
 - application of the diffusion equation to, 40–42
- mortality
 - role of particulate matter in causing, 14
- Multiple Flow Direction (MFD) routing method
 - code for implementation, 236
 - code for implementation in flood hazard analysis, 239
 - introduction to, 67
 - mathematical definition of, 67
 - use of for improving USGS DEMs, 71
 - use of in contaminant dispersal model, 78
 - use of in estimating flood hazards, 72–74
- New York State drumlin field, 181
- Newton iteration, 130
- non-Newtonian fluids
 - analytic solutions for, 126–129
 - introduction to, 22
 - numerical solutions for, 129–132
 - rheology of, 22
- nonlinear advection equations, 90
- nonlinear transport on hillslopes
 - introduction to, 3
- Numerical Recipes
 - use with codes in this book, 222
- palimpsests, 25
- perfectly plastic model
 - application to climate modeling, 216
 - application to ice sheets and glaciers, 22
 - application to thrust sheet mechanics, 147
 - generalization of to threshold-sliding behavior, 127
 - introduction to, 22
 - limitations of, 22
 - use of in modeling 1D ice sheet profiles, 125
- persistent mountain belt paradox
 - introduction to, 101
 - role of piedmont deposition in, 101–103
- piedmont, *see* alluvial fan

- playa
 - introduction to, 12
 - role of hydrology in dust production
 - introduction to, 13
 - sand-dominated, 17
- Pleistocene–Holocene transition
 - role in triggering terrace formation, 10
- pluvial shorelines
 - application of the diffusion equation to, 42–45
 - introduction to, 12
- polar coordinates
 - use of for solving diffusive evolution of cinder cones, 49
- positive feedback
 - between channel width and slope in alluvial channels, 161
 - between glaciers, climate, and topography, 28
 - elevation-accumulation feedback in ice sheets, 20
 - ice-albedo feedback, 213
 - in hillslope evolution, 4
 - role of in geomorphic instabilities, 161
- precision, single vs. double, 222
- radiation balance
 - role of in climate models, 213
- radionuclides
 - atmospheric nuclear testing as a man-made source, 46
 - dispersion in soils
 - diffusion equation model for, 45–49
 - processes of, 48
- random walk
 - application to dust accumulation on alluvial fan terraces, 194–196
 - bounded, 195
 - introduction to, 193
- Rayleigh–Taylor instability, 162–164
 - analogy to drumlin formation, 178
- recirculation zones
 - role in controlling eolian deposition, 18, 167
- relief production in glaciated terrain
 - introduction to, 28
- RiverTools, 223
- Rogen moraine, 179
- root-finding techniques, 50
- salt domes
 - as an example of the Raleigh–Taylor instability, 162
- saltation
 - characteristic distance of, 167
 - introduction to, 13
- sandpile method
 - code for implementation, 264
 - use of in 2D perfectly plastic model, 135
- secondary flow, 164
- Shreve magnitude, 197
- Sierra Nevada
 - knickpoint propagation
 - introduction to, 6
 - modeling of, 93–101
 - non-equilibrium landscape of, 93
- similarity method
 - application to solving diffusion equations
 - introduction to, 36
 - use in modeling deltaic sedimentation, 53
 - use of in modeling terrace profile evolution, 40
- sine function
 - as functional form of late-stage terraces following base level fall, 40
- sine-generated curve, 166
- soil moisture
 - variations in space and time
 - modeling of, 206
 - observations of, 206
- solitary waves, 173
- spring sapping
 - role of in drainage network evolution, 198
- Stefan–Boltzmann Law, 212
- Stokes’ Law, 175
- Strahler ordering, 196
- stratigraphic completeness, 196
- stream function
 - use of in fluid mechanics problems, 162, 175
- sublimation
 - role of in forming spiral troughs, 184
- surficial geologic mapping, 10
- Taylor expansion
 - use of in discretization, 57
- terraces
 - dust deposition on
 - introduction to, 13
 - implementation of 2D diffusion model, 226
 - introduction to, 9
 - mechanisms for formation, 10
 - morphological age dating of, 39
 - on Mars, 12
 - relative age indicators of, 10
 - role in controlling flood risk, 10
 - transient response to base level fall
 - use of diffusion equation to model, 38–40, 61–62
- thermal erosion, 166
- thermochronology, 29
- threshold of critical power, 171
- Tibet
 - archeological ruins of, 45
- till fabric, 182
- time series analysis
 - autocorrelation function, 189
 - introduction to, 188
 - power spectrum, 189
 - of Pleistocene climate, 212
- Tokunaga side branching, 197
- topographic inversion, 131
- topographic steady state
 - convergence of stream-power and sediment flux driven models in, 8
 - in hillslopes, 3
 - in ice sheet modeling, 129
 - model for hillslope profile during transient approach to, 37
 - model for hillslope profile in, 34
 - slope vs. area curve, 5
 - use of in foreland basin modeling, 117
- topologically distinct channel networks (TDCNs), 197
- transport capacity
 - role in controlling bedrock vs. alluvial channel types, 4, 8
- tridiagonal matrix
 - use of in implicit numerical methods, 62
- Tule Valley
 - shoreline scarps in, 42
- two-step Lax–Wendroff, 173

U-shaped valleys, 26	fossil record of in packrat middens, 11	power spectrum of, 220
US Geological Survey DEMs	influence on weathering, 3, 10	weathering front
problems with, 70		role in hillslope evolution, 3
Uinta Mountains	Vialov solution, 128	Wind River Range
glacial erosion in, 27	visualization, 223	glacial erosion in, 26
UNIX cc compiler, 222	Vostok ice core, 214, 219	Wisconsin drumlin field, 180
Ural Mountains, 101	comparison with coherence	
	resonance model of ice ages, 220	Yucca Mountain
V-shaped valley, 26	histogram of, 220	volcanic hazard associated with, 75
vegetation		