

# Index

- Ashworth, Michelle, xiii, 11  
 automorphism  
   monomial, 249  
   outer, 97
- binary Golay code, 33, 177  
 biplane, 117, 137  
 bitangent, 24, 121  
 Bolt, Sean, xiv, 183, 236  
 Bradley, John, xiv, 174, 175, 222  
 Bray, John, xiii, 74, 182, 199, 201, 231, 234, 236, 287, 292  
 brick, 180
- Canonical double coset  
   representative, *see* CDCR
- Cayley diagram, 97, 102, 109, 113, 115, 118, 121  
 Cayley graph, 50, 52, 56, 73, 75, 77  
 Cayley joins sequence, 68  
 CDCR, 68  
 CFSG, 127  
 characteristic, 93  
 classification of finite simple groups, *see* CFSG  
 cocode, 178, 183, 191  
 Conway, John, xiii  
 Conway group, 147, 200–218  
    $\cdot O$ , 200–218  
    $\cdot 2$ , 218  
 Coxeter diagram, 62, 144, 146, 167, 168, 171, 173  
 cross-ratio, 105  
 cycle shapes, 36
- dodecad, 31, 33, 106, 177  
 dodecahedron, 7–9
- double coset, 50, 66  
 duad, 98, 178  
 dual map, 22  
 duality, inverse-transpose, 92  
 duum, 177
- Euler formula, 19  
 extension  
   central, 107  
   universal, 107
- Fano plane, 15, 117, 162–163  
 Fischer, Bernd, 227  
 Fischer groups  
    $Fi_{23}$ , 227–233  
    $Fi_{24}$ , 233
- flag, 165
- $G$ -closed set, 231  
 Galois, 40  
 GAP, 64  
 generating 16-ads, 28  
 genus (of a surface), 19  
 graph  
   8-cage, 98  
   Hoffman–Singleton, 147–154
- group  
   generalized dihedral, 49  
   Hessian, 265, 295  
   infinite dihedral, 45  
   linear fractional, 93, 98  
   of monomial automorphisms, 249  
   perfect, 60  
   projective general linear, 94  
   quintuply transitive, 2, 14

- group (*cont.*)
  - symmetric, 97
  - target, 231
  - universal covering, 108
  - universal representation, 191
- Hall–Janko group, 147, 161, 170
- Hammas, Ahmed, xiii, 74
- Harada–Norton group, 284–287
- harmonic ratio, 105
- Held group, 277–278
- heptad, 220
- heptagon, 18
- Hessian, 26, 265
- hexacode, 180
- hexad, 11, 106
  - special, 99, 182
  - umbral, 182
- Higman, Donald, 147, 152
- Higman, Graham, 147, 152
- Higman–Sims group, 147–161, 216
- holomorph, 49
- Hurwitz bound, 24
- hyperplane, 280
- interpretation
  - even, 180
  - odd, 180
- invariant, 24
- isoclinism, 108
- Ivanov, Sasha, 183, 233
- Jabbar, Abdul, xiii
- Janko groups
  - $J_1$ , 40, 83, 137–144, 236–246
  - $J_2$ , 147, 161, 170
  - $J_3$ , 174–177
  - $J_4$ , 182–200
- joins sequence, 68
- Klein group, 39
- Klein map, 19–25, 28, 39
- Klein quartic, 23, 24
- Leech lattice, 147, 200, 213
- linear fractional maps, 93
- Livingstone graph, 140, 237
- low index subgroups, 82
- lugworms, 12
- McLaughlin group, 174, 218–227
- MAGMA, 64
- map
  - bifid, 122
  - bihex, 231
  - quadrifid, 229
  - trifid, 228
- Mathieu groups
  - $M_{11}$ , 266, 267
  - $M_{12}$ , 3–14, 173
  - $M_{22}$ , 127–137, 147
  - $M_{23}$ , 267–271
  - $M_{24}$ , 2, 15–42, 173, 177–182, 271–272
- matrix, monomial, 250
- MeatAxe, 174, 236
- Miracle Octad Generator, *see* MOG
- MOG, 130, 181
- molar, 12
- monad, 98
- monomial representation, 250
- monomial transformation, 23
- multiple points, 24
- normal closure, 54
- Norton’s representation, 183
- novelty, 158
- O’Nan group, 234–236
- octad, 31
  - eight suffice, 182
  - space, 193
  - special, 204
  - transverse, 203
  - umbral, 203
- Odd Order Theorem, 62
- Orbit-Stabilizer Theorem, 7
- orbital
  - paired, 162
  - self-paired, 162
- oval, 110
- Parker, Chris, xiv
- Parker, Richard, 174
- parameters
  - first order, 79, 294
  - second order, 79, 294
- parasol, 11
- pentad, special, 137
- pentagon, 7

- perfect group, 60
- permutation, linear fractional, 93
- permutation group, sharply transitive, 94
- plane, affine, 265
- points of inflexion, 24
- polarity, 92
- power set, 27
- product
  - free, 41, 46
  - semi-direct, 41, 46–48
- progenitor, 45, 48
  - involutory, 48
- projective lines
  - $P_1(11)$ , 3
  - $P_1(23)$ , 15, 27
  - $P_1(7)$ , 28, 31
  - $P_1(q)$ , 93
- projective planes, 117
  - $P_2(2)$ , 92
  - $P_2(4)$ , 98–99, 111
- quadric, 147, 216
- quartic curve, 23, 121
- quintuply transitive group, 2
  - sharply, 14
- rank, 50, 161
- reduced words, 46
- refinement, 178
- regular representation, 9, 25
- relators, 67
- representation monomial, 250
- Sayed, Mohamed, xiv, 67
- Schur multiplier, 108, 231
- self-dual code, 34
- sextactic points, 24
- sextet, 178
  - coarsened, 178
  - labelling, 189
- Shpectorov, Sergey, 192
- Sims, C. C., 147, 152
  - 16-ads, 28, 31
- split extension, 47
- sporadic simple group, 127
- standard generators, 184
- Stanley, Stephen, xiii
- Steiner systems
  - $S(2, 3, 9)$ , 265
  - $S(3, 4, 8)$ , 31, 33
  - $S(4, 5, 11)$ , 266
  - $S(5, 6, 12)$ , 13
  - $S(5, 8, 24)$ , 35, 36, 177
  - $S(l, m, n)$ , 13
- subgroup
  - commutator, 60
  - control, 48
  - coset stabilizing, 51, 68, 134
  - derived, 60
- Suzuki group, 172
- symmetric difference, 27
- symmetric generator, 48
- symmetric presentation, 56
- syntheme, 98, 119, 147
- tail, 62
- tern, 28, 32
- tetrad, 178
  - special, 105
- tetrahedra, 7
- 3-transposition, 227, 229, 232
- Todd–Coxeter algorithm, 66
- total synthemetic, 98, 147
- transitive graph, 54
- transposition, Steiner, 125
- transvection, symplectic, 125
- triangle of inflexion, 25
- trio, 178, 187
  - MOG, 180
- triple, 128
  - special, 137
- true, 56, 263
- Wiedorn, Corinna, xiv
- Whyte, Sophie, xiv
- Wilson, Robert, 174
- Y-diagram, 62