

Index

- accelerator pulsed sources, 54
- accelerator-based neutron sources, 3
 - pulsed operation, 4
 - steady spallation source, 5
 - time-of-flight, 4
- acceptance diagrams, 237
 - observation plane, 238
 - trace neutron trajectories, 237
- acceptance diagrams in phase-space, 239
 - complicated systems, codes, 239
 - construction of, 240
 - powerful picture, 239
 - simple systems, easy, 239
- activation energy, 386
- adiabatic approximation, 347
- Advantages of neutrons, 7
- Amorphous materials diffractometers, 166
 - epithermal neutrons, 167
 - hot neutron sources, 167
- Anger camera, 304
 - electronic signal binned finely, 304
 - intensity-weighted positions, 304
 - multianode photomultipliers, 306
 - principle, 305
- angle-wavelength correlation, 193
 - angle range, 193
 - large beam, 193
 - parallel reflecting planes, 193
- angular distribution at a moderator surface, 46
 - Fermi approximation, 46–7
- anharmonicity, 388
- backscattering crystal-analyzer, 219
 - wavelength resolution minimized, 219
- barn book, 94
- beam benders, 257
- beam monitor detectors, 295
 - known efficiency, 295
 - low efficiency, 295
- pancake detectors, 295
 - thin windows, 295
- bent crystals, 278
 - Poisson's ratio, 278
- Bloch Equation, 442
- Blume-Maleyev equations, 424
- Born approximation, 90
- boron-coated detectors, 286
 - proportional counter operation, 287
- bound- and free-atom scattering, 19
- bound atom, 101
- Bragg angle, 319
- Bragg condition, 317
- Bragg's law, 319
- Bragg-Laue condition, 317
- Bragg-reflecting mirrors, 253
- burst shape function, 270
 - back pulses, 270
 - curved slit, 270
 - straight slit, 270
- capture electrons, 284
 - image plates, 284
 - self-powered detectors, 284
- charge density, 118
- chopper spectrometers, 206
 - as diffractometers, 206
 - brief polychromatic pulse, 206
 - direct geometry, 206
 - pulsed-source version, 206
 - SEQUOIA, 212
 - steady-source version, 207
- chopper, T_0 , 207
 - energy selection, 207
 - fast neutrons, 207
- chopper, band-limiting, 208
 - reduce background, 208
 - reject frame overlap, 208
- classical steady-beam single-crystal diffractometers, 176
 - S. W. Peterson and H. A. Levy, 176

coded apertures, 246
 array of small apertures, 246
 autocorrelation function, 246
 masks, 246
 mathematical deconvolution, 246
 coincidence encoding, 302
 several fibers, 302
 cold sources, 73
 collimator, 182
 guides, 182
 collimators, 237
 pair of apertures, 238
 spatial and angular distributions, 237
 compound nucleus, 14, 94
 resonance, 14
 contrast matching, 469
 contrast variation, 188
 substituting D for H, 188
 converging-beam collimation, 244
 converge to same point, 245
 small-angle diffraction, 244
 conversion reactions, 281
 fission, 282
 fission, heavy fragments, 282
 fission, light fragments, 282
 light charged particles, 281
 coordinate system
 C-, 88
 center-of-mass, 88
 L-, 88
 laboratory, 88
 R-, 88
 relative, 88
 coordination number, 453
 correlation
 length, 101
 orientation, of molecules, 118
 velocity auto-, 118
 correlation choppers, 274
 disk choppers, 274
 special slit sequence, 274
 correlation function
 density-density, 117
 dynamic, magnetic scattering, 149
 pair-, 371
 self-, 372
 van Hove space-time interparticle density-density,
 124
 velocity auto-, 136, 376
 critically reflecting mirrors, 252
 cross section, 14
 1-phonon coherent inelastic scattering, 354
 1-phonon incoherent scattering, 355
 absorption, 93
 bound-atom, 15
 coherent elastic scattering, 126
 differential scattering, 101
 double differential macroscopic, 130

double differential scattering, 103
 free atom, 15
 incoherent scattering, 112
 macroscopic differential scattering, 102
 macroscopic scattering, 102
 magnetic scattering, 148
 magnetic scattering of one-magnon processes,
 443
 magnetic, elastic, 148
 mean scattering, 128
 microscopic, 14
 paramagnetic scattering, 155
 scattering, noninteracting dimers, 436
 total scattering, 111
 crystal monochromators, 276
 mosaic crystals, 276
 wavelength selected by Bragg reflection, 276
 crystal structure determination, 175
 higher-order reflections, 176
 monochromatic beam, 175
 white (broad wavelength band) beam, 175
 crystal truncation rods, 339
 crystal-analyzer spectrometers, 217
 resolution, 218
 same as filter detector, 217
 current, 21
 current density, 21
 current density, 89

 Darwin term, 144
 de Gennes narrowing, 382
 Debye equation, 454
 Debye-Burche model, 471
 Debye-Scherrer cone, 322
 Debye-Waller factor, 132, 362
 dedicated neutron reflectometers, 198
 pulsed source, 198
 steady source, 199
 delayed neutrons, 52
 density
 number, of the tagged particle, 375
 detector arrays, 170
 modern instruments, 170
 detector development, 313
 high leverage, 313
 urgent need
 replace ^3He , 313
 detector efficiency, 296
 accurate series, 297
 cylindrical detectors, 297
 mean detection time delay, 297
 planar detectors, 296
 detector of contemporary SANS instruments,
 182
 detector pulses, 210
 time delay, 210
 diffuse neutron scattering instrument, 197
 Corelli, 197

- diffusion coefficient, 377
- diffusion constant, 135
- diffusion equation, 24
 - Fick's Law, 24
 - One-speed diffusion equation, 25
- diffusion theory results, 28
 - spatial distribution, 28
 - time-dependent, 30
 - time-independent, 28
- dipole-dipole interaction, 144
- direct geometry spectrometers, 214
 - define incident-neutron energy, 214
- Direct inversion of reflectivity data, 202
- direct-space, 1
- disk choppers, 265
 - for monochromating or pulsing, 265
 - for time resolution, 265
 - for wavelength-band limitation, 265
- dispersion relationships
 - neutrons, photons, electrons, 6
- dissipative response, 123
- double-disk choppers, 266
 - closely spaced pairs, 266
- dynamic susceptibility, 121
- dynamical matrix, 349

- Einstein frequency, 376
- electric dipole moment, 118
- electron-volt spectrometers, 220
 - DINS, 220
 - epithermal neutrons, 220
 - free-atom scattering, 221
- Electron-Volt spectroscopy, 384
- emission time delay, 208
 - small correction, 209
- energy-selective reactions, 284
 - narrow resonances, 284
 - prompt gamma rays, 284
 - table, 285
- event recording, 208
- Ewald construction, 174
 - Ewald sphere, 175
- exotic schemes, 63
- extinction
 - primary, 323
 - secondary, 324
- Fermi choppers, 267
 - Archimedes' spiral, 269
 - perpendicular-axis, 267
 - vertical axis, 268
- Fermi pseudopotential, 18, 95
- Fermi's golden rule, 104
- Fick's law, 135
- fill gas, 286
 - ^3He , 286
 - BF_3 , 286
 - polymerization, 286
- first dedicated small-angle scattering instruments, 180
 - D-11, 180
- first demonstration of neutron diffraction, 167
 - Mitchell and Powers, 167
 - von Halban and Preiswerk, 167
- fluctuation-dissipation theorem, 123
- flux, 20, 101
- Foldy interaction, 144
- form factor, 96
 - concentric shells, 474
 - cylinder, 475
 - ellipsoid, 474
 - field-induced magnetic, 158
 - hollow sphere, 474
 - Homogeneous parallelepiped, 474
 - magnetic, 147
 - N concentric spherical shells, 474
 - sphere, 474
 - thin disk, 475
 - thin rod, 475
- forms of proportional counters, 290
 - linear position sensitive, 290
 - multiwire, 290
 - simple cylinder, 290
- Fourier time, 234
- Fourier transform, 2
 - reciprocal space, 2
- Fractal object, 480
- frequency moment, 376

- gas detectors, 286
 - Geiger regime, 286
 - ionization mode, 286
 - proportional mode, 286
- Gaussian approximation, 137
- general scattering measurement, 165
 - detector, 166
 - incident beam properties, 165
 - scattered neutron properties, 166
- generalized frequency function, 380
- generalized magnetic susceptibility, 146
- gravitational droop, 184
 - square of wavelength, 184
- Gravity, 16
- gravity-correcting prisms and focusing lenses, 188
- Greuling-Goertzel equation, 40
 - Greuling-Goertzel approximation, 41
 - slowing-down parameters, 39
 - slowing-down time distribution, 41
 - Stirling's formula, 42
- Grüneisen mode parameters, 364
- guide tube gain, 256
 - curved guides, 257
 - finite source, 256
- Guinier equation, 476
- Guinier region, 476

516

heavy scatterers, 38
 hot sources, 74

I-C function, 81
 broadened, 84
 full width half-maximum, 85
 mean emission time, 85
 variance of emission time, 85

image plates, 308
 Gd converter, 308
 low energy neutrons, 308
 other materials, 309
 time-integrating detectors, 308

impossible to detect neutrons, 281
 no charge, 281
 too little energy, 281

impulse approximation, 383

Incommensurate sinusoidal modulated structures, 408

independent harmonic oscillators, 136

inelastic scattering, 166
 Placzek corrections, 166

integrating detectors, 307
 neutron cameras, 307
 not pulsed mode, 307

inverse geometry spectrometers, 214
 backscattering type, 214
 crystal analyzer type, 214
 define scattered-neutron energy, 214
 eV type, 214
 filter detector, 214
 filter detector simplest, 215

isotope substitution, 115, 469

isotropic samples, 181
 azimuthally symmetric, 181
 samples that can be isotropic, 181

jump diffusion, 384

kinematical approximation, 323

kinematics, 282
 energy shared as inverse mass, 283

Kramers-Kronig relations, 122

Kratky camera, 194
 cut-and-try modeling methods, 195
 mathematical inversion, 195
 not amenable to direct methods, 195
 point geometry image, 195

Lamb-Mössbauer factor, 133, 362

Langevin equation, 378

Laue condition, 317

Laue method, 177, 321
 image plate, 177
 VIVALDI, 177
 white beam, 177

lens equation, 259

lenses, 259
 converging lenses concave, 259

Index

Fresnel, 260
 material lenses, 259
 refractive index, 259

lethargy, 38
 logarithmic energy decrement, 39
 mean number of collisions, 39

linear absorption coefficient, 115

linear response, 121

local density, 118

Lorentz factor, 321

low-energy particle interactions, 57
 (d,n) neutrons, 59
 Be(p,n), 59
 charged particle neutron yields, 57

Magnetic interactions, 15

magnetic lenses, 260
 magnetic sextupole, 261
 no losses, 261

magnetic lenses and prisms, 188

magnetization
 orbital, 146
 spin, 146

magnetization density, 118

magnetization density operator, 145,
 431

magnon, 441

mass absorption coefficient, 115

master equation, 385

Maxwellian energy distribution, 43
 absorption in a $1/v$ absorber, 44
 detailed balance property, 45
 Maxwell-Boltzmann distribution,
 43
 temperature, 43

Maxwellian velocity distribution,
 133

mean squared displacement, 137, 376

microchannel neutron detectors, 310
 compact, 310
 fast response, 310
 precise spatial resolution, 310

microstrip gas detectors, 294
 gas electron multiplier, 294
 gaseous converter, 294
 solid converter, 294

Miller indices, 317

mirror filters, 258
 deflect unwanted wavelengths, 258
 separate polarization states, 258

mirror reflection, 248
 critical angle, 248
 specular reflection, 249
 supermirror, 248

mirror-reflection geometry, 252

moderators, 3, 71, 75
 coupled, 77
 cryogenic, 3

- decoupling material, 76
- heterogeneous poisoning, 76, 80
- hot source, 3
 - spatial distribution, 79
 - steady sources, 71
- monitor detectors, 208
 - energy and intensity, 208
- multidetector instruments, 210
 - angle in two dimensions, 210
- multi-k structure, 404, 410
- multiple converging aperture collimation, 185
- multiple converging aperture collimator, 242
 - focus, 242
- neutron
 - Chadwick, 10
 - half-life, 10
 - hydrogen atom, 10
- neutron, 10
 - magnetic moment, 142
- neutron guides, 254
 - simplest form, 254
 - time-of-flight shifts, 258
 - ubiquitous, 254
- neutron hand monitors, 309
 - CCD output, 1-ms readout time, 309
 - image intensifier, 310
- neutron interactions, 12
- neutron magnetic dipole-electron dipole interaction, 144
- neutron moment-electron charge interaction, 144
- Neutron reflectometers, 197
 - Born approximation, 197
 - grazing angles, 198
 - near-surface and interfacial structure, 197
- neutron sources, 50
 - atmospheric neutrons, 56
 - fission, 50
 - spallation, 52
 - spallation neutron spectra, 56
 - spallation neutron yields, 55
- neutron spherical polarimetry, 428
- neutron spin-neutron orbit interaction, 144
- neutron time schedule, 208
- neutron transport equation, 22
 - Boltzmann equation, 22
 - transport theory, 22
- neutron-nuclear interactions
 - absorption, 13
 - capture, 13
 - elastic scattering, 12
 - fission, 13
 - inelastic scattering, 12
 - spallation, 13
- neutrons as particles, 20
 - phase space density, 20
- neutrons as waves, 16
 - DeBroglie relationship, 17
 - wave-like and particle-like, 17
- neutrons fast and slow, 67
 - cascade neutrons, 70
 - cold neutrons, 67
 - epithermal, 67
 - evaporation neutrons, 70
 - fast neutrons, 67
 - fission neutrons, 70
 - hot neutrons, 69
 - slow neutrons, 67
 - thermal neutrons, 67
 - ultra cold neutrons, 68
 - very cold neutrons, 67
- Nobel Prize, 2
 - Brockhouse, 2
 - Schull, 2
- nonergodicity, 370
- normal mode vibrations, 350
- NSE energy resolution, 235
 - maximum Fourier time, 235
- off-axis mirrors, 254
- optical fibers, 302
 - wavelength shifters, 302
- optical theorem, 93
- order
 - extended-range, 451
 - intermediate-range, 451
 - long-range, 315
 - short-range, 451
- orientation matrix, 326
- Ornstein-Zernike equation, 479
- pair-distribution function, 125
 - reduced, 453
- partial radial distribution function, 454
- Partial-waves analysis, 91
- Patterson function, 125, 325
- PDF method, 465
- pepperpot collimators, 243
- Percus-Yevick (P-Y) approximation, 479
- periodic boundary conditions, 348
- phase, 96, 320
- phase shift, 91
- phase-space, 238
 - 2-dimensional, 238, 241
 - point is ray, 238
 - small-angle approximations, 238
- phase-space density, 241
 - same as source, 241
- phonon
 - density of states, 356
 - dispersion curve, 350
 - neutron-weighted density of states, 360
- photoneutron source, 61
 - inverse Compton scattering, 63

photoneutron sources
 bremsstrahlung neutron sources, 61
 photosensitive devices, 300
 photomultipliers, 300
 silicon photomultipliers, 301
 pinhole, 245
 focusing lens, 245
 focusing mirror, 245
 pinhole collimation, 184
 pinhole imaging, 245
 magnification factor, 246
 minification factor, 246
 Placzek correction, 128
 polarizability tensor, 118
 polarization analysis
 linear, 151
 longitudinal, 425
 spherical polarimetry, 157
 polarization vector, 151, 350
 polarized neutron scattering, 177
 polarization analysis, 177
 polarizers, 232
 ³He cells, 232
 polarized mirrors, 233
 polarizing filters, 279
 polarizing monochromators, 278
 magnetic scattering form factor, 279
 polycapillary optics, 254
 polydispersity, 477
 Porod exponent, 480
 Porod Invariance, 472
 position encoding, 285, 291
 Anger camera, 285
 charge division, rise time, 291
 discrete detectors, 285
 distributed detectors, 285
 induced-charge readout, 292
 integrating, 285
 weighted network, 285
 powder diffraction, 169
 Debye-Scherrer cone, 169
 Lorentz factor, 170
 sphere of reflection, 169
 powder diffraction instruments, 170
 POWGEN, 170
 steady beam, 170
 time-of-flight, 170
 WOMBAT, 170
 powder diffractometer, 166
 power-law exponent, 480
 practical eV spectrometers, 221
 direct, chopper type, 221
 energy-selective detectors, 221
 inverse scattering, 221
 principle of detailed balance, 120
 propagation vector, 403
 proportional counters, 287
 gas amplification, Townsend avalanche, 287

pulse shapes, 81
 emission time distribution, 81
 pulsed vs. steady sources, 64
 duty cycle factor, 65
 pulsed-source instruments, 182
 combining the results into one SANS pattern,
 182
 time-of-flight, 182
 white beam, 182
 pulse-height discrimination, 289
 improve background, 289
 reject large pulses, 290
 reject small pulses, 289
 pulse-height distributions, 288
 full-energy peak, 288
 nickel plating, 289
 quench gas, 289
 stopping gas, 289
 wall effect, 288
 wall effect plateau, 289
 quasi-harmonic approximation, 363
 radial collimators, 243
 radial distribution function, 453
 radial Patterson function, 471
 radius of gyration, 476
 range of wave vector transfers, 182
 cold neutrons, 182
 reactors, 2
 Fermi's demonstration, 2
 pulsed, 3
 real-space, 238
 line is ray, 238
 reciprocal lattice points, 317
 reciprocal space, 231
 recoil energies, 284
 recoil energy, 135
 reduced mass, 88
 reference scattering materials, 279
 reflection from a planar surface, 199
 critical angle, 199
 Fresnel's law, 199
 scattering length density, 200
 reflectometers, 201
 general nonmagnetic studies, 201
 magnetism studies, 201
 nonmagnetic liquid and surface studies, 201
 reflector, 71
 reflectors, 75
 repetition rate multiplication, 211
 full use of frame, 211
 resolution, 2
 energy, 2
 spatial, 297
 time resolution, 298
 upper limit, 298
 wavelength, 2

- resonance absorbers, 222
 - capture gamma-ray method, 222
 - filter-difference method, 222
 - to several hundred eV, 222
- resonance detectors, 312
 - Doppler broadened Breit-Wigner form, 312
 - example
 - ^{181}Ta , 312
 - prompt capture gamma rays, 312
 - self-shielding effect, 313
- resonance neutron diffraction, 459
- resonances, 94
- response function, 119
 - magnetic, 431
- Rietveld method, 332
- Rietveld profile refinement, 172
 - GSAS, 173
- rocking curve, 277
- rotating devices, 262
 - choppers, 262
 - do not handle while rotor is spinning, 264
 - many types, 262
 - velocity selectors, 262
- rotational tunneling, 397

- SANS development, 180
 - Hughes *et al.*, 180
 - t-o-f technique at the CP-3, 180
- SANS machines, 181
 - pulsed-source, 181
 - steady-source, 181
- scattering, 1
 - amplitude, 90
 - angle, 90
 - capture elastic, 94
 - center, 87
 - coherent, 108
 - compositional incoherent, 114
 - deep inelastic neutron, 384
 - diffuse, 461
 - Inelastic, paramagnetic ions, 162
 - length, 93
 - length density, 102
 - length, coherent, 111
 - length, incoherent, 112
 - length, spin-dependent, 111
 - low-Q, 467
 - magnetic length, the electron, 145
 - magnetic, amplitude, 147
 - master formula, 107
 - master formula for coherent and incoherent, 109
 - multiple-, 131
 - multiple-phonon, 356
 - neutron Brillouin, 383
 - neutron Compton, 384
 - paramagnetic ions, 160
 - potential, 94
 - quasielastic neutron, 386
 - single-, 131
 - small-angle, 467
 - spin-dependent, nuclear, 153
 - spin-incoherent, 110
 - s-wave, 91
 - thermal diffuse, 127, 318
 - total, 127
- scattering from light nuclei, 283
 - atomic recoil detectors, 283
 - keV neutrons, 283
- scattering function, 117
 - effective, 130
 - intermediate, 116
 - magnetic, 148
 - self-, ideal gas, 134
 - sum rules, 135
- scattering kernel, 23
- scattering lengths, 13
 - b_+ and b_- , 13
 - coherent and incoherent, 14
 - positive and negative, 14
 - zero-spin nuclei, 14
- scattering power, 7
 - neutron coherent scattering lengths, 8
 - neutrons and x rays, 7
 - x-ray scattering amplitudes, 8
- scintillation detector position encoding, 302
 - coincidence, 302
 - crossed-fiber, 302
 - optical, 302
- scintillation detectors, 298
- scintillation media, 298
 - activator, 301
 - activators, wavelength shifters, 298
- Ce
 - LiCAF, 300
 - converter material, 299
 - LGB, 299
 - recipe, 299
 - scintillating glass (GS-20), 299
 - table, 300
 - YAP, 300
 - ZnS(Ag) very bright, slow decay, 299
- semiconductor detectors, 306
 - surface coated, 306
 - volumetrically loaded, 306
- shielding, 64
 - shielding and collimator design
 - materials and rules, 245
- short-wavelength neutron DCDs, 192
 - angular uncertainty, 192
 - defines Q_{\min} is not constant, 192
- single molecular magnets, 437
- single-crystal Bragg scattering, 193
 - Darwin plateau, 193
 - Kratky camera, 194
 - multi-bounce crystals, 194

single-crystal diffractometers, 167, 173
 Bragg reflections, 167
 Laue spots, 167
 reciprocal lattice, 173
 reciprocal lattice points, 174
 single-k structure, 410
 slowing-down theory, 31
 collision density, 34
 hydrogenous material, 34
 leakage exponent, 36
 resonance escape probability, 35
 slowing-down density, 33
 time-dependent, 32
 Westcott function, 37
 small-angle neutron scattering, 179
 microscopic inhomogeneities, 179
 supramolecular structural, 179
 Snell's Law, 249
 complex refractive index, 250
 critical angle, 250
 critical wavelength, 250
 magnetization density, 249
 refractive index, 249
 scattering length density, 249
 Soller collimators, 241
 parallel channel array, 241
 spallation, 4
 special environment powder diffractometer, 171
 YCBO structure, 171
 spectra, 77
 modified Westcott function, 78
 slowing-down term, 78
 thermal-neutron term, 78
 spherical mirrors, 253
 spin wave, 441
 spin-density Patterson function, 411
 spin-echo SANS, 189
 decouple intensity-related factors, 189
 measures a slit-smear result as in Kratky cameras, 190
 neutron beams of large area, 189
 neutron spin-echo, 189
 spin-echo spectrometer, 232
 Mezei first, 235
 spin-precession spectroscopy, 232
 spin-turn angle, 232
 spin-flip & non-spin-flip, 152
 spin-manipulating devices, 279
 standard model, 11
 nucleons, 11
 quarks, 11
 static approximation, 127
 steady source (reactor), 167
 Enrico Fermi, Walter Zinn, and Leona Marshall, 167
 Ernest Wollan and Clifford Shull, 167
 steady-source instruments, 181
 monochromatic beam, 181

stiffness constant, 442
 Stoner continuum, 447
 structure factor
 crystallographic unit-cell, 320
 dynamic, 117, 354
 elastic, 126
 elastic incoherent, 126, 393
 interparticle, 478
 magnetic, 404
 magnetic, commensurate structure, 408
 partial, 454
 superfluid helium, 206
 helium fountain, 206
 roton minimum, 206
 supermirror, 250
 diffraction region, 251
 refraction region, 251
 surface reflectivity, 200
 dynamical theory, 200
 Occam's Razor, 201
 phase information, 201
 q-space intensity/real-space density relationship, 201
 wave-propagation theory, 200
 susceptibility
 generalized spatial-temporal, 431
 generalized wave-vector-frequency, 431
 longitudinal magnetic, 445
 transverse, 443
 TAS focusing, 229
 constant- \mathbf{Q} -scan, 229
 constant-E-scan, 229
 dispersion relation, 229
 spurions, 230
 TAS resolution, 227
 focusing important, 227
 four-dimensional, 228
 time-dependent slowing-down, 37
 slowing-down time distribution, 37
 time-evolution operator, 119
 time-focused crystal-analyzer, 219
 extended sample, 219
 geometric time-focusing, 219
 mosaic crystals, 219
 special analyzer cut, 219
 time-of-flight implementation of a USANS, 195
 Bragg reflection, 195
 larger Q_{\max} , 196
 $Q_{\min,n}$ diminishes as $\exp(-W_n)/n$, 195
 smaller Q_{\min} , 196
 time-of-flight instruments, 182
 broad band of wavelengths, 182
 frame overlap, 183
 time-of-flight Laue diffraction, 322
 time-of-flight method, 65

- time-of-flight SANS instruments, 186
 - over-determines scattering function, 186
 - summing all data, 187
- time-of-flight SANS measurements, 187
 - different resolution smearing functions, 187
- time-of-flight single-crystal diffractometers, 178
 - Anger-type position-sensitive scintillation detectors, 179
 - S. W. Peterson, 178
 - TOPAZ, 178
- time-of-flight wavelength uncertainty, 187
 - geometric resolution dominates, 187
 - small compared to, 187
- T_o choppers
 - block fast neutrons, 272
- T_o choppers, 271
 - action of, 273
 - stopping block, 272
 - time-dependent background, 273
- total distribution function, 453
- total scattering, 166
- transmission, 115
- transmission function, 271
- transport theory results, 26
 - neutron beam attenuation, 26
 - time-dependent interaction rate, 27
- triple-axis spectrometers, 225
 - Brockhouse Nobel prize, 225
 - local \vec{Q} , \mathbf{E} regions, 226
 - steady-source instruments, 225
 - tanzboden, 226
 - three rotation axes, 225
- triple-axis spectrometry, 358
- two-aperture collimators, 238
 - penumbra, 238
 - umbra, 238
- ultra-small-angle neutron scattering
 - Bonse and Hart, 192
 - neutron double-crystal diffractometers (DCDs), 192
 - thermal diffuse scattering, 192
 - very small angular deflections, 192
- van Hove space-time interparticle density-density correlation function, 124
- Van Hove's correlation function, 119
- VCN-based SESANS, 191
- vibrational entropy, 363
- Vineyard approximation, 381
- Warren line shape, 343
- wavefunction, 17
 - Schroedinger's equation, 17
- weighted R-factor, 330
- window function, 134
- Wolter mirrors, 254
- x-rays and neutrons, 196
 - complementarity, 196
- y-scaling, 384
- Zimm approximation, 476