

## Index

- $\sim_\pi$ , 135  
 $0_n$ , 144  
 $1_n$ , 144  
 $0_P$ , 145  
 $1_P$ , 145  
 $\wedge$ , 144  
 $\vee$ , 144  
 $\xrightarrow{\text{distr}}$ , 116, 126  
 $\xrightarrow{*}\text{-distr}$ , 126  
 $\boxplus$ , 195  
 $\boxtimes$ , 224  
 $\boxstar$ , 273  
 $\bigvee$   
 $\boxplus$ , 295  
 $\widetilde{\boxstar}$ , 330  
 $*_{i \in I} G_i$ , 67  
 $*_{i \in I} \mathcal{A}_i$ , 82  
 $*_{i \in I} (\mathcal{A}_i, \varphi_i)$ , 84, 101  
 $|\pi|$ , 135  
 $\#(\sigma)$ , 366  
 $\#(\alpha)$ , 382  
 $|\alpha|$ , 382  
 $A(\varepsilon)$ , 315  
 $a^\circ$ , 70  
 $|\alpha|$ , 382  
 $\alpha \leq \beta$ , 390  
 $\alpha_n$ , 188  
 $(\mathcal{A}, \varphi)$ , 3  
 $*_{i \in I} (\mathcal{A}_i, \varphi_i)$ , 84, 101  
 $*_{i \in I} \mathcal{A}_i$ , 82  
 $\mathcal{A}^+$ , 38  
 $B(\varepsilon)$ , 315  
 $C_n$ , 24  
 $\mathbb{C}\langle X_1, X_1^*, \dots, X_s, X_s^* \rangle$ , 53  
 $\mathbb{C}\langle X_1, \dots, X_s \rangle$ , 49  
 $\mathbb{C}\langle X, X^* \rangle$ , 14  
 $\mathbb{C}G$ , 6  
 $C_n^{(k)}$ , 151  
 $\text{Cf}_{(i_1, \dots, i_n)}(f)$ , 259  
 $\text{Cf}_{(i_1, \dots, i_n); \pi}(f)$ , 260  
 $\text{Cf}_\pi(f)$ , 287  
 $C_{\text{red}}^*(G)$ , 41  
 $d(\alpha, \beta)$ , 390  
 $\Delta$ , 275  
 $\delta(\pi, \sigma)$ , 157  
 $E[\cdot]$ , 359  
 $\varepsilon$ , 315  
 $\mathbb{F}_n$ , 66  
 $\mathcal{F}(f)$ , 293  
 $\mathcal{F}(\mathcal{H})$ , 103  
 $f \circ D\alpha$ , 286  
 $f \circ L$ , 264  
 $f \circ \text{Sq}$ , 281  
 $F * G$ , 156  
 $f * G$ , 156  
 $G_\mu$ , 30  
 $G_d$ , 325  
 $*_{i \in I} G_i$ , 67  
 $\Gamma$ , 293  
 $\gamma_n$ , 382  
 $H_d$ , 325  
 $(i_1, \dots, i_n)|V$ , 260  
 $J_q$ , 288  
 $\kappa_n^a$ , 185  
 $\kappa_\pi$ , 118, 175  
 $K(\pi)$ , 147  
 $K_\sigma(\pi)$ , 289  
 $\Lambda(T)$ , 110

- $\lambda(g)$ , 41  
 $L^{\infty-}(\Omega, P)$ , 5  
 $L^2(\mathcal{A}, \varphi)$ , 95  
 $L^t$ , 265  
 $Luk(n)$ , 138  
 $l(\xi)$ , 103  
 $l(\xi)^*$ , 103  
 $M_{a_1, \dots, a_s}$ , 260  
 $M_d(\mathbb{C})$ , 5  
 $M_d(\mathcal{A})$ , 16, 322  
Möb, 280  
 $\mu^{\boxplus t}$ , 232  
 $\mu(\pi, \sigma)$ , 158  
 $\mu_P$ , 158  
 $NCE(2n)$ , 153  
 $NCE(S)$ , 316  
 $NC(n)$ , 135  
 $NCO(S)$ , 316  
 $NC(S)$ , 135  
 $NC_2(n)$ , 122  
 $\Omega$ , 103  
 $\text{Orb}(\alpha)$ , 300  
 $\mathcal{P}$ , 190  
 $\mathcal{P}(n)$ , 135  
 $\mathcal{P}(S)$ , 135  
 $\Phi(f)$ , 36  
 $\phi$ , 381  
 $\varphi_\pi$ , 175  
 $\varphi_\alpha$ , 374  
 $\varphi_n$ , 175  
 $|\pi|$ , 135  
 $\pi \leq \sigma$ , 144  
 $\pi_1 \cup \pi_2$ , 137  
 $\pi|_W$ , 137  
 $[\pi, \sigma]$ , 148  
 $\pi \vee \sigma$ , 144  
 $\pi \wedge \sigma$ , 144  
 $P^{(k)}$ , 151  
 $P_\pi$ , 300, 375, 392  
 $R_a^{(\text{even})}$ , 304, 310  
 $R_{a_1, \dots, a_s}$ , 260  
 $\mathcal{R}_\mu$ , 199  
 $S_a$ , 294  
 $S_\mu$ , 294  
 $S_n$ , 382  
 $S_{NC}(\gamma_n)$ , 390  
 $\text{Sp}(a)$ , 35  
 $[s]^*$ , 341  
 $\sigma_{a,b}^{(n)}$ , 319  
 $\Theta_s$ , 259  
 $\Theta_1^{(\text{inv})}$ , 293  
 $\tau_G$ , 6  
 $\tau_{\mathcal{H}}$ , 103  
 $\hat{\tau}$ , 179  
 $t(\varepsilon)$ , 315  
 $T_F$ , 156  
 $\text{tr}$ , 5  
 $\text{tr} \otimes E$ , 361  
 $\mathcal{U}(N)$ , 379  
 $\text{Var}$ , 15  
 $\text{Wg}(N, \alpha)$ , 380  
 $\text{Wg}$ , 393  
 $\mathcal{W}_{i_1, \dots, i_n}$ , 82  
Zeta, 274  
 $\zeta(\pi, \sigma)$ , 158  
 $\zeta_P$ , 158  
almost-rising path, 138  
alternating (arguments), 240  
annihilation operator  
  left, 103  
arcsine law, 13, 201  
asymptotically free, 369  
averaged eigenvalue distribution, 10, 362  
Bell number, 206, 210  
Bernoulli variable, 193, 251  
bicyclic semigroup, 20  
block (of partition), 135  
Boolean independence, 64  
boxed convolution, 273  
canonical factorization, 149  
  uniqueness, 152  
Catalan number  
  and Möbius function of  $NC$ , 163  
  as moment of semicircle, 28  
  counting  
    Dyck paths, 24  
    non-crossing pairings, 123  
    non-crossing partitions, 137  
  definition, 24  
  recurrence relation, 24  
Cauchy–Schwarz inequality, 4, 15  
Cauchy transform, 198  
  definition, 30

- Stieltjes inversion, 31
- c.c.w., 234
- centering of random variable, 70
- central limit theorem
  - classical, 120
  - free, 124
  - multi-dimensional version, 129
  - general version, 119
- chain in poset, 171
- circular element, 187
  - generalized, 255
  - of radius  $r$ , 324
- classical cumulant, 191
- coloring, 370
- complement (Kreweras), 147
- complementation map, 147
- complex Gaussian family, 360
- compound free Poisson distribution, 206
- compression, 229
- conditionally positive definite, 216
- constant matrix, 372
- convergence
  - in distribution, 116, 126
  - in  $*$ -distribution, 126
- convolution
  - boxed, 273
  - free, 195
  - incomplete boxed, 295
  - multiplicative free, 224
  - of functions in poset, 156
- couple in a cyclic way, 234
- couple the blocks, 181
- covariance matrix
  - of Gaussian family, 360
  - of semicircular family, 128
- covers, 159
- creation operator
  - left, 103
- crossing partition, 135
- $C^*$ -algebra
  - definition, 35
  - functional calculus, 36
  - of semicircular system, 102
  - positive element, 38
  - reduced  $C^*$ -algebra of group, 41
  - reduced free product, 102
  - rotation algebra, 58
- spectral mapping theorem, 37
- spectrum, 35
- cumulant
  - classical, 191
  - free, 173
  - vanishing of mixed cumulants, 183
- Cuntz relations, 340
- cycle decomposition of permutation, 382
- cyclic permutation trick, 141
- cyclic vector, 97
- determined by moments, 117
- determining sequence
  - of even element, 188
  - of  $R$ -diagonal element, 241
- determining series
  - of entries of  $R$ -cyclic family of matrices, 329
  - matrix, 322
  - of even element, 282, 304
  - of  $R$ -diagonal element, 263
  - of  $R$ -diagonal pair, 304
- direct product of posets, 149
- distance on  $S_n$ , 390
- distribution
  - convergence in, 116, 126
  - joint, 50
- $*$ -distribution
  - and norm, 45
  - convergence in, 126
  - in algebraic sense, 14
  - in analytic sense, 14
  - joint, 54
  - of classical random variable, 9
  - of matrix, 10
  - of normal element, 8
    - in  $C^*$ -algebra, 43
  - of random variable, 14
  - of selfadjoint element, 9
- Dyck path, 22
  - irreducible, 25
- eigenvalue distribution
  - of matrix, 10, 362
  - of random matrix, 10, 362
- element, *see also* random variable
- even element, 188
  - determining sequence, 188

- faithful, 5
- family
  - Gaussian, 129, 360
  - semicircular, 128
- family of Cuntz isometries, 340
- family of matrix units, 233
- Fourier transform, 194
- free, 66
  - asymptotically, 369
- \*-free, 66
- free binomial distribution, 201, 209
- free convolution, 195
- free cumulant, 173, 175
  - of random variables, 185
- free family of Cuntz isometries, 340
- free group, 66
- free independence, 66
- free Levy process, 222
- free limit theorem
  - central limit theorem, 124
    - multi-dimensional version, 129
  - compound Poisson limit, 206
  - for triangular array, 211
  - Poisson limit, 203
- free Poisson distribution, 204
  - compound, 206
- free product
  - of \*-probability spaces, 88
  - of  $C^*$ -probability spaces, 101
  - of groups, 67
  - of non-commutative probability spaces, 84
  - of unital algebras, 81
    - reduced (of  $C^*$ -algebras), 102
- freely independent, 64
- \*-freely independent, 65
- freeness, 66
  - of subgroups, 66
- full Fock space, 103
- functional
  - faithful, 5
  - positive, 4
  - selfadjoint, 4
  - vacuum-state, 21
  - vector-state, 7
- functional calculus in  $C^*$ -algebra, 36
- Fuss–Catalan number, 151
- gauge operator, 110
- Gaussian family, 129, 360
  - complex, 360
  - covariance matrix, 360
  - moments of, 360
    - Wick formula, 129, 360
- Gaussian random matrix
  - non-selfadjoint, 364
  - orthogonal ensemble, 364
  - selfadjoint, 363
    - genus expansion, 366
    - moments of, 366
  - symplectic ensemble, 364
  - unitary ensemble, 364
- genus expansion, 366
- geodesic, 390
- GNS representation, 96
- GOE, 364
- graded poset, 171
- group algebra, 6
- grow faster than exponentially, 218
- GSE, 364
- GUE, 364
- Haar measure, 379
- $(\alpha, \beta)$ -Haar partial isometry, 255
- Haar unitary, 11
- Haar unitary random matrix, 379
- incomplete boxed convolution, 295
- independence
  - Boolean, 64
  - classical, 63
  - concept of, 75
  - free, 66
  - tensor, 63
- infinitely divisible, 215
- interval in poset, 148
- interval partition, 154
- isometry, 19, 109
- join, 144
- joint
  - distribution, 50
    - \*-distribution, 54
    - moment, 50
    - \*-moment, 53
- jump distribution (of compound free Poisson), 206
- jump size (of free Poisson), 204

- Kreweras complement, 147  
 relative, 288
- Lagrange inversion formula, 270
- lattice, 144
- left annihilation operator, 103
- left creation operator, 103
- left regular representation, 41
- length function on  $S_n$ , 382
- length of interval in poset, 159
- Levy–Khintchine formula, 220
- Lukasiewicz path, 138
- Marchenko–Pastur distribution, 368
- matrices over non-commutative probability space, 321
- matrix  
 constant, 372  
 random, 361
- matrix units, 233
- mean, 15
- meet, 144
- Möbius function, 155, 158  
 of  $\mathcal{P}(n)$ , 172  
 of  $NC(n)$ , 163
- Möbius inversion, 155, 158  
 partial, 160
- Möbius series, 280
- moment, 15  
 determined by moments, 117  
 joint, 50
- \*-moment  
 joint, 53  
 of random variable, 13
- moment-cumulant formula, 173, 176
- moment series, 260
- morphism, 7
- multi-chain in poset, 151
- multiplicative family  
 of functionals on  $NC$ , 174  
 of functionals on  $\mathcal{P}$ , 190  
 of functions on  $NC$ , 166  
 of functions on  $NC^{(2)}$ , 165
- multiplicative free convolution, 224
- Narayana number, 144
- NE-SE path, 22
- non-commutative probability space, 3  
 random variable, 3
- non-crossing  
 pairing, 122  
 partition, 135
- normal, 4
- not grow faster than exponentially, 218
- number  
 Catalan, 24  
 Fuss–Catalan, 151  
 Narayana, 144
- number of  
 multi-chains in  $NC(n)$ , 151  
 non-crossing pair partitions, 123  
 non-crossing partitions, 137  
 with given block sizes, 143  
 with  $k$  blocks, 144
- pairings, 120, 206
- partitions, 206, 210
- odd-marked interval, 318
- one-sided shift, 21
- orbit, 300
- pair partition, 119
- pairing, 119  
 non-crossing, 122
- parity-alternating block, 318
- partial isometry, 109  
 $(\alpha, \beta)$ -Haar, 255
- partial Möbius inversion, 160
- partial summation condition, 331
- partially ordered set, 144, *see also*  
 poset
- partition, 118, 135  
 interval, 154  
 non-crossing, 135
- path  
 almost-rising, 138  
 rise-vector, 138
- Dyck, 22
- Lukasiewicz, 138
- NE-SE, 22
- $p$ -Haar unitary, 11
- Poisson limit theorem  
 classical, 209  
 free, 203
- polar decomposition, 247  
 of circular element, 248

- of  $R$ -diagonal element, 248
- poset, 144
  - chain in, 171
    - length of, 171
    - saturated, 171
  - direct product of, 149
  - graded, 171
  - interval in, 148
    - length of, 159
  - Möbius function, 158
  - multi-chain in, 151
  - rank in, 171
  - zeta function, 158
- positive
  - element of  $C^*$ -algebra, 38
  - functional, 4
  - matrix, 87
- positive definite, 216
- probability space
  - non-commutative, 3
    - matrices over, 321
    - topological, 344
  - of random matrices, 361
- $C^*$ -probability space, 39
- $*$ -probability space, 4
- process with free increments, 222
- projection, 109
- quarter-circular distribution, 248
- radial series, 277
- random matrix, 6, 361
  - Gaussian
    - non-selfadjoint, 364
    - selfadjoint, 363
  - Haar unitary, 379
  - Wishart, 368
- random variable
  - $p$ -Haar unitary, 11
  - circular, 187
    - of radius  $r$ , 324
  - classical, 5
  - compound free Poisson, 206
  - even, 188
  - free cumulant, 185
  - free  $*$ -cumulant, 185
  - free Poisson, 204
  - Haar unitary, 11
  - isometry, 109
  - matrix, 5
    - non-commutative, 3
    - normal, 4
    - partial isometry, 109
    - projection, 109
    - quarter-circular, 248
    - random matrix, 6, 361
    - $R$ -diagonal, 241
    - selfadjoint, 4
    - semicircular, 29
    - symmetric Bernoulli, 193, 251
    - unitary, 4
- random variables
  - free, 66
    - $R$ -cyclic matrix, 322
    - $R$ -diagonal pair, 304
- Raney's lemma, 141
- rank in poset, 171
- rate (of compound free Poisson), 206
- rate (of free Poisson), 204
- $R$ -cyclic family of matrices, 329
- $R$ -cyclic matrix, 322
- $R$ -diagonal pair, 304
- $R$ -diagonal element, 241
  - tracial, 241
- refinement order, 144
- relative Kreweras complement, 288
- representation, 7
  - GNS, 96
- respect the coloring, 370
- reversed refinement order, 144
- right regular representation, 42
- rise vector, 138
- rotation algebra, 54, 58
- $R$ -transform, 260
- $\mathcal{R}$ -transform, 199
- saturated chain in poset, 171
- Schur product, 87
- selfadjoint
  - functional, 4
    - Gaussian random matrix, 363
    - random variable, 4
- self-duality of  $NC(n)$ , 147
- semicircle law, 368
- semicircular
  - family, 128
  - random variable, 29
  - system

- $C^*$ -algebra of, 102
- definition, 102
- semi-invariant, 191
- separating vector, 98
- spectral mapping theorem, 37
- spectrum, 35
- Stieltjes inversion formula, 31
- stochastic process, 209
- $S$ -transform, 294
  
- tensor independence, 63
- Toeplitz algebra, 20
- topological non-commutative
  - probability space, 344
- trace, 3
- tracial  $R$ -diagonal element, 241
- transform
  - Cauchy, 198
  - Fourier, 194
  - $\mathcal{F}$ -, 293
  - $R$ -, 260
  - $\mathcal{R}$ -, 199
  - $S$ -, 294
- transposition, 382
- triangle inequality for permutations
  - for distance, 390
  - for length function, 382
  
- unitary, 4
  - Haar, 11
  - $p$ -Haar, 11
- unitary random matrix, 379
  
- vacuum
  - expectation state, 103
  - vector, 103
- vacuum-state, 21
- vanishing of mixed cumulants, 183
- variance, 15
- vector
  - cyclic, 97
  - separating, 98
- vector-state, 7
  
- Weingarten function, 380
  - asymptotics, 381, 384
- Wick formula, 129, 360
  - analog for unitary matrices, 380
- Wigner's semicircle law, 367, 368
- Wishart matrix, 368