

Contents

<i>Preface</i>	<i>page xi</i>
<i>Acknowledgments</i>	xii
1 Quaternion algebras	1
1.1 Basic properties	1
1.2 Splitting over a quadratic extension	4
1.3 The associated conic	7
1.4 A theorem of Witt	9
1.5 Tensor products of quaternion algebras	12
2 Central simple algebras and Galois descent	17
2.1 Wedderburn's theorem	17
2.2 Splitting fields	20
2.3 Galois descent	24
2.4 The Brauer group	29
2.5 Cyclic algebras	33
2.6 Reduced norms and traces	37
2.7 A basic exact sequence	40
2.8 K_1 of central simple algebras	42
3 Techniques from group cohomology	50
3.1 Definition of cohomology groups	50
3.2 Explicit resolutions	56
3.3 Relation to subgroups	60
3.4 Cup-products	68
4 The cohomological Brauer group	80
4.1 Profinite groups and Galois groups	80
4.2 Cohomology of profinite groups	85
4.3 The cohomology exact sequence	90
4.4 The Brauer group revisited	95
4.5 Index and period	100
4.6 The Galois symbol	106
4.7 Cyclic algebras and symbols	109

viii		<i>Contents</i>
5	Severi–Brauer varieties	114
5.1	Basic properties	115
5.2	Classification by Galois cohomology	117
5.3	Geometric Brauer equivalence	120
5.4	Amitsur’s theorem	125
5.5	An application: making central simple algebras cyclic	131
6	Residue maps	135
6.1	Cohomological dimension	135
6.2	C_1 -fields	140
6.3	Cohomology of Laurent series fields	146
6.4	Cohomology of function fields of curves	151
6.5	Application to class field theory	157
6.6	Application to the rationality problem: the method	160
6.7	Application to the rationality problem: the example	167
6.8	Residue maps with finite coefficients	171
6.9	The Faddeev sequence with finite coefficients	176
7	Milnor K-theory	183
7.1	The tame symbol	183
7.2	Milnor’s exact sequence and the Bass–Tate lemma	189
7.3	The norm map	195
7.4	Reciprocity laws	204
7.5	Applications to the Galois symbol	210
7.6	The Galois symbol over number fields	215
8	The Merkurjev–Suslin theorem	223
8.1	Gersten complexes in Milnor K-theory	223
8.2	Properties of Gersten complexes	227
8.3	A property of Severi–Brauer varieties	232
8.4	Hilbert’s Theorem 90 for K_2	238
8.5	The Merkurjev–Suslin theorem: a special case	245
8.6	The Merkurjev–Suslin theorem: the general case	250
9	Symbols in positive characteristic	259
9.1	The theorems of Teichmüller and Albert	259
9.2	Differential forms and p -torsion in the Brauer group	266
9.3	Logarithmic differentials and flat p -connections	269
9.4	Decomposition of the de Rham complex	276
9.5	The Bloch–Gabber–Kato theorem: statement and reductions	279
9.6	Surjectivity of the differential symbol	282
9.7	Injectivity of the differential symbol	288

<i>Contents</i>	ix
Appendix: A breviary of algebraic geometry	298
A.1 Affine and projective varieties	298
A.2 Maps between varieties	300
A.3 Function fields and dimension	302
A.4 Divisors	305
A.5 Complete local rings	308
A.6 Discrete valuations	310
A.7 Derivations	314
A.8 Differential forms	318
<i>Bibliography</i>	323
<i>Index</i>	339