

Index

- abelian group, 246, 249
acacia, 275, 318
accidental bias, 20
additive model, 77, 82, 87, 90
age, 279
AIDS, 124, 316
alias set, 260
aliasing, 170, 243, 259, 284
analysis, 226, 230, 253, 266, 285
analysis of variance, 33, 40, 46, 64, 67, 87, 90, 112, 113, 145, 200
full, 134, 149, 201
null, 133, 140, 149
skeleton, 134, 138, 140, 149, 200, 201, 285
animal breeding, 146
antagonism, 78
apples, 16, 168
archaeology, 206
asthma, 9, 52, 118, 313
bacteria, 82, 313
balanced incomplete-block design, 219, 223, 226, 233, 257
baseline measurement, 117
bean weevils, 203, 313
best linear unbiased estimator, 24, 25, 28, 39, 62, 143, 226
bias, 68, 122, 124
 accidental, 20
 assessment, 122
 selection, 20, 124
 systematic, 20
biotechnology, 155, 315
blind, 122
block, 6, 13, 53, 119, 121
 contrast, 62
 design, 159, 166
 incomplete, 219–238, 241–258
 orthogonal, 57, 59, 99
 different sizes, 272
 factor, 57
 large, 146
 principal, 246
 small, 146
 subspace, 57
blocking, 6, 53–71, 105, 146, 283, 284
blood, 80, 315
Bose's Inequality, 221
bottom stratum, 200
breed, 279
calculations ignoring treatments, 133, 140, 145, 149, 200
calf feeding, 2, 9, 131, 137, 138, 144, 313
car tyres, 168, 170, 314
carbon dating, 206, 317
carry-over effect, 119
case-control study, 125
catalyst, 81
cattle breeder, 154
cereals, 79, 313
chain, 176, 177, 181, 197
character, 242
chemicals, 168
chicken feeding, 50, 88, 91, 313, 316
chicory, 241, 242, 245, 257, 318
chromatograph, 267, 315
cider apples, 145, 147, 160, 161, 188, 258, 316
citrus orchard, 56, 314
class, 93, 169
clinical trial, 237
coarser, 171
cohort study, 125
column, 105
 contrast, 111
 factor, 111
combinatorial design, 8
common cold, 127, 157
comparative experiments, 40
complete-block design, 58
completely randomized design, 19, 120
concrete, 18, 147, 170, 314
concurrence, 219
confounded, 241
 with blocks, 230
confounding, 241–258
consultation, 1
control treatment, 7, 11, 12, 43–47, 52, 72, 99, 124, 234, 237, 282
correction for the mean, 31
coset, 246, 260
cost, 6

- covariance, 24, 38, 59, 60, 111, 112, 194, 284
- cow-peas, 78, 97, 315
- criss-cross design, 208
- cross-over trial, 118, 194, 197, 237, 313, 317
- crossover interaction, 78
- crude sum of squares, 93, 178
 - for treatments, 27
- data
 - collection, 2, 283
 - copying, 2
 - scrutiny, 3
- defining contrast, 259, 260
- degrees of freedom, 26, 133, 134, 184, 185, 200
- design, 13, 283, 285
- detergents, 9, 59, 224, 234, 257, 314
- difference set, 220
- difference table, 220
- direct sum
 - internal, 23
- disordinal interaction, 80
- distribution
 - exponential, 254
 - F, 34, 40, 144, 146, 268
 - normal, 29, 34, 35, 40, 253
 - t, 29, 40, 144
 - χ^2 , 34, 40, 253
- double-blind, 122
- drugs, 48, 86, 118, 119, 122, 185, 191
- educating general practitioners, 126
- eelworms, 72, 315
- effect, 84, 93, 184, 187
 - fixed, 60–68
 - random, 60, 67–69
- efficiency, 229–234
- efficiency factor, 229–234, 242, 257
- eigenspace, 113
- eigenvalue, 39, 67, 113
- eigenvector, 39, 67
- enzyme, 80, 315
- equality factor, 171
- equivalent factors, 170
- estimation, 24, 84, 86, 113
- estimator, 5, 202, 253
- ethical issues, 124
- eucalypts, 4, 8, 182, 315, 318
- excipient, 17, 249
- expectation, 45, 48, 59, 60, 111, 112
- expectation model, 50, 77, 84–87, 95, 190, 284
- expected mean square, 27, 39, 64, 90, 133, 135, 201
- experimental unit, 6–8, 10, 12, 117, 131, 275, 283
- exponential distribution, 254
- F-distribution, 34, 40, 144, 146, 268
- F-probability, 64
- factor, 169–214
- factorial
 - design, 11, 241–270
 - experiment, 97
 - treatments, 11, 75–99, 124, 248, 316
- false replication, 135, 170, 284
- field beans, 250, 315
- field trial, 55, 56, 313
- finer, 171
- Fisher's Inequality, 221
- fit, 178
- fitted value, 23
- fixed effects, 15, 60–68, 110, 132, 226, 253, 279
- fractional replicate, 161, 166, 167, 259–270
- frogs, 125
- full analysis of variance, 134, 149, 201
- fungicide, 11, 47, 182, 186, 313, 315
- genomics, 236
- glass jars, 276, 315
- Graeco-Latin square, 162–167
 - finite field, 163
 - prime order, 163
 - product method, 165
- grafting skin, 154
- grasshoppers, 152, 316
- grazing, 275
- half replicate, 260
- Hall's Marriage Theorem, 235
- Hasse diagram, 175–177, 185–189, 195, 196, 198–202, 243, 283
- hay fever, 68, 315
- herbicides, 78, 315
- historical controls, 118, 125
- hypothesis test, 5, 33–35, 44, 70, 84, 113, 135, 140, 141, 202, 253, 266
- incomplete-block design, 219–238, 241–258
 - balanced, 219, 223, 226, 233, 257
 - complement, 221
 - cyclic, 220, 236
 - from Latin squares, 221
 - lattice, 221
 - optimal, 233
 - resolved, 221, 223, 230
 - unreduced, 220
- infimum, 171
- informed consent, 126
- insect repellent, 53, 121, 314
- insulators, 266, 318
- intention to treat, 126
- interaction, 77–84, 88, 90, 93, 95, 97, 122, 140, 141, 144, 146, 152, 159, 161, 166, 167, 202, 214, 237, 242, 244, 252, 259, 265, 279
- crossover, 78

Index

329

- decomposing, 242
- disordinal, 80
- three-factor, 95
- threshold, 80
- trigger, 81
- two-factor, 95
- Intersection Principle, 84
- irrigation, 54, 55, 211, 314
- kiwi fruit, 4, 313
- laboratory measurement, 55, 313
- ladybirds, 2, 170
- Latin square, 106, 157–167, 222, 242
 - cyclic, 106
 - group construction, 106
 - product construction, 107
- lattice design, 221–223, 230, 234, 238
- layout, 13
- leafstripe, 3, 313
- linear model, 14, 23, 24, 59–61
- lithium carbonate, 17, 226, 314
- litters, 56
- local control, 6, 13
- lucerne, 155
- main plot, 146
- main effect, 84, 88, 90, 140, 141, 144, 159, 242
- main-effects-only design, 159, 161, 166, 167, 192, 214, 241, 259
- management, 55, 56, 68, 114, 221, 275
- marine engineering, 41
- matched pairs design, 119
- maternal dietary supplements, 126
- matrix, 26, 195
- maximal model, 85, 86
- mean, 5
- mean square, 26, 44, 64, 86
 - for residual, 28
 - for treatments, 32
- mental arithmetic, 9, 202, 314
- metal cords, 64, 68, 69, 315
- microarrays, 236, 317
- milk, 25, 28, 29, 32, 34, 123, 280, 316, 318
- minimization, 122
- model, 45, 48, 132, 148, 253, 285
- molybdenum, 211, 317
- mouthwash, 126
- multiplicative model, 82
- mushrooms, 57, 314
- nematodes, 175, 181, 192
- normal distribution, 29, 34, 35, 40, 253
- null analysis of variance, 15, 133, 140, 149
- null model, 30, 88
- oats, 83, 315
- observational study, 125
- observational unit, 8, 10, 12, 117, 131, 276, 283
- oceanography, 166, 317
- oilseed rape, 11, 13, 44, 313
- optimal incomplete-block design, 233
- Ordering Principle, 252
- orthogonal
 - basis, 23
 - complement, 23
 - decomposition, 182
 - design, 197–214
 - factors, 178
 - Latin squares, 162, 222
 - plot structure, 193
 - projection, 23
 - to blocks, 230
 - treatment structure, 189
 - vectors, 23
- Orthogonality Principle, 85
- overall mean, 30
- Park Grass, 98, 208
- pasture grass, 70, 315
- piglets, 56, 313
- pill manufacture, 249, 315
- placebo, 122, 237, 282, 317
- plan, 13, 284
- planned analysis, 4, 284
- plot, 10
 - factor, 170, 193, 196, 197, 276
 - structure, 5, 12, 193, 198, 272, 279, 283
- potatoes, 42, 47, 52, 168, 314
- power, 5, 6, 15, 35–38, 69, 71, 120, 121, 126, 144, 152, 230, 284
- principal block, 246
- prospective study, 125
- protocol, 10, 12, 282–285
- pseudo-replication, 135
- pseudofactor, 197, 251, 262
- psychology, 41, 122, 318
- pullets, 11, 314
- purpose of the experiment, 5, 282
- quantile, 254
- quantile plot, 254, 269
- quantitative factor, 12, 79, 92, 266
- quarter replicate, 161, 264
- rain, 4, 313
- random effects, 15, 60, 67–69, 112, 132, 148, 193, 228, 253, 279
- random sample, 5, 271
- randomization, 8, 13, 15, 19–21, 38, 41, 59, 98, 108, 118, 120, 122, 123, 132, 138, 147, 159, 161, 196, 223, 271–279, 284, 285
- sequential, 121

- randomized controlled trial, 118
- rats, 185, 192, 317
- repeated measurements, 147
- repetition, 131
- replication, 5, 19, 30, 35–38, 41, 43–44, 52, 70, 85, 87, 97–99, 121, 126, 131, 181, 197, 284
- residual, 27, 35, 85, 134, 140, 226
 - degrees of freedom, 202, 285
 - mean square, 28, 45, 84, 86
 - sum of squares, 27, 201, 202
- residual effect, 119
- resolution, 265
- resolved incomplete-block design, 221, 223, 230
- retrospective study, 125
- rice, 54
- road signs, 54, 286, 314
- rotation experiment, 274, 313
- row, 105
 - contrast, 111
 - factor, 111
- row-column design, 105–114, 118, 157, 158, 235–238, 272
- rubber, 48, 314
- rugby, 205, 317
- rye-grass, 7, 9, 75, 97, 146, 170, 173, 174, 191, 200, 241, 313
- saplings, 80, 315
- scalar product, 22
- selection bias, 20
- semi-Latin square, 211
- sex, 279
- significance level, 35, 70, 121, 144
- silicon wafers, 276, 318
- single replicate, 159, 166, 241, 250, 253
- skeleton analysis of variance, 15, 134, 138, 140, 149, 200, 201, 285
- smoking, 125, 316
- soap pads, 193, 317
- source, 33
- split-plot design, 146–153
- squared length, 22
- standard error, 29, 202
 - of a difference, 29, 86, 90, 95, 140, 141, 143, 230
 - of a mean, 29
- strata, 67
- stratum, 40, 120, 132, 133, 138, 148, 149, 196, 198, 241, 285
- stratum variance, 196, 226
- straw, 114, 316
- strictly orthogonal factors, 241
- strip-plot design, 209
- subgroup, 246, 249, 259
- subplot, 146
- subspace, 178, 182
- sugar beet, 247, 253, 254, 257, 315
- sum of squares, 22, 23, 26, 39, 52, 86, 94, 133, 134, 145, 184, 187, 200, 253
 - crude, 27, 178
 - for the mean, 31
 - for treatments, 32, 49, 51, 201
 - total, 28
- Sum Principle, 84
- superimposed design, 166
- supplemented balance, 234
- supremum, 172
- synergism, 78
- systematic bias, 20
- t-distribution, 29, 35, 40, 70, 144
- t-test, 35
- table of means, 86, 90, 95, 178
- tablet manufacture, 81, 249, 315
- three-factor interaction, 95
- threshold interaction, 80
- time, 147, 279
- time-course experiments, 147
- tomatoes, 9, 314
- total sum of squares, 28
- tractor, 56
- treatment, 7, 8, 11, 282
 - contrast, 22, 62, 111
 - effect, 32
 - factor, 21, 75, 170, 189, 197, 242
 - structure, 5, 12, 43–51, 189, 198, 279, 283
 - subspace, 21, 149, 198, 202, 241, 285
 - vector, 22
- trees, 53
- trigger interaction, 81
- two-factor interaction, 95
- uniform factor, 175
- universal factor, 171
- unstructured
 - plots, 12, 19
 - treatments, 12
- variance, 5, 6, 15, 24, 28, 30, 37, 39, 40, 43, 62, 69, 121, 137, 141, 194, 229–234, 253
- variance ratio, 34, 40, 64, 68, 135, 141, 202
- vetch, 83, 315
- wash-out period, 119
- washing, 208, 317
- weeds, 56, 315
- weight, 262
- wheat, 8, 313
- whole plot, 146
- wine, 16
- wine tasting, 59, 105, 315
- χ^2 -distribution, 34, 40, 253
- Youden square, 236