

Index

- 2-tournament matrix, 267
 - algorithm for, 270
 - asymmetric part, 268
 - existence of, 269
 - oriented graph of, 268
 - symmetric part, 268
 - transitive, 270

- affine map, 401
- Alexandrov's inequality, 487
- assignment function, 491, 493
- assignment polytope, 381
 - even
 - diagonal elements, 436
 - diameter of graph, 441
 - dimension, 434
 - graph, 441
 - even subpolytope, 433
 - extreme point, 381
 - faces, 382, 385
 - 2-neighborly, 387, 399
 - affinely equivalent, 402
 - extreme points of, 399, 400
 - parallelepiped, 400, 404, 409
 - simplex, 382, 386, 394
 - generalized, 492
 - graph, 386, 403
 - basic properties, 403
 - Cayley graph, 403
 - chromatic index, 416
 - complement, 411
 - connectivity, 412
 - edges, 403
 - Hamilton cycle, 409
 - Hamilton-connected, 409
 - prime, 406
 - vertices, 403
 - special subpolytope, 426, 432
 - symmetric, 453
 - characterization, 455
 - extreme points, 454

- balanced decomposition
 - symmetric, 313
 - minimal, 313
- balanced separation, 54, 286
- bi-adjacency matrix, 4
- biclique, 110
- bipartite adjacency matrix, 4
- bipartite digraph, 50
- bipartite graph, 4
 - bipartition of, 4
 - complete, 60
 - connected, 4
- bipartite multigraph, 4
- bipartite tournament, 231
 - existence, 231
- Birkhoff's algorithm, 383
- Birkhoff's theorem, 19
- Boolean rank, 111
 - maximal, 111
 - minimal, 111
- box, 137
 - conjugate, 149
 - corner, 139
 - strictly-above, 141
 - strictly-below, 141
 - strictly-left, 141
 - strictly-right, 141

- weakly-below, 141
- weakly-left, 141
- weakly-right, 141
- Bruhat order, 190, 192
 - minimal, 193
 - algorithm, 200, 202
 - secondary, 192
 - cover relation, 193
- Cartesian product
 - trivial, 286
- Cauchy identity, 147
 - dual, 152
- chromatic number, 91
 - maximal, 92, 95
 - minimal, 92, 93
 - strong, 95
 - maximal, 95, 96
 - minimal, 95
- Chungphaisan algorithm, 321
- Chungphaisan's theorem, 40
- circulant, 102, 229
- clique, 328
 - clique number, 329
 - maximal, 329
 - minimal, 329
- closed trail, 313
 - balanced, 313
 - minimal, 313
- closure, 343, 352
- column-bumping, 148
- column-extraction, 150
- column-insertion, 147, 148
- combinatorial distance, 54, 286, 300
 - tournament, 237
- combinatorial parameter, 5
- combinatorial property, 5
- complement, 2
- complementary class, 101
- complementary matrix, 83
- cone, 462
- configuration, 3
- conjugate position, 149
- covering number, 5
- cycle packing number, 237
- deficient column, 344
- deficient row, 344
- determinant, 121
 - maximal, 122
 - minimal, 121
 - nonzero, 122, 127
- diagonal, 9
 - diagonal sum, 472
 - maximal-sum, 472
 - nonzero, 10, 471
 - positive, 471
 - constant product, 476
 - constant sum, 474
 - product, 474
 - secondary, 70
- diagonal equivalence, 464, 466
 - doubly stochastic, 468
 - symmetric, 470
- digraph, 4
 - balanced, 51, 235
 - chordless, 182
 - di-loop, 4
 - directed cut, 63
 - directed loop, 4
 - indegree, 51, 235
 - outdegree, 51, 235
 - strong, 8
 - strong component, 8
 - strongly connected, 8, 63, 169
- directed cut, 63
- directed Hamilton cycle, 224
- discrepancy, 97
 - maximal, 97
 - minimal, 97
 - formula, 99
- doubly stochastic automorphism, 457
 - convex hull, 458
- doubly stochastic isomorphism, 462
- Ford–Fulkerson theorem, 30
- full-clique, 333
 - full-clique number, 333
 - maximal, 333
 - minimal, 333

- Gale order, 191
 Gale–Ryser algorithm, 46, 79
 Gale–Ryser theorem, 27, 152, 183
 general graph
 edge, 5
 multiplicity, 5
 generating function, 135, 137, 147, 152, 259
 graph, 4, 5
 Cartesian product, 285, 299, 403
 Hamilton-connected, 407
 chromatic index, 413
 compact, 458
 cycle graph, 461
 complement, 403
 connectivity, 411
 diameter, 286, 403
 edge, 5
 multiplicity, 4
 edge-connectivity, 295
 general, 5
 Hamilton cycle, 403
 Hamilton path, 406
 Hamilton-connected, 406
 k -partite, 301
 loop, 5
 matching, 324
 perfect, 324
 part, 412
 atomic, 412
 prime, 299, 405
 separating set, 412
 minimal, 412
 supercompact, 463
 cycle graph, 464
 union, 374
 vertex, 4
 vertex-connectivity, 291
 vertex–edge incidence matrix, 395
 Gray code
 reflected, 405
 Greene’s theorem, 155, 210
 Hardy, Littlewood, and Pólya
 theorem, 22
 Havel–Hakimi algorithm, 321
 height, 7
 hypercube, 407
 hypergraph, 3
 chromatic number, 8
 weak, 8
 coloring, 7
 weak, 7
 coloring classes, 8
 coloring number
 strong, 8
 edge–vertex incidence
 matrix, 3
 hyperedge, 3
 vertex, 3
 initial part of a row, 239
 inner product, 205
 insertion tableau, 144, 155, 212
 algorithm
 shape R^* , 153
 shape S , 157
 insertion-chain, 139, 149
 integral lattice, 204, 207
 dimension, 209
 dual, 205, 209
 orthogonal, 209
 interchange, 52, 181, 182, 187, 297, 315
 Δ -interchange, 236, 269, 303
 cycle, 342
 double, 235
 four-way, 236
 inversion reducing, 191
 symmetric, 311, 320, 321
 types (i)–(iii), 312
 interchange distance, 54, 286
 Δ -interchange distance, 300
 formula for, 55
 symmetric, 322
 interchange graph, 57, 285
 Δ -interchange graph, 238, 300
 diameter, 300, 302
 k -partite, 301
 Markov chain, 305
 random walk on, 305

- vertex-connectivity, 304
- bipartite, 298
- diameter, 286, 290
 - bound, 289
- edge-connectivity, 295
- Markov chain, 307
- minimal degree, 291, 292
- near-regular, 302
- prime, 299
 - vertex-connectivity, 293, 294
- interchange matrix, 52, 289
- invariant 0-position, 63
 - tournament, 227
- invariant 1-position, 63
 - tournament, 227
- invariant pair, 63, 65, 67
 - trivial, 63
- invariant position, 63, 65, 205, 299
 - characterization of, 63
 - tournament, 227
- invariant set, 63
 - nontrivial, 63, 67
 - trivial, 63
- joint realization, 188
- König's theorem, 6
- Knuth correspondence, 150
- Knuth equivalent, 213
 - sequences, 212
- Knuth transformation, 212
- Kostka number, 147, 151
- Landau condition, 34
 - normalized, 240
- Landau's inequalities, 34, 227
 - strengthened, 228
- Landau's theorem, 34, 277
- linear span, 205
- log-convex sequence, 58
- magic square, 497
 - symmetric, 498
- majorization, 15, 17, 22, 27, 35, 49, 98, 263, 417
 - c-component, 419
 - coincidence, 419
 - conformal decomposition, 419, 446
 - d-component, 419
 - d-partition, 446
 - decomposable, 419
 - doubly stochastic matrix, 20, 379
 - weak
 - from above, 453
 - from below, 452
 - majorization polyope, 417
 - majorization-constrained subpolytope, 445
- Markov chain, 305, 307
 - mixing time, 307
 - rapidly mixing, 307
 - total variation distance, 306
- matching, 6, 324, 360
 - matching number, 324
 - maximal, 324
 - minimal, 324
 - maximal number of vertices, 360
 - span size, 324
- matrix, 1
 - 0-symmetry, 274
 - minimal, 275
 - 1-symmetry, 274
 - maximal, 275, 277, 278
 - 2-neighborly, 387, 389, 391
 - adjacency matrix, bipartite, 4
 - arbitrary permutations of, 3
 - asymmetric part, 275
 - asymmetry of, 275
 - balanced, 50, 181, 289
 - minimal, 51, 182
 - minimal decomposition, 51
 - symmetric, 313
 - canonical form, 8, 10
 - circulant, 102
 - column-restricted, 179
 - constant diagonal sum, 474
 - contractible, 388

- matrix (*cont.*)
- contraction, 388, 389, 391, 397, 399
 - contraction equivalent, 401, 402, 404, 409
 - cover of, 6
 - cycle, 427, 431
 - convex hull of, 428
 - decomposable, 4, 9, 340
 - partly, 9, 171
 - diagonal
 - nonzero, 11
 - doubly stochastic, 19, 22, 306, 379
 - application, 471, 479
 - Birkhoff representation, 384
 - convex combination, 383
 - diagonal sums, 477
 - elementary, 21, 418
 - even, 433, 438
 - Hessenberg, 419
 - majorization, 20
 - minimizing, 482, 488
 - positive semidefinite, 418
 - proportional diagonal products, 476
 - quasi, 383
 - symmetric, 443
 - term rank, 20
 - uniformly tapered, 418
 - doubly stochastic extension, 452
 - polytope, 452
 - doubly substochastic, 448
 - doubly superstochastic, 448, 449, 453
 - polyhedron, 452
 - existence theorem, 26, 27, 30, 34, 36, 37, 40, 176, 184
 - Mirsky, 12
 - zero trace, 31
 - fully indecomposable, 9, 169, 170, 173, 381
 - inductive structure, 10
 - fully indecomposable components, 10, 381
 - trivial component, 381
 - Hessenberg, 418
 - indecomposable, 4, 9, 173, 340
 - inner product, 427
 - invariant position, 208
 - irreducible, 8, 163, 164, 169, 170
 - tournament matrix, 223
 - trace 0, 169
 - irreducible component, 9
 - line of, 1
 - loop, 428
 - matching number
 - maximal, 327, 331, 332
 - minimal, 331
 - nearly decomposable, 11, 381, 402, 409
 - inductive structure, 11
 - nonzero pattern of, 3
 - orthostochastic, 418
 - partly decomposable, 381
 - pattern of, 3
 - permutation, 2
 - even, 433
 - random generation, 305
 - reducible, 8, 167
 - regular, 101
 - set of representatives of, 7
 - simultaneous permutations of, 3
 - stochastic, 495
 - eigenvalue characterization, 495
 - submatrix, 2
 - subpermutation, 449, 479
 - convex hull, 449, 451
 - sum-symmetric, 428
 - cone of, 428
 - support condition, 464
 - switching, 479
 - symmetric, 1, 39, 311
 - algorithms, 314
 - Chungphaisan's theorem, 15
 - Erdős–Gallai theorem, 15
 - existence theorem, 14, 40
 - general graph of, 5

- graph, 5
 symmetrically decomposable,
 5, 353
 symmetrically indecompos-
 able, 5, 353
 symmetric part, 275
 total support, 11, 172, 381
 uniformly tapered, 418
 matrix classes definitions
 Θ_n , 428
 Ξ_n , 453
 Ξ_n^{sub} , 454
 Σ_n , 455
 Υ_n , 455
 $\Upsilon_n \langle W \rangle$, 455
 Ψ_n , 491
 Ω_n , 19
 $\Omega_n(A)$, 458
 $\Omega_n(d)$, 444
 $\Omega_n(W)$, 382
 $\Omega_n(X \preceq Y)$, 417
 Ω_n^A , 452
 Ω_n^{sup} , 449
 Ω_n^{sub} , 449
 Ω_n^{ev} , 433
 Ω_n^{tr} , 443
 $\Omega_{R,S}$, 492
 $\Omega_{m,n}^{\text{sub}}$, 449
 $\Omega_{m,n}^{\text{sub}_k}$, 451
 $\dot{\Omega}_n$, 426
 $\langle \mathcal{K} \rangle$, 430
 $\mathcal{A}(R)$, 39
 $\mathcal{A}(R)_0$, 39
 $\mathcal{A}(R, S)$, 27
 $\mathcal{A}(R, *)_0$, 274
 $\mathcal{A}(m, n; r, s)$, 85
 $\mathcal{A}(n, k)$, 84
 $\mathcal{A}^*(n, k)$, 333
 $\mathcal{A}^*(n, k)_0$, 329
 $\mathcal{A}^c(R, S)$, 101
 $\mathcal{A}_C(R, S)$, 175
 $\mathcal{B}(m, n; k)$, 86
 $\mathcal{B}(\mathcal{P})$, 430
 \mathcal{C}_n , 428
 \mathcal{C}_n^* , 431
 cone($\mathcal{P}(A)$), 463
 convhull($\mathcal{P}(A)$), 458
 $\mathcal{H}_n(r)$, 497
 $\mathcal{L}(R, S)$, 204
 $\mathcal{L}^*(R, S)$, 205
 $\mathcal{L}^\circ(R, S)$, 209
 $\mathcal{LS}(R, S)$, 205
 $\mathcal{LS}_Z(R, S)$, 205
 $\mathcal{N}(A)$, 462
 $\mathcal{N}(R)$, 39
 $\mathcal{N}(R)_0$, 39
 $\mathcal{N}(R, S)$, 26
 $\mathcal{N}(R, S)_H$, 365
 $\mathcal{N}(\geq R, \geq S)$, 346
 $\mathcal{N}(\leq R)$, 353
 $\mathcal{N}(\leq R, \leq S)$, 343
 $\mathcal{N}^*(R, S)$, 498
 $\mathcal{N}^+(R, S)$, 346
 $\mathcal{N}_W(R)$, 352
 $\mathcal{N}_W(R, S)$, 342
 $\mathcal{N}_{\leq W}(R)$, 352
 $\mathcal{N}_{\leq W}(R, S)$, 343
 $\mathcal{N}_{\leq W}(\geq R, \geq S)$, 346
 $\mathcal{N}_{\leq W}(\leq R)$, 353
 $\mathcal{N}_{\leq W}(\leq R, \leq S)$, 343
 $\mathcal{P}(A)$, 457
 $\mathcal{S}_n(r)$, 497
 $\mathcal{T}(R)$, 34
 $\mathcal{T}(R; P)$, 37
 $\mathcal{T}(R; p)$, 36
 $\mathcal{T}(R_n; 2)$, 269
 $\mathcal{T}^g(R)$, 34
 \mathcal{T}_n^g , 33
 \mathcal{T}_n , 33
 $\mathcal{T}_n^{\text{gt}}$, 427
 $\mathcal{T}_n^{\text{gt}*}$, 431
 $\mathcal{T}_n^{\text{gt}}$, 427
 $\mathcal{Z}(n, k)$, 123
 $\mathcal{Z}^+(R)$, 39
 $\mathcal{Z}^+(R)_0$, 39
 $\mathcal{Z}^+(R; p)$, 39
 $\mathcal{Z}^+(R; p)_0$, 39
 $\mathcal{Z}^+(n, k)$, 121
 $\mathcal{Z}^+(R, S)$, 27
 $\mathcal{Z}_C^+(R, S)$, 175
 Muirhead's lemma, 21
 multigraph, 3

- near-tree, 349
 - odd, 349, 354
- nearly nonincreasing sequence, 30
- nonnegative integer rank, 110
- optimal assignment problem, 471
- p -tournament matrix, 257
 - number of, 261
- parallelepiped, 400
- partial row sum matrix, 48
- partition of an integer, 16
 - conjugate, 16, 17, 54
 - C -restricted, 179
- permanent, 6, 115, 356, 380, 382, 386, 389, 397, 399, 482
 - Alexandrov's inequality, 487
 - Dittert conjecture, 491
 - even, 443
 - Laplace expansion of, 6
 - maximal, 115, 118, 358
 - minimal, 115, 120, 358
 - faces of assignment polytope, 490
 - van der Waerden conjecture, 482
 - solution, 489
- permutation array, 142
 - generalized, 142
- polyhedron, 346
 - blocker, 430, 431
 - blocking type, 430
- polytope, 337, 379
 - 2-neighborly, 387
 - Ω_n , 19
 - affinely equivalent, 401
 - combinatorially equivalent, 401
 - degenerate, 340
 - dimension, 338
 - extreme point
 - characterization, 338
 - extreme point, 19, 33, 338, 345, 347
 - number of, 340
 - pattern, 343
 - face, 343
 - facet, 338, 366
 - graph of, 374
 - linear ordering, 427
 - majorization, 417, 445
 - nonsingular matrix, 423, 425
 - special matrices, 418, 419
 - nondegenerate, 340
 - restricted transportation, 368
 - number of facets, 368, 372
 - symmetric
 - extreme point, 353, 355
 - faces, 365
 - symmetric transportation, 348
 - extreme point, 349
 - extreme point pattern, 350
 - pattern, 350
 - transportation, 337, 464
 - number of facets, 367
 - pattern, 341
- positive difference of matrices, 235
- random function, 379
- random generation of matrices, 305
- rank, 100
 - maximal, 100
 - formula, 103
 - minimal, 100, 104
 - upper bound, 108
 - tournament matrix, 222
- recording tableau, 144
- Robinson–Schensted–Knuth correspondence, *see* RSK correspondence
- row-bumping, 138
- row-extraction, 140
- row-insertion, 138
- RSK correspondence, 142, 144
 - bijection, 144
 - symmetry property, 146
- Schensted's theorem, 155, 211
- Schur polynomial, 146

- signed graph, 313
- spanning tree, 60
- SS/TDMA system, 479
 - traffic, 479
 - duration, 480
- state space, 305
- strong row sum vector, 224
- structure matrix, 29, 57, 64, 81, 89, 170, 172, 173, 322, 323, 325, 332
- subtournament, 33
- support condition, 341
 - symmetric, 350, 353
- switching configuration, 479
- symmetric term rank, 365
 - maximal, 361
 - minimal, 364
- term rank, 5, 69, 356
 - constant, 77
 - doubly stochastic matrix, 20
 - maximal, 69, 76, 356, 364
 - Ryser's formula, 71
 - minimal, 69, 76, 356, 357
 - formula, 74
 - symmetric, 359
 - maximal, 360
 - minimal, 360
- terminal part of a row, 239
- tournament, 33
 - 3-cycles, 225
 - disjoint, 226
 - bipartite, 62, 231
 - directed Hamilton cycle, 224
 - maximal upset
 - algorithm for, 244
 - minimal upset
 - algorithm for, 240
 - near-regular, 254
 - nonupset digraph, 303
 - regular, 254, 302
 - score, 33
 - score vector, 33
 - normalized, 35
 - strong, 224
 - transitive, 223
 - upset, 302
 - upset digraph, 303
- tournament matrix, 32, 219, 275
 - canonical form, 34
 - generalized, 32, 426
 - existence theorem, 37
 - polytope, 427
 - rank, 222
 - half-transitive, 230
 - existence, 232
 - irreducible, 223
 - near-regular, 229
 - number of
 - bounds, 262
 - p -tournament matrix, 36
 - existence theorem, 36
 - regular, 229
 - Ryser's algorithm, 219
 - term rank, 223
 - transitive, 223
 - convex hull, 427
 - generalized, 431
- trace, 86
 - maximal, 87
 - formula for, 89
 - minimal, 87, 90, 164
 - formula for, 91
- transportation
 - special, 379
- transportation problem, 337
- Tutte–Berge theorem, 360
- unimodal sequence, 59
- upset, 238
 - extreme values, 247, 250, 252, 254
 - maximal number, 239
 - minimal number, 239
 - formula for, 240
- Vandermonde matrix, 257
 - determinant, 257, 259
- width, 7, 79
 - critical submatrix, 7
 - maximal, 79, 83

- width (*cont.*)
 - minimal, 79
 - minimal submatrix, 7
 - multiplicity, 7, 79
 - minimal, 79
- word, 211
- Young diagram, 137, 186
 - shape of, 138
- Young pattern, 186
 - generalized, 186
- Young tableau, 138, 213
 - conjugate shape, 149
 - p -tournament matrix, 260
 - standard, 138
 - type of, 147
 - uniquely reconstructable,
211