

Index

- A alpha sensory axon 10, 17
- A beta sensory axon 10, 18, 82
- A delta sensory axon 10, 18, 33, 35, 81, 142
- A5E3 108
- A-60 19
- abaxonal Schwann cell
 - cytoplasm 23
- acetylcholine (Ach) 37
- acetylcholinesterase (AchE) 123
- acetylcholine receptors (AchR) 69, 146
- ACTH (adrenal corticotrophic hormone) and regeneration 213
- actin, F-actin, G-actin 19, 97, 99, 101, 123–125, 209
- actin interacting protein 87, 101
- actin monomer binding proteins 87, 101
- activating transcription factor 3 (ATF3) 122–123, 193
- activity, and impact on regeneration 218
- acute motor and sensory axonal neuropathy (AMSAN) 2
- adaxonal Schwann cell
 - cytoplasm 23
- adenomatous polyposis coli tumor suppressor protein (APC) 87, 102, 190
- adhesive point contacts 210
- adrenergic axons, terminals 13, 155–157
- age, and impact on regeneration 215
- agrin 146, 176
- Akt (PKB; protein kinase B; V-akt murine thymoma viral oncogene homolog) 87, 103–104, 120, 124, 128, 188–189, 193–194, 211
- allodynia 55, 75–76, 141, 143, 150
- alpha internexin 19, 21, 123
- alpha motor neuron (axon) 10, 18, 25
- alpha2-chimaerin 104
- AMPA receptor 29
- amphotericin 127
- angiogenesis in peripheral nerves 106, 166
- ankyrin 19
- ankyrin_G 25
- anterior (gray matter)
 - horn of the spinal cord 6, 8, 26
- arteriovenous shunts (AV shunts) 13, 154
- anterograde neuron labeling 74, 74
- apolipoprotein E
- Arp 2/3 complex 87, 101, 209
- Artemin 191, 192–193
- autocrine support of neurons 120
- autonomic nervous system 8, 31
- autonomic neurons 8, 31
- autoregulation 13, 27, 156–157
- axon direction finding, guidance, misdirection 115–116, 143–145, 198
- axon growth rate 94
- axon sprouting 71, 91, 128, 135, 140
 - (*see also* Regenerative sprouting)
- axonal endbulbs (*see* Endbulbs, axonal)
- axonal protein synthesis 124–126, 198
- axonal pruning 93, 128–129
- axolemma 19
- axonotmesis 39–41, 43, 52
- axoplasmic reticulum 19

268 Index

- axoplasmic transport, anterograde, retrograde and slow 22, 91
- axotomy 6, 119, 121, 151
- Bands of Bungner 92, 106, 174
- basement membrane 22, 112, 207
- beam walking test 78
- beta-thymosin 125
- blocking of neuromuscular junction transmission 140
- blood flow *see* nerve blood flow
- blood-ganglion barrier 27
- blood-nerve barrier (BNB) 14–15, 57
- bone morphogenetic proteins (BMPs) 191
- brachial plexus 10
- bradykinin receptor 29
- brain-derived neurotrophic factor (BDNF) 30, 98, 100, 118, 123, 127, 144, 146–148, 184–190, 191, 198–204
- C unmyelinated axons 33, 81, 142
- cadherins 24, 207 (*see also* N-cadherin)
- calcitonin gene-related peptide (CGRP) 13–14, 29–30, 32, 63, 66, 76, 88, 90, 94, 108, 141, 143, 155, 159, 166, 173, 179, 211, 215
- calcium (Ca^{2+}) channels 29
- calcium-activated potassium channel (KCa) 29
- calmodulin 105
- Ca^{2+} -calmodulin-dependent protein kinase II (CaMK II) 97, 128, 209, 211
- Ca^{2+} -calmodulin-dependent protein kinase I (CaMKI) 105
- calpain 46, 105
- campenot compartmental cultures 80, 198
- cannabinoid receptor 29
- cap Z 101
- cardiotropin-1 (CT-1) 190–191
- casein kinase II (CK2) 103
- caspase-3 124
- Caspr 25, 49–50
- caveolin 119
- CDC 11, 34, 87, 99, 102, 155, 190, 193
- celiac ganglia 8, 10, 31
- cell adhesion molecules (CAMs) 206–207
- cell body reaction to axotomy 121–122
- central chromatolysis 121
- central nervous system (CNS) plasticity in response to peripheral nerve lesions 150
- central nervous system (CNS), regeneration of peripheral axons into 217
- CNS topographical maps 151
- cervical and lumbar enlargement 8, 10, 26
- cervical ganglia 8
- Charcot-Marie-Tooth disease (CMT) 24–25
- chemoreceptors 34
- cholesterol 91
- choline acetyltransferase (ChAT) 11, 32, 37, 63, 123, 173
- cholinergic axons, terminals 34
- chondroitin sulphate proteoglycan (CSPG) 23, 50, 99, 102, 104, 175, 190, 200, 211–212, 217
- chronic constriction injury (CCI) 54–55, 143, 163
- Chung model of neuropathic pain 33–34, 55
- ciliary neurotrophic factor (CNTF) 118, 176–177, 190–191, 199, 202–203
- cofilin 87, 101–102, 124
- cold sensory testing 76, 150
- collagen 11–12, 14–15, 22, 147, 174, 211
- collapsin-response mediator proteins (CRMPs) 87, 103–104
- collateral sprouting of axons, collateral reinnervation 76, 81–82, 128–130, 139, 142, 150, 172, 180, 201
- compartment syndrome 39, 41, 55, 162, 166
- compliance 11
- compound muscle action potential (CMAP) 43, 67–69, 138, 148, 163–164, 178
- compression injuries to nerve (*see* Entrapment nerve injuries)
- conduction block 40, 42–43, 164 (*see also* Ischemia, conduction block)
- conduction velocity 66, 68, 138
- Connexin 32 (Cx32) 10, 18, 24, 25
- Contactin 25
- contralateral effects of axotomy 122
- Cortactin 101
- cranial ganglia 8, 27
- cyclic AMP (cAMP) 102, 108, 126, 146, 189, 200, 213, 217–218
- cyclic AMP phosphodiesterase 126, 193

- cyclic AMP response element-binding protein (CREB) 109, 189
- cyclin-dependent kinase (CDK) 104
- cytoskeleton-associated protein-23 (CAP-23) 105, 122
- demyelination 39–40, 42–43
- dendritic arbours and axotomy of motor neurons 150–151
- denervation, long-term of nerve trunks 173–175
- denervation, long-term of nerve trunks, reasons 170
- desert hedgehog protein (Dhh) 51, 87, 131
- desert hedgehog protein receptors 131
- desiccation artifact of nerve 59–60
- diabetes mellitus and regeneration 216
- diabetic neuropathy 130, 162, 165, 180
- diacylglycerol 189
- digestion chambers, axon or myelin 48
- dishevelled proteins 62, 103
- dissector, physical or optical for unbiased cell counts 119
- dorsal horn of spinal cord 10
- dorsal root entry zone (DREZ) 217
- dorsal root ganglion (DRG) 28–30, 56, 109, 157
- dorsal root ganglion blood flow 157
- dorsal root ganglion, ischemia of 165
- dynein 22, 98, 126
- dystroglycan 147
- E-cadherin 24 (*see also* Cadherins)
- E3/E4 ubiquitin ligases 46, 118
- ectopic discharges associated with neuropathic pain 88, 90
- Edinger-Westphal nucleus 31
- electrical silence of denervated muscles 177
- electrical stimulation, impact on regeneration 144, 202, 219
- electrodecremental response in testing neuromuscular junction 140
- electromyography (EMG), needle electromyography 69, 139–140, 178
- electron microscopy (EM; thin sections for microscopy) 18, 60, 83, 95, 106
- Ena/Mena/VASP 101
- endbulbs, axonal 52, 88–92
- endoneurial blood flow compartment 155
- endoneurial capillaries 155
- endoneurium 14–16, 155
- endothelin (ET) 29, 163
- endothelin receptor 29
- endosomes 19
- enkephalin 32, 88, 122
- enteric nervous system 8, 10, 31–32, 118
- entrapment, or compression nerve injuries 56, 67, 166
- ephrin 99
- epidermal growth factor (EGF) 191, 194
- epidermal growth factor receptor (EGFR) 29, 99, 191
- epidermis 33, 71, 140–143 (*see also* Skin innervation)
- epineurial arterioles 13, 156
- epineurial plexus 11, 155, 168
- epineurium, epineurial sheath 10, 12
- Erb neuregulin receptors 49, 118–119, 140, 174
- erythropoietin (EPO) 51, 191, 194
- estrogen and regeneration 213
- eukaryotic translation initiation factor-4E (eIF-4E) 124
- evoked potentials 71
- explants of neurons for regeneration studies 80, 183
- EXT2 (hereditary multiple exostoses gene) 123
- extracellular signal-related protein kinases (ERKs) 189, 192, 194, 197
- ezrin 49–50
- F-spondin 145, 211
- F waves 67, 70
- fascicles 13, 15–16
- fibrillation potentials 43, 69, 138–140, 178
- fibroblast 131
- fibroblast growth factors (FGFs) 108, 118, 123, 149, 191, 193, 199–200, 203
- fibroblast growth factor receptor (FGFR) 29, 191, 193, 203
- fibronectin 22, 116, 200, 209–211
- filopodia of growth cones 95
- fixation of nerves 61, 83
- fixation artifacts of nerve 60–61
- FK506-binding proteins (FKBPs) 213
- flexion contractures, paw from prolonged denervation 79, 149, 178–179

270 Index

- fluorogold 72–73
- focalized proteolysis 212
- fodrin 19
- forelimb testing of
reinnervation in rats 76, 150
- forskolin and regeneration 213
- G ratio 23, 62
- Gp130 receptor subunit 190–191, 199
- galanin 29, 66, 88, 122
- galanin receptor 29
- galectin-1 127
- gamma motor axon 10, 18, 25, 34
- ganglion blood flow 27
- gangliosides and regeneration 213
- gap, proximal to distal
stump following nerve transection 64, 133–134, 201–203
- gap junctions (zona adherens) 14
- glial-axon junction 24
- glial-derived neurotrophic factor (GDNF) 11, 30, 118, 146, 148, 174, 186, 191–192, 197–204
- glial-derived neurotrophic factor receptors 29, 123, 191, 192–193, 199
- glial fibrillary acidic protein (GFAP) 106, 109, 113, 115, 145
- glycogen synthase kinase 3 β (GSK3 β) 87, 102–104, 188, 190, 209, 212
- glutamate receptors 29
- glycogen depletion method to study motor units 136
- glycolytic (Type II) muscle fibers 36, 136
- Glypican-1 147
- GM1 ganglioside 29
- Golgi organs 19, 86
- Golgi tendon organs 34–35
- gray rami communicans 31
- grip strength testing 150
- growth-associated protein 43 (GAP43/B50) 65, 87, 104, 106, 108, 122–123, 143, 173, 189, 214
- growth cone 79, 88, 90, 95–96, 100, 107, 124–125
- growth cone organizing complex (GCOC) 86
- growth hormone (GH) and regeneration 213
- Guillain–Barré Syndrome (GBS) 2–3, 130
- H waves, reflexes 70
- hair sensory receptors 32, 35, 142, 180
- hand reimplantation, reinnervation following 141, 151
- handling artifact of histological samples 59
- Hargreaves apparatus for thermal testing 75–76
- heat shock protein 27 (HSP 27) 120, 122–124
- heparan (heparin) sulphate proteoglycan 116, 123, 192–193, 211
- hepatocyte growth factor (HGF) 146, 191, 195, 199
- histamine 14, 179
- histamine receptor 29
- HNK-1 (human natural killer leukocyte epitope; L2) 144, 207
- horizontal ladder test 79, 150
- HuD (RNA binding protein) 123
- hydrogen clearance polarography (HC) 158–160
- hypercarbia, impact on nerve blood flow 156
- hyperemia of nerve blood flow 166
- hyperpolarization-activated cyclic-nucleotide gated (HCN) 29–30
- hypogastric ganglia 8, 10
- IB-4 (isolectin B-4) sensory neuron subtype 11, 30, 66, 142, 186, 192–193, 197, 211
- image analysis of nerves, ganglia 61
- immunohistochemistry 11, 66, 115
- immunophilins 213
- importin 126
- importin-vimentin-pErk retrograde signal 126
- in vitro* measures of regeneration 79
- injury potentials after nerve damage 85
- inner mesaxon 23, 147
- innervation ratio 27
- inositol 1,4,5-triphosphate (IP3) 189, 214
- insulin 108, 118, 125, 191, 194, 203, 216
- insulin-like growth factors (IGFs) 108–109, 118, 146, 176, 191, 194, 199–200, 202–204, 216
- insulin-like growth factor receptors (IGF-R) 191, 194
- insulin receptors (IRs) 191, 194
- insulin receptor substrate (IRS) 194–195

- interferon- γ (IFN- γ) 50
- integrins 103, 109, 116, 119, 142, 147, 207, 209–211
- interleukins 50, 87, 109, 118, 123, 127, 190–191, 198–199, 203
- intermediate early genes 122
- intermediate filament 19
- internodes 16, 25, 40
- intraperiod line 23, 147
- iodoantipyrine [C14] autoradiography or distribution 158, 161
- ischemia of ganglia (*see* dorsal root ganglion, ischemia of)
- ischemia of nerve 11, 153, 162–165
- ischemia of nerve during injury 165, 168
- ischemia, centrofascicular of nerve 153
- ischemia, nerve conduction block 163–164 (*see also* resistance to ischemic conduction failure)
- JAK (janus-kinase) and STAT (signal transducer and activator of transcription) pathway 190
- Jitter indicating unstable neuromuscular transmission 139–140
- juxtaparanode 24–25
- kainate receptor 29
- katamino 87, 98
- kinesin 22, 98
- Krox20 (Egr2) 147
- L1 118, 142, 207
- lamellipodia 95
- lamina densa 22
- lamina lucida 22
- laminin 22, 50, 103, 116, 147, 192, 208–211
- laser doppler flowmetry (LDF) 158, 159–160, 161
- leukemia inhibitory factor (LIF) 51, 109, 118, 123, 127, 190–191, 199
- LIM kinase 87, 101
- LINGO 99
- lipoprotein receptor-related protein (LRP-1) 109, 195
- lumbosacral plexus 10
- lymphatic vessels in the peripheral nerve trunk 12, 14, 193
- lysosomes 19
- macrophages 45, 48, 50, 52, 86, 127
- macrophage inflammatory protein 1 α (MIP 1 α) 50
- macrophage stimulating protein (MSP) 191, 195
- major dense line 23, 147
- mast cells 14, 16, 52, 76, 106, 131, 179, 198
- matrix metalloproteinases (MMPs) 50, 175, 212
- mDia 99
- mechanical sensitivity, hyperalgesia 75–76, 141, 150
- Meissner's corpuscles (FAI) 33, 35, 142–143, 180
- mesenteric ganglia 8, 10, 31
- Merkel touch complexes, domes (SAI) 32, 35, 142, 180
- metabosensitive afferent axons 77
- microfilaments 19
- microglia 119
- microtubules 19–20, 21–86, 95–96, 98
- microtubule associated (binding) proteins (MAPs or MBPs) 22, 98
- microsphere embolization to measure nerve blood flow 158, 161
- miniature endplate potentials (MEPPs) 37
- minifascicles 15, 54, 61–62, 114–115, 130, 134, 168, 176
- mitochondria 19–20
- mitogen-activated protein kinase (MAPK) 102, 118, 122, 128, 189, 193, 195, 211, 214
- mixed spinal nerve 10
- monocyte chemoattractant protein-1 (MCP-1) 50, 109
- mononeuritis multiplex 162
- mononeuropathy 1
- morphological measures of nerve blood vessels 161
- motor neurons 6, 8, 10, 25–26, 150
- motor recovery 77–79, 149
- motor unit 26, 70, 129, 136, 177 (*see also* voluntary motor unit potentials)
- motor units, giant 139–140, 177
- motor unit force measurements 70, 138
- motor unit number estimation (MUNE) 69, 138
- multifiber nerve conduction recordings 66
- muscle ATPase stain for fiber types 136
- muscle atrophy 138, 177

272 Index

- muscle denervation 43, 69, 175–178, 179
- muscle fiber type grouping 136
- muscle grouped fiber atrophy 137
- muscle reinnervation 135
- muscle specific kinase (MuSK) 37
- muscle spindles 34, 185
- mTOR (*see* target (mammalian) of rapamycin)
- myelin 23–24, 24
- myelin and lymphocyte protein (MAL) 24
- myelin associated glycoprotein (MAG) 24–25, 99, 102, 200, 207
- myelin basic protein (MBP) 24, 63
- myelin ovoids 44
- myelination, remyelination 23, 148
- myelinated axon 10, 16–17, 20, 60
- myelinated fiber density 18, 61
- myenteric (Auerbach's) plexus 32
- myosin in growth cones 99
- myristoylated alanine-rich protein kinase C substrate (MARCKS) 105
- N-cadherin 118, 174–175
- N-WASP 101
- Nancy B 2
- Necdin 188
- Neurotrophin 204
- nerve action potentials (NAPs) 66, 163
- nerve blood flow 12, 153–169, 159–160, 169
- nerve blood flow after injury 166
- nerve and ganglion blood flow measurement methods 158–161
- nerve growth factor (NGF) 80, 98, 100, 103, 118, 125, 128, 146–147, 182–183, 191, 197–204, 212, 214
- nervi nervorum 14
- nestin 145
- Nests of Nageotte 119
- Netrin 100, 128
- neural cell adhesion molecule (NCAM,Nr-CAM) 25, 108, 118, 144, 174–175, 192, 207
- neurapraxia 39–40, 42, 171
- neuregulins (NRGs) 49, 87, 108, 119, 137, 147, 175–177, 194
- neurites, *in vitro* neuron cultures 79, 91
- neuroeffector junction 32
- neurofascin 24–25
- neurofilament 19–20, 20–21, 29, 36, 46, 65, 73, 86, 88, 90, 106–107, 115–117, 121–122, 208
- neurogenic inflammation 76, 179
- neurokinin receptor (NK1) 29
- neuroma 51–52, 168, 173, 176
- neuroma “in continuity” 52–54, 175
- neuromuscular junction 36, 71, 104, 135, 138–139, 146
- neuropathic pain 4, 54
- neuropathy 1, 3–4, 12
- neuropeptide Y 32, 88, 122
- neuropilin receptors for semaphorins (NP-1 and NP-2) 104, 214
- neuropoietic cytokines 118
- neurotmesis 39, 41–43, 51–52, 172
- neurotrophic hypothesis 119, 186–187, 196
- neurotrophin-3 (NT-3) 30, 109, 123, 145–146, 184–190, 191, 198–204, 209
- neurotrophin-4/5 (NT-4/5) 123, 146, 184, 191, 198–204
- neurotrophin-6 (NT-6) 184
- neurotrophin-7 (NT-7) 184
- neurotrophins, neurotrophic growth factors 30, 118, 182, 184–185, 191, 196–204
- neurovascular bundle 11
- neurturin 191, 192–193
- Nexin-1 213
- nicotinamide mononucleotide adenyltransferase (NMNAT) 47
- Nissl substance 27, 121
- nitric oxide (NO) 51, 89, 155, 166, 194
- nitric oxide synthases (NOS) 51, 88, 122
- nociceptin 29, 66, 88, 122
- nociception 33
- nociceptive 11, 18, 35, 201
- nociceptors 33, 35
- nodes of Ranvier 16–17, 20, 23–24, 25, 128
- Nogo 24, 99, 212
- Nogo receptor (NgR) 99, 128
- nuclear localization signal (NLS) 126
- nuclear magnetic resonance spectroscopy (NMRs) of muscle 178

- nuclear transcription factor kappa B (NF κ B) 87, 102, 127, 188, 194
- Oct6 (SCIP/TstI) 147
- oligodendrocyte myelin glycoprotein 99
- oncomodulin 127–128
- oncostatin 118, 190–191
- opioid receptors 29, 88
- opioid-like receptor 1, 3–4, 12, 29
- outer mesaxon 23, 147
- oxidative (Type I) muscle fibers 36, 136
- oxygen tensions, endoneurial 157, 161
- p21-activated kinase (PAK) 87, 102
- P31 NMR spectroscopy of muscle, and denervation 178
- p38 124
- p53 tumor suppressor family 120
- p75 growth factor receptor 29–30, 98, 103, 106, 122, 142, 174, 184, 190–191, 199, 202–204
- pErk 126
- P0 protein (MPZ) 24, 147, 207
- P2 protein 24
- Pacinian corpuscles 33, 35, 142, 180
- pancreatitis-associated protein III (PAP-III) 51
- para-aortic ganglia 8, 10
- paracrine support of neurons 120
- paraesthesiae 141
- paranodal bulbs 23
- paranode 23–25
- paranode–node–paranode (PNP) 24
- paraspinal sympathetic ganglia 8, 10, 31
- parasympathetic axons 31
- parathyroid hormone-related peptide (PTHrP) 109
- pelvic splanchnic nerves 31
- peptidergic axons, terminals 13, 155
- periaxin 24
- periaxonal space 23
- pericytes 15
- perikarya 8
- perineurium 14, 131
- perineuronal satellite (glial) cell 6, 27–28, 108–109, 119, 124, 145
- peripheral myelin protein 22 (PMP 22) 24
- peripheral nerve trunk 4, 8, 10
- peripherin 19, 21, 123–124
- peroxynitrite 51
- Perroncito, structures of 88
- persephin 191, 192–193
- PGP 9.5 (Protein gene product 9.5) ubiquitin hydrolase axon label 33, 65, 71, 81, 106–107, 115, 141, 143
- phantom sensations 151
- phosphatase and tensin homolog deleted on chromosome ten (PTEN) 87, 103–104, 188
- phosphatidylcholine 91
- phosphatidylinositol-3-kinase (PI3K; PI3-kinase) 97, 103, 118, 120, 124, 128, 188–190, 192–195, 209, 211–212, 214
- phosphatidylinositol 4,5-bis-phosphate (PIP2; PI (2)P) 87, 101, 103, 105, 188
- phosphatidylinositol 3,4,5-triphosphate (PIP3; PI(3)P) 103–105, 188
- phospholipase A₂ (PLA₂) 214
- phospholipase C γ (PLC- γ) 188–189, 192, 195, 214
- piplimotor axons 34
- pinch test of regeneration 74
- pincher pinocytotic protein 197–198
- pinocytotic vesicles 14
- pioneer axons 94
- pituitary adenylate cyclase-activating polypeptide (PACAP) 29, 190
- plasma extravasation 76
- platelet-derived growth factor (PDGF) 108–109, 191, 194, 204
- pleiotrophin 146, 190–191, 195, 199, 204
- poly ADP-ribose polymerase (PARP) 189
- polyamines and regeneration 217
- polyneuronal innervation of muscles 135
- polyneuropathy 1
- polyribosomes 19
- polysialic acid moiety of NCAM 144, 207
- position sensibility 35 (see also proprioception)
- positive sharp waves 43, 69
- posterior columns of spinal cord 10
- potassium (K⁺) channels 25, 29
- precapillary sphincters 13
- preconditioning (conditioning) 124, 218
- preferential motor reinnervation (PMR) 129, 144–145, 219

274 Index

- presynaptic Schwann cells 36
- pro-NGF (pro-nerve growth factor) 186–187, 188
- profilin 87, 101
- proneurotrophin 99
- proprioception 4, 142
(see also position sensibility)
- protudin 91
- protein kinase A (PKA) 200
- protein kinase C (PKC) 104–105, 118, 120, 122, 189
- pseudonerves 110
- purinergic receptor 29–30, 197
- RabGTPase 197
- RAC 87, 99–100, 102, 104, 190, 192, 211
- Ran-2 108
- Rapsyn 37
- Ras superfamily GTPases 99, 102, 188–189, 192–193, 195, 214 (*see also RHO family GTPases*)
- reactive Schwann cells 81, 106–107, 111, 113, 174
- receptor for advanced glycosylation endproducts (RAGE) 51, 127
- regeneration associated genes (RAGs) 120, 122, 125, 172, 196, 218
- regeneration conduit 64, 114–116, 133–134, 149, 200, 202
- regeneration rate of axons 170
- regeneration units 95, 112
- regenerative sprouting 45, 89, 92–94, 116, 128
(see also Axon sprouting)
- Reich granules 22
- Remak bundle 17–18, 22–23, 108
- Renaut bodies 19
- repetitive nerve stimulation technique to assess neuromuscular junctions 138–139
- reperfusion injuries of peripheral nerves 162
- repulsive guidance molecule (RGM) 215
- resistance to ischemic conduction failure (RICF) 163
- retrograde degeneration of neurons and axons 86, 119–120, 172
(see also traumatic degeneration)
- retrograde labeling of neurons 72–73
- Rexed lamina 25
- RHO family GTPases 97, 100, 102, 188, 190, 209–212
- RHO kinase (ROK) 87, 99, 102, 211–212
- RHOA 87, 99–100, 102, 104, 125, 211
- ribosomal periaxoplasmic plaque domains 22
- ribosomal-P0 124
- root avulsion 120
- Ruffini endbulbs (SAII) 32, 35
- S-100 immunohistochemical marker of Schwann cells 81
- safety factor for neuromuscular transmission 138, 140
- saltatory transmission 16
- satellite cells 6, 27–28, 108–109, 119, 124, 145
- Scar/WAVE 101
- Schwann cell 6, 16, 22–23, 107
(see also Reactive Schwann cells)
- Schwann cell, terminal or perisynaptic (*see terminal Schwann cells*)
- sciatic functional index (SFI) 77–78
- Schmidt-Laterman clefts or incisures 23, 147
- Seddon classification of nerve injuries 39, 41, 55, 162, 166
- segmental demyelination 40
- Semaphorin 87, 99, 102, 104, 131, 200, 211, 214
- Semithin plastic (epon) light microscopy tissue sections 13, 26, 28, 58–59, 83, 114, 134
- sensory nerve action potentials (SNAPS) 66, 141, 149
- sensory neuron 8, 10, 27–30, 96, 111–112
- sensory recovery 75–77, 149
- serotonin 14
- Sholl analysis of neurite outgrowth 80
- single fiber electromyography (SFEMG) 139–140
- SIRT1 (Silent information regulator mammalian protein; sirtuin) 47
- skin denervation 179
- skin innervation 32–33, 71, 140–143
- skin ulceration 179
(see also Wound healing, skin)
- slingshot 87, 101
- sodium (Na^+) channels 25, 29, 88
- somatostatin 29, 32

- somatostatin receptor 29
- Sox10 (Sry-related HMG box 10) 147
- spectrin 25
- sphenopalatine ganglion 31
- spinal ganglia 27
- spondylosis 165, 171
- staggered axonal regrowth 93–95, 171
- staircase test 79, 150
- STAT3 (Signal Transducer and Activator of Transcription 3) 127
- stem cells, peripheral neuronal 145
- stretch injuries 56
- substance P (SP) 11, 13, 29, 62–63, 76, 88, 143, 155, 159, 179, 185
- submandibular ganglion 31
- submucous (Meissner's) plexus 32
- Suc1-associated neurotrophic factor-induced tyrosine phosphorylated target (SNT) 188
- Sunderland classification of nerve injuries 42
- superior cervical ganglia neural-specific 10 protein (SCG10) 122
- suppressor of cytokine signaling (SOCS3) 190
- sweat glands 34, 71, 129, 143, 179
- sympathetic axons 11, 34, 155, 193
- sympathetic ganglia 31
- synaptophysin 106
- TAJ/TROY (toxicity and JNK inducer; member of the TNF receptor superfamily) 99
- target (mammalian) of rapamycin (TOR; mTOR) 124, 128
- tenascin 116, 211
- tensile properties 11
- terminal (perisynaptic) Schwann cells 104, 135, 142, 177, 180, 218
- testosterone and regeneration 213
- thermal sensation, hyperalgesia 18, 33, 75, 141, 143, 149–150
- thyroxine (thyroid hormone) and regeneration 213
- tight junctions (zona occludens) 14–15
- tissue plasminogen activator (tPA) 213
- transforming growth factor- β (TGF- β) 50, 148, 191, 193, 204
- transient receptor potential proteins (TRPs) 29, 34
- transitional zone (TZ) 19
- traumatic degeneration 46–47 (*see also* retrograde degeneration)
- transient axonal glycoprotein-1 (TAG-1; axononin-1) 24
- triple response of Lewis 179
- tropomyosin 101, 124
- tropomyosin-related kinase A (Trk A) 29–30, 98, 122, 147, 184–190, 191, 197, 202
- tropomyosin-related kinase B (Trk B) 30, 98, 123, 144, 184–190, 191, 197, 202
- tropomyosin-related kinase C (Trk C) 29–30, 98, 122–123, 184–190, 191
- tubulin 21, 63, 65, 80, 98, 106, 110, 115, 117, 122–123, 210
- tumor necrosis factor- α (TNF- α) 50, 109, 127
- tyrosine hydroxylase (Th) 11, 32
- ubiquitin 124
- ubiquitin-proteasome system (UPS) 47
- uncoupling protein 3 (UCP3) 195
- unmyelinated axon 10–11, 18–19
- unmyelinated fiber density 19, 60
- vasa nervorum 11, 15–16, 153–154, 167, 169
- vascular endothelial growth factor (VEGF) 146, 166, 175, 191, 195, 199
- vasculitic neuropathy 4
- vasoactive intestinal polypeptide (VIP) 29, 32, 141, 143, 215
- vasoconstriction 13–14, 155–157, 180
- vasodilatation 13–14, 76, 155, 166
- vesicle associated membrane protein-1 (VAMP-1) 123
- vimentin 126
- voluntary motor unit potentials 69 (*see also* Motor units)
- voltage gated calcium channels 36
- voltage gated potassium channels 36

276 Index

- von Frey hairs for mechanical sensitivity testing 141, 150
- Wallerian degeneration and Wallerian-like degeneration 5, 40–43, 44–46, 48, 57, 62–63,
- watershed zones 11, 153
- White rami communicans 31
- Wld^s mouse mutant 47
- wound healing, skin 179
- wrong way axons 116, 143
- YFP thy-1 transgenic mice 66, 93, 203
- ZAS3 (Zinc finger protein, acidic region, Ser/Thr rich) 87, 127