

Index

- accident risk 146, 149, 338
 accidental injury 338
 ache 391
 activity budgets 292, 361
 adolescent sterility 280
 adolescent subfecundity 280
 age at dispersal 7
 age at first birth 341
 age classes 332
 infant 288, 295
 juvenile 295, 332
 subadult 295, 332
 age composition 335
 aggression 228, 243, 245, 248, 251, 252, 279,
 290, 292, 293, 308–309, 310, 317,
 318–319, 338, 344
 aggression and copulation 279
 coalitionary killing 340
 female-directed male aggression 248,
 252–253, 278
 female–female aggression 245
 in captivity 248, 252
 lethal aggression 247, 249, 253, 339–340,
 345
 male–male aggression 248, 251
 wounds 309
 agonistic behavior 240, 248, 251, 292
 agricultural expansion 356
 Aguaruna 390, 393, 394
 Aldolase A Intron V 65
 alloparenting 318
 infant carrying 307–308, 318
Alouatta 1, 19, 21, 23, 24, 28, 29, 31, 32, 41,
 167, 185, 209, 213, 273, 363, 388, 389
 Alouatta belzebul 39, 390
 Alouatta caraya 39
 Alouatta fusca 39
 Alouatta palliata 379, 380, 385
 Alouatta pigra 385
 Alouatta seniculus 39, 157, 379, 389
 energy-minimizing foraging strategy 185
 Amachua 386
 Amazonia 8
 anatomy 20
 anthropogenic factors 360, 362
Aotus 30, 380, 389, 390
 archaeological data 8, 378, 379–381, 395
Ateles 19, 24, 29, 31, 34, 41
Ateles belzebuth 21, 26, 39, 57–58, 60, 67–70,
 72, 190, 197, 209, 221, 245, 351, 362,
 383, 386, 396
 Ateles belzebuth belzebuth 3, 6, 57, 60, 69,
 81, 82, 85, 108, 111, 113, 115, 140, 141,
 145, 147, 156, 188, 194, 204, 244, 247,
 248, 252–253, 334, 336, 341, 344, 357
 Ateles belzebuth chamek 4, 5, 6, 57, 60, 85,
 108, 114, 141, 145, 230, 242, 247, 248,
 249, 251, 268, 292, 297, 332, 334, 336,
 344, 351, 356, 357, 363, 386, 389
 Ateles belzebuth hybridus (see *Ateles*
 hybridus)
 Ateles belzebuth marginatus 58, 60, 351,
 357, 360, 388, 389
Ateles chamek (see *Ateles belzebuth chamek*)
Ateles fusciceps (see *Ateles Geoffroyi*
 fusciceps)
Ateles fusciceps robustus (see *Ateles Geoffroyi*
 robustus)
Ateles Geoffroyi 2, 21, 22, 26, 39, 43, 51,
 56–57, 70, 72, 82, 85, 188, 204, 209, 211,
 221, 225, 226, 227–229, 242, 243, 244,
 245, 247, 248, 249, 251, 268, 269, 272,
 275, 279, 288, 292, 293, 334, 351, 352,
 362, 363, 367, 380, 381, 385
 Ateles Geoffroyi azuerensis 51, 56, 59
 Ateles Geoffroyi frontatus 51, 56, 59, 352
 Ateles Geoffroyi fusciceps 21, 23, 35, 57,
 222
 Ateles Geoffroyi Geoffroyi 51, 56, 59
 Ateles Geoffroyi griseescens 51, 56, 59
 Ateles Geoffroyi ornatus 51, 56, 59
 Ateles Geoffroyi panamensis 51, 56, 59,
 352
 Ateles Geoffroyi robustus 57, 59, 69, 357,
 358, 388
 Ateles Geoffroyi vellerosus 51, 56, 59, 359
 Ateles Geoffroyi yacatanensis 51, 56, 59,
 141, 359, 360
Ateles hybridus 3, 58–59, 60, 69, 72, 351,
 352, 386, 387, 388

- Ateles hybridus brunneus* 353, 357, 358, 365
Ateles hybridus hybridus 357
Ateles paniscus 4, 5, 21, 26, 35, 58, 60, 70, 72, 85, 108, 140, 188, 190, 204, 209, 213, 244, 247, 250–253, 341, 351, 357, 362, 385, 388, 389, 395
 Atelinae 19, 20, 41, 185, 255, 257
 Atelini 40, 185
 energy-maximizing foraging strategy 185, 213
 Aztec 380, 382
 Ehecattl-Quetzacoalt 380
- Baculum 273, 283
 Barí 386–388, 390, 391, 392, 394
 Barro Colorado Island 3, 7, 115, 119, 204, 268, 282, 291, 294, 308, 320, 336, 339
 Belize 359
 bioclimatic models
 biogeography 42, 52–53, 71
 biological market 244, 245, 248, 250, 256
 birth peaks 281, 282, 341
 birth process 280
 body size 20
 body weights 39
 female weight 21
 male weight 21
 Bororo 393, 394
Brachyteles 1, 5, 19, 21, 23, 24, 28, 29, 30, 31, 32, 39, 41, 209, 272, 273, 277, 353, 367
 brain 20, 22, 23
 Brazilian Amazonia 357, 360, 362, 365, 368
Brosimum alicastrum (ramón tree) 381
 bushmeat 367
- Caipora bambuorum* 38–39, 186
 captive animals 1–5
 capuchin monkeys (see *Cebus*)
 Cashinahua 386, 389
Cebuella pygmaea (pygmy marmoset) 395
Cebus 1, 29, 30, 35, 167
 Cebus albifrons 160, 389
 Cebus apella 289, 389, 390
 Cebus capucinus 380, 385
 Cebus kaapori 390
 Cebus olivaceus 389
 Semi-prehensile tail 35
 Central America 358–359
Cercopithecus albigena 226, 228
Chiropotes satanas 389
 chromosomal variation 62–64
 CITES 352
 Ciudad Ixtepec 380
 climate change 361
- clitoris 7, 222, 270, 283, 295
 clitoral hold 278
 clitoral sniff 278
 color 270
 evolution of 271
 function 271
 grooming of 279
 length 270
 manipulation of 278, 279
 sexual discrimination 272
 coalitions 318, 340
 Cocha Cashu National Park 4, 5, 7, 116, 230, 268, 281, 292, 297, 298, 319, 336
Colobus 29
 Colobus badius tephrosceles 289
 Colombia 357–358
 common chimpanzee (see *Pan troglodytes*)
 communication 7, 220
 alarm call 230, 231
 audience effect 231
 caller identity 226, 229, 232
 long-distance vocalizations 220
 olfactory marks 220
 playback experiments 223, 229, 232
 sonograms 221, 223, 224
 vocal repertoire 222
 vocal types 220
 whinny 7, 220, 221, 224–229, 231, 232
 whoops 222
 community size 7, 297, 332–334, 336, 345, 361
 conception 280, 282, 341
 period of non-conception 282, 283
 timing of 282
 conservation status 8, 351, 352–353, 365
 consortships 266, 276–277, 281
 contagion 393–395, 396
 contest competition 240
 convergence with great apes 254
 copulation 7, 266, 267, 271, 275, 278
 average length 275
 intromission 275
 juvenile harassment 276, 277–278, 293–294
 semen 275
 thrusting 275, 276
 couvade 389–390
 cranium 21
 Creation myth 392
 Creole communities 388
 crowding effect 360
 Cytochrome c Oxidase Subunit II 65
 cytogenetic analyses 62
- Dasyprocta punctata* (agouti) 367
 day journey lengths 141, 144

406 *Index*

- death 301, 313, 338, 344
 - perinatal death 298
- deforestation 357–359, 377
- demography 345, 360, 361, 363
 - demographic perturbations 357
- dentition 23, 24, 26
 - canines 26–27
 - dental arcade 23–26
 - diastema 26
 - incisors 26
 - molars 26, 27
 - premolars 27
- Desana 390
- development 294
- devolution 390–391
- diet 6, 27, 83, 128
 - animal prey 109
 - bees 50
 - decayed wood 111
 - dietary diversity 86, 106, 116, 129
 - flowers 109
 - flush leaf consumption 213
 - frugivory 66, 81, 82–108, 114, 161
 - herbivory 185
 - insects 109
 - leaves 108–109
 - plants consumed 88
 - termites 110
- digestive tract 114
- disappearances 343, 344
- disease 340, 363–364, 368
- Dispersal-Egalitarian 241, 246
- distribution 51, 351, 353, 356, 358
- dominance 240, 241, 245, 281, 319
 - adult male hierarchy 295, 312–314
 - female 315
- drinking 145, 149
 - water requirements 82
- dyadic social relationships 256
- El Avila National Park 3
- El Carrizal 380
- El Zota Biological Research Station 2
- embraces 243–244, 245, 247, 250
- emigration 294, 300–301, 315–316, 343
 - female bias 341, 343–344, 345
- Estación Biológica del Beni 4
- estrus 278, 280
- ethnographic record 378
- ethnoprimateology 377–378
- evolution 40
- facial characteristics 295
- facial skeleton 22, 23
- fatted state 395
- faunal assemblages 8
- feeding bouts 113–114
- feeding competition 226, 228, 316
- feeding patches 112–113
- female dispersal (*see* emigration)
- field studies 1, 2, 85, 330
- fission–fusion 7, 146, 160, 175, 185, 221, 232, 236, 237, 239, 240, 254, 256, 271, 291, 301, 329
 - fusions 339
 - subgroup size 145, 247, 293, 301–302
 - subgroups 236, 237
- flexible foraging parties 132
- folk perceptions 391
- food availability 241, 301
- foraging ecology 116, 131
- foraging heights 140
- foraging strategy 114
- forest fragmentation 359
 - fragment size 360
 - patch connectivity 360
- fossil record 38, 52, 378
- frugivory 364
- fruit distribution 148
- fruit processing 159
- gelada baboon (*see Theropithecus gelada*)
- gender differences 291–293
- genealogical studies 294
- genetic data 281
- genital coloration 295
- genital lock 274, 276
- genital manipulation 247, 249
- geophagy 110–111
 - mineral licks 110, 145, 149
 - saladeros 110
 - salt licks 147
- gestation 266, 299, 364
- Gombe 315, 316, 320
- Gorilla* 29
- grappling 247, 249
- grooming 242–243, 244, 247, 248, 249, 251, 292
- group composition 333
- group history 345
- group size (*see* community size)
- Guajá 390, 391
- Guatemala 359
- Guaymi 385
- gut passage rates 114
- habitat connectivity 367
- habitat degradation 359–361, 366
- habitat disturbances 351
- habitat diversity 140
- habitat fragmentation 363
- habitat loss 356, 357–359, 363

- habitat preferences 51–52, 138
- habitat types 138
- habitat use 148
- Hacienda Los Inocentes 2, 292, 319
- hamadryas baboons (see *Papio hamadryas*)
- haplotypes 67
- home ranges 138, 141–142, 160, 247, 360
 - individual core home ranges 6, 141, 142, 143–144, 160, 291
- Hominini 23
- Hominioidea 20, 28
- Homo sapiens* 8, 26, 29, 273
- hormonal assays 341
- howler monkeys (see *Alouatta*)
- Huaorani 389, 391, 392
- human/animal divide 391
- human/monkey hybrid myths 393
- human–nonhuman primate sympatry 377
- hunting 8, 175, 357, 359–361, 363, 366, 378, 379, 382–389
- Hylobates* 29, 31, 33, 34, 35
- Hylobatidae 28, 211, 213
- iconography 8
- immatures 7, 288, 290, 295
 - affiliative interactions 305, 306–308, 317
 - aggressive interaction 310, 311
 - agonistic interactions 312, 313
 - association patterns 301–305
 - defense of mother 311
- immigration 343, 344
 - male immigration 344
- inbreeding 316
- indigenous primatology 393
- infant dependency 364
- infant development 288
- infant lost call 300
- infant mortality 319, 337–338
- infanticide 290, 319–320
- interbirth interval 7, 266, 292, 297–298, 299, 315, 340, 341, 364
- intergroup aggression 146
- intergroup competition 246, 248, 250
- interindividual distances 303
- intermembral index 30
- intrinsic rate of increase 364
- IUCN 352
- Japan Monkey Center 341
- Kagwahiv 391
- Kalapalo 389
- Karen Strier 1
- karyotypes 62
- kinship 246, 253, 293
- La Chonta 4
- La Macarena 3, 111, 116, 221, 293, 343, 344
- La Macarena (Tinigua) (see Tinigua)
- La Selva Biological Station 2
- Lacandón 385
- Lago Caiman 4, 116, 127, 143, 146, 147, 148
- Lagothrix* 5, 19, 21, 23, 24, 28, 29, 31, 32–33, 39, 41, 209, 272, 273, 386
 - Lagothrix lagothricha poeppigii* 6, 108, 156
- large seeded fruits 132
- leading females 244, 245
- life history parameters 266, 290
- life-span 341
- lipid-rich fruits 108, 161
- linear path segments 142
- locomotion 6, 31, 32, 204, 209
 - bipedal walk 188, 205
 - brachiation 28, 43, 114, 190, 206, 211, 396
 - bridge 190, 193–194, 211, 299, 300, 306, 318
 - canopy gaps 211
 - clamber 190, 193, 205, 208
 - climbing style 192
 - dropping 187–188, 206
 - fast traveling 211
 - forelimb swing 206, 208
 - independent (by infants) 299
 - leaping 187, 206
 - Levi walk pattern 210
 - pathway distances 211
 - pedal hanging 2, 43
 - quadrupedalism 188–191, 204
 - suspensory locomotion 194–196, 206
 - tail-assisted brachiation 194, 195, 196, 206, 208, 211, 212
 - tail-assisted forelimb suspension 185, 193
 - tail-assisted forelimb swing 194
 - travel speeds
 - vertical climb 191–192, 205, 208
- logging 356, 359, 364
- Lokono Arawak 393
- long call 274, 277
- longitudinal studies 294, 297
- Los Tuxtlas Biological Research Station 2
- Macaca* 29, 35, 255
 - Macaca fascicularis* 237
 - Macaca fuscata* 225, 228
- male mating strategies 281
- male mortality 345
- male philopatry 246, 340, 343, 345
- male quality 249, 253
- male–male bonding 246, 317

408 *Index*

- Maracá Ecological Station 3, 121, 128, 143
 maternal aid to wounded offspring 321
 maternal defense 309–311, 320–321
 maternal investment 298
 maternal rejection 299
 mating behavior 266
 mating success 281
 mating system 283
 Matis 389
 Matsigenka 386, 388, 390, 391, 392, 393, 395
 Maya 381, 395
 Hun Chuen 380
Mazama americana (brocket deer) 367
 Mekranoti Kayapo 391
 menstrual bleeding 268
 Mexico 358–359
 Mexico City 380
 Miskito 385
 mitochondrial control region 65
 mitochondrial phylogeny 65
 Mixe-Zoque 381
 molecular phylogenetics 65–70
 monomorphism 27
 morphological variation 64–65
 mother–offspring bond 247, 249
 mothering skills 315
 multiple central place foraging 148
 Mundurucú 393
 Muriqui (see *Brachyteles*)
 Murui 396
 mythology 378

 Nambiquara 385
 Napo regio 157
 natal females 295
 natal sex ratio 336–338
 natal troop interactions 317
 Nazca lines 380, 381
 negative demographic events 351
 negative dimorphism 27
 nipples 295
 non-birth season 282
 nursing 292, 298, 299

 olfaction 271, 292
 Oquiriquia 4
 orangutan (see *Pongo pygmaeus*)
 Osa National Wildlife Refuge 2
 Otoch Ma'ax Yetel Koh Reserve (Punta Laguna) 2, 116, 142, 146, 295–321, 334, 337, 338, 339
 ovarian cycle 268, 269
 cycle length 268
 cycle profile 268, 341
 ovulation 269

Pan paniscus 192, 237, 241, 247, 250
Pan troglodytes 7, 29, 232, 237, 241, 247, 248, 250, 251, 293, 301
Papio 35, 56, 237
 Papio cynocephalus 291, 295
 Papio hamadryas 237
 Parakanã 389, 391
Paralouatta varonai 39, 41
 parasites 340, 363
 parental investment 315
 Parintintin 387
 Parque de la Flora y Fauna Silvestre Tropical 2
 Parque Nacional Cotapata 4
 Parque Nacional Pico Bonito 2
 paternity 281
 pectoral sniff 243, 245, 247, 250
 pelage variation 50, 59–62, 295
 penis 272, 273, 283
 spines 273–274
 peri-ovulatory period 280
 pet keeping 385, 386, 387, 388, 391, 394, 396
 phylogenetics 40, 68, 69
 Piro 386
Pithecia pithecia 389
 place sniffing 271, 278
 platyrrhine fossils 377
 platyrrhine tails 36
 play 289, 294, 299, 308, 318
 chuckle vocalization 308
 ground chase game 147, 308, 339
 play chases 308, 338
 play invitations
 rough play 309
Pongo pygmaeus 29
 population density 351, 353, 354
 population viability analysis 353–356
 positional behavior 186, 206, 210
 horizontal tripod 197, 203
 positional categories 187, 203, 207
 quadrupedal hang 203–204
 recline 202
 sitting 197–198, 206, 208
 stand 198–202
 suspended postures 202–204, 207, 208
 tail–forelimb hang 197, 203, 206
 tail–forelimb–hindlimb hang 197, 203, 208
 tail–hindlimbs hang 197, 203, 207
 tail-only hang 197, 202–203, 206, 207
 vertical cling 202
 potential population size 353–356
Potus flavus (kinkajou) 390
 pre-Columbian trade 377
 pre-copulation vocalizations 274
 predation 146, 147, 148, 149, 230, 239, 289, 301, 313, 338–339
 at salt licks 338

- Boa constrictor* 338
 dogs 313
Felis concolor (puma) 338
Harpia harpyja (harpy eagle) 230, 338
Leopardus pardalis (ocelot) 338
Leucopternis albigollis (white forest hawk) 338
 mobbing 230
Morphnus guianensis (crested eagle)
Panthera onca (jaguar) 338
Spizaetus ornatus (ornate hawk-eagle) 338
 pregnancy 269
 prehensile tail 19, 23, 35, 37, 185, 194, 213
 prolonged copulation 273, 274
 prolonged intromission 272, 273
 Proyecto primates 156, 157, 159
 protein variation 64
Protoalouatta 41
Protopithecus brasiliensis 39, 186
 puberty 300
 Punta Laguna (*see* Otoch Ma'ax Yetel Koh Reserve)
 Punta Rio Claro Wildlife Refuge 3, 116, 118
 Putumayo River Indians 391

 ranging behavior 138, 141, 148
 ranging parameters 139, 141
 ranging patterns 6, 138, 143, 247
 seasonality 142
 ranging variables 141
 Ralleighvallen Voltzberg National Park 4, 115, 120, 204
 reduced fruit availability 282
 reproductive biology 7
 reproductive competition 313, 320
 reproductive parameters 342
 reproductive rate 362
 reproductive seasonality 341
 resource availability 143
 resource competition hypothesis 314
 ripe fruit 19, 131, 143, 148, 155, 210, 213, 240, 291, 364
Rhinopithecus 237

Saguinus midas 389
Saguinus mystax 389
Saimiri 389
 Saimiri boliviensis 255
 Saimiri oerstedii 255, 385
 Saimiri sciureus 255, 389
 Santa Rosa National Park 3, 82, 116, 293, 301, 319, 320, 334, 336, 339, 361
 scramble competition 241–242, 246
 scrotum 274
 seed dispersal 6, 132, 155, 157, 162, 173, 362–363
 deposition site spread 159, 166
 directed dispersal 169, 175
 distances 167
 dung samples 162, 164, 166, 169
 fecal clumps 166
 germination 160, 172–173
 gut-passed seeds 160
 number of seeds dispersed 169–171
 plant species dispersed 163
 seed dimensions 107
 seed ingestion 159, 162
 seed predation 85, 161–162
 seed removal 171–172
 seed shadows 156, 173, 174, 175
 seed size preferences 161
 seed spitting 85, 161
 seed survivorship 160
 seedling growth 160
 seedling mortality 172–173
 Serrania de las Quinchas 3
 sex composition/ratio 7, 297, 313, 314, 332, 334, 335, 337, 340, 345, 362
 sex-segregated community 242
 sexual behavior 7, 266, 274
 dorso-ventral position 274
 leg lock 274
 sexual coercion 248, 249, 252, 253, 279
 sexual dimorphism 20–21, 22
 sexual maturity 279, 364
 sexual swelling 271
 Shipibo 389
 Shirián 386
 Sirena Biological Station 3
 Sirionó 389, 392–393, 394
 Sitio Drago 380
 skeleton 19, 20
 clavicle 29, 30
 craniodental 24
 elbow 31, 32
 femoral head 33
 femoral shaft 34
 forelimb 30, 31
 hands 31, 33, 34
 hindlimb 33
 scapula 28, 29
 shoulder girdle 28, 29
 skull 22
 spine 35
 tail vertebrae 37
 trunk 35
 wrist 31, 32–33
 slash and burn agriculture 360
 sleeping sites 148, 149, 167, 168, 169, 174
 sleeping subgroups 148
 social interactions 238–239, 257
 social organization 111–112

410 *Index*

- social relationships 7, 238, 256
 - female–female relationships 240–246, 253, 257
 - female–male relationships 247, 250–253, 254
 - male–male relationships 246–250, 254, 257, 340, 343
 - parent–offspring relationship 288
- social resting 292
- social structure 7, 236–238, 256
 - patrilineal 334
- socialization 288, 289, 294
- socioecological theory 239, 240, 253, 301
- Solimoea acensis* 38, 39, 41
- spatial cohesion 256
- spatial memory 142
- speciation events 70
- sperm quality 282
- spontaneous abortion 341
- Station des Nouargues 4, 204, 338
- sternal gland 223
- Stirtonia* 39, 40, 41
- subspecies 351, 352
- suspensory feeding 208
- suspensory positional behaviors 28, 185
- taboos 388, 389–390
- Tapirus terrestris* (tapir) 385
- Tawadu Forest 3, 116
- taxonomy 50–51, 66, 71–73, 81, 351
- Tayassu tajacu* (collared peccary) 367, 385
- Teotihuacán 379, 380
- terrestrial behavior 140, 145, 147, 209, 308, 339
- territoriality 145, 149
 - boundaries 246, 248, 251, 293
 - male raiding parties 146, 247, 248, 249, 251
 - patrolling 145, 247, 249
 - territorial displays 247
 - territorial disputes 145
- testicles 274, 295
- Theropithecus gelada* 237
- third-party relationships 256
- thumb 19, 33
- Tikal 2, 82, 116, 204, 293, 319, 334, 339
- time-budget models 366
- Tinigua 3, 108, 109, 111, 115, 122, 123, 145, 281, 337, 338, 339, 341, 344
- Tiro 385
- tooth necklaces 385, 387, 394
- transformation 390, 392–393, 396
- Tukano 389
- twinning 280–281, 341
- urine sniffing 278
- vegetation disturbance 359
- Waimiri Atroari 385–386
- Warao 393
- Warí 385, 393, 394
- Wapishana 389, 395
- Wayâpi 391
- weaning 298–300
- woolly monkey (see *Lagothrix*)
- Yanomanö 389, 390, 391, 394
- Yasuní National Park 4, 6, 82, 85, 109, 111, 115, 124, 125, 126, 148, 156, 157, 204, 281
- yellow fever virus 363
- Yucatán peninsula 359