Cambridge University Press 978-0-521-86811-2 - Computational Thermodynamics: The Calphad Method Hans Leo Lukas, Suzana G. Fries and Bo Sundman Frontmatter More information

### Computational Thermodynamics: The Calphad Method

Phase diagrams are used in materials research and engineering to understand the interrelationship of composition, microstructure, and process conditions. Computational methods such as Calphad (calculation of phase diagrams), are employed to model thermodynamic properties for each phase and simulate multicomponent multi-phase behavior in complex systems. Written by recognized experts in the field, this is the first introductory guide to the Calphad method, providing a theoretical and practical approach. Building on core thermodynamic principles, this book applies crystallography, first principles methods and experimental data to computational phase properties modeling using the Calphad method. With a chapter dedicated to creating thermodynamic databases, the reader will be confident in assessing, optimizing, and validating complex thermodynamic systems alongside database construction and management. Several case studies put the methods into a practical context, making this suitable for use on advanced materials design and engineering courses and an invaluable reference to those using thermodynamic data in their research and simulations.

HANS LEO LUKAS received his Ph.D. from the Technische Hochschule Stuttgart (now the University Stuttgart) in 1960; he continued his research there from 1964 until he retired in 1995. He has developed the BINGSS software, which is the most used optimizer for binary systems worldwide. Among numerous responsibilities over the years, he was co-editor of the journal *Calphad* from 1979 until 2003. He received the Hume-Rothery Award from the Institute of Materials, Minerals and Mining in 1993.

SUZANA G. FRIES received her Ph.D. in Science from the Physics Institute at the Universidade Federal de Rio Grande do Sul in Porto Alegre, Brazil, in 1985, where she held a professorship. She worked as a researcher and was a guest professor participating in several national and European projects at, for example, the Max Planck Institute in Stuttgart, RWTH in Aachen, Université de Paris-Sud in Chatenay-Malabry and Université de Montpellier II. She is currently a freelance consultant and itinerant guest scientist.

Bo SUNDMAN received his Ph.D. from the Royal Institute of Technology (KTH) of Sweden in Stockholm in 1981. He worked as researcher, lecturer, and professor at the KTH until 2006, when he became senior researcher at the Paul Sabatier University of Toulouse, France. He is a member of the editorial board of the journal *Calphad*, and an initiator and board member of the Foundation for Computational Thermodynamics (STT) and Thermo-Calc Software AB. He has received the Gibbs Triangle Award from the Calphad Society 2002 and the Hume-Rothery Award 2005.

Cambridge University Press 978-0-521-86811-2 - Computational Thermodynamics: The Calphad Method Hans Leo Lukas, Suzana G. Fries and Bo Sundman Frontmatter More information Cambridge University Press 978-0-521-86811-2 - Computational Thermodynamics: The Calphad Method Hans Leo Lukas, Suzana G. Fries and Bo Sundman Frontmatter <u>More information</u>

# **Computational Thermodynamics** The Calphad Method

HANS LEO LUKAS, SUZANA G. FRIES AND BO SUNDMAN



CAMBRIDGE UNIVERSITY PRESS Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo, Delhi, Tokyo, Mexico City

Cambridge University Press The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org Information on this title: www.cambridge.org/9780521868112

© H. L. Lukas, S. G. Fries and B. Sundman 2007

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2007

A catalogue record for this publication is available from the British Library

15BN 978-0-521-86811-2 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate. Information regarding prices, travel timetables, and other factual information given in this work is correct at the time of first printing but Cambridge University Press does not guarantee the accuracy of such information thereafter.

## Contents

	Prefe	ace	page ix
1	Introduction		1
	1.1	Computational thermodynamics	1
	1.2	The past and present, the Calphad technique	3
	1.3	The future development of databases and software	
		applications	4
	1.4	The structure of the book	5
2	Basi	S	7
	2.1	Thermodynamics	7
	2.2	Crystallography	17
	2.3	Equilibrium calculations	23
	2.4	Optimization methods	42
	2.5	Final remarks	45
3	First	principles and thermodynamic properties	47
	3.1	The density-functional theory (DFT) and its	
		approximations	48
	3.2	The DFT results at 0 K	50
	3.3	Going to higher temperatures, adding the statistics	53
	3.4	Final remarks	57
4	Expe	erimental data used for the optimization	58
	4.1	Thermodynamic data	58
	4.2	Binary phase-diagram data	68
	4.3	Ternary phase-diagram data	72
	4.4	Multicomponent and other types of experimental data	75
	4.5	X-ray and neutron diffraction	76
	4.6	Mössbauer spectroscopy and perturbed angular-correlation	
		measurements	76
	4.7	Final remarks	76

v

vi Content
------------

<ul> <li>5 Models for the Gibbs energy</li> <li>5.1 The general form of the Gibbs-energy model</li> <li>5.2 Phases with fixed composition</li> <li>5.3 Variables for composition dependence</li> <li>5.4 Modeling particular physical phenomena</li> </ul>	/9
<ul> <li>5.1 The general form of the Gibbs-energy model</li> <li>5.2 Phases with fixed composition</li> <li>5.3 Variables for composition dependence</li> <li>5.4 Modeling particular physical phenomena</li> </ul>	
<ul> <li>5.2 Phases with fixed composition</li> <li>5.3 Variables for composition dependence</li> <li>5.4 Modeling particular physical phenomena</li> </ul>	80
5.3 Variables for composition dependence 5.4 Modeling particular physical phenomena	81
5.4 Modeling particular physical phenomena	87
e modeling particular physical phonomena	91
5.5 Models for the Gibbs energy of solutions	94
5.6 Models for the excess Gibbs energy	103
5.7 Modeling using additional constituents	114
5.8 Modeling using sublattices	122
5.9 Models for liquids	146
5.10 Chemical reactions and thermodynamic models	155
5.11 Final remarks	157
6 Assessment methodology	161
6.1 Starting the assessment	161
6.2 Modeling the Gibbs energy for each phase	167
6.3 Determining adjustable parameters	192
6.4 Decisions to be made during the assessment	195
6.5 Checking results of an optimization	198
6.6 Publishing an assessed system	200
6.7 How the experts do assessment	200
7 <b>Optimization tools</b>	203
7 <b>Optimization tools</b> 7.1 Common features	203 203
<ul> <li>7 Optimization tools</li> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> </ul>	203 203 206
<ul> <li>7 Optimization tools</li> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> </ul>	203 203 206 219
<ul> <li>7 Optimization tools</li> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul>	203 203 206 219 240
<ul> <li>7 Optimization tools</li> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> 8 Creating thermodynamic databases	203 203 206 219 240 243
<ul> <li>7 Optimization tools</li> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> 8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> </ul>	203 203 206 219 240 243 244
<ul> <li>7 Optimization tools</li> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> 8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> </ul>	203 203 206 219 240 243 244 244
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 244
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 244 245 246
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 245 246 249
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 244 245 246 249 252
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> <li>8.7 Existing thermodynamic databases</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 244 245 246 249 252 253
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> <li>8.7 Existing thermodynamic databases</li> <li>8.8 Mobility databases</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 245 246 249 252 253 253
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> <li>8.7 Existing thermodynamic databases</li> <li>8.8 Mobility databases</li> <li>8.9 Nano-materials</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 245 246 249 252 253 253 253 254
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> <li>8.7 Existing thermodynamic databases</li> <li>8.8 Mobility databases</li> <li>8.9 Nano-materials</li> <li>8.10 Examples using databases</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 245 246 249 252 253 253 254 256
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> <li>8.7 Existing thermodynamic databases</li> <li>8.8 Mobility databases</li> <li>8.9 Nano-materials</li> <li>8.10 Examples using databases</li> </ul> </li> <li>9 Case studies</li> </ul>	203 203 206 219 240 243 244 244 245 246 249 252 253 253 254 256 264
<ul> <li>7 Optimization tools <ul> <li>7.1 Common features</li> <li>7.2 How to use BINGSS</li> <li>7.3 The PARROT module of Thermo-Calc</li> <li>7.4 Final remarks</li> </ul> </li> <li>8 Creating thermodynamic databases <ul> <li>8.1 Unary data</li> <li>8.2 Model compatibility</li> <li>8.3 Experimental databases</li> <li>8.4 Naming of phases</li> <li>8.5 From assessments to databases</li> <li>8.6 Database management and updating</li> <li>8.7 Existing thermodynamic databases</li> <li>8.8 Mobility databases</li> <li>8.9 Nano-materials</li> <li>8.10 Examples using databases</li> </ul> </li> <li>9 Case studies <ul> <li>9.1 A complete assessment of the Cu–Mg system</li> </ul> </li> </ul>	203 203 206 219 240 243 244 244 245 246 249 252 253 253 253 254 256 264 264
<ul> <li>7 Optimization tools <ol> <li>Common features</li> <li>How to use BINGSS</li> <li>The PARROT module of Thermo-Calc</li> <li>Final remarks</li> </ol> </li> <li>8 Creating thermodynamic databases <ol> <li>Unary data</li> <li>Model compatibility</li> <li>Experimental databases</li> <li>Naming of phases</li> <li>From assessments to databases</li> <li>Database management and updating</li> <li>Existing thermodynamic databases</li> <li>Mobility databases</li> <li>Nano-materials</li> <li>Examples using databases</li> </ol> </li> <li>9 Case studies <ol> <li>Checking metastable diagrams: the Ag–Al system</li> </ol> </li> </ul>	203 203 206 219 240 243 244 244 244 245 246 249 252 253 253 253 254 256 264 264 274

Conten	ontents		
9.4	A complete binary system: Ca–Mg	279	
9.5	Modeling the $\gamma - \gamma'$ phases: the Al–Ni system	285	
9.6	Assessment of a ternary oxide system	287	
9.7	Some notes on a ternary assessment, the Cr-Fe-Ni system	293	
Appe	endix – websites	297	
Refe	References		
Inde.	x	307	

Cambridge University Press 978-0-521-86811-2 - Computational Thermodynamics: The Calphad Method Hans Leo Lukas, Suzana G. Fries and Bo Sundman Frontmatter More information

### Preface

The idea of this book came from Professor Petzow, during the PML *Betriebsausflug* in September 1991. In a very informal way Professor Petzow invited S.G.F. (who was ready to return to Brazil after two years working with H.L. Lukas) to help H.L.L. to collect all his ideas about, and experiences with, thermodynamic optimization and put them into a book. Work on optimizations has been going on at Stuttgart for a long time, and valuable experience has been accumulated. Dr Lukas' feeling for optimizations is very well defined and one can talk about a "Lukas school for optimizations."

Later the project was enriched by the cooperation with Professor Sundman, at that time Dr. Sundman, who brought his own large experience on computational thermodynamics as well as the Stockholm group's approach to the theme with all the formalisms so well developed by Professor Mats Hillert.

The three authors were very motivated by the idea, since the lack of such a book had always made it difficult to introduce students and researchers to this field. The knowledge necessary in order to obtain a better thermodynamic description of a system is very broad, requiring a judgment of the experimental data provided by the literature and also a wise selection of the model best able to describe the experimental evidence. This judgment is difficult, but the better "educated" the assessor, the greater his ability to judge well.

The three authors have never worked together in the same institute. When B. S. visited Stuttgart during 1994, S. G. F. was already at Aachen. They have found time, however, to work together and have been meeting for many years during coffee breaks, before and after conferences, and during the Schloss Ringberg Workshops, in order to make progress with the book.

Many conferences and five Ringberg workshops were necessary to achieve the objective. During this time we were able to incorporate the most recent theoretical achievements of first-principles calculations into our procedures. When the book collecting the thermodynamic-optimization experiences of Stuttgart and Stockholm was finally sent to the Press in July 2006, S. G. F. was working in Vienna, B. S. was working in Toulouse, and H. L. L. had retired and was living in Stuttgart – and it was in time for the 80th birthday of Professor Petzow! The modeling and software has developed significantly during the writing of the book and it has been a challenge to keep it updated. Continuous updates will be provided at the website of the book. Cambridge University Press 978-0-521-86811-2 - Computational Thermodynamics: The Calphad Method Hans Leo Lukas, Suzana G. Fries and Bo Sundman Frontmatter <u>More information</u>

### x Preface



The authors discussing the book in the Hexenzimmer at Schloss Ringberg in 2005, during the Thermodynamic Modeling and First-Principles Calculations Workshop organized by the Max Planck Society.

#### Dedication

The authors wish to dedicate this book to Ibrahim Ansara, who always managed to put a smile on the face of thermodynamics, like in the phase diagram Fig. 5.6(k).

### Acknowledgments

The authors are grateful to A. Fernández Guillermet, B. Hallstedt, M. Harmelin, M. Hillert, U. Kattner, Frau O. Kubaschewski, B. Legendre, and many others for inspiration, reading parts of the book, and giving valuable comments; and to B. Böttger, N. Dupin, F. Lechermann, P. Rogl, and N. Warken for providing figures from their ongoing research work.

The figures with crystal structures have been taken from the Crystal Lattice Structures web page, http://cst-www.nrl.navy.mil/lattice/, provided by the Center for Computational Materials Science of the United States Naval Research Laboratory.

The triangular symbol in the left-hand corner of some diagrams indicates that the figure has been calculated by the Thermo-Calc software (Thermo-Calc Software AB, http://www.thermocalc.com).