

Index

- 9-line medevac request, 171, 173
- ABC evaluation of victims
  - airway, 530–31
  - breathing, assessment and treatment of, 531–32
  - circulation, 532–35
  - orthopedic injuries, 647
- abdominal problems. *See* gastrointestinal tract
- abdominal wounds, 505–6, 537–38
- abrasions, 546
- abrin, 474
- abscesses, 349, 605
- AC (acromioclavicular) separation, 660
- acceleration, G LOC (G-induced loss of consciousness)
  - due to, 185, 189–91
- accessibility of expedition medical kit and components, 35
- accidental injuries. *See* trauma; wound management
- acclimatization
  - to heat, 489
  - to high altitudes, 242–43
- acetaminophen (paracetamol), 439–41
- acetazolamide (diamox)
  - eyes, 564, 580
  - high altitude medicine, 242, 243, 248–49, 253, 260
- Achilles tendinitis, 638–39
- Achilles tendon rupture, 641
- aching feet, 641
- acids, 449–50, 575
- ackee fruit, 475
- Acosta, Jose de, 189
- acromioclavicular (AC) separation, 660
- ACTs (artemisinin-based combination therapies) for malaria, 370, 445
- acute keratitis, 582
- acute mountain sickness (AMS), 187, 261, 244–49, 589–90
- acute red eye, 573–79
- acute respiratory distress syndrome (ARDS), 519
- acute respiratory infection (ARI), 181
- acute urinary retention, 351
- adsorption, 105
- advanced trauma life support (ATLS), 8–9
- adventure races. *See also* event medicine
  - characteristics and rules, 295
  - defined, 294
  - historical background, 294–95
  - medical disqualification from participation, 303
  - penalties for acceptance of medical assistance, 303
- aeromedical evacuation, 192–93, 679–82, 693–707
  - chest wounds, 698
  - commercial assistance services, 705
  - dental emergencies, 698
  - diving-related illnesses, 699
  - DVT (deep vein thrombosis), 701
  - expedition physician's knowledge of, 11–12
  - eye problems, 697, 700
  - fractures, 698, 701
  - gastrointestinal tract, 698
  - government assistance, 705–7
  - heart/cardiovascular conditions, 700
  - hot loading and unloading, 680
  - lung problems, 698, 700
  - mass casualties, 703–5
  - middle ear problems, 697–98
  - modes of
    - certification of aero-ambulances and pilots, 702
    - commercial aircraft, use of, 702–3
    - fixed wing aircraft, 693, 702
    - rotary wing aircraft (helicopters), 693, 701–2
  - neurological conditions, 697, 700
  - physics of aerospace flight, 693
    - Boyle's Law, 695
    - Dalton's Law, 696
    - pressure reduction, 695–96
    - temperature reduction, 693–95
  - physiology in aerospace flight
    - decreased oxygen concentrations, effects of, 699–701
    - decreased pressure, effects of, 696–99
  - pregnancy and, 700–701
  - receiving facilities, 703
  - repatriation
    - of patients, 693
    - of remains, 707
  - sinus problems, 698
- aerospace medicine, 184–95
  - acceleration, G LOC (G-induced loss of consciousness)
    - due to, 185, 189–91
  - as practiced in U.S., 188
  - civilian AMEs (aviation medical examiners), 188
  - CRM (cockpit or crew resource management), 192
  - defined, 184
  - description and hazards of aerospace environment, 187–88
  - diving, flying after, 338, 343, 699
  - dysbarism/decompression problems, 191–92
  - environmental risks and mitigations, 185
  - future of, 195
  - historical development of, 184–87
  - human factors, accounting for, 192
  - hypoxia, 188–89
  - microgravity and space adaptation syndrome, 193
  - military flight surgeons, 188
  - selection standards for flight crews, 185, 186, 194
  - space medicine
    - LSAH (Longitudinal Study of Astronaut Health), 194–95
    - NASA, as practiced in, 188
    - preventive, 193–94
    - treatment of illness and injury in space, 194
  - space tourism, 195
  - spatial disorientation, 185, 189
  - sport pilot rule, 195
  - telemedicine in space, 307–8, 311
  - training in, 187
- Afghanistan, 176, 177, 309, 498
- African Cape buffalo, 383–84

- African tick-bite fever, 298–99
- African trypanosomiasis, 221–22
- AGE (arterial gas embolism), 329, 342, 587
- age-related risks
- AMS (acute mountain sickness) less common over 50, 244
  - children
    - as team members, 131–32
    - drowning, near-drowning, and submersion injury, 515, 517, 518
    - Gray Baby Syndrome, 443
    - iron toxicity, 456–57
  - diarrhea, 356
  - elders
    - as team members, 28
    - expedition medical kit, 33
    - insurance, 150
    - special considerations regarding, 127–30
  - insurance exclusions, 150
  - needs assessment issues, 28, 33, 127–30, 131–32
- AIDS/HIV, 132, 279, 291–92, 345–46
- airplanes. *See also* aeromedical evacuation; aerospace medicine
- certification as ambulances, 702
  - commercial aircraft used in aeromedical evacuation, 702–3
  - crashes, 76
  - fixed wing aircraft used in aeromedical evacuation, 693, 702
- AIRS (automated individualized respiratory support), 322
- airway, 530–31, *See also* respiratory system
- drowning and submersion injuries, treatment of, 522–25
  - penetrating and explosive wounds, airway problems resulting from, 504–5
  - subterranean cavers, 238
  - tracheotomy, 531
- AK-47s and AKMs, 495–97
- Alaska Wilderness Classic, 294
- alcohol and alcohol abuse. *See also* substance abuse
- animals, inebriated, attacks by, 381, 386
  - antabuse-like reactions to *Coprinus* mushrooms consumed with alcohol, 462
  - drowning, near-drowning, and submersion injury, preventing, 516
  - in marine environments, 280–83
  - toxic alcohols, 441–42
  - withdrawal and DTs, 282–83
- Algeria, 176
- alkali, 449–50, 575
- alkalinization, urinary, for toxicologic patients, 439
- allergies and allergic reactions, 344–45
- anaphylaxis, 24, 344–45
  - angioedema, 344
  - conjunctivitis, 574
  - contact dermatitis, 349–50
  - immunizations, adverse reactions to, 41
  - rhinitis, allergic, 344
  - team members with history of, 21, 22, 24
  - urticaria or hives, 344
- alligators, 391, 421
- alphabet, phonetic, 142
- alternative/local medicine, dealing with, 7
- altitude. *See* high altitude medicine
- alum used for water treatment and purification, 104–5
- amaranth, 91
- amebiasis, 213, 591
- American bison, 382–83
- American trypanosomiasis (Chagas' disease), 227–29, 591
- amnesic shellfish poisoning, 435
- amoxicillin-clavulanate, 375
- amphetamines, 442–43
- amputations, 546, 669–70
- AMS (acute mountain sickness), 187, 261, 244–49, 589–90
- Amsler grid eye examinations, 570
- Amundsen, Roald, 202, 595
- amytropyline, 443–44
- anacondas, 392
- analgesics. *See* anesthesia and pain medicine
- anaphylaxis, 24, 344–45, 401
- Anderson, S. R., 200
- anemia, 364, 443
- anesthesia and pain medicine
- ankle dislocations, 623–24
  - dental emergencies, 605, 607–8, 608
  - ingrown toenails, 631
  - orthopedic pain management, 652
  - wound management, 550–53
- angioedema, 344
- Angola, 177, 498
- animal attacks, 374–92, *See also* marine and aquatic life; rabies;
- vector-borne diseases; venomous animals; specific animals, e.g. polar bears epidemiology of animal bites and injuries, 374
  - inebriated animals, 381, 386
  - infections following, 377
  - orthopedics and animal bites, 671
  - polar medicine, 204
  - preventing, 374–75
    - arthropods, 400
    - shark attacks, 419–20, 420
    - snakes, 405
    - stingray injuries and envenomation, 424
    - stone fish, 425–26
    - table of preventive measures for envenomation, 417
  - psychological problems following, 378
  - reporting, 375
  - skin and soft tissue conditions caused by bites from, 348
  - tetanus, 377
  - travel safety and contact with, 291
  - treatment following
    - antibiotics, 375–77, 377
    - emergency field care of, 375
    - hospital evaluation and treatment, 375
    - wound management, 375–77
  - tropical diseases caused by direct contact with animals or persons, 215–16
  - zoonoses, 377
- anion gap equation in toxicologic presentations, 437
- antabuse-like reactions to *Coprinus* mushrooms consumed with alcohol, 462
- Antarctica, 197–98, *See also* polar medicine
- anterior uveitis (iritis), 581–82
- anthrax, 215–16
- antibiotics
- animal wounds, treatment of, 375–77, 377
  - blisters, infected, 616–17
  - dental emergencies, 605, 608
  - drowning, near-drowning, and submersion injury, 524–25
  - honey, antibacterial properties of, 375
  - orthopedic injuries, 653–54
  - penetrating and explosive wounds, 509
  - toxicology, 443
  - wound management, 558
- anticholinergic agents, 453, 471
- anticholinergic syndrome, 437
- antidepressants, 443–44
- antidotes for toxic agents, 439

Index		717
antifreeze, 441–42		
antihistamines, 444		
antimalarial agents, 444–45		
antimicrobials, 358–59, 359–60		
antipersonnel mines, 499		
antitank mines, 499		
antivan (lorazepam), 446		
antivenins, 410, 412–13, 417		
ants, stinging, 400–401		
anxiety disorders, team members with history of, 22		
aphrodisiacs, 459		
aplastic anemia, 443		
Aquamira, 115		
Aquatabs, 111		
aquatic life. <i>See</i> marine and aquatic life, hazardous		
arachnids, venomous, 402–4, <i>See also</i> venomous animals		
Arctic, 197–98, <i>See also</i> polar medicine		
ARDS (acute respiratory distress syndrome), 519		
ARI (acute respiratory infection), 181		
arms, injuries to, 660–61, <i>See also</i> extremity injuries		
Armstrong Line, 187		
Armstrong, Harry G., 185		
arsenic, 445–46, 459–60		
artemisinin-based combination therapies (ACTs) for malaria, 370, 445		
arterial gas embolism (AGE), 329, 342, 587		
arthritis, 652		
arthropods, venomous, 400–405, <i>See also</i> venomous animals		
artificial colloids, 506–7		
artificial tears, 563, 565		
arthritis, temporal/giant cell, 573		
ascorbic acid (Vitamin C), 459		
Askew, E. Wayne, 83		
Asperger's Syndrome, team members with history of, 22		
aspirin (salicylates), 459		
assassin bugs, 227–29		
assault rifles, 495–97		
assistance services		
aeromedical evacuation		
commercial services, 705		
government assistance, 705–7		
EMS (Emergency Medical Services)		
drowning victims, 523–24		
event medicine utilization of, 296, 301, 302		
tactical and protective medicine, development of, 165		
insurance, 146		
SAR (search and rescue) services		
divers, lost, 340–41		
event medicine utilization of, 296, 301, 302		
assumption of risk, legal doctrine of, 64–65		
asthma		
at high altitudes, 257–58		
diving, fitness for, 339–40		
event medicine, 297		
team members with history of, 21		
astronauts. <i>See</i> aerospace medicine; National Aeronautics and Space Administration		
Atarax, 712		
athlete's foot, 634		
ATLS (advanced trauma life support), 8–9		
atovaquone-proguanil (Malarone), 367		
autism, team members with history of, 22		
automated individualized respiratory support (AIRS), 322		
automobile accidents		
as common cause of travel injuries, 78–79, 291		
camels, 384		
deer and elk, 382		
kangaroos, 390		
moose, 382		
automobile products, toxicology of, 441–42		
autumn crocus, 474–75		
Avery, Tom, 83		
avulsions, 546		
Ayton, Jeff, 197		
azalea, 474		
azarcon, 459–60		
azithromycin, 359, 375, 377		
baboons, 381		
bacitracin, 563		
back injuries		
in water, 517–18, 522		
primary assessment of disability in trauma situations, 535		
secondary survey of trauma, 538–39		
splinting, 654–55		
back pain, team members with history of, 22		
Backer, Howard, 1, 98		
bad air in caves, 234		
bagging, 455		
BAL (British Anti Lewisite), 446		
Balkans, 176, 177		
balloon flight, 184–85		
banana or wandering spiders, 403–4		
Bancroftian filariasis (elephantiasis), 219–20		
bandaging/dressings, 556, 711, <i>See also</i> specific injuries and body parts		
barodontalgia (air pockets trapped in teeth), 606–7		
barotrauma. <i>See under</i> diving		
barracuda, 420		
barricade situations, 171		
bartering medical items with local people, 36		
bartonellosis, 226		
b. bacilliformis, 226–27		
b. henselae, 227		
b. quintana (trench fever), 225		
bats and bat guano, 380		
histoplasmosis, 232–33		
rabies, 233–34, 380		
vampire bats, 380		
Bauer, Louis, 185		
bears, 204, 388–90		
bee stings, 400–401		
behavioral health issues. <i>See</i> psychological problems		
bejel (endemic syphilis), 217		
Bell, R. I., 237		
Benadryl (diphenhydramine), 35, 444, 711		
benign paroxysmal positional vertigo (BPDV), 191		
benzodiazepines, 283, 446		
Bert, Paul, 185		
betadine, 616		
Beta-lactam antibiotics and Beta-lactamase inhibitors, 377		
big cats, 386–88		
birds, large, 390		
birth control, 20, 130		
Bisacodyl, 711		
bismuth subsalicylate (Pepto-Bismol), 358		
bison, 382–83		
bites, 547, <i>See also</i> animal attacks; vector-borne diseases		
black bears, 389		
black flies, 219–20, 220		
Black henbane, 471		
black toenail, 630–31		
black widow spiders, 403		

- bleach (sodium hypochlorite) used for water treatment and purification, 110
- blepharitis, 571
- blisters, 612–22
  - blood-filled, 615
  - debridement, 615
  - deep blisters under calluses, 617
  - dehydration and electrolyte levels, 614
  - draining, 615
  - event medicine, 299–300
  - formation of, 613–14
  - gluing, 617
  - hot spots, 613, 641–42
  - infected, 615, 616–17
  - macerated feet, 616
  - patching, 615–16
  - post-event or expedition care, 644
  - preventing
    - friction, reducing, 614
    - hot spots, treatment of, 613
    - lubricants, 614
  - products for handling, 617–18
  - ruptured, 615
  - sterile wound dressings, 618
  - taping, 618–22
  - treatment, 614–22
- blood clots
  - snakebites, 410, 412, 417
  - thrombosis, 254, 346, 701
- blood in the eye
  - hyphema, traumatic, 581
  - retinal detachment, 584–85
  - retinal hemorrhage, 255–56, 590
  - subconjunctival hemorrhage, 583
  - vitreous hemorrhage, 584
- blood loss
  - circulation, assessment and treatment of, 532–35
  - major extremity arterial hemorrhage, 540
  - penetrating or explosive wounds, due to, 506–9
- blood pressure problems
  - at high altitudes, 242–43, 258–59
  - monitoring blood pressure in subterranean environments, 238
  - palpation, estimating blood pressure by, 37, 38
  - team members with history of, 24
- blood under the nail
  - black toenail, 630–31
  - subungual hematoma, 664
- bloodborne pathogens, 345–46, *See also* hepatitis; HIV/AIDS
- blood-filled blisters, 615
- blue-ringed octopus, 426
- boats and ships. *See* marine medicine
- body armor, 165, 501–2
- body repatriation, 71–72, 150, 707
- body signals, reading, 133
- boiling water, 102–3, 103
- bombs. *See* hostile geopolitical environments; penetrating and explosive wounds
- bone fractures. *See* fractures
- bone injuries. *See* orthopedics
- Bonnington, Chris, 1
- Borgwardt, R. E., 237
- Bosnia, 498
- botulism, 446–47
- Boulware, D. R., 31, 98
- boutonneuse fever (tick typhus), 224
- boutonniere deformity, 664
- box jellyfish, 427–29
- Boy Scouts of America Florida Sea Base scuba program, 28
- Boyle's Law, 324, 327, 342, 695
- BPDV (benign paroxysmal dispositional vertigo), 191
- brain injuries. *See* neurological conditions
- brand names, use of, 712
- breathing, assessment and treatment of, 531–32, *See also* airway; respiratory system
- bristle worm, 431–32
- British Anti Lewisite (BAL), 446
- bronchospasm, exercise-induced, 257–58
- bronchitis at high altitudes, 255
- bronchoconstriction, cold-induced, 487
- brown bears, 388–89, 390
- brown widow spiders, 403
- brucellosis, 211–12
- Bruck's membrane, 584
- BTOA (National Tactical Officers Association), 165
- buffalo, 382–83, 383–84
- Buhlmann, 237
- bulk issues
  - food supplies, 95
  - medical equipment, 35
  - telemedicine equipment, 314
- bulk ration planning, NOLS, 93–95
- bull sharks, 418
- bullet ant stings, 400
- bullets. *See also* firearms; penetrating and explosive wounds
  - fragmented, 503–4
  - removal of, 503
  - types of, 492–94, 496
- bupivacaine hydrochloride (sensorcaine, marcaine), 605, 607
- burns
  - chemical, 278, 449–50, 574, 575
  - defined, 546
  - electrical, 278–79, 346–47
  - eyes and eyelids, 574, 575
  - from caustic agents, 449–50
  - heat-related, 278–79
  - in marine environments, 278–79
  - lightning, 347
  - sunburn, 350
    - eyelids, 574
    - in polar medicine, 203
    - on marine expeditions, 278
- bursitis
  - defined, 652
  - of the foot, 639
  - olecranon, 662
  - retrocalcaneal bursitis (Haglund's deformity), 628
- Buruli ulcer, 213–14
- cadmium, 459–60
- caffeine, 447–48
- CAGE (cerebral air embolism) while diving, 329
- calcium hypochlorite (dry chlorine), 110
- Callahan, Michael V., 397
- calluses, 634–35
- Cambodia, 177, 178, 498
- camels, 384
- camp hygiene. *See* sanitation
- campylobacter jejuni/coli, 355
- Canadian Defense and Civil Institute of Environmental Medicine (DCIEM) Manual, 237
- candirú (toothpick fish), 391–92
- canines, 380–81
- Cape buffalo, 383–84

Index		719
capillaritis, 636	chickenpox (varicella), 44	
<i>Capsicum annuum</i> (chile pepper or jalapeno), 470–71	chilblains, 487, 641	
capsicum oleoresin or pepper spray, 168, 388	children	
capsulitis (metatarsalgia), 628–29	as team members, 131–32	
car accidents	drowning, near-drowning, and submersion injury, 515, 517, 518	
as common cause of travel injuries, 78–79, 291	Gray Baby Syndrome, 443	
camels, 384	iron toxicity, 456–57	
deer and elk, 382	chile pepper, 470–71	
kangaroos, 390	chimpanzees, 381	
moose, 382	China, 177	
car products, toxicology of, 441–42	Chitosan dressing, 508–9	
carbamates, 455–56	chlamydia (traucoma), 591	
carbamide peroxide 6.5% otic drops, 711	chlonorchiasis, 212	
carbocaine, 607	chloramphenicol, 443	
carbohydrate requirements, 90–92	chlordiazepoxide, 283	
carbon dioxide toxicity under pressure in diving, 331, 342	chlorination of water, 110, 109–11, 113	
carbon monoxide poisoning, 204, 245–46, 448–49	chlorine dioxide (ClO <sub>2</sub> ), 114–15, 115	
cardioactive glycosides, 459, 472–74	chloroquine, 363, 367, 444–45	
cardiopulmonary problems. <i>See</i> heart/circulatory	cholera, 45–46, 181, 355, 359	
conditions; respiratory system	cholinergic syndrome, 437, 455–56	
cardiopulmonary resuscitation (CPR), 509–10, 522–23	choroidal rupture and detachment, 584	
care under fire (CUF), 168–69	chromium, 459–60	
carpal tunnel syndrome, 663	chronic conditions. <i>See also</i> specific condition	
Carter, David, 13	infectious diseases, 25	
cassowaries, 390	pulmonary disease, 25	
castor beans, 474	stability of, 23	
catamounts, 388	ciguatera poisoning, 433	
caterpillars, 402	Cimetidine, 712	
catheterization, 238, 483	CIMIT (Center for Innovative Medicine and Technology),	
cat-scratch disease, 387	310–11, 320	
caustic agents, 449–50	ciprofloxacin, 3, 358, 359, 375, 654	
cauterization, 412, 630	circulation, assessment and treatment of, 532–35	
caving. <i>See</i> subterranean medicine	Cis-Lunar rebreathers, 235	
CDC (Centers for Disease Control and Prevention), 33, 81,	citrus used for water treatment and purification, 117	
144, 159, 160, 279	clarification techniques for turbid water, 103–4, 104	
celebrations in hostile geopolitical environments, 177	classification	
cellulitis	of conditions in event medicine, 301–2	
as skin condition, 348–49, 349	of DCS levels (decompression sickness or, 332–33, 342, 343	
gum abscesses or swellings, 605	of expedition, 123, 125	
postseptal orbital cellulitis, 572	of eye injuries, 583	
preseptal orbital cellulitis, 572	of physical activities involved in expedition, 123–24,	
Celox, 540	125–26, 133	
Center for Innovative Medicine and Technology (CIMIT),	of team members, 124, 128	
310–11, 320	of tendon and ligament injuries, 637	
Centers for Disease Control and Prevention (CDC), 33, 81,	claw toes, 631	
144, 159, 160, 279	clindamycin, 377, 509	
centipedes, 401–2	clinical fundamentals, reliance on, 7	
central nervous system in older people, 129	closure of wounds	
cephalexin, 654	primary closure, 555–56	
cephalosporin, 377, 509	secondary closure by epithelialization and granulation, 556	
cerebral injuries. <i>See</i> neurological conditions	techniques, 556	
cervical cord injuries	tertiary closure (delayed primary closure), 556	
back pain, team members with history of, 22	clothing	
in water, 517–18, 522	cold-weather, 483–84	
primary assessment of disability in trauma situations, 535	exposure of patient for examination in austere	
secondary survey of trauma, 538–39	environments, 536	
splinting, 654–55	footwear, modifying, 644	
Chagas' disease (American trypanosomiasis), 227–29, 591	hot-weather, 490	
chalazion, 571	immobilization techniques, improvised, 686–87	
charcoal used for water treatment and purification, 105	snowblindness, preventing, 591	
Chechnya, 176, 177	Clotrimazole cream, 711	
checkpoints, 176	coagulation-flocculation as water treatment, 104–5, 111	
chemical burns, 278, 449–50, 574, 575	coagulopathy in snakebite victims, 410, 412, 417	
chemical pesticides, 453–54, 455–56, 459	Coartem, 370	
chemical warfare agents, 453–54, 455–56	Coast-to-Coast adventure race, New Zealand, 294	
chest pain, team members with history of, 24	cocaine, 450	
chest wounds, 505, 536–37, 698		

Cambridge University Press

978-0-521-86873-0 - Expedition and Wilderness Medicine

Edited by Gregory H. Bledsoe, Michael J. Manyak and David A. Townes

Index

[More information](#)

- cockpit or crew resource management (CRM) in aerospace medicine, 192
- Colca Canyon, Peru, 151
- colchicines, 474–75
- cold, 126, 479, *See also* high altitude medicine; hypothermia; polar medicine
  - bronchoconstriction, 487
  - chilblains, 487, 641
  - clothing, 483–84
  - conditions and injuries resulting from, 199, 203
  - drowning, near-drowning, and submersion injury in cold water, 519–21
  - foot problems due to, 642–43
  - frostbite, 203, 484–87, 641
  - frostnip, 486
  - marine medicine, 275
  - methods of heat transfer, 479–81
  - nonfreezing cold injuries, 487
  - pernio, 487
  - physiology of human thermal regulation, 479–81
  - prioritizing of body parts in, 481
  - river rot, 487
  - shelter, 484
  - subterranean medicine, 234
  - sweating, 480
  - trenchfoot, 487, 643
  - urticaria, 487
- cold therapy for foot problems, 623, 644–45
- Colle's fracture of the wrist, 662
- colloids, 506–7
- Colombia, 176
- Columbus, Christopher, 83
- combat medicine. *See* hostile geopolitical environments; penetrating and explosive wounds; tactical, protective, and operational medicine
- comfort foods, 96
- commercial assistance services. *See* assistance services
- common medical problems, 344–51, *See also* allergies and allergic reactions; burns; diarrhea; heart/cardiovascular conditions; skin and soft tissue conditions
  - bloodborne pathogens, 345–46
  - common occurrence of, 4, 7
  - electrical injuries, 278–79, 346–47
  - epistaxis (nosebleed), 10, 347–48
  - event medicine, 295–96, 296–97, 307
  - expectations regarding, 4, 17
  - gastroenteritis, 348
  - heat rash, 350, 636
  - in marine medicine, 272
  - in polar medicine, 198–200
  - incident rates, 38
  - lightning strikes, 347
  - personal medical kits for, 17
  - poison ivy, oak, and sumac, 350
  - tactical, protective, and operational medicine, 172, 173
  - tendon and ligament injuries to the foot, 637
  - thrombosis/embolisms, 254, 346
  - travel risks, 77, 152–53
  - tropical medicine, major diseases of, 206, 208
  - urological problems, 350–51
- common sense, value of, 2
- communication systems, 134–39, *See also* telemedicine
  - basic tools required for medical purposes, 138–39
  - capabilities required for, 138
  - choosing equipment and services, 135, 137–38
  - cost issues, 135, 138
  - customs, getting equipment through, 138
  - data rates, 317
  - divers, lost, search and rescue procedures for, 340–41
  - environmental and geographic factors, 137
  - event medicine, 301–2, 302–3
  - expedition physician's knowledge of, 12, 134, 135–36, 137
  - glossary, 140
  - manuals, 135–36
  - marine medicine, 267–70
  - medical records, 137
  - nature and purpose of expedition, considering, 136–37
  - phonetic alphabet, 142
  - polar medicine, 203
  - requirements vs. resources, 135
  - use of equipment, 137
  - written plan, 135–36
- COMNAP (Council of Managers of National Antarctic Programs), 201
- compartment syndrome, 541, 670–71
- complications. *See under* specific illness or injury
- component or conjugate vaccines, 41
- compression dressings for snakebites, 411–12, 417
- cone shells, 427
- confrontation visual field examination, 570
- conjugate or component vaccines, 41
- conjunctivitis
  - allergic, 574
  - bacterial, 574–75
  - foreign substances and chemicals causing, 575–76
  - viral, 576
- Consolazio, C. F., 87
- constipation, 96, 128
- constrictive snakes, 392
- contact dermatitis, 349–50
- contact lenses, 566
  - at high altitudes, 256
  - diving with, 587
  - red eye symptoms, 576–77
- contraception, 20, 130
- contributory negligence, 58–59
- controlled substances, abusing. *See also* specific drugs
  - drowning, near-drowning, and submersion injury, preventing, 516
  - in marine environments, 280–83
- controlled substances, as medication. *See* medications
- Cook, James, 197, 198
- co-participant liability, 59
- Coprinus* mushrooms, 462
- coral cuts and stings, 429–30
- corneal abrasions, 577
- corneal edema, 590
- corneal erosion, 578
- corns, 635
- coronary conditions. *See* heart/cardiovascular conditions
- corrective eye surgery
  - diving complications following, 589
  - refractive changes at high altitude after, 256–57
- cortical blindness at high altitudes, 256
- corticosteroids, 524
- cost issues
  - communication systems, 135, 138
  - expedition physician's consideration of, 4
- cougars, 388
- cough at high altitudes, 255
- Council of Managers of National Antarctic Programs (COMNAP), 201

Index		721
Coverlet Bandage Strips, 710		
COX-2 inhibitors or coxibs, 459		
Coxwell, Henry Tracey, 185		
coyotes, 380		
CPR (cardiopulmonary resuscitation), 509–10, 522–23		
creatine, 459		
creative thinking, importance of, 4		
crew or cockpit resource management (CRM) in aerospace medicine, 192		
cricothyroidotomy, 13		
CRM (cockpit or crew resource management) in aerospace medicine, 192		
Croatia, 176, 498		
crocodiles, 391, 421		
cross-therapeutic and multifunctional items, use of, 35, 38		
crown of thorns, 431		
cruises. <i>See</i> marine medicine		
crush injuries to extremities, 540–41, 671		
crystal meth, 442–43		
crystalloids, 506–7		
CS (orthochlorobenzylidene malononitrile) or tear gas, 168		
c-spine injuries		
back pain, team members with history of, 22		
in water, 517–18, 522		
primary assessment of disability in trauma situations, 535		
secondary survey of trauma, 538–39		
splinting, 654–55		
Cuba, 405		
CUF (care under fire), 168–69		
cultural issues for expedition physicians, 5–7, 16, <i>See also</i> local populations		
customs services		
communication equipment, 138		
medical supplies, 4–5		
<i>cutis marmorata</i> (decompression rash), 334, 342		
cyanide, 450–51		
cyclic antidepressants, 443–44		
cyclopeptide-containing mushrooms, 460–61		
cystic echinococcosis, 217		
dacriocystitis, 573		
Dalton's Law, 324, 342, 696		
DALY (disability-adjusted life year), 206		
data glove, 320–21		
DCIEM (Canadian Defense and Civil Institute of Environmental Medicine) Manual, 237		
DCS (decompression sickness or. <i>See under</i> diving		
DDT, 455–56		
De Quervain's Tenosynovitis, 664		
Deadly nightshade, 471		
death of team member		
body repatriation, 71–72, 150, 707		
survivor syndrome, 154		
debridement, 554–55		
animal attacks, wounds from, 376		
blisters, 615		
penetrating and explosive wounds, 503		
plantar warts, 636		
Decadron (dexamethasone), 247, 249, 253, 260, 713		
decompression sickness (DCS). <i>See under</i> diving		
decontamination		
tear gas and pepper spray in tactical medicine, 168		
toxicologic patients, 438–39		
deep vein thrombosis (DVT), 346, 701		
deer, 382		
DEET (N,N-Diethyl-3-methylbenzamide), 348, 365, 451–52		
dehydration. <i>See also</i> water, drinking		
at high altitudes, 242		
blisters and electrolyte levels, 614		
during tactical operations, 173		
event medicine, 297–98		
gastroenteritis, 348		
heat-related, 490		
hyponatremia, 297–98		
hypothermia, 484		
in polar environments, 203		
marine medicine, 277–78		
oral rehydration solution, recipe for, 277–78, 359		
oximetry monitors, 320		
preventative rehydration, 172, 173, 359, 490		
sweating, 480, 487–88		
dehydroepiandrosterone, 459		
delirium tremens (DTs), 282–83		
demonstrations, 177		
Denali (Mount McKinley), 11, 13		
Denavir (penciclovir) cream, 713		
dengue fever, 218–19		
dental emergencies, 595–609		
aeromedical evacuation, 698		
anesthesia and pain medicine, 605, 607–8, 608		
antibiotics, 605, 608		
barodontalgia (air pockets trapped in teeth), 606–7		
crowns, fillings, or bridges, lost, 605		
dentures, broken, 605		
designation of responsibility for, 596–97		
expedition medical kit, 608–9		
expedition physician's knowledge of dentistry, 10–11		
extraction of teeth, 606		
fractured teeth, 600–604		
glossary, 609		
infections, 605		
gum abscess or swelling, 605		
mouth ulcers, 605–6		
pericoronitis, 606		
pulpitis or pulpal abscesses, 605		
infiltration, injection by, 607		
local populations, assisting, 595, 596		
marine medicine, 283–84		
medical histories, 597–98		
nerve blocks, 607		
nerves of the head, anatomy of, 610		
planning and preparation for, 595–96		
preventive care		
during the expedition, 598–99		
pre-trip, 595		
trauma		
fractured teeth, 600–604		
luxation (complete tooth lost), 604		
medical record of, 604–5		
physical exams following, 600		
to oral mucosa and skin, 599–600		
Deployment Health Clinical Center, 160		
depression, team members with history of, 22, 24		
dermatitis and dermatology. <i>See</i> skin and soft tissue conditions		
desoximetasone (Topicort) ointment, 713		
dexamethasone (Decadron), 247, 249, 253, 260, 713		
diabetes		
diving, fitness for, 340		
drowning victims, 523		
team members with history of, 24–25		
diagnostics. <i>See also</i> telemedicine, and specific illnesses and injuries		
body signals, reading, 133		
clinical fundamentals, reliance on, 7		

- diagnostics...(cont.)
  - continuous monitoring, importance of, 28–29
  - diarrhea, etiologic diagnosis of, 356
  - differences from normal presentation in expedition situations, 14
  - Digital Diagnostic Glove or data glove, 320–21
  - expedition medical kit items, 37–38
  - Medic Triage Assist, 321
  - ultrasound and ultrasonic systems, 321–22
- diamox (acetazolamide)
  - eyes, 564, 580
  - high altitude medicine, 242, 243, 248–49, 253, 260
- diarrhea, 353–60. *See also* dehydration
  - age-related risk of, 356
  - antimicrobials, 358–59, 359–60
  - campylobacter jejuni/coli, 355
  - cholera, 355, 359
  - common causes of, 362
  - complications, 360
  - diagnosis, etiologic, 356
  - EAEC (enteroaggravative E. coli), 354–55
  - epidemiology, 356–57
  - ETEC (enterotoxigenic E. coli), 353, 354, 359
  - expedition physician's knowledge of, 8
  - food and water supply, 357
  - in hostile geopolitical environments, 181
  - medications
    - as treatment, 359–60
    - preventative, 357–59
  - Pepto-Bismol (bismuth subsalicylate), 358
  - prevention, 362, 357–59
  - probiotics, 358
  - protozoa causing, 355–56
  - return from expedition, team members ill after, 156
  - Rotavirus, 355
  - sanitation as means of preventing, 118–20
  - shellfish poisoning, 435
  - shigella and salmonella, 355
  - symptoms of, 353–54
  - treatment of, 359–60
  - vaccines, 359
  - viruses, 355
- diazepam (valium), 283, 446
- diclofenac, 563
- dieffenbachia, 470–71
- diet generally. *See* nutrition and food supply
- Dietary Reference Intakes (DRIs), National Academy of Sciences, 90
- dietary supplements, 459
  - aphrodisiacs, 459
  - cardioactive glycosides and digoxin-like compounds, 459
  - creatine, 459
  - dehydroepiandrosterone, 459
  - echinacea, 459
  - ephedra (Ma Huang), 459
  - ginseng, 459
  - herbal medications, 459
  - metals, 459–60
  - St. John's Wort, 443–44, 459
  - vitamins
    - dietary requirements, 90, 92
    - toxicology, 459
- Digital Diagnostic Glove or data glove, 320–21
- digitalis and digoxin, 452–53, 459
- dingoes, 380
- diphenhydramine (Benadryl), 35, 444, 711
- diphtheria, 41–42
- disability, long-term, caused by tropical diseases, 206–7
- disability, neurological, assessment of, 535–36
- disability-adjusted life year (DALY), 206
- dislocations
  - ankles, 622–26, 667–68
  - defined, 652
  - elbows, 661–62
  - fingers, 689
  - hand, PIP (proximal interphalangeal) dislocation of, 663
  - hip, 665
  - improvised techniques for handling, 689–90
  - knees, 666–67
  - of the foot, 622–26
  - patellas, 666–67
  - shoulder injuries, 657–60, 689–90
- displaced persons, 180–81
- disqualifying conditions, 27–28, 303
- diving, 324–42
  - aeromedical evacuation and, 699
  - AGE (arterial gas embolism), 329, 342, 587
  - barodontalgia (air pockets trapped in teeth), 606–7
  - barotrauma
    - avoidance of ear barotrauma, 342
    - defined, 325
    - ear squeeze, 589
    - inner ear, 328, 342
    - mask squeeze, 588–89
    - middle ear, 327–28
    - pulmonary (PBT), 328–29
    - sinus, 328
  - Boy Scouts of America Florida Sea Base scuba program, 28
  - Boyle's Law, 324, 327, 342
  - CAGE (cerebral air embolism), 329
  - close proximity location procedures, 340–41
  - Dalton's Law, 324, 342
  - DCS (decompression sickness or, 328, 331–32, 332–33, 333–34, 334–35, 335–37, 335–37, 337–38, 338, 339, 342, 343, 429, 587
  - distant location procedures, 341
  - ear issues
    - avoidance of ear barotrauma, 342
    - ear squeeze, 589
    - external ear problems (otitis externa or swimmer's ear), 326–27
    - inner ear barotrauma, 328, 342
    - inner ear DCS, 328, 342
    - middle ear barotrauma, 327–28
    - structure of ear, 325–26, 342
  - eye problems, 587–89
  - fitness to dive, 338–40, 343
  - flying after diving, 338, 343, 699
  - gas toxicity under pressure, 329
    - carbon dioxide, 331, 342
    - nitrogen (inert gas) narcosis, 330–31
    - oxygen, 329–30, 342
  - gauge pressure, 324
  - Henry's Law, 325, 342
  - in high altitude caves, 237
  - in subterranean caves, 237, 235–37
  - mask squeeze, 588–89
  - physics and physiology of, 324–25
  - preexisting eye issues and recent surgery, 589
  - search and rescue procedures, 340–41
  - SPK (superficial punctuate keratitis), 587–88
- diving reflex, 516
- dizziness, syncope, or vertigo
  - at high altitudes, 254
  - BPDV (benign paroxysmal positional vertigo), 191
  - team members with history of, 22, 25

Index		723
doctors		
law enforcement or combat team doctors, 171–72		
documentation. <i>See</i> medical histories; medical records and reports		
dogs, 380–81		
Domeboro's solution, 327		
Donner Party, 84		
Donner, Howard J., 1		
Doolittle, James, 185		
doxepine, 443–44		
doxycycline, 358, 359, 367, 370, 712		
dracunculiasis (guinea worm infection), 214		
dressings/bandaging, 556, 711, <i>See also</i> specific injuries and body parts		
drinking water. <i>See</i> dehydration; water, drinking; water treatment and purification		
Drinkwell, 110		
DRIs (Dietary Reference Intakes), National Academy of Sciences, 90		
drowning, near-drowning, and submersion injury, 274–75, 515–26		
antibiotics, 524–25		
ARDS, 519		
children, 515, 517, 518		
CPR, 522–23		
definitions		
diving reflex, 516		
drowning, 516		
immersion syndrome, 516		
near-drowning, 516		
secondary drowning or post-immersion syndrome, 516		
submersion injury, 516		
wet vs. dry drowning, 516		
ethnic/racial factors, 517		
gender factors, 517		
HYPER treatment, 525		
hyperventilation, 518, 525		
hypothermia		
deliberate hypothermia to preserve brain function, 525		
in cold water temperatures, 519–21, 523		
in contaminated water, 519		
in fresh vs. salt water, 518–19		
incidence of, 517–18		
intubation, 523–24		
IVF therapy, 523		
medications, 523, 524–25		
PEEP (Positive-End Expiratory Pressure), 523–24		
prevention, 515–16		
process of drowning, 521–22		
prognostic criteria, 525–26		
risk factors, 517–18		
swimming ability, 515, 517		
treatment, 522–25		
underlying causes, 517		
drug abuse. <i>See also</i> alcohol and alcohol abuse; medications; specific drugs		
drowning, near-drowning, and submersion injury, preventing, 516		
in marine environments, 280–83		
drugs. <i>See</i> medications		
dry chlorine (calcium hypochlorite), 110		
dry eyes, 579–83		
dry vs. wet drowning, 516		
DTs (delirium tremens), 282–83		
duck-billed platypus, 390–91, 397, 405		
Duckworth, John, 129		
DUMBELS, 437, 455–56, 461–62		
Dunckel, G. M., 200		
DVT (deep vein thrombosis), 346, 701		
dysbarism/decompression problems in aerospace, 191–92		
EAEC (enteroaggravative E. coli), 354–55		
ear problems		
aeromedical evacuation and middle ear problems, 697–98		
hearing of older people, 129		
otitis externa or swimmer's ear, 326–27		
team members with history of infections, 25		
eating disorders, team members with history of, 25		
ebullism, 187		
echinacea, 459		
echinococcosis, 217		
Eco-Challenge adventure race, 294, 298		
economic issues		
communication systems, 135, 138		
expedition physician's consideration of, 4		
tropical diseases, economic effects of, 207		
Ecstasy, 442–43		
edema		
angioedema, 344		
at high altitudes		
HACE (high altitude cerebral edema), 187, 245, 261, 249–50		
HAPE (high altitude pulmonary edema), 187, 251–54, 261		
peripheral edema, 254–55		
reentry pulmonary edema, 254		
corneal edema, 590		
eels		
electric eels, 392		
moray eels, 421–22		
EEMMA (extended electromagnetic medical advisor), 321–22		
Egypt, 498		
Eindhoven, 307		
Eindhoven, Willem, 307		
EKC (epidemic keratoconjunctivitis), 576		
elbows, injuries to, 661–62, <i>See also</i> extremity injuries		
elders		
as team members, 28		
expedition medical kit, 33		
insurance, 150		
special considerations regarding, 127–30		
electric eels, 392		
electrical injuries, 278–79, 346–47		
electrolysis as means of water disinfection, 114		
electrolytes. <i>See</i> dehydration		
elemental mercury, 458–59		
elephantiasis, 219–20		
elephants, 385–86		
elk, 382		
embolisms/thrombosis, 254, 346, 701		
Emergency Medical Services (EMS). <i>See also</i> search and rescue (SAR) services		
Emergency Medical Services (EMS)		
drowning victims, 523–24		
event medicine utilization of, 296, 301, 302		
tactical and protective medicine, development of, 165		
emergency position indicating radio beacons (EPIRBs), 12, 340, 341		
employment issues		
legal considerations, 60, 70–71		
local staff, medical treatment for, 16		
tort liability/negligence claims regarding hiring or use of inexperienced staff, 60		
EMS. <i>See</i> Emergency Medical Services		
emus, 390		

Cambridge University Press

978-0-521-86873-0 - Expedition and Wilderness Medicine

Edited by Gregory H. Bledsoe, Michael J. Manyak and David A. Townes

Index

[More information](#)

- encephalitis
  - Japanese (JE), 45–46, 218–19
  - tick-borne (TBE), 50–52
  - tsetse flies and African trypanosomiasis, 221–22
- endemic syphilis (bejel), 217
- endophthalmitis, 579–80
- energy bars, 96
- energy requirements. *See* nutrition and food supply
- enteric fever (typhoid), 52, 206, 210–11
- enteroaggravative *E. coli* (EAEC), 354–55
- enterotoxigenic *E. coli* (ETEC), 353, 354, 359
- envenoming. *See* venomous animals
- environmental and geographic factors
  - altitude, 126
  - communication systems, 137
  - expedition medical kit and, 33
  - immunizations, 40
  - malaria, geographic distribution of, 363
  - medical conditions associated with, 8
  - needs assessment, 126
  - nutritional requirements, 84–86
  - rescue skills and, 12
  - telemedicine in environmental extremes, 317
  - venomous animals by region, 417
  - water treatment and purification, 101
  - wound management, 544–45
- Environmental Protection Agency (EPA) water treatment and purification standards, 101–2
- ephedra, 459
- epicondylitis, lateral (tennis elbow), 662
- epidemic keratoconjunctivitis (EKC), 576
- epidemic typhus, 224–25
- epidemiology. *See* common medical problems, and under
  - specific topics, e.g. polar medicine, or specific illness or injury
- epilepsy
  - aeromedical evacuation and, 700
  - diving, fitness for, 340
  - piranha attacks following seizures, 392
- epinephrine, 345, 401
- Epipen (Twinject), 713
- EPIRBs (emergency position indicating radio beacons), 12, 340, 341
- episcleritis, 580
- epistaxis (nosebleed), 10, 347–48
- epithelialization and granulation, closure of wounds by, 556
- equipment, medical, for expedition. *See* expedition medical kit
- Erb, Blair Dillar, 123
- Erickson, Timothy B., 436
- ETEC (enterotoxigenic *E. coli*), 353, 354, 359
- Ethiopia, 181
- ethnic/racial factors in drowning, near-drowning, and submersion injury, 517
- ethylene glycol, 441–42
- etiology. *See* under specific illness or injury
- evacuation. *See* rescue and evacuation
- evaluation of team members. *See* needs assessment/screening;
  - selection standards
- event medicine, 294–304
  - adventure races as model for
    - characteristics and rules, 295
    - defined, 294
    - historical background, 294–95
    - medical disqualification from participation, 303
    - penalties for acceptance of medical assistance, 303
  - asthma and other respiratory problems, 297
  - blisters, 299–300
  - classification of injuries and illnesses, 301–2
  - communications, 301–2, 302–3
  - dehydration and hyponatremia, 297–98
  - EMS, availability/capabilities of, 296, 301, 302
  - endemic diseases, exposure to, 298–99
  - equipment and supplies, 300–301, 307
  - foot injuries and conditions, 299–300, 643–44
  - high altitude sickness, 297
  - incidence of illness and injury, 295–96, 296–97, 307
  - IVF (intravenous fluids) rule, 303, 307
  - legal considerations, 303–4
  - logistics challenges, 302
  - mass gatherings, types of, 295–96
  - medical personnel on site, 301
  - medical support plan, developing, 296
  - trauma, 299
  - vector-borne diseases, 298–99
- Everest
  - 1953 British expedition, 254
  - 1963 American expedition, 1
  - 1982 American Medical Research Expedition, 254
  - 1997 NOVA expedition, 13
- exercise-induced bronchospasm, 257–58
- Exley, Sheck, 237
- expectations regarding level of available medical care, 37
- expedition medical kit, 30–38, 709
  - accessibility issues, 35
  - blister care products, 617–18
  - dental emergencies, 608–9
  - diagnostic items, 37–38
  - environmental factors affecting, 33
  - event medicine equipment and supplies, 300–301, 307
  - expectations regarding level of available medical care, 37
  - eye problems, 562–66
  - foot problems, 645–46
  - high altitude medicine, 260
  - improvising with items in, 38
  - legal considerations, 69
  - length of trip and, 33–34
  - list of supplies, 38, 709
  - marine medicine, 270–72
  - modularization of, 38, 709
  - multifunctional and cross-therapeutic components, 35, 38
  - needs assessment of medical conditions of team
    - members, 33
  - non-Rx oral medication module, 712
  - orthopedics, 671–72
  - penetrating and explosive wounds, 510–11
  - polar medicine, 202–3
  - preservation of supplies, 38, 37, 202–3
  - product liability as to, 60–61
  - purpose/goal of expedition and, 30–32
  - rescue time and, 34
  - restocking options, 34, 36–37
  - Rx injectable medication module, 714
  - Rx oral/topical medication module, 713
  - security issues, 36
  - size of group and, 34–35
  - specialized treatment modules, 1
  - subterranean caves, 237, 238–39
  - table of factors to consider, 38
  - topical bandaging module, 711
  - toxicology, 439
  - training of team members and, 32–33
  - venomous animals, 399
  - weight and bulk, considering, 35
  - wound management, 545–46

- expedition members. *See* team members
  - expedition physicians and medical staff, 1–18
    - alternative/local medicine, dealing with, 7
    - basic medical skills required of, 7–11
    - burnout, preventing, 17
    - clinical fundamentals, reliance on, 7
    - common sense, value of, 2
    - common/simple problems, expecting, 4, 7, 17
    - communication systems, basic knowledge of, 12, 134, 135–36, 137
    - control issues, 5
    - cost issues, 4
    - creative thinking, importance of, 4
    - cultural issues for, 5–7, 16
    - customs, carrying medical supplies through, 4–5
    - dental emergencies, responsibility for, 10–11, 596–97
    - event medicine, 301
    - fitness and expedition skills, 13–14
    - for marine expeditions, 266–67
    - improvisational techniques, 13
    - inventorying and restocking medical supplies, 15
    - language problems, dealing with, 6
    - limitations
      - on care providable, 3, 7
      - on medical supplies, 3
      - on risk prediction, 3–4
    - local staff, caring for, 16
    - medical records, keeping, 15–16
    - medication guidelines, general, 4
    - monitoring team members, 14
    - non-team members, treating, 16
    - nutritional concerns, 15
    - polar medicine, selection and training for, 201–2
    - pre-expedition considerations for, 14–15
    - rescue and evacuation
      - knowledge of basic concepts and skills, 11–12
      - preplanning for, 15
    - sanitation, importance of, 15, 95–96
    - standard-of-care issues for, 16–17
    - temperamental requirements, 14
    - training for
      - aerospace medicine, 187
      - communication systems, 12, 134, 135–36, 137
      - polar medicine, selection and training for, 201–2
      - telemedicine equipment, 314, 317
      - wound management, 545
    - unfamiliar medications, dealing with, 6
    - variables of particular expedition, considering, 2
  - expedition-type events. *See* event medicine
  - Explorers Club, New York City, 35, 38, 309
  - explosives. *See* penetrating and explosive wounds
  - extended electromagnetic medical advisor (EEMMA), 321–22
  - extremity injuries, 539–42, *See also* foot problems; fractures;
    - hands and fingers; orthopedics
      - amputations, 546, 669–70
      - ankles, 611–12, 667–69
      - arms, 660–64
      - carpal tunnel syndrome, 663
      - compartment syndrome, 541, 670–71
      - crush injuries, 540–41, 671
      - elbows, 661–62
      - forearms, 662
      - hips, 664–65
      - knees, 666–67
      - lower leg (tibia and fibula), 667
      - nail injuries
        - black toenail, 630–31
        - fungal infections, 632–33
        - ingrown nail (onychocryptosis or paronychia), 631–32, 664
        - subungual hematoma, 664
        - trimming toenails properly to avoid, 633
  - shoulders, 657–60
  - splinting
    - lower extremities, 655–56
    - upper extremities, 655
  - sprains and strains, 611–12, 651, 668–69
  - thigh/femur, 665–66
  - wrists, 662–63
- eye problems, 562–93
  - aeromedical evacuation, 697, 700
  - Amsler grid, 570
  - at high altitude, 250, 255–57, 589–91
  - blepharitis, 571
  - blood in the eye
    - hyphema, traumatic, 581
    - retinal detachment, 584–85
    - retinal hemorrhage, 255–56, 590
    - subconjunctival hemorrhage, 583
    - vitreous hemorrhage, 584
  - burns, thermal or chemical, 574, 575
  - chalazion, 571
  - choroidal rupture and detachment, 584
  - classification of orbital injuries, 583
  - conjunctivitis
    - allergic, 574
    - bacterial, 574–75
    - foreign substances and chemicals causing, 575–76
    - viral, 576
  - contact lenses
    - at high altitudes, 256
    - diving with, 587
    - red eye symptoms, 576–77
  - corneal abrasions, 577
  - corneal edema, 590
  - corneal erosion, 578
  - corneal ulcers, 578–79
  - corrective surgery
    - diving complications following, 589
    - refractive changes at high altitude after, 256–57
  - cortical blindness, 256
  - dacryosystitis, 573
  - diving problems, 587–89
  - drops, instilling, 563
  - dry eyes, 579–83
  - elders, 129
  - endophthalmitis, 579–80
  - episcleritis, 580
  - expedition medical kit, 562–66
  - expedition physician's knowledge of, 10
  - foreign bodies in the eye
    - corneal and conjunctival, 577–78
    - intraocular, 587
  - fractures, orbital, 585
  - giant cell/temporal arthritis, 573
  - glaucoma
    - acute angle closure, 580
    - at altitude, 257
    - traumatic, 581
  - glossary of eye anatomy, 566
  - hyphema, traumatic, 581
  - intraocular gas bubbles, 256
  - iritis (anterior uveitis), 581–82
  - keratitis
    - acute, 582

- eye problems (cont.)
    - corneal ulcers, 578–79
    - herpes simplex, 580–81
    - snowblindness (ultraviolet photo-keratitis or solar keratitis), 13, 203–4, 590–91
    - SPK (superficial punctuate keratitis), 575, 587–88
  - lacerations, 586
  - local populations, 592
  - maculopathy, traumatic, 585
  - medications, topical and systemic, 562–64
  - migraines, ocular, 585
  - ocular motility abnormalities, 256
  - ointments, applying, 564
  - penetrating injuries, 586
  - perforating injuries, 586–87
  - periorbital inflammations, 571–73
  - peripheral vision, testing, 570
  - personal supplies, 562, 565–66
  - photopsia (light flashes), 584, 585
  - physical exams
    - anatomical, 566–69
    - vision testing, 569–71
  - pinhole vision, 569
  - postseptal orbital cellulitis, 572
  - preseptal orbital cellulitis, 572
  - pseudotumor, orbital, 573
  - pterygium, 582–83
  - red eye, acute, 573–79
  - rescue and evacuation, situations requiring, 591–92, 592
  - retinal detachment, 584–85
  - retinal hemorrhage, 255–56, 590
  - ruptured globe, 587
  - scotopsia (opaque spots), 584, 585
  - snowblindness (ultraviolet photo-keratitis or solar keratitis), 13, 203–4, 590–91
  - SPK (superficial punctuate keratitis), 575, 587–88
  - subconjunctival hemorrhage, 583
  - traumatic damage
    - closed globe injuries, 583–85
    - conjunctivitis, foreign substances and chemicals causing, 575–76
    - corneal and conjunctival foreign bodies, 577–78
    - fractures, orbital, 585
    - glaucoma, 581
    - hyphema, traumatic, 581
    - open globe injuries, 585–87
  - tropical environments, 591
  - vision testing, 569–71
  - vitreous hemorrhage, 584
- FAA (Federal Aviation Administration). *See* aeromedical evacuation; aerospace medicine
- facilities, medical. *See* expedition medical kit
- failure to warn claims, 60–61
- falls, injuries due to. *See* trauma
- Fang, I. M., 256
- FAO (Food and Agricultural Organization of the United Nations) tables of energy requirements, 87–88, 88
- fasciitis, plantar, 639–41, 669
- fascioliasis, 212
- fasciolopsiasis, 212
- Fasigyn (tinidazole), 443
- fat requirements, 90–92
- Federal Aviation Administration (FAA). *See* aeromedical evacuation; aerospace medicine
- Feeney, Robert E., 83, 198
- feet. *See* foot problems
- felines, 386–88
- felons (infections of terminal digit pulp-space), 664
- female team members. *See* women
- femoral injuries, 665–66
- Fenwick, A., 213
- Ferrazinni, G., 247
- fevers
  - African tick-bite fever, 298–99
  - boutonneuse fever (tick typhus), 224
  - dengue fever, 218–19
  - enteric fever (typhoid), 52, 206, 210–11
  - hemorrhagic fevers, 206
  - rat-bite fever, 378
  - relapsing fever
    - louse-borne, 225
    - tick-borne, 224
  - return from expedition, team members ill after, 156–59
  - RMSF (Rocky Mountain spotted fever), 223–24
  - sand fly (papataci or phlebotomus) fever, 223
  - trench fever, 225
  - unexplained fever and malaria prevention, 368
  - yellow fever, 44–45, 52, 217–18
- fibula injuries, 667
- Fiennes, Ranulph, 83
- filarial infections, 219–20
  - African trypanosomiasis, 221–22
  - Bancroftian or lymphatic filariasis (elephantiasis), 219–20
  - leishmaniasis (Kala-azar), 222–23, 309, 591
  - loiasis, 220–21
  - onchocerciasis, 220
  - sand fly (papataci or phlebotomus) fever, 223
  - skin damage from bites, 348
- filtration devices for water treatment and purification, 105, 106, 105–8
- financial issues
  - communication systems, 135, 138
  - expedition physician's consideration of, 4
- fingers and hands. *See* hands and fingers
- fire coral and hydrozoa, 429, 430
- firearms
  - assault weapons, 495–97
  - bullets
    - fragmented, 503–4
    - removal of, 503
    - types of, 492–94, 496
  - handguns, 495
  - in hostile geopolitical environments, 177
  - rifles and long guns, 495–97
  - submachine guns, 495
  - velocity, 495
  - wounds from, 492–94, 497
- fishhooks, embedded, 280
- fissures, 635
- fitness and skill levels
  - medical condition of team members, 14–15
  - of expedition physicians, 13–14
  - search and rescue skills, 674–75
- flash-bangs, 168
- fleas, 225–27
- flies. *See* filarial infections, and specific types of fly
- fluid retention. *See* edema
- fluids, consuming. *See* water, drinking
- fluoroquinolones, 358, 377, 509, 654
- fluoxetine, 443–44
- flying. *See* aeromedical evacuation; aerospace medicine
- Fodstad, H., 198
- Foley catheters, 238, 483

Index		727
folliculitis, 349	foreign countries, traveling in. <i>See</i> travel safety, and specific countries	
Food and Agricultural Organization (FAO), United Nations, tables of energy requirements, 87–88, 88	foreskin, retracted, 351	
food and water. <i>See</i> nutrition and food supply; water, drinking	Forgey, W. W., 2, 3, 19, 30, 31	
foot problems, 611–46, 669, <i>See also</i> blisters; extremity injuries	Fortuine, R., 198	
Achilles tendinitis, 638–39	foxes, 380	
Achilles tendon rupture, 641	foxglove, 472	
aching feet, 641	fractures. <i>See also</i> orthopedics	
athlete's foot, 634	aeromedical evacuation, 698, 701	
black toenail, 630–31	ankles, 667	
bunions, 622	arms, 660–61, 662	
bursitis, 639	defined, 652	
calluses, 634–35	elbows, 661	
chilblains, 487, 641	hands, 663	
cold therapy, 623, 644–45	hip, 664–65	
cold-related injuries, 642–43	knees, 666–67	
corns, 635	lower leg (tibia and fibula), 667	
dislocations, 622–26	of the foot, 626–28, 669	
event medicine, 299–300, 643–44	open, 541	
expedition medical kit, 645–46	orbital, 585	
fissures, 635	pelvic, 657	
fractures, 626–28, 669	penetrating and explosive wounds, 504	
frostbite, 203, 484–87, 641	reducing and splinting, 541	
fungal infections	spinal injuries	
athlete's foot, 634	in water, 517–18, 522	
blisters, 616	primary assessment of disability in trauma situations, 535	
toenails, 632–33	secondary survey of trauma, 538–39	
Haglund's deformity (retrocalcaneal bursitis), 628	splinting, 654–55	
hammertoes, claw toes, and mallet toes, 631	stress fractures, 627	
heat therapy, 612, 630, 644–45	teeth, 600–604	
heat-related injuries, 641–42	thigh/femur, 665–66	
hot spots, 613, 641–42	wrists, 662–63	
ingrown toenails (onychocryptosis or paronychia), 631–32, 664	fragment wounds, 503–4	
jungle rot (tinea versicolor), 642	fragmented bullets, 492–94	
maceration, 616, 642	Franklin polar expedition, 84	
metatarsalgia (capsulitis), 628–29	Freer, Luanne, 240, 374	
modifying footwear, 644	Friedl, K. L., 85	
moisture problems, 616, 642–43	frostbite, 203, 484–87, 641	
Morton's foot or Morton's toe, 632	frostnip, 486	
Morton's neuroma, 629–30	full-body vacuum splints (vacuum mattresses), 675	
neuropathy or numbness, 633–34	fungal infections	
overlapping toes, 632	athlete's foot, 634	
peripheral neuropathy, 633–34	blisters, 616	
plantar fasciitis, 639–41, 669	histoplasmosis, 232–33	
plantar warts, 635–36	toenails, 632–33	
post-event or expedition care, 644	funnel web spiders, 404	
rashes, 636		
Raynaud's syndrome, 634	GABA, 462	
RICE (rest, ice, compression, and elevation), 611, 612, 639, 644	GAC (granular activated carbon), 105	
ruptured tendon, 641	GalaxoSmithKline (GSK), 33	
sand, 643	Gamekeeper's Thumb (ulnar collateral ligament tear), 663–64	
sesamoiditis, 636–37	gangrene, 377	
sprains and strains, 611–12	gas bubbles, intraocular, 256	
stress fractures, 627	gas toxicity under pressure, 329	
stubbed toes, 632	carbon dioxide, 331, 342	
tinea versicolor (jungle rot), 642	nitrogen (inert gas) narcosis, 330–31	
transient parasthesia, 633	oxygen, 329–30, 342	
trauma, 539–42	gasohol, 441–42	
trenchfoot, 487, 643	gastrointestinal tract. <i>See also</i> diarrhea	
trimming toenails, 633	abdominal wounds, 505–6, 537–38	
turf toe, 633	aeromedical evacuation, 698	
forearm injuries, 662	elders, 128–29	
foreign bodies in the eye	gastroenteritis, 348	
corneal and conjunctival, 577–78	mushrooms causing irritation to, 463	
intraocular, 587	plant toxins causing irritation to, 471	
	ulcers, team members with history of, 25	

- gatifloxacin, 509
- general medical conditions. *See* common medical problems
- genitourinary system. *See also* pregnancy
  - acute urinary retention, 351
  - candirú (toothpick fish) lodged in urethra, 391–92
  - common urological problems, 350–51
  - dehydration and urinary volume/color, 484
  - elders, 129
  - hematuria, 350–51
  - paraphimosis, 351
  - pelvic injuries, 505–6, 538, 657
  - renal colic (kidney stones), 351
  - women, 130
- geography. *See* environmental and geographic factors
- Georgia (country), 176
- GeoSentinel, 144, 154, 160
- Ger, E., 201
- German measles (rubella), 43–44
- Gerold, Kevin B., 165
- Gianotti, Alan, 3, 647
- giant cell/temporal arthritis, 573
- GIDEON, 160
- Gila monster, 407
- Gilbert, Mariane, 10
- G-induced loss of consciousness (G-LOC), 185, 189–91
- ginger, as seasickness curative, 273
- gingko biloba, 249
- ginseng, 459
- Glaisher, James, 185
- Glasgow coma scale, 535–36
- glaucoma
  - acute angle closure, 580
  - at altitude, 257
  - traumatic, 581
- Glenn, John, 186
- global campaigns to fight tropical diseases, 207–8
- global positioning system (GPS) technology, 302, 341
- Globalstar, 317, 323
- G-LOC (G-induced loss of consciousness), 185, 189–91
- glucagon, 345
- glue sniffing, 455
- gluing blisters, 617
- Good Samaritan laws, 69
- Goodman, P. H., 38
- goose bumps, 481
- gorillas, 381
- government assistance with aeromedical evacuation, 705–7
- GPS (global positioning system) technology, 302, 341
- granular activated carbon (GAC), 105
- granulation and epithelialization, closure of wounds by, 556
- Gray Baby Syndrome, 443
- Gray Eagles, 129
- grayanotoxins, 474
- Great Lakes Region, Africa, 176
- green lasers, 340
- grenades, hand and rocket-propelled (RPGs), 497–98
- grey reef sharks, 418
- grizzly bears, 388–89
- gross negligence, 59
- GSK (GalaxoSmithKline), 33
- guinea worm infection (dracunculiasis), 214
- gum abscesses or swellings, 605, *See also* dental emergencies
- guns. *See* firearms
- gut. *See* gastrointestinal tract
- Haemophilus influenza type b (Hib), 41
- Haglund's deformity (retrocalcaneal bursitis), 628
- HAH (high altitude headache), 244, 245, 261
- hair removal in wound management, 553–54
- Haiti, 405
- hallucinogenic agents, 453
- hallucinogenic mushrooms, 462–63
- hallucinogenic plants, 475–76
- halofantrine, 370
- halogenation, 108–9, 109, 110, 114
- Hamilton, R. W. Bill, 232
- hammertoes, 631
- hand grenades, 497–98
- handguns, 495, *See also* firearms
- hands and fingers
  - dislocated fingers, reducing, 689
  - fungal infections of the nail, 632–33
  - ingrown nail (onychocryptosis or paronychia), 631–32, 664
  - orthopedic injuries to, 663–64
  - ring removal, 690–91
  - subungual hematoma, 664
  - traumatic injury, 539–42
- hand-washing, 118–20, 288
- HAPE (high altitude pulmonary edema), 187, 251–54, 261
- Hargrove, Jenny, 374
- HARH (high altitude retinal hemorrhage), 255–56, 590
- Harris-Benedict equation, 89–90
- Harvey Mudd College Student Engineering Clinic project, 310–11, 320
- Haut, Elliott R., 529
- Hawaiian woodrose and Hawaiian baby woodrose, 475–76
- hazardous animals. *See* animal attacks; marine and aquatic life; venomous animals
- HBV (hepatitis B virus), 42–43, 345–46
- head injuries. *See* neurological conditions
- headaches
  - at high altitude, 244, 245, 261
  - migraines, ocular, 585
  - team members with history of, 21, 22
- health insurance/medical coverage, 66, 146
- Health Protection Agency, UK, 159, 162
- hearing of older people, 129
- heart/cardiovascular conditions
  - aeromedical evacuation and, 700
  - at high altitudes
    - arteriosclerotic conditions/CAD (coronary artery disease), 259
    - hypertension, 258–59
    - thrombosis, 254
  - chest pain, 24
  - CPR (cardiopulmonary resuscitation), 509–10, 522–23
  - diving and coronary artery disease, 339
  - elders, 128
  - lightning strikes, 347
  - PFO (patent foramen ovale), 339
  - protocol for cardiology clearance, 27–28
  - team members with history of, 25
- heat exhaustion, 488
- heat rash, 350, 636
- heat shock proteins, 489–90
- heat sources
  - as therapy for foot problems, 612, 630, 644–45
  - burns due to, 278–79
  - methods of heat transfer, 479–81
  - skin-to-skin heat transfer, 483
  - water treatment and purification via, 102–3, 103
- heat stroke, 488
- HACE (high altitude cerebral edema), 187, 245, 261, 249–50
- Hackett, Peter H., 1, 240, 247, 257

Index		729
heat, as environmental concern, 126, 479, <i>See also</i> tropical medicine	dizziness, syncope, or vertigo, 254	
acclimatization to, 489	edema	
at high altitudes, 240	HACE (high altitude cerebral edema), 187, 245, 261, 249–50	
at polar extremes, 199	HAPE (high altitude pulmonary edema), 187, 251–54, 261	
clothing, 490	peripheral edema, 254–55	
foot problems due to, 641–42	reentry pulmonary edema, 254	
hyperthermia, 487–90	environmental factors, 240–42	
marine medicine, 275–77	event medicine, 297	
physiology of human thermal regulation, 479–81	exercise-induced bronchospasm, 257–58	
sunburn, 350	expedition medical kit, 260	
eyelids, 574	eyes, 250, 255–57, 589–91	
in polar medicine, 203	focal neurologic conditions, 250	
on marine expeditions, 278	general medical conditions, 257–60, 261	
sweating, 480, 487–88	glaucoma, 257	
Heimlich maneuver, 523	HACE (high altitude cerebral edema), 187, 245, 261, 249–50	
helicopter rescue, 693, 701–2, <i>See also</i> aeromedical evacuation	HAH (high altitude headaches), 244, 245, 261	
helminth infections	HAPE (high altitude pulmonary edema), 187, 251–54, 261	
schistosomiasis, 214–15	HARH (high altitude retinal hemorrhage), 255–56, 590	
STH (soil-transmitted helminth), 209–10	heart/cardiovascular conditions	
Heloma dura, 635	arteriosclerotic conditions/CAD (coronary artery disease), 259	
Heloma molle, 634, 635	hypertension, 258–59	
hematoma, subungual, 664	thrombosis, 254	
Hemcon bandages, 508–9	HVR (hypoxic ventilatory response), 242, 252	
hemlock, 472–74	hyperbaric chambers, 250, 261	
hemodialysis, 439	hypoxia, 240–42, 244	
hemorrhage. <i>See</i> entries at blood	immunosuppression, 255	
hemorrhagic fevers, 206	in polar environment, 240	
hemorrhoids, 128	incidence of altitude sickness for various locations, 261	
hemostatic agents, 508–9	intraocular gas bubbles, 256	
Henry's Law, 325, 342	medications, 260	
hepatitis A, 42	neurological conditions, 244–51	
hepatitis B (HBV), 42–43, 345–46	obesity, 244–45, 259–60	
hepatitis C, 345–46	ocular motility abnormalities, 256	
herbal medications, 459	oxygen saturation levels, 240	
herbicides, 453–54	periodic breathing, 243–44	
hernias, team members with history of, 21, 22	peripheral edema, 254–55	
heroin, 459	physiology at high altitudes, 242–43	
herpes simplex keratitis, 580–81	pregnancy, 260	
herpes simplex keratoconjunctivitis, 576	preventive medicine	
herpes zoster, 44	AMS (acute mountain sickness), 248–49	
herpes, simian, 381	HAPE (high altitude pulmonary edema), 253	
herpetic mouth ulcers, 605–6	pulmonary disease, team members with history of, 25	
Hib (Haemophilus influenza type b), 41	pulmonary hypertension, 258	
Hibiclens Surgical Scrub, 710	reentry pulmonary edema, 254	
high altitude medicine, 240–60	rescue and evacuation on high-angle terrain, 676–77	
acclimatization process, 242–43	resources, 261	
acetazolamide, 242, 243, 248–49, 253, 260	rest and sleep problems, 243–44	
acute cerebral hypoxia, 244	sickle cell disease, 260	
alkalosis, 242	sleep apnea, 258	
AMS (acute mountain sickness), 187, 261, 244–49, 589–90	snowblindness (ultraviolet photo-keratitis or solar keratitis), 13, 203–4, 590–91	
asthma, 257–58	stroke, 250	
barodontalgia (air pockets trapped in teeth), 606–7	weight loss, 254	
blood pressure at high altitude, 242–43, 258–59	women team members, 130	
carbon monoxide poisoning, 245–46	high altitude medicine :, 254	
children as team members, 131–32	high blood pressure. <i>See</i> blood pressure problems	
chronic altitude sickness, 260	high-risk travel areas, 81	
cognitive changes, 250–51	Himalayan Rescue Association (HRA), 10, 13, 17	
cold, as environmental concern, 126	hip injuries, 664–65	
contact lenses, 256	HIPPA, 318	
conversion charts, pressure and oxygen concentrations, 261	hippopotamus, 385	
corneal edema, 590	hiring. <i>See</i> employment issues	
cough, pharyngitis, and bronchitis, 255	hiring issues	
dehydration, 242	legal considerations, 60, 70–71	
deterioration at high altitude, 254	local staff, medical treatment for, 16	
dexamethasone, 247, 249, 253, 260	tort liability/negligence claims regarding hiring or use of inexperienced staff, 60	
diving in caves well above sea level, 237		

- histoplasmosis, 232–33
- histories, medical. *See* medical histories
- HIV/AIDS, 132, 279, 291–92, 345–46
- hives or urticaria, 344
- hogs, wild and domestic, 380
- holly, 471
- homeowners’ or renters’ insurance policies, 66
- honey, antibacterial properties of, 375
- hookworms, 209–10
- Horner, Brian, 3
- hospitalization, team members with history of, 21, 22, 25
- hostage situations, 171, 179
- hostile geopolitical environments, 174–83, *See also* penetrating and explosive wounds; tactical, protective, and operational medicine
  - aid workers, targeting, 175
  - celebrations, 177
  - checkpoints, 176
  - civilians, targeting, 175
  - combatants, difficulty identifying, 175
  - common health problems, 181–82
  - demonstrations, 177
  - ethnic conflicts, regional, 174
  - high-risk situations in, 176–77
  - humanitarian access, 180
  - kidnapping and hostage situations, 179
  - landmines and unexploded ordinance (UXO), 177
  - list of most dangerous places, 175–76
  - militia and gangs, 177
  - nationality, civilians targeted on basis of, 175
  - provision of medical care in, 180
  - refugees and displaced persons, 180–81
  - resource scarcity, 180
  - restricted access areas, 175, 180
  - road blocks, 176
  - sexual and gender-based violence in, 182–83
  - terrorism, 179–80
  - travel safety in, 81, 176
  - weaponry, 177
- hot air balloons, 184–85
- hot loading and unloading of rescue aircraft, 680
- hot spots, 613, 641–42
- hotels, safety precautions in, 79
- Hotez, Peter J., 206
- HRA (Himalayan Rescue Association), 10, 13, 17
- Hsu, Edbert B., 344
- huffing, 455
- Hultgren, Herbert, 27, 28, 252
- Humboldt squid, 422
- Hurricane Katrina, 319
- HVR (hypoxic ventilatory response), 242, 252
- hydatid disease (cystic echinococcosis), 217
- hydrocarbon toxicity, 454
- hydrochloric acid, 449–50
- hydrocortisone cream, 711
- hydrofluoric acid, 449
- hydrogen cyanide gas, 450–51
- hydrogen peroxide, 116, 616
- hydrozoa, 429, 430
- hyenas, 380
- Hyer, Randall N., 152
- hygiene. *See* sanitation
- hymenoptera (bees, wasps, and stinging ants), 400–401
- HYPER treatment for drowning victims, 525
- hyperbaric chambers
  - for DCS (decompression sickness or), 335–37
  - for high altitude illnesses, 250, 261
- hypertension. *See* blood pressure problems
- hyperthermia, 487–90
- hyperventilation, 518, 525
- hyphema, traumatic, 581
- hypnotics, sedative (benzodiazepines), 446
- hyponatremia, 297–98
- hypotension. *See* blood loss; blood pressure problems
- hypothermia, 481–84
  - clothing, 483–84
  - dehydration, 484
  - diagnosis, 482
  - drowning victims
    - deliberate hypothermia to preserve brain function, 525
    - in cold water temperatures, 519–21, 523
  - drowning, near-drowning, and submersion injury in cold water, 519–21
  - food supply as means of preventing, 96, 484
  - goose bumps, 481
  - in polar medicine, 203
  - marine medicine, 275
  - penetrating and explosive wounds, victims of, 509
  - preventing, 483–84
  - prioritizing of body parts, 481
  - shelter, 484
  - shivering, 481
  - subterranean medicine, 234
  - treatment, 482–83
- hypoxia
  - aerospace medicine, 188–89
  - high altitude medicine, 240–42, 244
  - subterranean medicine, 234
- hypoxic ventilatory response (HVR), 242, 252
- IAATO (International Association of Antarctic Tour Operations), 201
- IAMAT (International Association for Medical Assistance to Travelers), 33, 152
- ibotenic acid-containing mushrooms, 462
- Ibuprofen, 711
- IDPs (internally displaced persons), 180–81
- IHR (international health regulations), reporting requirements of, 159, 162
- immersion syndrome, 516
- immobilization techniques, improvised, 686–87
- immune globulin, 42
- immunizations, 40–52, *See also* specific diseases
  - administration of, 41
  - adverse reactions to, 41
  - children as team members, 132
  - cholera, 45–46, 359
  - component or conjugate vaccines, 41
  - defined, 41
  - diarrhea vaccines, 359
  - diphtheria, tetanus, and pertussis, 41–42
  - environmental and geographic factors, 40
  - geographic considerations, 40
  - hepatitis A, 42
  - hepatitis B, 42–43
  - Hib (Haemophilus influenza type b), 41
  - immune globulin, 42
  - inactivated or killed vaccines, 41
  - influenza, 43
  - JE (Japanese encephalitis), 45–46
  - live attenuated vaccines, 41
  - Lyme disease, 49
  - marine medicine, 289–90
  - measles, 43

Index	731
meningococcal disease, 45	
mumps, 43	
plague, 49–50	
poliomyelitis, 44	
rabies, 49–50, 378	
recommended, 40, 45–52, 52	
required, 40, 44–45, 52	
return from expedition, team members ill after, 155	
routine, 40, 41–44, 52	
rubella, 43–44	
smallpox, 50	
streptococcus pneumoniae, 44	
TBE (tick-borne encephalitis), 50–52	
tetanus, 41–42, 280, 377, 401, 654	
toxoid vaccines, 41	
travel safety, 76–77, 81	
tuberculosis, 52	
typhoid (enteric fever), 52	
VZV (varicella-zoster virus), 44	
yellow fever, 44–45, 52	
immunocompromised team members, 132	
immunosuppression at high altitudes, 255	
IMO (International Maritime Organization), 285	
impetigo, 349	
impingements of shoulder, 660	
improvisation, 682, 691	
by expedition physicians, 13	
dislocations, 689–90	
immobilization, 686–87	
ring removal, 690–91	
transporting patients, 682–86	
with expedition medical kit items, 38	
wound management, 687–89	
improvised explosive devices (IEDs), 498	
inactivated or killed vaccines, 41	
India, 176	
inebriation. <i>See</i> alcohol and alcohol abuse	
inert gas (nitrogen) narcosis, 330–31	
infections. <i>See also</i> specific infections and infectious agents	
black toenails, 630	
blisters, 615, 616–17	
children's sensitivity to, 132	
chronic infectious diseases, 25	
dental, 605	
gum abscess or swelling, 605	
mouth ulcers, 605–6	
pericoronitis, 606	
pulpitis or pulpal abscesses, 605	
felons (infections of terminal digit pulp-space), 664	
fungal infections	
athlete's foot, 634	
blisters, 616	
histoplasmosis, 232–33	
toenails, 632–33	
skin and soft tissue, 348–49	
water, infectious agents in, 98–99, 99	
wound management, 558, 559	
infiltration, dental injection by, 607	
inflammatory bowel disease, 360	
influenza, 43	
ingrown nail (onychocryptosis or paronychia), 631–32, 664	
inhalants, 455	
inherent risk, 64	
injectable medication module, expedition medical kit, 714	
injuries. <i>See</i> trauma, and specific body parts and types of injury	
Inmarsat, 317, 323	
inorganic mercury, 458–59	
insecticides, 455–56	
insects, venomous, 400–405, <i>See also</i> venomous animals	
instruction. <i>See</i> entries at training	
insulin-dependent diabetes	
diving, fitness for, 340	
drowning victims, 523	
team members with history of, 24–25	
insurance	
assistance services, 146	
body repatriation, 150	
choosing services, 150–51	
evacuation services, 146–47, 147–50, 151	
exclusions from coverage, 152, 150	
for nonprofit corporations, 67	
health insurance/medical coverage, 66, 146	
homeowners' or renters' insurance policies, 66	
key components, 152	
legal protections provided by, 65–68	
malpractice insurance, 67	
resources, 152	
risk assessment and, 144–45	
team members' proof of coverage, 67	
tour operators and travel companies, 145	
travel insurance, 66–67, 78, 145–46, 152	
intellectual property rights, 69–70	
Interactive Home Care Monitoring System, 310–11	
internally displaced persons (IDPs), 180–81	
International Association for Medical Assistance to Travelers (IAMAT), 33, 152	
International Association of Antarctic Tour Operations (IAATO), 201	
International Convention for the Safety of Life at Sea (SOLAS), 285	
international health regulations (IHR), reporting requirements of, 159, 162	
International Maritime Organization (IMO), 285	
International Society of Travel Medicine (ISTM), 33, 144, 152	
International Space Station (ISS), 187, 195	
intoxication. <i>See also</i> alcohol and alcohol abuse	
intraocular gas bubbles, 256	
intravenous fluids (IVF), 1, 170	
intravenous fluids (IVF)	
subterranean medicine, 238	
intravenous fluids (IVF)	
subterranean medicine, 238–39	
intravenous fluids (IVF)	
event medicine, 303	
intravenous fluids (IVF)	
event medicine, 307	
intravenous fluids (IVF)	
DCS (decompression sickness or, 338	
intravenous fluids (IVF)	
for rehydration, 359	
intravenous fluids (IVF)	
quinine, intravenous, as malarial treatment, 370	
intravenous fluids (IVF)	
malarial treatments, 370	
intravenous fluids (IVF)	
hypothermia, 483	
intravenous fluids (IVF)	
hypotensive resuscitation (blood loss and replacement) due to penetrating or explosive wounds, 506–9	
intravenous fluids (IVF)	
drowning victims, 523	
inventorying medical supplies, 15	
in-water recompression to treat decompression sickness, 337–38, 343	

- iodination of water, 110, 111–14, 454–55
- iodine toxicity, 454–55
- Iran, 176, 498
- Iraq, 176, 177, 309, 498
- iritis (anterior uveitis), 581–82
- iron toxicity, 456–57
- irrigation
  - of eyes, 575–76
  - of wounds, 554
  - orthopedics, 653
- irritable bowel syndrome, 360
- Irukandji syndrome, 429
- Irwin, Steve, 374
- Isoniazid (INH), 457
- isopropanol, 441–42
- Israel, 176
- ISS (International Space Station), 187, 195
- ISTM (International Society of Travel Medicine), 33, 144, 152
  
- Jagger, Mick, 649
- jalapeno, 470–71
- Japanese encephalitis (JE), 45–46, 218–19
- jellyfish, 427–29
- Jenkins, J. Lee, 344
- jequirty beans, 474
- Jimsonweed, 471
- Johnson, C. J. H., 200
- Johnson, John, 129
- Johnson, Joyce M., 264
- joint injuries, 541
- Jordan, 177
- jungle rot (tinea versicolor), 642
  
- Kala-azar (leishmaniasis), 222–23, 309, 591
- Kalishnikov rifles, 495–97
- Kamler, Ken, 595
- kangaroos, 390
- Kangchenjunga, 1988 American expedition, 1, 4
- Katadyn water purification products, 110, 114, 115, 116
- Katrina (Hurricane), 319
- Kean, B. H., 353
- Keller, Helen, 132
- Kennedy, John F., 671
- keratitis
  - acute, 582
  - corneal ulcers, 578–79
  - herpes simplex, 580–81
  - snowblindness (ultraviolet photo-keratitis or solar keratitis), 13, 203–4, 590–91
  - SPK (superficial punctate keratitis), 575, 587–88
- keratotomy, radial (RK) or photorefractive (PRH)
  - diving complications following, 589
  - refractive changes at high altitude after, 256–57
- ketamine, 457–58
- khat, 442–43
- kidnapping and hostage situations, 171, 179
- kidneys
  - elders, 128
  - mushrooms causing renal toxicity, 463–64
  - renal colic (kidney stones), 351
- killed or inactivated vaccines, 41
- killer bees, 401
- killer whales (Orca), 420–21
- kissing bugs, 227–29
- kits. *See* expedition medical kit
- knee injuries, 666–67
- Knutson, Tracey, 53
  
- Kodiak bears, 388–89
- Kosovo, 176, 177
- Kurdistan, 176
  
- lacerations, 546, 586
- Lake, Redge, 18
- Lamisil, 616
- landmines, 177, 498–501
- language problems, dealing with, 6
- Lariam (mefloquine), 367
- Larson, Kristin, 53
- LASIK surgery
  - diving complications following, 589
  - refractive changes at high altitude after, 256–57
- lateral epicondylitis (tennis elbow), 662
- Latimer, Carol, 96
- latrines, 118–20
- Laurent, Francois, Marquis d’Arlandes, 184
- law enforcement and medicine. *See* tactical, protective, and operational medicine
- lead poisoning, 458, 459–60
- Lebanon, 176
- legal considerations, 53–73
  - body repatriation, 71–72
  - children as team members, 132
  - crime victims, 81
  - customs, carrying medical supplies through, 4–5
  - donations, 55–56
  - employment-related issues, 60, 70–71
  - event medicine, 303–4
  - expectations regarding level of available medical care, 37
  - expedition medical kit, 69
  - for expedition physician and medical personnel, 68–69
    - Good Samaritan laws, 69
    - malpractice insurance, 67
    - medical release and permission to treat, 63–64, 132
    - medications, 68–69
    - needs assessment (physical evaluation of team members), 19, 68
    - standard-of-care issues, 16–17
  - foreign law and customs, 80–81
  - Good Samaritan laws, 69
  - intellectual property rights, 69–70
- liability protection, avoidance, and defenses, 57
  - assumption of risk, doctrine of, 64–65
  - general liability releases and waivers, 61–63
  - inherent risk, 64
  - insurance, 65–68
  - medical release and permission to treat, 63–64
  - nonprofit corporations, expeditions as, 56
  - post-accident conduct, 65
- needs assessment, 19, 68
- non-profit corporations, expeditions as, 54–57, 67
- polar medicine, 203
- recordkeeping, 55
- risk management planning, 53–54
- structuring expeditions to minimize liability, 54
- telemedicine, 317–18
- tort liability/negligence claims, 57–59
  - contributory negligence, 58–59
  - co-participant liability, 59
  - failure to warn, 60–61
  - gross negligence, 59
  - hiring or use of inexperienced staff, 60
  - premises liability, 59–60
  - product liability as to equipment provided, 60–61
  - rescue, response, or medical care, negligent, 60

- simple negligence, 57–58
- supervision or instruction, negligent, 60
- types of claims brought, 59–61
- legs, injuries to. *See* extremity injuries
- leishmaniasis (Kala-azar), 222–23, 309, 591
- length of trip and expedition medical kit, 33–34
- leopard seals, 204
- leopards, 388
- leprosy, 216
- leptospirosis, 214, 298
- Levaquin, 712
- Levinson, J. M., 201
- levofloxacin, 509, 564
- Levoquine, 616
- Lewis and Clark expedition, 84
- liability protection. *See under* legal considerations
- Liberia, 176
- lice, 224–25, 349
- lice, sea, 432
- lidocaine, 607, 617, 713
- ligaments. *See* tendon and ligament injuries
- light flashes (photopsia) in visual field, 584, 585
- lightning strikes, 347
- lilies, 474–75
- lily-of-the-valley, 472
- limbs, injuries to. *See* extremity injuries
- limitations of expedition medical care
  - care providable, 3, 7
  - medical supplies, 3
  - risk prediction, 3–4
- lionfish, 424–25
- lions, 387–88
- lips, trauma involving, 599–600
- Lister Hill National Center for Biomedical Communication, 307
- litters/stretchers, 675–76
  - dragging, 678
  - improvised techniques, 682–86
  - in subterranean caves, 237
  - number of litter bearers on non-technical terrain, 678–79
  - on flat and near-flat terrain, 678
  - on high-angle terrain, 676–77
  - on intermediate terrain, 677–78
  - pole litters, 678
  - rucksack stretchers, 676, 677, 678, 683–86
  - split coil rope technique, 682–83
  - travois stretchers and sledges, 678
  - vacuum mattresses (full-body vacuum splints), 675
- live attenuated vaccines, 41
- liver flukes, 212
- lizards, 407
- local populations
  - alternative/local medicine, dealing with, 7
  - Arctic and Antarctica, 197–98, 198
  - bartering or providing medical items to, 36
  - cultural issues, 5–7, 16
  - dental emergencies, 595, 596
  - eye problems, 592
  - health risks posed by expeditions to, 153
  - hostile geopolitical environments, provision of medical care
    - to local populations in, 180
  - local customs and practices, awareness of, 78
  - non-team members, medical treatment for, 16, 153
  - pterygium, 582–83
  - snakebites of local people, treating, 406–7
  - staff, medical treatment for, 16
  - venomous animals, local knowledge and expertise
    - regarding, 399
  - local transport, using, 79
  - lodgings, safety precautions in, 79
  - loiasis, 220–21
  - long guns, 495, *See also* firearms
  - Longitudinal Study of Astronaut Health (LSAH), 194–95
  - long-term disability caused by tropical diseases, 206–7
  - loperamide, 360, 712
  - lorazepam (antivan), 446
  - Lorcet, 712
  - loris, 405
  - Lotrimin, 711
  - Louis XIV (king of France), 184
  - LSAH (Longitudinal Study of Astronaut Health), 194–95
  - LSD, 453, 475–76
  - Lugg, Desmond, 197
  - lumefantrine, 370
  - lungs. *See* respiratory system
  - Lyme disease, 49, 382
  - lymphangitis, 349
  - lymphatic filariasis (elephantiasis), 219–20
  - Lyster, Theodore C., 185
  - Ma Huang, 459
  - Macedonia, Christian, 134
  - macerated feet, 616, 642
  - Macklin, Alexander Hepburn, 152, 201
  - macronutrients (carbohydrate, fat, protein), 91, 90–92
  - Mahadevan, S. V., 647
  - mako sharks, 417
  - malaria, 362–71
    - ACTs (artemisinin-based combination therapies), 370, 368–70, 445
    - anemia and, 364
    - as major tropical disease, 206
    - avoiding mosquito bites, 365
    - chemoprophylaxis, 374, 365–68
    - chloroquine, 363, 367, 444–45
    - chloroquine-resistant strains, 363, 367
    - curatives, historical search for, 362
    - geographic distribution, 363
    - historical incidence of, 362–63
    - in hostile geopolitical environments, 181–82
    - intravenous treatments, 370
    - marine medicine, 290
    - medications
      - preventive chemoprophylaxis, 374, 365–68
      - treatment, 374, 368–70, 374
    - parasite biology and lifecycle, 363–64
    - prevention, 364–68
    - resources, 370–71
    - return from expedition, team members ill after, 157–59
    - situational awareness, importance of, 365
    - symptoms and complications of clinical disease, 364
    - toxic overdoses of antimalarial agents, 444–45
    - treatment of, 374, 368–70, 374
    - unexplained fever, rapid diagnosis and treatment of, 368
  - Malarone (atovaquone-proguanil), 367
  - mallet finger, 664
  - mallet toes, 631
  - malpractice insurance, 67
  - mammals, venomous, 390–91, 405, *See also* venomous animals
  - mandrake, 471
  - Manyak, Michael J., 144
  - marcaine (sensorcaine, bupivacaine hydrochloride), 605, 607
  - marijuana, 453

- marine and aquatic life, 391–92, 417–35, *See also* seafood
    - poisoning
  - alligators, 391, 421
  - anacondas, 392
  - barracuda, 420
  - blue-ringed octopus, 426
  - box jellyfish, 427–29
  - bristle worm, 431–32
  - cone shells, 427
  - coral cuts and stings, 429–30
  - crocodiles, 391, 421
  - crown of thorns, 431
  - duck-billed platypus, 390–91, 397, 405
  - electric eels, 421–22
  - fire coral and hydrozoa, 429, 430
  - Irukandji syndrome, 429
  - jellyfish, 427–29
  - killer whales (Orca), 420–21
  - lionfish, 424–25
  - moray eels, 421–22
  - needlefish, 422
  - octopus, 422, 426
  - preventive medicine
    - shark attacks, 419–20, 420
    - stingray injuries and envenomation, 424
    - stone fish, 425–26
  - scorpionfish, 425
  - sea bathers' eruption (sea lice), 432
  - sea snakes, 426–27
  - sea urchins, 430–31
  - sharks, 76, 417–20
  - squid, 422
  - stingrays, 422–24
  - stone fish, 425–26
  - treatment of injuries due to (*See also under* seafood
    - poisoning
  - blue-ringed octopus, 426
  - box jellyfish, 428
  - bristle worm, 432
  - cone shells, 427
  - coral cuts and stings, 430
  - crown of thorns, 431
  - fire coral and hydrozoa, 430
  - Irukandji syndrome, 429
  - lionfish and scorpionfish, 425
  - moray eels, 421
  - needlefish impalement, 422
  - sea bathers' eruption (sea lice), 432
  - sea snakes, 427
  - sea urchins, 431
  - shark attacks and other bites from large marine
    - animals, 420
  - squid and octopus bites, 422
  - stingrays, 424
  - stone fish, 425
- venomous animals, 422–32
- marine medicine, 264–92, *See also* diving; drowning, near-drowning, and submersion injury; marine and aquatic life availability of care
  - at sea, 264, 266–67
  - onshore, 264, 267–70
- basic medical responsibilities of expedition to team members, 265
- burns, 278–79
- clinical data on patients, collecting (medical charts), 268
- cold-related illness/hypothermia, 275
- common medical problems at sea, 272
- dehydration, 277–78
- dental care, 283–84
- expedition medical kit, 270–72
- expedition physician/medical staff, whether to engage, 266–67
- fishhooks, embedded, 279–80
- heat-related illness, 275–77
- immunizations, 289–90
- malaria, 290
- needs assessment/screening for team members, 265
- nutrition and food supply, 286
- packing for trips at sea, 290
- personal health and safety, ensuring, 289–92
- planning for medical needs, 264–66
- preventive medicine, 284–92
- resources, 269, 292
- safety drills, 286
- sanitation, 286–89
- seasickness/motion sickness, 272–74
- substance abuse (drugs and alcohol), 280–83
- vessel safety, supplies, and equipment, 285–86
- water supply, 286–88
- wound management, 279–80
- marine radios, 341, 343
- Marinucci, James M., 544
- marsupials, 390
- Martin, W. J., 31
- mask squeeze, 588–89
- mass casualty evacuation, 703–5
- Mawson's polar expedition, 84, 200
- McLuhan, Marshall, 134
- McManus, John G., 492
- McMullen, Russell, 40
- McQueen, Steve, 123
- MDG (Millennium Development Goals), 207
- MDT (multidrug therapy) for leprosy, 216
- measles, 43, 181
- Medic Triage Assist, 321
- Medical Alert thresholds. *See under* medical histories
- medical conditions of team members. *See* medical histories;
  - needs assessment
- medical histories, 19–20, 124
  - dental history, 597–98
  - diving, fitness for, 339
  - expedition physicians obtaining, 15
  - history thresholds
    - defined, 20
    - Level Four, 25–26
    - Level One, 20–21
    - Level Three, 23–25
    - Level Two, 21–23
  - key questions, 309
  - marine medicine, 265
  - return from expedition, team members ill after, 155–56
  - snakebite victims, 417
  - toxicology, 437–38
  - wound management, 548–49
- medical histories :, 20
- medical kit. *See* expedition medical kit
- medical records and reports
  - animal attacks, 375
  - communication systems and, 137
  - dental trauma, 604–5
  - disease reporting requirements, 159
  - non-profit corporations, expeditions as, 55
  - of expedition history, 159

Index		735
personal medical records, 15–16, 137	Millennium Development Goals (MDG), 207	
wound management, 545–46	Miller, Dorcas, 96	
medical release and permission to treat, 63–64	mineral requirements, 90, 92	
medical research	mines, 177, 498–501	
malaria curatives, historical search for, 362	Miox Purifier, 114	
polar medicine, 203	mistletoe, 471	
medical screening. <i>See</i> needs assessment; selection standards	Mitchell, H. H., 92	
medical staff. <i>See</i> expedition physicians and medical staff	mites, 227, 349	
medical threat assessment (MTA), 167–68, 173	modularization of expedition medical kit, 38, 709	
medications. <i>See also</i> antibiotics; expedition medical kit; non-steroidal anti-inflammatory agents; specific drugs	moisture problems with feet, 616, 642–43	
antimicrobials, 358–59, 359–60	money, carrying and storing, 81	
customs, carrying medical supplies through, 4–5	monitoring team members	
diarrhea	body signals, reading, 133	
preventative medications, 357–59	differences from normal presentation in expedition situations, 14	
treatment medications, 359–60	importance of continuous monitoring, 28–29	
drowning, near-drowning, and submersion injury, 523, 524–25	telemedicine, 311–14, 314–15, 319, 320	
eye problems, 562–64	monkey attacks, 381–82	
foreign laws on drug possession, 80	monkey-pox virus in prairie dogs, 378	
general guidelines for, 4	monkshood, 474	
legal considerations regarding, 68–69	monomethylhydrazine-containing mushrooms, 461	
malaria	Montgolfier hot air balloons, 184	
preventive chemoprophylaxis, 374, 365–68	Moore, Kisha, 344	
treatment of, 374, 368–70, 374	moose, 382	
probiotics, 358	morale, diet on expedition affecting, 84, 96	
substance abuse, 280–83	moray eels, 421–22	
subterranean medicine, 239	morning glory seeds, 453, 475–76	
team members' regular use of birth control, 20	morphine, 652	
non-prescription medication, 20	Morton's foot or Morton's toe, 632	
prescription medication, 20, 68–69	Morton's neuroma, 629–30	
psychotropics, 22	mosquitoes, 217–20, 348, <i>See also</i> malaria	
suspension of use or drug holidays, 24	motion sickness/seasickness, 272–74	
unfamiliar medications, dealing with, 6	motor vehicle accidents	
mefloquine (Lariam), 367	as common cause of travel injuries, 78–79, 291	
melatonin, 459	camels, 384	
melioidosis, 209	deer and elk, 382	
members of expedition. <i>See</i> team members	kangaroos, 390	
meningitis, 182	moose, 382	
meningococcal disease, 45	motor vehicle products, toxicology of, 441–42	
mental problems. <i>See</i> neurological conditions; psychological problems	Mount McKinley (Denali), 11, 13	
mercury poisoning, 458–59, 459–60	mountain laurel, 474	
Messner, Reinhold, 84	mountain lions, 388	
metal toxicity, 459–60	mountain sickness, acute (AMS), 187, 261, 244–49, 589–90	
metatarsalgia (capsulitis), 628–29	Mountain Travel Sobek Company, 26–27	
methamphetamines, 442–43	mouth area, trauma involving, 599–600, <i>See also</i> dental emergencies	
methanol, 441–42	mouth-to-mouth (cardiopulmonary) resuscitation, 509–10, 522–23	
methemoglobinemia, 459	Mozambique, 177, 498	
metronidazole, 443, 509	MTA (medical threat assessment), 167–68, 173	
Mexican beaded lizard, 407	mucosal irritation, plants causing, 470–71	
Mexican brown bears, 388–89	Mudd, Harvey, 310–11, 320	
mice, 378–79	multidrug therapy (MDT) for leprosy, 216	
microgravity and space adaptation syndrome, 193	multifunctional and cross-therapeutic items, use of, 35, 38	
micronutrient requirements, 92–93	mumps, 43	
Micro-Pur, 116	murine typhus, 225–26	
Micro-Pur Forte tablets, 115	muscarine-containing mushrooms, 461–62	
Micro-Pur MP-1 tablets, 114	muscimol-containing mushrooms, 462	
midges. <i>See</i> sand flies	musculine, 453	
migraines, ocular, 585	musculoskeletal system. <i>See</i> fractures; orthopedics; skin and soft tissue conditions	
miliaria rubra, 350	mushrooms, 453	
military medicine in combat situations. <i>See</i> hostile geopolitical environments; penetrating and explosive wounds; tactical, protective, and operational medicine	Mycelex, 711	
military telemedicine, 309–10, 311–14	mycetoma, 209	
	N,N-Diethyl-3-methylbenzamide (DEET), 348, 365, 451–52	
	NACD (National Association of Cave Divers), 237	

- NaDCC (sodium dichloroisocyanurate), 111
- nail injuries
  - black toenail, 630–31
  - fungal infections, 632–33
  - ingrown nail (onychocryptosis or paronychia), 631–32, 664
  - subungual hematoma, 664
  - trimming toenails properly to avoid, 633
- nalbuphine (Nubaine), 713
- NASA. *See* National Aeronautics and Space Administration
- NASA, 307, 308, 311
- nasal problems
  - allergic rhinitis, 344
  - epistaxis (nosebleed), 10, 347–48
  - sinus barotrauma, 328
  - sinus problems and aeromedical evacuation, 698
- National Aeronautics and Space Administration (NASA). *See also* aerospace medicine
- National Aeronautics and Space Administration (NASA)
  - dental emergencies, 595
  - ISS (International Space Station) management, 187
  - LSAH (Longitudinal Study of Astronaut Health), 194–95
  - practice of aerospace medicine in, 188
  - pregnancy kits for space shuttle and space station, 4
  - preventive space medicine, 193–94
  - Space Station Freedom, 1
  - telemedicine, 307–8, 311
  - treatment of illness and injury in space, 194
- National Association of Cave Divers (NACD), 237
- National Outdoor Leadership School (NOLS), 30, 93–95, 96
- National Speliological Society-Cave Diving Section (NSS-CDS), 237
- National Tactical Officers Association (NTOA), 165
- NATO standard for triage, 170
- natural disasters, 77, 319–20
- near-drowning. *See* drowning, near-drowning, and submersion injury
- neck collar, improvised, 686
- necrotizing subcutaneous infections, 349
- needlefish, 422
- needs assessment/screening, 19–29, *See also* medical histories; selection standards
  - age-related risks, 28, 33, 127–30, 131–32
  - cardiology clearance, 27–28
  - classification
    - of expedition, 123, 125
    - of physical activities involved in expedition, 123–24, 125–26, 133
    - of team members, 124, 128
  - continuous monitoring, importance of, 28–29
  - disqualifying conditions, 27–28, 303
  - diving, fitness for, 338–40, 343
  - environmental and geographic factors, 126
  - expedition medical kit and, 33
  - factors affecting, 123
  - food and water, 126–27
  - immunocompromised team members, 132
  - legal considerations, 19, 68
  - marine medicine, 265
  - physical exams, 26–27
  - polar expeditions, 201
  - risk management assessment plans, 19
  - special consideration, types of team members requiring, 127
  - telemedicine platform, choosing, 314–15
  - universal considerations, 124–27
- negligence. *See under* legal considerations
- Neosporin, 616
- neosynepherine, 563
- Nepal, 176
- nerve blocks in dental emergencies, 607
- neurological conditions
  - aeromedical evacuation, 697, 700
  - assessment of disability in trauma situations, 535–36
  - at high altitude, 244–49
  - CAGE (cerebral air embolism) while diving, 329
  - drowning, near-drowning, and submersion injury, 525
  - envenoming, neurotoxic, 408, 410, 412
  - HACE (high altitude cerebral edema), 187, 245, 261, 249–50
  - limb loss as result of, 541
  - shellfish poisoning
    - amnesic, 435
    - neurotoxic, 435
  - team members with history of head injuries, 21, 25
  - trauma to head, 536
- neuropathy or numbness
  - of the feet or toes, 633–34
  - peripheral neuropathy, 24, 633–34
  - transient parasthesia, 633
- niacin (Vitamin B3), 459
- Nielsen, Jerri, 314
- Nielsen, Jerri, MD, 311
- nifedipine, 253
- Nile crocodiles, 391
- nitrogen (inert gas) narcosis, 330–31
- nits, 349
- NOLS (National Outdoor Leadership School), 30, 93–95, 96
- non-prescription drugs. *See* medications
- non-profit corporations, expeditions as, 54–57, 67
- non-steroidal anti-inflammatory agents (NSAIDs)
  - bee and wasp stings, 401
  - diving, 338
  - event medicine, 307
  - expedition medical kit, 17
  - foot injuries, 612, 629
  - frostbite, 486
  - orthopedics, 652
  - polar medicine, 202
  - snakebite, contraindications for, 417
  - sunburn, 350
  - toxicology, 459
- non-team members. *See* local populations
- Norman, J. N., 200
- North Korea, 176, 179
- Norwegian Antarctic Expedition (1910–1912), 595
- nose
  - allergic rhinitis, 344
  - epistaxis (nosebleed), 10, 347–48
  - sinus barotrauma, 328
  - sinus problems and aeromedical evacuation, 698
- noxious gases and hypoxia in caves, 234
- NSAIDs. *See* non-steroidal anti-inflammatory agents
- NSS-CDS (National Speliological Society-Cave Diving Section), 237
- Nubaine (nalbuphine), 713
- Nu-Gauze pads, 710
- numbness or neuropathy of the feet or toes, 633–34
  - peripheral neuropathy, 24, 633–34
  - transient parasthesia, 633
- nursemaid’s elbow (radial head subluxation), 662
- nursing skills, importance of, 11
- nutmeg, 453
- nutrition and food supply, 83–96, 126–27, *See also* dietary supplements; seafood poisoning
  - allergies, team members with history of, 21, 22

- bad weather, 96
  - botulism, 446–47
  - caffeine, 447–48
  - comfort foods, 96
  - constipation, 96
  - cyanide in fruit pits and seeds, 450–51
  - diarrhea related to diet, 357
  - dizziness, syncope, or malaise associated with intake levels, 22
  - eating disorders, team members with history of, 25
  - environmental and geographic factors, 84–86
  - establishing/estimating energy requirements, 87
  - expedition performance and, 84–86
  - food planners, 86, 93
  - frequency of meals, 96
  - Harris-Benedict equation, 89–90
  - high altitudes, weight loss at, 254
  - historical expeditions, importance of diet on, 140, 83–84
  - hypothermia, preventing, 96, 484
  - lack of food/starvation diets, 84
  - macronutrients (carbohydrate, fat, protein), 91, 90–92
  - marine medicine, 286
  - micronutrients, 92–93
  - morale, effect on, 84, 96
  - mushrooms, 453
  - NOLS bulk ration planning, 93–95
  - polar medicine, 198
  - preparation instructions, 93
  - sample menus, 93, 94, 96
  - sanitation, 15, 95–96
  - tables of energy requirements, 88, 87–88
  - tactical operations, food-borne illnesses during, 172, 173
  - translating energy requirements into food projections, 93
  - tropical food-borne diseases, 210–13
  - vegetarians, 86
  - vitamins and minerals
    - dietary requirements, 90, 92
    - toxicology, 459
  - water requirements, 92–93
  - weight and volume issues, 95
  - nutrition and food supply, 87, 88
  - nutritional concerns, 15
  - Nweeia, Martin T., 595
  - obesity
    - altitude as treatment for, 259–60
    - AMS (acute mountain sickness) susceptibility, 244–45, 259–60
    - needs assessment/screening, 23
  - Occam's razor, 7
  - oceanic life. *See* marine and aquatic life
  - oceanic medicine. *See* marine medicine
  - oceanic white tip sharks, 418
  - Ockenhouse, Christian F., 362
  - octopus, 422, 426
  - Ogle, J. W., 200
  - older people
    - as team members, 28
    - expedition medical kit, 33
    - insurance, 150
    - special considerations regarding, 127–30
  - oleander, 472
  - olecranon bursitis, 662
  - oleoresin capsicum (OC) or pepper spray, 168, 388
  - onchocerciasis, 220
  - onychocryptosis (ingrown nail or paronychia), 631–32, 664
  - onychomycosis, 632–33
  - opaque spots (scotopsia) in visual field, 584, 585
  - operational medicine. *See* tactical, protective, and operational medicine
  - operational security (OPSEC), 167–68
  - ophthalmology. *See* eye problems
  - opioid syndrome, 437
  - opioids, 459
  - opisthorchiasis, 212
  - opossums, 390
  - OPSEC (operational security), 167–68
  - oral medication modules, expedition medical kit
    - non-Rx, 712
    - Rx, 713
  - oral problems. *See* dental emergencies
  - oral rehydration solution, recipe for, 277–78, 359
  - orbital injuries and illnesses. *See* eye problems
  - Orca (killer whales), 420–21
  - Oregon Spine Splints, 237
  - organic mercury, 458–59
  - organochlorine agents, 455–56
  - organophosphates, 455–56
  - ORS (oral rehydration solution), 277–78, 359
  - orthochlorobenzylidene malononitrile (CS) or tear gas, 168
  - orthopedics, 647–72, *See also* dislocations; extremity injuries; foot problems; fractures; tendon and ligament injuries; trauma
    - amputations, 546, 669–70
    - animal bites, 671
    - antibiotics, 653–54
    - arthritis, 652
    - bursitis
      - defined, 652
      - of the foot, 639
      - olecranon, 662
      - retrocalcaneal bursitis (Haglund's deformity), 628
    - compartment syndrome, 541, 670–71
    - crush injuries, 540–41, 671
  - c-spine
    - back pain, team members with history of, 22
    - in water, 517–18, 522
    - primary assessment of disability in trauma situations, 535
    - secondary survey of trauma, 538–39
    - splinting, 654–55
  - elders, 129
  - evaluation of victim
    - initial ABC evaluation, 647
    - orthopedic evaluation, 647–49
  - expedition medical kit, 671–72
  - expedition physician's knowledge of, 9
  - irrigation, 653
  - pain management, 652
  - pelvic injuries, 657
  - rescue and evacuation, 649–50
  - RICE (rest, ice, compression, and elevation), 611, 612, 639, 644, 652–53
  - shoulders, 657–60
  - splinting, 654–56
  - sprains and strains, 611–12, 651, 668–69
  - team members with history of orthopedic issues, 21, 22, 25
  - tetanus injections, 654
  - treatment, general principles of, 652–54
- ostriches, 390
- otitis externa or swimmer's ear, 326–27
- Ottawa Ankle Rules, 626
- Ottawa Treaty or Mine Ban Treaty, 179, 498
- outer space. *See* aerospace medicine
- oximetry monitors, 320

Cambridge University Press

978-0-521-86873-0 - Expedition and Wilderness Medicine

Edited by Gregory H. Bledsoe, Michael J. Manyak and David A. Townes

Index

[More information](#)

- oxygen toxicity under pressure in diving, 329–30, 342
- oxygen, lack of aeromedical evacuation, effects of decreased
  - oxygen concentrations during, 699–701
  - HVR (hypoxic ventilatory response), 242, 252
  - hypoxia
    - aerospace medicine, 188–89
    - high altitude medicine, 240–42, 244
    - subterranean medicine, 234
- oxygen, supplemental
  - delivery systems, knowledge of, 11
  - drowning victims, 522–23
  - supplies, arranging for, 15
- Pacific grey reef sharks, 418
- packaging patients for rescue and evacuation, 676
  - penetrating and explosive wounds, 509
  - subterranean medicine, 237
- packing, 77, 290
- pain medicine and anesthesia
  - ankle dislocations, 623–24
  - dental emergencies, 605, 607–8, 608
  - ingrown toenails, 631
  - orthopedic pain management, 652
  - wound management, 550–53
- Pakistan, 176
- Palestine, 176
- panda bears, 390
- papataci fever (sand fly or phlebotomus fever), 223
- paper clip heated and used to cauterize blood under
  - toenail, 630
- paracetamol (acetaminophen), 439–41
- paragonimiasis, 212
- paralytic shellfish poisoning, 434–35
- paraphimosis, 351
- paraquat, 453–54
- parasites and protozoa
  - diarrhea caused by, 355–56
  - event medicine, 298–99
  - malaria, 363–64
  - tropical food-borne diseases, 210–13
  - tropical water-borne diseases, 213–15
  - water-borne, 99, 100–101
- parasthesia, transient, 633
- Parenti, David M., 206
- paronychia (ingrown nail or onychocryptosis), 631–32, 664
- participants. *See* team members
- particulate removal to clarify water, 103–4
- passports, copies of, 77
- patella dislocations, 666–67
- patent foramen ovale (PFO), 339
- patient presentation. *See* diagnostics, and specific illness or injury
- PCP, 453
- PE (pulmonary embolism), 346
- peanut butter, 86, 92, 96
- Pearson, C., 96
- Peary, Robert, 83
- pediculosis (nits), 349
- PEEP (Positive-End Expiratory Pressure), 523–24
- Pelton, Robert Young, 175
- pelvic injuries, 505–6, 538, 657
- pemmican, 92
- pencyclavir (Denavir) cream, 713
- penetrating and explosive wounds, 492–511
  - ballistic injuries, 492–94, 497
  - body armor, 165, 501–2
  - CPR, avoiding, 509–10
  - expedition medical kit, 510–11
  - explosive injuries, 494, 498–501
  - eye injuries, penetrating and perforating, 586–87
  - fragmented bullets, 492–94
  - glossary, 492–511
  - grenades, hand and rocket-propelled (RPGs), 497–98
  - hypothermia prevention in victims, 509
  - IEDs (improvised explosive devices), 498
  - landmines, 177, 498–501
  - rescue and evacuation, packaging patients for, 509
  - UXO (unexploded ordnance), 177, 498
  - velocity of weapon, 495
  - wound management and treatment
    - abdominal/pelvic wounds, 505–6
    - airway problems, 504–5
    - antibiotics, 509
    - bullet removal, 503
    - contamination, assumption of, 502
    - controlling blood loss, 507–8
    - debridement, 503
    - first aid, 510
    - fractures, 504
    - hemostatic agents, 508–9
    - hypotensive resuscitation (blood loss and replacement), 506–9
    - non-life threatening wounds, 502–3
    - secondary survey and treatment, 510
    - shrapnel and fragment wounds, 503–4
    - torso/chest wounds, 505
- penicillin, 377, 509, 605, 608
- pepper spray, 168, 388
- peppers, edible, 471
- Pepto-Bismol (bismuth subsalicylate), 358
- Percogesic, 35, 711
- pericoronitis, 606
- periodic breathing at high altitude, 243–44
- peripheral neuropathy, 24, 633–34
- peripheral vision, testing, 570
- Permethrin, 365
- permission to treat, 63–64, 132
- pernio, 487
- personal health and safety while traveling. *See* travel safety
- personal locator beacons (PLBs), 12, 340, 341, 343
- perspiration, 480, 487–88
- pertussis, 41–42
- pest management at sea, 288
- pesticides, 453–54, 455–56, 459
- peyote, 453, 475–76
- PFO (patent foramen ovale), 339
- pharyngitis at high altitudes, 255
- Philippines, 176
- philodendron, 470–71
- phlebotomine or sand flies, 222–23, 223
- phonetic alphabet, 142
- photography, foreign laws and customs regarding, 81
- photo-keratitis (snowblindness), 13, 203–4, 590–91
- photopsia (light flashes) in visual field, 584, 585
- photorefractive keratotomy (PRK)
  - diving complications following, 589
  - refractive changes at high altitude after, 256–57
- physical evaluation of team members. *See* needs assessment/ screening
- physical exams
  - chest wounds, 537
  - eyes
    - anatomical exams, 566–69
    - vision testing, 569–71

Index		739
mouth and teeth, trauma involving, 600	snowblindness (ultraviolet photo-keratitis or solar keratitis), 13, 203–4, 590–91	
pre-expedition, 26–27	sunburn, 203	
return from expedition, team members ill after, 155–56	telemedicine, 203	
toxicology, 437–38	training for team members in, 202	
vision testing, 569–71	training of medical staff in, 201–2	
wound management, 548	women and thermal extremes, 130	
physicians	Polar Pure, 112	
law enforcement or combat team doctors, 171–72	police and medicine. <i>See</i> tactical, protective, and operational medicine	
Picardin, 365	poliomyelitis, 44	
pigs, wild and domestic, 380	political and social unrest. <i>See</i> hostile geopolitical environments; penetrating and explosive wounds; tactical, protective, and operational medicine	
pinhole vision, 569	polymyxin, 563	
pinta, 217	Polysporin, 616	
PIP (proximal interphalangeal) dislocation of hand, 663	porcupines, 379–80	
piranhas, 392	portable hyperbaric chambers	
plague, 49–50, 226	for DCS (decompression sickness or, 335–37	
plantar fasciitis, 639–41, 669	for high altitude illnesses, 250, 261	
plantar warts, 635–36	Positive-End Expiratory Pressure (PEEP), 523–24	
plants, 464–75. <i>See also</i> specific plants	possums, 390	
anticholinergic agents, 471	post-immersion syndrome, 516	
cardioactive glycosides, 472–74	postseptal orbital cellulitis, 572	
colchicines, 474–75	post-traumatic stress disorder (PTSD), 154, 160, 378	
gastrointestinal irritants, 471	Potable Aqua, 113	
grayanotoxins, 474	potassium permanganate used to purify water, 116	
herbal medications, 459	prairie dogs, 378	
mucosal irritants, 470–71	Pramoxine, 711	
mushrooms, 453	prednisolone, 563, 564	
psychoactive or hallucinogenic, 475–76	prednisone, 345	
solanine-containing, 471–72	pregnancy, 4, 130, 131	
systemic toxins, 471–75	aeromedical evacuation and, 700–701	
table of toxic plants, 464	at high altitudes, 260	
toxalbumins, 474	diving, 339	
platypus, 390–91, 397, 405	iron toxicity, 456–57	
PLBs (personal locator beacons), 12, 340, 341, 343	malarial chemoprophylaxis and, 365	
plumbism (lead poisoning), 458, 459–60	polar medicine, 199–200	
pneumothorax, 505, 536–37, 698	prescription drugs. <i>See</i> medications	
poinsettia, 471	presentation of symptoms. <i>See</i> diagnostics	
poison generally. <i>See</i> toxicology	preseptal orbital cellulitis, 572	
poison hemlock, 472	preservation of medical supplies, 38, 37, 202–3	
poison ivy, oak, and sumac, 350	pressure issues	
poisoning from seafood. <i>See</i> seafood poisoning	in aerospace, 191–92, 696–99	
poisonous animals. <i>See</i> venomous animals	preventive medicine. <i>See also</i> specific conditions and environments	
pokeweed, 471	at high altitudes	
polar bear liver ingestion, Vitamin A toxicity from, 459	AMS (acute mountain sickness), 248–49	
polar bears, 204, 389–90	HAPE (high altitude pulmonary edema), 253	
polar medicine, 197–204	at polar extremes, 201	
animal attacks, 204	black toenails, 630	
Arctic vs. Antarctica, 197–98	blisters	
carbon monoxide poisoning, 204	friction, reducing, 614	
children and thermal extremes, 131–32	hot spots, treatment of, 613	
cold, as environmental concern, 126	lubricants, 614	
cold-related conditions and injuries, 199, 203	body armor, 165, 501–2	
communications, 203	dehydration/rehydration, 172, 173, 359, 490	
definition of polar regions, 197	dental care pre-expedition, 284	
epidemiology, 206, 198–200	dental emergencies, avoiding	
expedition medical kit and facilities, 202–3	during the expedition, 598–99	
fatalities, 200	pretrip preparation, 595	
frostbite, 203, 484–87, 641	diarrhea, 362, 357–59	
health care planning and services, 200–201, 206	drowning, near-drowning, and submersion injury, 515–16	
high altitude issues, 240	envenomation	
historical background, 197, 198, 200, 202	arthropods, 400	
hypothermia, 203	snakes, 405	
legal considerations, 203	table of preventive measures, 417	
nutrition and food supply, 198		
preventive medicine, importance of, 201		
rescue and evacuation, 200		
research, 203		
screening and needs assessment, predeparture, 201		

Cambridge University Press

978-0-521-86873-0 - Expedition and Wilderness Medicine

Edited by Gregory H. Bledsoe, Michael J. Manyak and David A. Townes

Index

[More information](#)

740

Index

- preventive medicine (cont.)
  - hypothermia, 96, 483–84
  - malaria, 364–68
  - mask squeeze in diving, 589
  - on marine expeditions, 284–92
  - rapid-impact package of preventive chemotherapy for tropical diseases, 208
  - rescue and evacuation, preventive decision making regarding, 673–74
  - sanitation, 118–20
  - seasickness/motion sickness, 272–74
  - snowblindness (ultraviolet photo-keratitis or solar keratitis), 591
  - space medicine, 193–94
  - telemedicine, 311–14, 314–15, 319, 320
- prickly heat, 350
- Primal Quest adventure race, United States, 295, 297, 307, 300, 307
- primaquine, 367–68
- primates, 381–82, 405
- Pristine, 115
- Priston, M. J., 202
- PRK. *See* photorefractive keratotomy
- probiotics, 358
- product liability as to equipment provided, 60–61
- protective medicine. *See* preventive medicine; tactical, protective, and operational medicine
- protein requirements, 90–92
- protozoa. *See* parasites and protozoa
- proximal interphalangeal (PIP) dislocation of hand, 663
- pseudotumor, orbital, 573
- psychoactive agents, 453
- psychoactive mushrooms, 462–63
- psychoactive plants, 475–76
- psychological problems
  - animal attacks, following, 378
  - depression, team members with history of, 22, 24
  - in polar medicine, 199
  - in space flight, 193–94
  - on return of the expedition, 154
  - PTSD (post-traumatic stress disorder), 154, 160, 378
  - survivor syndrome, 154
  - team members regularly taking psychotropics, 22
- pterygium, 582–83
- PTSD (post-traumatic stress disorder), 154, 160, 378
- pufferfish poisoning, 433–34
- pulmonary issues. *See* respiratory system
- pulpitis or pulpal abscesses, 605, *See also* dental emergencies
- pumas, 388
- punctuate keratitis, superficial (SPK), 575, 587–88
- puncture wounds, 546
- PUR, 111
- purification of water. *See* water treatment and purification
- pyrethrums, 455–56
- pyridoxine (Vitamin B6), 459
- pyrimethamine, 370
  
- Quickclot, 508–9, 540
- quinine and quinine sulfate, 370
- quinoa, 91
- quinolones, 3
  
- rabies
  - bats, 233–34, 380
  - coyotes, 380
  - foxes, 380
  - immunizations, 49–50, 378
  - marine medicine and, 291
  - raccoons, 379
  - rodent bites, 378
  - skunks, 379
  - wolves, 380
- raccoons, 379
- racial/ethnic factors in drowning, near-drowning, and submersion injury, 517
- radial head subluxation (nursemaid's elbow), 662
- radial keratotomy (RK)
  - diving complications following, 589
  - refractive changes at high altitude after, 256–57
- radiation
  - heat transfer by, 479–80
  - in space, 193
  - toxicology, 459
- Raid Gauloises, New Zealand, 294
- railway travel and train stations, 79
- rapid and remote assessment methodology (RRAM), 170–71
- rapid-impact package of preventive chemotherapy for tropical diseases, 208
- rapture of the deep (nitrogen narcosis), 330–31
- rashes
  - heat rash, 350, 636
  - of the foot, 636
- rat-bite fever, 378
- rats, 49–50, 226, 378–79
- Raynaud's syndrome, 634
- Real Time Mass Casualty Accountability System, 319
- recompression, in-water, to treat decompression sickness, 337–38, 343
- records and reports. *See* medical histories; medical records and reports
- red eye, acute, 573–79
- Redi-Chlor, 110
- reduction
  - of finger dislocation, 689
  - of foot and ankle dislocations, 622–26
  - of fractures generally, 541
  - of hip, 665
  - of shoulder dislocations, 689–90
  - of wrist fractures, 662
- reduviid bugs, 227–29
- refugees, 180–81
- rehydration, 277–78, 359
- relapsing fever
  - louse-borne, 225
  - tick-borne, 224
- releases and waivers
  - general liability, 61–63
  - medical release and permission to treat, 63–64
- remains, repatriation of, 71–72, 150, 707
- Remote Access to Medical Specialists-Maui Test Bed (RAMS-MT) program, 310
- renal system
  - elders, 128
  - kidney stones (renal colic), 351
  - mushrooms causing renal toxicity, 463–64
- renters' or homeowners' insurance policies, 66
- repatriation
  - of bodies, 71–72, 150, 707
  - of patients, 693
- reports. *See* medical records and reports
- rescue and evacuation, 673–92, *See also* aeromedical evacuation; litters/stretchers
  - 9-line medevac request, 171, 173
  - CASEVAC (combat casualty evacuation care), 170

- divers, lost, search and rescue procedures for, 340–41
- dragging, 678
- EMS (Emergency Medical Services)
  - drowning victims, 523–24
  - event medicine utilization of, 296, 301, 302
  - tactical and protective medicine, development of, 165
- expedition physicians
  - knowledge of basic concepts and skills, 11–12
  - preplanning for, 15
- extremity injuries, 542
- eye problems, 591–92, 592
- four-handed carrying techniques, 678
- hypothermia victims, 483
- insurance coverage, 146–47, 147–50, 151
- marine expeditions, transportation of patient to onshore facilities from, 267–70
- mass casualties, 703–5
- negligence claims regarding, 60
- on flat and near-flat terrain, 678
- on high-angle terrain, 676–77
- on intermediate terrain, 677–78
- orthopedic patients, 649–50
- packaging patients for, 676
  - penetrating and explosive wounds, 509
  - subterranean medicine, 237
- planning to solve the problem, 674
- polar medicine, 200
- preventive decision making, 673–74
- recognizing a problem exists, 674
- SAR (search and rescue) services
  - divers, lost, 340–41
  - event medicine utilization of, 296, 301, 302
- search skills, 674–75
- snakebite victims, 410
- spiders harness, 677
- stretchers/litters, 237, 675–76
- subterranean medicine, 237
- tactical, protective, and operational medicine, 170, 171, 173
- time required for, expedition medical kit contents and, 34
- tragsitz, 676
- vacuum mattresses (full-body vacuum splints), 675
- water rescues, 679
- research, medical
  - malaria curatives, historical search for, 362
  - polar medicine, 203
- resins, iodine, 113
- respiratory system
  - aeromedical evacuation and, 698, 700
  - AIRS (automated individualized respiratory support), 322
  - airway, 530–31
    - drowning and submersion injuries, treatment of, 522–25
    - penetrating and explosive wounds, airway problems resulting from, 504–5
    - subterranean cavers, 238
    - tracheotomy, 531
  - ARDS (acute respiratory distress syndrome), 519
  - ARI (acute respiratory infections), 181
  - asthma
    - at high altitudes, 257–58
    - diving, fitness for, 339–40
    - event medicine, 297
    - team members with history of, 21
  - breathing, assessment and treatment of, 531–32
  - bronchoconstriction, cold-induced, 487
  - CPR (cardiopulmonary resuscitation), 509–10, 522–23
  - diving
    - lung disease and asthma as counterindicative to, 339–40
    - PBT (pulmonary barotrauma), 328–29
  - elders, 128
  - event medicine, 297
  - high altitude medicine
    - adaptation/acclimatization, 242–43
    - asthma and exercise-induced bronchospasm, 257–58
    - event medicine, 297
    - HAPE (high altitude pulmonary edema), 187, 251–54, 261
    - periodic breathing, 243–44
    - pulmonary hypertension, 258
    - reentry pulmonary edema, 254
    - sleep apnea, 258
    - thrombosis, 254
  - HVR (hypoxic ventilatory response), 242, 252
  - hyperventilation, 518, 525
  - hypoxia
    - aerospace medicine, 188–89
    - high altitude medicine, 240–42, 244
    - subterranean medicine, 234
  - penetrating and explosive wounds
    - airway problems resulting from, 504–5
    - torso/chest wounds, 505
  - team members with history of pulmonary disease, 25
  - thrombosis/embolism, 254, 346
- rest and sleep
  - at high altitudes, 243–44, 258
  - sleep apnea, 258
  - tactical, protective, and operational medicine, 172, 173
  - toxicology of sleep aids, 459
- rest, ice, compression, and elevation (RICE), 611, 612, 639, 644, 652–53
- restocking medical supplies
  - expedition medical kit, 34, 36–37
  - expedition physician's inventorying responsibilities, 15
- restraints for delirious patients, 283
- retention of urine, 351
- retinal detachment, 584–85
- retinal hemorrhage, 255–56, 590
- retrocalcaneal bursitis (Haglund's deformity), 628
- return of the expedition, 152–60
  - disease reporting requirements, 159
  - expedition history reports, 159
  - ill-returning team members, 154–59
  - psychological consequences of, 154
  - responsibilities associated with, 153–54
- reverse Colle's fracture of the wrist, 662
- rhabdomyolysis-inducing mushrooms, 464
- rhinitis, allergic, 344
- rhinoceros, 384–85
- rhododendron, 474
- rhubarb leaves, 475
- rhus dermatitis, 350
- Riamet, 370
- RICE (rest, ice, compression, and elevation), 611, 612, 639, 644, 652–53
- ricin, 474
- rickettsialpox, 227
- Rifaxamin (Xifaxan), 358, 360
- rifles, 495–97, *See also* firearms
- ring removal, improvised, 690–91
- riot control agents, exposure to, 168
- risk assessment and management
  - for legal purposes, 53–54
  - insurance, 144–45
  - plans for, 19, 53–54
- river rot, 487
- RK. *See* radial keratotomy
- RMSF (Rocky Mountain spotted fever), 223–24
- road blocks, 176

- Roberts, Gil, 1, 3  
Rocephin (ceftriaxone), 713  
rocket-propelled grenades (RPGs), 497–98  
Rocky Mountain spotted fever (RMSF), 223–24  
rodenticides, 459  
rodents, 378–79  
Rogozov, L. I., 202  
rogue elephants, 385–86  
rosary pea, 474  
Rosier, Pilatre de, 184  
rotator cuff injuries, 660  
Rotavirus, 355  
RPGs (rocket-propelled grenades), 497–98  
RRAM (rapid and remote assessment methodology), 170–71  
rubbing alcohol, 441–42  
rubella, 43–44  
rucksack stretchers, 676, 677, 678, 683–86  
rupture and detachment, choroidal, 584  
ruptured blisters, 615  
ruptured globe of the eye, 587  
ruptured tendons, 641  
Russia, 176  
Rutan, Burt, 195  
Rwanda, 181
- Sack, R. Bradley, 353  
safety sausages, 340, 343  
salicylates (aspirin), 459  
salmeterol, 253  
salomonella, 355  
saltwater crocodiles, 391  
Sam splints, 9, 710  
*San Telmo*, wreck of, 200  
sand flies, 222–23, 223  
sand, foot problems due to, 643  
sanitation. *See also* water treatment and purification  
    food supply and, 95–96  
    importance of, 15  
    marine medicine, 286–89  
    pest management at sea, 288  
    skin and soft tissue health, 348  
    subterranean waste management, 235  
    water supply and, 118–20  
    wound treatment area, selecting, 546  
SAR. *See* search and rescue (SAR) services  
satellite phone, 315  
scabies, 349  
schistosomiasis, 206, 214–15  
scombroid poisoning, 434  
scopolamine, 563  
scopolamine skin patch, 273  
scorpionfish, 425  
scorpions, 404  
scotopsia (opaque spots) in visual field, 584, 585  
Scott, Robert Falcon, 83, 84, 200  
screening. *See* needs assessment/screening; selection standards  
scrub typhus, 227  
scuba diving. *See* diving  
sea bathers' eruption (sea lice), 432  
sea life. *See* marine and aquatic life  
sea urchins, 430–31  
sea, medicine at. *See* marine medicine  
seafood poisoning, 432–35  
    ciguatera, 433  
    pufferfish, 433–34  
    scombroid poisoning, 434  
    shellfish poisoning, 434–35  
        amnesic, 435  
        neurotoxic, 435  
        paralytic, 434–35  
search and rescue (SAR) services. *See also* Emergency Medical Services (EMS); rescue and evacuation  
    divers, lost, 340–41  
    event medicine utilization of, 296, 301, 302  
search and rescue skills, 674–75  
seasickness/motion sickness, 272–74  
secondary drowning, 516  
security of expedition medical kit, 36  
sedative hypnotics (benzodiazepines), 446  
sedimentation, 104  
seizures  
    aeromedical evacuation and, 700  
    alcohol withdrawal, 283  
    diving, fitness for, 340  
    piranha attacks following, 392  
selection standards. *See also* needs assessment/screening  
    disqualifying conditions, 27–28, 303  
    diving, fitness for, 338–40, 343  
    in aerospace medicine, 185, 186, 194  
    polar expeditions, predeparture screening and needs assessment for, 201  
self-rescue. *See* rescue and evacuation  
sensorcaine (marcaine, bupivacaine hydrochloride), 605, 607  
separated shoulder, 660  
Serbia, 176  
serotonin reuptake inhibitors (SSRIs), 443–44  
sertraline, 443–44  
sesamoiditis, 636–37  
sewage. *See* sanitation  
sexual harassment, 79–80  
sexually transmitted diseases, 216, 291–92, 345–46  
Shackleton, Ernest, 200, 201  
sharks, 76, 417–20  
shellfish poisoning, 434–35  
    amnesic, 435  
    neurotoxic, 435  
    paralytic, 434–35  
shelter in cold environments, 484  
Shepanek, Marc A., 184  
shigella, 98–99, 181, 355  
ships and boats. *See* marine medicine  
shivering, 481  
shotguns. *See* firearms  
shoulder injuries, 657–60, 689–90  
shrapnel wounds, 503–4  
shrews, venomous, 390–91, 405  
sickle cell disease at high altitudes, 260  
Siegfried and Roy, 374  
signal mirrors, 340, 343  
sildenafil, 253  
silver  
    toxicity, 459–60  
    water treatment and purification, 115–16  
simian herpes, 381  
simple negligence, 57–58  
simple/common problems. *See* common medical problems  
Simpson, Joe, 647, 652, 667, 674  
sinus barotrauma, 328  
sinus problems and aeromedical evacuation, 698

Cambridge University Press

978-0-521-86873-0 - Expedition and Wilderness Medicine

Edited by Gregory H. Bledsoe, Michael J. Manyak and David A. Townes

Index

[More information](#)

## Index

743

- size of group
  - communications planning and, 136–37
  - expedition medical kit, contents of, 34–35
  - food planning and, 93
- Sked Stretchers, 237
- skeletal system. *See* fractures; orthopedics
- skill and fitness levels
  - medical condition of team members, 14–15
  - of expedition physicians, 13–14
  - search and rescue skills, 674–75
- skin and soft tissue conditions, 348, *See also* blisters; burns; trauma; wound management
  - abacuses, 349
  - animal and insect bites, 348
  - cellulitis, 348–49, 349
  - cold injuries, non-freezing, 487
  - contact dermatitis, 349–50
  - cutis marmorata* (decompression rash), 334, 342
  - elders, 129
  - folliculitis, 349
  - frostbite, 203, 484–87, 641
  - frostnip, 486
  - heat rash, 350
  - impetigo, 349
  - infections, 348–49
  - leprosy, 216
  - lymphangitis, 349
  - necrotizing subcutaneous infections, 349
  - pediculosis (nits), 349
  - scabies, 349
  - tinea, 349
  - treponematoses, 216–17
- skin-to-skin heat transfer, 483
- skunks, 379
- sledges, rescue, 678
- sleep and rest
  - at high altitudes, 243–44, 258
  - sleep apnea, 258
  - tactical, protective, and operational medicine, 172, 173
  - toxicology of sleep aids, 459
- sleeping sickness (African trypanosomiasis), 221–22
- Sloan, Noel E., 232
- sloth bears, 390
- smallpox, 50
- Smith's fracture of the wrist, 662
- smoking
  - team members with history of, 21
  - tobacco ingestion, 472
- snakes, constrictive, 392
- snakes, venomous, 405–13
  - assessment of victims, 417, 406–10, 417
  - coagulopathy, 410, 412, 417
  - complications, 413
  - evacuation of patient, importance of, 410
  - kinematics of, 405–6
  - local population, treating, 406–7
  - medical history of victims, 417
  - neurotoxic envenoming, 408, 410, 412
  - nonvenomous bites from venomous species, 409, 410
  - preventing attacks, 405
  - sea snakes, 426–27
  - table of genuses and species, 417
  - treatment of bites, 410–13
    - antivenins, 410, 412–13, 417
    - cauterization, 412
    - clinical pearls, 417
    - coagulopathy, 412, 417
    - compression dressings, 411–12, 417
    - emergency management, 417
    - extraction of venom, 412
    - first aid, 417
    - neurotoxic envenoming, 412
- snowblindness (ultraviolet photo-keratitis), 13, 203–4, 590–91
- social and political unrest. *See* hostile geopolitical environments; penetrating and explosive wounds; tactical, protective, and operational medicine
- Society for the Study of Legal Aspects of Sports and Physical Activity, 57
- Society to Prevent People from Drowning, 517
- sodium chloride, 563
- sodium dichloroisocyanurate (NaDCC), 111
- sodium hypochlorite (bleach) used for water treatment and purification, 110
- soft tissue. *See* skin and soft tissue conditions
- soil-transmitted diseases
  - histoplasmosis, 232–33
  - STH (soil-transmitted helminth), 209–10
  - tropical diseases, 208–10
- solanine-containing plants, 471–72
- solar heat, water treatment and purification via, 103, 117
- solar keratitis (snowblindness), 13, 203–4, 590–91
- SOLAS (International Convention for the Safety of Life at Sea), 285
- solenodons, 405
- Somalia, 181
- SonoSite, 321–22
- sore throat at high altitudes, 255
- South Africa, 176
- South Korea, 179
- Southern Traverse, New Zealand, 294
- space adaptation syndrome in microgravity, 193
- space medicine. *See also* aerospace medicine
  - LSAH (Longitudinal Study of Astronaut Health), 194–95
  - NASA, as practiced in, 188
  - preventive, 193–94
  - treatment of illness and injury in space, 194
- space tourism, 195
- spatial disorientation in aerospace, 185, 189
- Special Weapons and Tactics (SWAT) operations. *See* tactical, protective, and operational medicine
- speed, 442–43
- spelunking. *See* subterranean medicine
- spiders (evacuation harness), 677
- spiders, venomous, 402–4, *See also* venomous animals
- Spielman, Stanley L., 562
- spinal injuries
  - back pain, team members with history of, 22
  - in water, 517–18, 522
  - primary assessment of disability in trauma situations, 535
  - secondary survey of trauma, 538–39
  - splinting, 654–55
- spirochetal infections (treponematoses), 216–17
- splints
  - c-spine, 654–55
  - dislocations of the foot, 624–25
  - lower extremities, 655–56
  - orthopedics, 654–56
  - trauma care, 541
  - upper extremities, 655
  - vacuum mattresses (full-body vacuum splints), 675
  - wound management, 558

- split coil rope technique for transporting patients, 682–83
- spillage of medical supplies, avoiding, 38, 37, 202–3
- sport pilot rule in aerospace medicine, 195
- sprains, 611–12, 651, 668–69
- sprue, tropical, 360
- Spyroflex wound dressings, 709
- squid, 422
- St. John's Wort, 443–44, 459
- stability of chronic conditions, 23
- Stadol, 712
- standard-of-care issues for expedition physicians, 16–17
- staples, 556
- starvation diets, 84
- State Department travel alerts and travel registration website, 77–78, 176
- Steeger, Will, 83
- Steri-Pen (water purification product), 116
- Stevens-Johnson syndrome, 370
- Stevenson, Robert Louis, 450
- STH (soil-transmitted helminth infections), 209–10
- stings. *See also* animal attacks; vector-borne diseases
  - arthropods, 400
  - as wound type, 547
  - coral, 429–30
  - hymenoptera (bees, wasps, and stinging ants), 400–401
- stitches, 556
- stomach problems. *See* gastrointestinal tract
- stomach wounds, 505–6, 537–38
- stone fish, 425–26
- Stone, William, 235
- strains, 611–12, 651, 668–69
- streptococcus pneumoniae, 44
- stress fractures, 627
- stretchers. *See* litters/stretchers
- stroke at high altitude, 250
- strongyloidiasis, 209–10
- Stroud, Michael, 83
- Strughold, Hubertus, 186
- stubbed toes, 632
- Subbaro, Italo, 344
- subluxation of radial head (nursemaid's elbow), 662
- submachine guns, 495, *See also* firearms
- submersion injury. *See* drowning, near-drowning, and submersion injury
- substance abuse. *See also* alcohol and alcohol abuse; medications; specific drugs
  - drowning, near-drowning, and submersion injury, preventing, 516
  - in marine environments, 280–83
- subterranean medicine, 232–39
  - airway management for injured cavers, 238
  - barodontalgia (air pockets trapped in teeth), 606–7
  - catheterization, 238
  - characteristics of subterranean environment, 232
  - cold and hypothermia, 234
  - diving in caves, 235–37
  - expedition medical kit, 237, 238–39
  - histoplasmosis, 232–33
  - initial management of injured cavers, 237–38
  - intravenous fluids, 238–39
  - medications, 239
  - monitoring pulse, blood pressure, and temperature, 238
  - noxious gases and hypoxia, 234
  - packaging patients for evacuation, 237
  - rabies, 233–34
  - rescue and evacuation, 237
  - sanitation, 235
  - trauma, 234–35
  - water supply, 235
- subungual hematoma, 664
- sucking chest wounds, 170, 536, 537
- Sudan, 176, 181
- sulfa drugs, 509
- sulfadoxine, 370
- sulfuric acid, 449–50
- sunburn, 350
  - eyelids, 574
  - in polar medicine, 203
  - on marine expeditions, 278
- sunglasses, 565, 591
- superficial punctuate keratitis (SPK), 575, 587–88
- supervision of team members, negligence claims regarding, 60
- supplies, medical. *See* expedition medical kit
- surgery, team members with history of, 21, 22, 25
- surma, 459–60
- survivor syndrome, 154
- sutures, 556
- SWAT (Special Weapons and Tactics) operations. *See* tactical, protective, and operational medicine
- sweating, 480, 487–88
- Sweetwater Viral Stop, 110
- swimmer's ear or otitis externa, 326–27
- swimming, 290–91, 515, 517
- swine, wild and domestic, 380
- sympathomimetic syndrome, 437
- symptoms. *See* diagnostics, and specific illness or injury
- syncope, dizziness, or vertigo
  - at high altitudes, 254
  - BPDV (benign paroxysmal dispositional vertigo), 191
  - team members with history of, 22, 25
- syphilis
  - bejel (endemic syphilis), 217
  - venereal, 216
- tabanid fly, 220–21
- tactical, protective, and operational medicine. *See also* hostile geopolitical environments; penetrating and explosive wounds
  - 9-line medevac request, 171, 173
  - CASEVAC (combat casualty evacuation care), 170
  - common problems, 172, 173
  - CUF (care under fire), 168–69
  - current practices, 166–67
  - definitions, 165
  - food-borne illnesses during operations, 172, 173
  - historical background, 165–66
  - intravenous fluids, 170
  - MTA (medical threat assessment), 167–68, 173
  - providers of, 167
  - rescue and evacuation, 170, 171
  - rest recommendations during long operations, 172, 173
  - riot control agents, exposure to, 168
  - RRAM (rapid and remote assessment methodology), 170–71
  - subordination of health and safety to goal of tactical mission, 167
  - TCCC (tactical combat casualty care), 168
  - TCF (tactical field care), 169–70
  - team doctors, 171–72
  - telemedicine in the military, 309–10, 311–14
  - TEMS (Tactical Emergency Medical Support), 165
  - triage, tactical, 170–71
  - water intake recommendations to prevent dehydration, 172, 173

- tadalafil, 253
  - taeniasis (tapeworm), 212
  - Tang, Nelson, 165
  - tapeworm (taeniasis), 212
  - taping blisters, 618–22
  - tapirs, 384
  - TCAs (tricyclic antidepressants), 443–44
  - TCCC (tactical combat casualty care), 168
  - TCF (tactical field care), 169–70
  - team members
    - children as, 131–32
    - classification of, 124, 128
    - death of
      - body repatriation, 71–72, 150, 707
      - survivor syndrome, 154
    - elders, 28, 33, 127–30
    - expectations regarding level of available medical care, 37
    - immunocompromised, 132
    - insurance coverage, proof of, 67
    - monitoring
      - body signals, reading, 133
      - differences from normal presentation in expedition situations, 14
      - importance of continuous monitoring, 28–29
      - telemedicine, 311–14, 314–15, 319, 320
    - returning from expedition with illness, 154–59
    - selection standards
      - disqualifying conditions, 27–28, 303
      - diving, fitness for, 338–40, 343
      - in aerospace medicine, 185, 186, 194
      - polar expeditions, predeparture screening and needs assessment for, 201
    - special consideration, types of team members requiring, 127
    - universal considerations regarding, 124–27
  - tear gas, 168
  - teeth. *See* dental emergencies
  - telehealth, 307
  - telemedicine, 134, 307–23
    - advantages of, 308
    - data rates, 317
    - defined, 307
    - equipment and supplies
      - communications equipment, 315–17
      - in environmental extremes, 317
      - medical devices, 315
      - needs assessment, 314–15
      - simplicity, advantages of, 318
      - training in use of, 314, 317
    - future developments in, 318–19
      - AIRS (automated individualized respiratory support), 322
      - constant monitoring systems, 319
      - Digital Diagnostic Glove or data glove, 320–21
      - Medic Triage Assist, 321
      - natural disaster monitoring, 319–20
      - oximetry monitors, 320
      - ultrasound and ultrasonic systems, 321–22
  - glossary, 140
  - historical background, 307–8
  - illnesses and injuries benefiting from use of, 315
  - in home environments, 310–11
  - in space, 307–8, 311
  - in the military, 309–10, 311–14
  - legal considerations, 317–18
  - needs assessment, 314–15
  - on expeditions, 308
    - characteristics shared with combat medicine, 311
    - institutional expeditions, 309
      - marine expeditions, 267–70
      - polar expeditions, 203
      - recreational expeditions, 308–9
    - preventive and monitoring uses, 311–14, 314–15, 319, 320
    - RAMS MT (Remote Access to Medical Specialists-Maui Test Bed) program, 310
    - services at the other end, 317
    - tourism, 309
    - training in use of equipment, 314, 317
    - TRICARE, 310
    - weight and volume issues, 314
- temperature extremes. *See* cold; heat
- temporal/giant cell arthritis, 573
- TEMS (Tactical Emergency Medical Support), 165
- tendon and ligament injuries, 650–51, 652
  - Boutonniere deformity (finger), 664
  - De Quervain's Tenosynovitis in the thumb, 664
  - defined, 651–52
  - knees, 667
  - mallet finger, 664
  - of the foot, 637–41
    - Achilles tendinitis, 638–39
    - ankle sprains and strains, 611–12
    - bursitis, 639
    - classification of, 637
    - common tendon problems, 637
    - healing process, 637–38
    - plantar fasciitis, 639–41
    - ruptured tendon, 641
    - tendinitis, tendinosis, and tendinopathy, 637
  - radial head subluxation (nursemaid's elbow), 662
- shoulder
  - AC (acromioclavicular) separation, 660
  - impingement, 660
  - tendinitis, tendinosis, and tendinopathy, 637, 651–52
  - ulnar collateral ligament tear (Gamekeeper's Thumb), 663–64
- tennis elbow (lateral epicondylitis), 662
- Tenosynovitis, De Quervain's, 664
- tension pneumothorax, 505, 536
- terrorist attacks, 77, 179–80
- testing facilities, absence of, 7
- tetanus, 41–42, 280, 377, 401, 654
- tetracaine, 562, 713
- tetracycline, 298
- tetrahydrozoline ophthalmic drops, .05%, 710
- theft. *See* travel safety
- thermal extremes. *See* cold; heat
- thigh injuries, 665–66
- Thomas, Marie, 397
- thoracic wounds, 505, 536–37, 698
- threat assessment
  - in tactical medicine, 167–68, 173
  - telemedicine platform, choosing, 314–15
- thresholds. *See under* medical histories
- thrombosis/embolisms, 254, 346, 701
- tibia injuries, 667
- ticks
  - African tick-bite fever, 298–99
  - deer, 382
  - Lyme disease, 382
  - relapsing fever, tick-borne, 224
  - RMSF (Rocky Mountain spotted fever), 223–24
  - skin damage from bites, 348
  - TBE (tick-borne encephalitis), 50–52
  - tick typhus, 224
  - venomous, 404–5
- tiger sharks, 417

- tigers, 387
- Tindamax (tinidazole), 443
- tinea, 349
- tinea versicolor (jungle rot), 642
- tinidazole (Tindamax, Fasigyn), 443
- tobacco
  - ingestion of, 472
  - team members with history of smoking, 21
- Tobradex ophthalmic drops, 712
- toes and toenails. *See* foot problems
- Tolkein, J. R. R., 53
- tooth problems. *See* dental emergencies
- toothpick fish (candirú), 391–92
- topical bandaging module, expedition medical kit, 711
- topical medication modules, Rx, expedition medical kit, 713
- Topicort (desoximetasone) ointment, 713
- tort liability. *See under* legal considerations
- tourism. *See also* travel safety
  - Antarctic, 201
  - space tourism, 195
  - telemedicine, 309
- tourniquets, 507–8, 540
- Townes, David A., 40
- toxalbumins, 474
- toxicology, 436–75. *See also* dietary supplements; plants;  
seafood poisoning; venomous animals; specific drugs  
and toxic agents
  - anion gap equation, 437
  - evaluation and diagnosis, 436–37
  - expedition medical kit, 439
  - medical history and physical exam, 437–38
  - poison ivy, oak, and sumac, 350
- toxic syndromes or toxidromes
  - anticholinergic, 437
  - cholinergic, 437, 455–56
  - opioid, 437
  - sympathomimetic, 437
- treatment (*See also* specific drugs and toxic agents)
  - antidotes, 439
  - basic decontamination procedures, 438–39
  - hemodialysis, 439
  - urinary alkalization, 439
- toxoid vaccines, 41
- tracheotomy, 531
- tragsitz, 676
- train travel and train stations, 79
- training, 309, 311, 312, 314, 317, 318, 322, 323
- training for physicians and medical staff
  - aerospace medicine, 187
  - communication systems, 12, 134, 135–36, 137
  - polar medicine, selection and training for, 201–2
  - telemedicine equipment, 314, 317
  - wound management, 545
- training for team members and travelers
  - by expedition physician, 15
  - diving, 339
  - expedition medical kit, use of, 32–33
  - in polar medicine, 202
  - negligence claims regarding, 60
  - programs of, 126
  - telemedicine equipment, 314, 317
  - venomous animal attacks, 399
- Trajan's Column, Rome, 30
- transient paresthesia, 633
- trauma (chlamydia), 591
- trauma, 529–42. *See also* extremity injuries; fractures;  
penetrating and explosive wounds; wound  
management; specific body systems and parts
  - abdominal wounds, 505–6, 537–38
  - assessment and treatment
    - airway, 530–31
    - breathing, 531–32
    - circulation, 532–35
    - exposure of patient for examination in austere  
environments, 536
    - primary survey, 529–36
    - secondary survey, 536–42
  - ATLS (Advanced Trauma Life Support) principles, 529
  - blood loss
    - circulation, assessment and treatment of, 532–35
    - major extremity arterial hemorrhage, 540
    - penetrating or explosive wounds, due to, 506–9
  - chest wounds, 505, 536–37, 698
  - cold injuries, nonfreezing, 487
  - compartment syndrome, 541
  - dental
    - fractured teeth, 600–604
    - luxation (complete tooth lost), 604
    - medical record of traumatic event, 604–5
    - physical exams, 600
    - to oral mucosa and skin, 599–600
  - event medicine, 299
  - expedition physician's knowledge of, 8–9
  - frostbite, 203, 484–87, 641
  - head injuries, 536
  - hyphema, 581
  - in hostile geopolitical environments, 181
  - in polar medicine, 198
  - in subterranean medicine, 234–35
  - limitations on risk prediction, 3–4
  - pelvic injuries, 505–6, 538, 657
  - spinal injuries
    - in water, 517–18, 522
    - primary assessment of disability in trauma situations, 535
    - secondary survey of trauma, 538–39
    - splinting, 654–55
  - to oral mucosa and skin, 599–600
- travel insurance, 66–67, 78, 145–46, 152
- travel safety, 76–82
  - animals, contact with, 291
  - children, 132
  - common risks, 77, 152
  - crime victims, 81
  - customs services
    - communication equipment, 138
    - medical supplies, 4–5
  - health risks and issues, 76–77, 81
  - hotels and lodgings, 79
  - in marine environments, 289–92
  - information-gathering prior to travel, 77–78
  - legal problems in foreign countries, 80–81
  - local customs and practices, awareness of, 78
  - local transport, using, 79
  - money, carrying and storing, 81
  - motor vehicle accidents, 78–79, 291
  - packing, 77, 290
  - passports, copies of, 77
  - political and social unrest, areas experiencing, 81, 176
  - sexual harassment, 79–80
  - train travel and train stations, 79
  - walking, 79
- traveler's diarrhea. *See* diarrhea
- travois stretchers, 678
- Treadwell, Timothy, 374
- treatment. *See* specific illness or injury
- trematodiasis, food-borne, 212

- trench fever (*Bartonella quintana*), 225  
trenchfoot, 487, 643  
treponematoses, 216–17  
triage  
    drowning, near-drowning, and submersion injury, 525–26  
    Medic Triage Assist, 321  
    NATO standard, 170  
    tactical, 170–71  
triatomine bugs, 227–29  
TRICARE, 310  
trichinosis, 591  
trichuriasis, 210  
tricyclic antidepressants (TCAs), 443–44  
trimethoprim-sulfamethoxazole, 358, 359  
trimming toenails, 633  
trombiculid mites, 227  
tropical medicine, 206–29, *See also* heat; vector-borne diseases; specific tropical diseases, e.g. malaria  
    children and thermal extremes, 131–32  
    direct contact between persons or with animals, transmission of illness by, 215–17  
    economic effects of tropical diseases, 207  
    expedition physician's knowledge of, 8  
    eye problems, 591  
    fatalities, 206–7  
    food-borne diseases, 210–13  
    global campaigns and, 207–8  
    long-term disability, 206  
    major diseases, 206, 208  
    soil-transmitted diseases, 208–10  
    water-borne diseases, 213–15  
    women and thermal extremes, 130  
tropical sprue, 360  
trypanosomiasis  
    African (tsetse fly disease), 221–22  
    American (Chagas' disease), 227–29, 591  
tsetse flies and African trypanosomiasis, 221–22  
tuberculosis, 52, 182, 457  
tuning forks to determine ankle fracture, 626  
turbid water, clarification of, 103–4, 104  
turf toe, 633  
Twinject (Epipen), 713  
typhoid (enteric fever), 52, 206, 210–11  
typhus  
    epidemic typhus, 224–25  
    murine typhus, 225–26  
    scrub typhus, 227  
    tick typhus, 224  
U.S. Coast Guard standards for vessel safety, 285  
U.S. State Department travel alerts, 77–78  
Ukraine, 177  
ulcers  
    Buruli ulcer, 213–14  
    corneal ulcers, 578–79  
    mouth ulcers, 605–6  
    team members with history of, 25  
ulnar collateral ligament tear (Gamekeeper's Thumb), 663–64  
ultrasound and ultrasonic diagnostic systems, 321–22  
ultraviolet (UV) light used for water treatment and purification, 116–17  
ultraviolet photo-keratitis (snowblindness), 13, 203–4, 590–91  
undermining, 555  
unexploded ordinance (UXO), 177, 498  
United Nations  
    FAO (Food and Agricultural Organization) tables of energy requirements, 87–88, 88  
    Millennium Development Goals (MDG), 207  
unrest, social and political. *See* hostile geopolitical environments; penetrating and explosive wounds; tactical, protective, and operational medicine  
urinary alkalization for toxicologic patients, 439  
urine-beta hcg pregnancy kits, 4  
urological problems. *See* genitourinary system  
urticaria  
    allergic hives, 344  
    cold-induced, 487  
UV (ultraviolet light)  
    snowblindness (UV photo-keratitis), 13, 203–4, 590–91  
    water treatment and purification, 116–17  
uveitis, anterior (iritis), 581–82  
UXO (unexploded ordinance), 177, 498  
vaccines. *See* immunizations  
vacuum mattresses (full-body vacuum splints), 675  
valium (diazepam), 283, 446  
van der Beek, E. J., 85  
VanRooyen, Michael, 76, 174  
variables of particular expedition, considering, 2  
varicella-zoster virus (VZV), 44  
vascular injuries to extremities, 541–42  
vector-borne diseases, 217–29, *See also* filarial infections; malaria; ticks  
    bartonellosis, 226  
        b. bacilliformis, 226–27  
        b. henselae, 227  
        b. quintana (trench fever), 225  
    Chagas' disease (American trypanosomiasis), 227–29  
    dengue fever, 218–19  
    epidemic typhus, 224–25  
    event medicine, 298–99  
    fleas, 225–27  
    Japanese encephalitis (JE), 45–46, 218–19  
    leishmaniasis (Kala-azar), 222–23, 309, 591  
    lice, 224–25, 349  
    loiasis, 220–21  
    mites, 227, 349  
    mosquitoes, 217–20  
    murine typhus, 225–26  
    onchocerciasis, 220  
    plague, 49–50, 226  
    relapsing fever  
        louse-borne, 225  
        tick-borne, 224  
    RMSF (Rocky Mountain spotted fever), 223–24  
    scrub typhus, 227  
    trench fever (*Bartonella quintana*), 225  
    tsetse flies and African trypanosomiasis, 221–22  
    yellow fever, 217–18  
vegetarians, 86  
velocity of weapons, 495  
venereal diseases, 216, 291–92, 345–46  
venomous animals, 397–416, *See also* snakes, venomous, and other specific animals  
    anaphylactic reactions, 401  
    arachnids, 402–4  
    arthropods, 400–405  
    by region, 417  
    expedition medical kit, 399  
    hymenoptera (bees, wasps, and stinging ants), 400–401  
    lizards, 407  
    mammals, 390–91, 405  
    marine and aquatic life, 422–32  
    methods of envenoming, 397  
    pre-trip preparation and supply, 399–400

Cambridge University Press

978-0-521-86873-0 - Expedition and Wilderness Medicine

Edited by Gregory H. Bledsoe, Michael J. Manyak and David A. Townes

Index

[More information](#)

- venomous animals (cont.)
  - preventing envenoming attacks
    - arthropods, 400
    - snakes, 405
    - table of preventive measures, 417
  - risk reduction behaviors, 399
  - treatment of bites, stings, etc. from antivenin, 399
    - identification of offending animal, importance of, 399
    - initial approach to envenomed patient, 397–99
    - local expertise, using, 399
- vertigo, syncope, or dizziness
  - at high altitudes, 254
  - BPDV (benign paroxysmal positional vertigo), 191
  - team members with history of, 22, 25
- Viesturs, Ed, 1
- viruses causing diarrhea, 355
- vision. *See* eye problems
- Vistaril, 713
- vitamins
  - dietary requirements, 90, 92
  - toxicology, 459
- volatile substances, 455
- volume and weight issues
  - food supplies, 95
  - medical equipment, 35
  - telemedicine equipment, 314
- Vu, Alex, 344
- VZV (varicella-zoster virus), 44
- waivers and releases
  - general liability, 61–63
  - medical release and permission to treat, 63–64
- walking and travel safety, 79
- wandering or banana spiders, 403–4
- war zones. *See* hostile geopolitical environments; penetrating and explosive wounds; tactical, protective, and operational medicine
- warfarin, 459
- warning, failure to give, 60–61
- warts, plantar, 635–36
- wasp stings, 400–401
- waste. *See* sanitation
- water buffalo, 383–84
- water hemlock, 473
- water recompression to treat DCS (decompression sickness or, 337–38, 343
- water rescues, 679
- water treatment and purification, 1, 98, *See also* specific commercial products
  - adsorption, 105
  - alum, 104–5
  - bleach (sodium hypochlorite), 110
  - calcium hypochlorite (dry chlorine), 110
  - charcoal, 105
  - chemical pollutants, 101
  - chlorination, 110, 109–11, 113
  - chlorine dioxide (ClO<sub>2</sub>), 114–15, 115
  - choosing the most effective technique, 117–18, 118, 119
  - citrus, 117
  - clarification of turbid water, 104
  - coagulation-flocculation, 104–5, 111
  - conjunctivitis, bacterial, 574–75
  - definitions pertinent to, 102
  - disinfection, defined, 102
  - effectiveness of techniques, relative, 117–18, 118, 119
  - electrolysis, 114
  - environmental and geographic factors, 101
  - EPA standards for, 101–2
  - filtration devices, 105, 106, 105–8
  - GAC (granular activated carbon), 105
  - halogenation, 108–9, 109, 110, 114
  - heat, using, 102–3, 103
  - hydrogen peroxide, 116
  - in developing countries, 99–100
  - in U.S., 100
  - infectious agents, 98–99, 99
  - iodination, 110, 111–14, 454–55
  - marine medicine, 286–88
  - particulate removal and clarification of turbidity, 103–4
  - potassium permanganate, 116
  - protozoa and parasites, 99, 100–101
  - purification, defined, 102
  - sedimentation, 104
  - silver ion, 115–16
  - sodium dichloroisocyanurate (NaDCC), 111
  - solar heat, 103, 117
  - sterilization, defined, 102
  - Sweetwater Viral Stop, 110
  - ultraviolet (UV) light, 116–17
- water, activities involving. *See* diving; drowning, near-drowning, and submersion injury; marine medicine; swimming
- water, drinking. *See also* dehydration; water treatment and purification
  - at high altitudes, 242
  - daily requirements, meeting, 92–93, 126–27
  - diarrhea related to diet, 357
  - dizziness, syncope, or malaise associated with intake levels, 22
  - during tactical operations, 173
  - hypothermia, preventing, 484
  - marine medicine, 286–88
  - questionable water, tips for fluids in areas with, 287
  - subterranean medicine, 235
  - tropical water-borne diseases, 213–15
- WBCT (whole blood clotting test), 412
- weapons. *See also* firearms
  - in hostile geopolitical environments, 177
  - velocity of, 495
- Wedmore, Ian S., 492
- weight and volume issues
  - food supplies, 95
  - medical equipment, 35
  - telemedicine equipment, 314
- weight problems of team members
  - altitude as treatment for, 259–60
  - AMS (acute mountain sickness) susceptibility, 244–45, 259–60
  - needs assessment/screening, 23
- Welch, Timothy, 30
- wet vs. dry drowning, 516
- white tip sharks, 418
- WHO. *See* World Health Organization
- whole blood clotting test (WBCT), 412
- widow spiders, 403
- Wiesmann, William P., 307
- Wiget, Urs, 673
- Wilderness Medical Society, 38
- Wilderness Risk Managers' Committee, 31
- Will, George, 647
- Williams, Richard S., 184
- wind shield washer fluid, 441–42
- Winter Classic adventure race, Australia, 297
- Winters, Bradford D., 515

Index	749
wolves, 380	
women. <i>See also</i> pregnancy	
AMS (acute mountain sickness) susceptibility, 244	
bears' attraction to scented feminine products, 388	
contraception use, 20, 130	
drowning risks, 517	
peripheral edema at high altitudes, 254–55	
polar medicine, 199–200	
sexual and gender-based violence in hostile geopolitical environments, 182–83	
sexual harassment of, 79–80	
special considerations regarding, 130	
woodchucks, 378	
woodrose, 475–76	
World Challenge Expeditions, Ltd., 131	
World Health Organization (WHO)	
IHR (international health regulations), reporting requirements of, 159, 162	
on water safety in developing countries, 99	
tables of energy requirements, 87–88, 88	
wound management, 544–60, <i>See also</i> blisters; burns; penetrating and explosive wounds; skin and soft tissue conditions; trauma	
abdominal wounds, 505–6, 537–38	
amputations, 546	
anesthesia, administering, 550–53	
animal attacks, 375–77	
antibiotics, 558	
aseptic technique, importance of, 553	
chest wounds, 505, 536–37, 698	
closure of wounds	
primary closure, 555–56	
secondary closure by epithelialization and granulation, 556	
techniques, 556	
tertiary closure (delayed primary closure), 556	
complications, 558–59	
debridement, 554–55	
animal attacks, wounds from, 376	
blisters, 615	
penetrating and explosive wounds, 503	
plantar warts, 636	
dressings/bandaging, 556	
environmental and geographic factors, 544–45	
expedition medical kit, 545–46	
expedition physician's knowledge of, 9	
expedition vs. conventional management, 544	
hair removal, 553–54	
improvised techniques, 687–89	
infections, 558, 559	
initial steps, 547–48	
irrigation, 554	
marine medicine, 279–80	
medical history of injury, 548–49	
physical exam, 548	
post-repair management and follow-up, 556–58	
predeparture preparation and planning, 544	
preparation of wound, 553–55	
punctures, 546	
records and reports, 545–46	
specific examination of wound area, 549–50	
splints, 558	
training in, 545	
treatment area, selecting, 546	
undermining, 555	
wound types, 546–47	
abrasions, 546	
avulsions, 546	
bites, 547	
lacerations, 546	
stings, 547	
wrist injuries, 662–63	
Xifaxan (Rifaxamin), 358, 360	
yaks, feeding unfamiliar medications to, 6	
yaws, 216–17	
yellow fever, 44–45, 52, 217–18	
Yemen, 176	
yew, 472	
Zafren, Ken, 673	
Zaire, 181	
zeolite powder, 508–9	
Zimbabwe, 176	
Zithromax, 712	
zolpidem, 459	