

## Index

- 2-adic, 96, 207, 266, 376, 380  
 $\star$ -map, *see* star map
- ABCK tiling, *see* tiling  
 Abelianisation, 68, 176  
 algebraic number, 33, 35, 59  
   norm and trace, 34  
 almost periodic, 77, 307, 461  
 alternation condition, 157  
 Ammann–Beenker  
   decorated, 179, 237  
   diffraction, 372  
   inflation, 176, 237  
   local rules, 155, 179, 237  
   model set, 273  
   randomisation, 474  
   tiling, 7, 165, 175, 179  
   undecorated, 175, 236  
   vertex stars, 276  
 Ammann bar, 179  
 aperiodic, 45, 79, 87, 89, 140, 143, 154,  
   174, 433  
 approximate unit, 311, 315  
 atlas, 152, 187, 224  
 atomic hypersurface, 290  
 attractor, 269  
 autocorrelation, 334, 336, 356, 364, 378,  
   385, 398, 411, 434  
 averaging sequence, 28, 334, 428
- balanced weights, 332, 339, 435  
 Beatty sequence, 163  
 Bernoulli comb, 434, 437  
 Bessel function, 313, 366  
 bi-Lipschitz, 131  
 block map, 101, 125, 209, 215, 440
- Bochner’s theorem, 313, 328, 331, 398,  
   417  
 Bochner–Schwartz theorem, 314, 327,  
   328, 360, 399  
 Boolean algebra, 271  
 border forcing, 151  
 bounded variation, 303, 400
- Cantor set, 18, 87, 140, 260, 320  
 class number, 34, 64  
 cluster, 13, 129, 135, 138  
 cluster frequency, 17, 261, 285, 413  
 colour symmetry, 122, 202, 210, 213  
 complexity, 112, 114, 151, 283, 441, 477  
 composition-decomposition method,  
   155, 179  
 configuration, 459, 460, 471  
 continuous hull, *see* hull  
 convolution  
   algebra, 315  
   Eberlein, 331, 335, 352, 438  
   of functions, 312  
   of measures, 325, 326, 334  
   theorem, 312, 325, 326  
 coordination number, 21, 195, 201, 275  
 corona, 137, 151, 209, 215  
 covariogram, 356, 391, 392  
 covering, 128, 186, 239  
 Coxeter group, 24, 43  
 CPS, *see* cut and project scheme  
 crystallographic, 24, 129, 344, 473  
 crystallographic restriction, 49  
 cubian ring, 43  
 cut and project scheme, 259, 290  
   cyclotomic, 272  
   general, 263

- silver mean, 253
- cyclotomic
  - field, 36, 272
  - integers, 36, 61
  - model set, 272
  - polynomial, 38
- Danzer tiling, *see* tiling
- deflation, 155, 189, 203
- Dekking's criterion, 97, 217
- Delaunay, *see* Delone
- Delone
  - cell, 19, 137
  - complex, 19, 127, 292
  - set, 12, 137, 141, 452
- density, 16, 91, 231, 255, 267, 339, 342, 458
- diagonal embedding, 59, 61, 63, 251
- dictionary, 69, 152
- difference body, 388, 392
- diffraction
  - absolutely continuous, 413, 435
  - amplitude, 359, 360
  - Bragg, 337
  - diffuse, 337
  - icosahedral, 2, 373
  - intensity, 339, 360
  - measure, 337, 362
  - singular continuous, 401
- Dirac comb, 48, 317, 332, 341, 385, 386
- Dirac measure, 315
- discrete, 11
- discrete hull, *see* hull
- distribution, 314, 315, 341
- distribution function, 400, 403, 408, 410
  - exponential, 432
  - gamma, 432, 452
- dualisation method, 292
- dual group, 30, 328, 488
- dual module, 272, 370, 378
- dynamical spectrum, 108, 126, 376, 410, 413, 440, 485
- dynamical system, 72, 131, 139, 485
- Dynkin diagram, 58, 65
- ED (Euclidean domain), *see* number field
- Eisenstein integers, 36, 54
- entropy, 112, 161, 439, 441, 459, 477
- ergodic, 82, 84, 262, 437, 442, 453, 457, 463, 464, 472
- ergodic theorem, 83, 433, 458, 460
- Euclidean domain, *see* number field
- Euclidean motion, 50, 138, 226
- Euler
  - relation, 21
  - theorem, 50
  - totient function, 36
- expectation, 431, 460
- exponential sum, 348, 350, 360, 368, 405
- extinction, 345–347, 361, 364, 370, 384, 391, 407, 424
- ferromagnetic, 460
- Fibonacci, *see* sequence
- field, *see* number field
- finite local complexity, 13, 135, 138, 148, 224, 254, 265, 336, 452
- FLC, *see* finite local complexity
- Fourier–Bohr series, 308, 348, 387
- Fourier–Stieltjes series, 328, 399
- Fourier module, 355, 359, 366, 373, 374, 381, 385, 395
- Fourier series, 104, 304, 340, 402, 462
- Fourier transform
  - convolution, 312
  - distributions, 314
  - eigenfunctions, 311
  - functions, 310
  - measures, 325, 327
- fractal, 198, 269, 282, 320
- fractile, 198, 199, 219, 227, 269
- fragment, 127
- frequency, 84, 116, 120, 149, 177, 193, 226, 231, 268
- frequency module, 118, 119, 227, 268, 286
- function
  - almost periodic, 307
  - limit periodic, 309
  - Lipschitz, 415
  - periodic, 303, 309
  - positive definite, 313, 327
  - quasiperiodic, 306, 309
- fundamental domain, *see* lattice
- fundamental unit, 35, 37, 197
- Galois group, 33, 39, 61
- gamma distribution, 450

- Gaussian integers, 36, 54  
geometric hull, *see* hull  
Gibbs measure, 433, 459, 460, 465, 472  
golden mean, 33, 35, 57, 59, 66, 180,  
230, 262, 278, 284, 288, 369, 373,  
375, 441, 471, 480  
golden ratio, *see* golden mean  
Gottschalk's theorem, 78, 139, 178, 186  
Gram matrix, 47, 57, 60, 62, 66  
group  
 $\sigma$ -compact, 28, 324  
Abelian, 22, 68, 266, 278, 287  
alternating, 22, 23  
ambivalent, 479  
amenable, 30  
character, 479  
compactly generated, 26, 263, 324  
cyclic, 22, 51, 53, 58, 219, 272, 278  
dihedral, 22, 58, 122, 177, 181,  
189–191, 202, 219, 221, 281, 372,  
383, 421, 477  
free, 67, 68  
general linear, 22, 421  
icosahedral, 23, 58, 229, 234, 283,  
285, 286, 288, 373, 375, 479  
locally compact Abelian, 13, 26, 263,  
264, 324  
octahedral, 23, 58  
orthogonal, 22, 58  
representation, 479  
symmetric, 22, 23  
tetrahedral, 23, 58  
Gummelt cluster, 186, 239
- Hölder continuity, 400, 409  
Haar measure, 28, 264, 326, 364, 459  
Halmos–von Neumann theorem, 486  
Hamming distance, 70  
Herglotz–Bochner theorem, *see*  
Bochner's theorem  
Hermite functions, 311, 312  
homometry, 336, 346, 388, 390–392,  
394, 418, 437, 439, 459  
hull, 72, 77, 79, 81, 138–140, 143, 175,  
260  
Hurwitz ring, 42
- i.i.d. (independent and identically  
distributed), *see* random  
icosahedral group, *see* group  
icosahedral module, 43, 65, 229, 284,  
287, 373, 374  
icosian ring, 42, 65, 66, 289  
icosidodecahedron, 25, 479  
IFS, *see* iterated function system  
incommensurate, 172, 347, 351, 411  
InD (integral domain), *see* number field  
inflation  
affine, 112  
irreducible, 148  
matrix, 148, 149  
multiplier, 74, 95, 147  
primitive, 148  
pseudo, 151, 191, 200, 208, 209  
random, 441  
rule, 74, 147  
stone, 148, 151, 178, 182, 219  
symmetry, 64, 147, 275, 361  
integer  
 $p$ -adic, 26  
algebraic, 33  
inverse problem, 333, 387, 439, 459, 486  
Ising model, 457, 459, 465, 477  
iterated function system, 252, 268–270
- Jordan's theorem, 304
- Kari–Culik tiles, 160, 161  
Kepler's body, *see* triacontahedron  
klotz construction, 279, 290  
Kramer–Neri tiling, *see* tiling  
Kronecker factor, 102, 103, 108, 126,  
410, 440
- Laguerre cell, 21  
lattice, 15, 45  
average, 257  
basis, 15  
body-centred cubic, 57  
density, 17  
discriminant, 48  
dual, 47, 264, 342, 350, 357  
dual basis, 47  
face-centred cubic, 57  
fundamental domain, 46, 343  
hypercubic, 57, 283, 294  
primitive cubic, 19, 53, 57  
self-dual, 47, 341, 345  
square, 36, 54, 60  
triangular, 19, 36, 54, 60

- lattice gas, 436, 457, 459, 463–465  
law of large numbers, 432, 434, 435, 437, 438, 440, 442, 452  
LCAG (locally compact Abelian group), *see* group  
Lebesgue measure, 29, 319, 326, 332, 413, 435, 459  
Ledrappier's example, 9, 458  
legal, 71, 72, 137, 151, 176, 196  
LI, *see* local indistinguishability  
LIDS (local inflation deflation symmetry), *see* inflation symmetry  
limit periodic, 160, 202, 204, 376  
limit translation module, 131, 132, 134, 135, 271, 372  
linearly repetitive, *see* repetitive  
locally finite, 12, 128, 134  
local derivability, 133, 146, 271  
local indistinguishability, 75, 127, 129  
local isometry, *see*  
    local indistinguishability  
local isomorphism, *see*  
    local indistinguishability  
local rubber topology, *see*  
    local topology  
local rules, 152, 164, 179, 187, 191, 197, 200, 201, 209, 224, 234  
local scaling, 146, 147  
local topology, 70, 129, 138, 141, 176, 178  
LTM, *see* limit translation module  
Markov chain, 457, 458  
matrix  
    basis, 47–49, 59, 62  
    cyclic, 31, 32  
    cyclically primitive, 31, 32, 148  
    irreducible, 30–32, 69, 148  
    non-negative, 30–32, 69  
    positive, 30  
    primitive, 31, 32, 69, 88, 110, 148  
    spectral radius, 31, 32  
maxing rule, 188  
measure, 6, 82, 316  
    absolutely continuous, 319, 413, 435, 439  
    amenable, 331  
    autocorrelation, 334  
    bounded, 316  
    complex, 316  
    continuous, 319, 337  
    convolution, 325, 331, 334  
    crystallographic, 48, 340  
    diffraction, 337  
    Dirac, 315, 338, 339  
    ergodic, 82, 83  
    extremal, 82, 83  
    finite, 316  
    invariant, 28, 82, 261  
    lattice-like, 446  
    non-periodic, 48  
    norm, 324  
    orthogonal, 322  
    periodic, 48, 343, 418  
    point, 315  
    polar decomposition, 322  
    positive, 316  
    positive definite, 327, 336  
    pure point, 319, 337, 344, 425  
    real, 316  
    singular, 319, 322  
    singular continuous, 320, 338, 402, 409, 410  
    spectral type, 320  
    tempered, 318  
    total variation, 316, 324  
    translation bounded, 317, 335  
metallic mean, 87, 88, 93  
metric, 27, 70  
Meyer set, 12, 265, 441  
    with entropy, 15, 427  
minimal dynamical system, 75, 139  
Minkowski embedding, 59, 62, 268, 272, 357  
Minkowski sum, 11, 46, 389  
MLD, *see* mutual local derivability  
model set, 259, 264  
    cyclotomic, 272  
    deformed, 363, 368  
    Euclidean, 264, 271, 357, 391  
    generic, 259, 264  
    regular, 259, 264, 267  
    singular, 264  
    weak, 265, 425  
moments, 432  
monotile, 166, 170, 171, 174  
multiset, 388, 389

- mutual local derivability, 133, 146, 185, 271, 363, 396
- noble mean, *see* metallic mean
- non-crystallographic, 1, 24, 43, 229, 474
- number
- Fibonacci, 90
  - golden, 25, 87
  - Lind, 39, 218
  - Perron, 39, 224
  - Pisot–Vijayaraghavan, 38, 39, 88, 217, 255
  - plastic, 61, 80
  - platinum, 93
  - Salem, 39, 255
  - silver, 88
- number field
- algebraic, 33
  - cyclotomic, 36
  - Euclidean domain, 34, 36
  - integral domain, 34
  - principal ideal domain, 34, 35, 42, 64
  - quadratic, 34, 36
  - unique factorisation, 34, 36, 42
- odometer, 27
- Oxtoby's theorem, 84, 85, 178, 262
- packing, 16, 50
- Paley–Wiener theorem, 314, 418
- palindrome, 80, 81, 88, 95, 101
- paper folding, *see* sequence
- Parseval's identity, 309
- partition function, 460
- patch, 13, 129
- pattern, 127, 128
- Penrose tiling, *see* tiling
- pentagrid, 294
- percolation, 214
- period, 45, 303
- periodic approximant, 260, 323, 378, 381
- period doubling, *see* sequence
- Perron–Frobenius theory, 32
- PF, *see* Perron–Frobenius theory
- PID (principal ideal domain), *see* number field
- pinwheel, *see* tiling
- point set
- aperiodic, 45
  - autocorrelation, 334
  - crystallographic, 45
  - discrete, 11
  - finitely generated, 14
  - finite local complexity, 13
  - homometric, 388, 390, 418
  - locally finite, 12
  - non-crystallographic, 45
  - non-periodic, 45
  - periodic, 45
  - relatively dense, 12
  - uniformly discrete, 11
  - weakly homometric, 388
- Poisson summation formula, 340–342, 452, 461
- polynomial
- irreducible, 33
  - trigonometric, 305
- primitive lattice points, 420
- probability
- distribution, 432
  - measure, 315, 320, 433
  - space, 431
- process
- determinantal, 456
  - point, 453, 478
  - Poisson, 20, 449
  - renewal, 443, 452
  - stationary, 443
- projection, *see* cut and project scheme
- prototile, 74, 128, 149, 151, 153
- proximal, 86, 87, 91, 95, 97, 104, 106, 107, 141, 143, 212
- PRT (Penrose–Robinson tiling), *see* tiling
- PSF, *see* Poisson summation formula
- PV (Pisot–Vijayaraghavan), *see* number
- quadratic field, *see* number field
- quadratic irrationality, 33
- quasicrystal, 1, 6, 191, 290
- quaternion, 40–42, 57
- radius
- covering, 12, 142
  - packing, 12, 262, 415
- Radon–Nikodym density, 315, 319, 325, 328
- random
- dimer, 439

- displacement, 442
- inflation, 441
- matrix, 453–455, 457
- point set, 442, 453, 454, 456
- tiling, 453, 468, 470, 471
- variable, 431, 437
- Rauzy fractal, 269, 271
- recognisability, 80, 146, 203, 214
- recurrent, *see* repetitive
- reflection, 24, 41, 80, 91, 143, 212
- relatively dense, 12
- repetitive, 77–79, 84, 86, 135, 136, 139, 140, 151, 261
- Riesz product, 405, 409, 410
- root lattice, 54, 58, 62, 273
  - $A_2 \times A_2$ , 62
  - $A_4$ , 57, 63, 278, 279
  - $D_4$ , 42, 62, 63
  - $D_6$ , 65, 287, 288, 482
  - $E_8$ , 66, 289
  - indecomposable, 55
- root system, 24, 42, 43, 229
- rotation, 5, 22, 40, 41, 49, 62, 144, 174, 225, 479, 483
- RPT (rhombic Penrose tiling), *see* tiling
- $(r, R)$ -set, *see* Delone
- Rudin–Shapiro, *see* sequence
- SCD (Schmitt–Conway–Danzer), *see* tiling
- Schwartz function, 310, 312, 340, 342
- sequence
  - Fibonacci, 90, 91, 117, 118, 262, 290, 369, 441, 470
  - Kolakoski, 108, 268
  - paper folding, 97, 266, 380
  - period doubling, 74, 94, 95, 266, 376
  - Rudin–Shapiro, 103–106, 120, 411, 413, 439
  - silver mean, 88, 89, 251, 259, 261, 355, 356, 359–363
  - Sturmian, 114
  - Thue–Morse, 99–101, 401, 407, 438
  - Toeplitz, 95, 376
  - well-distributed, 258
- set
  - interior, 29
  - invariant, 82
  - perfect, 18, 38, 75
  - regular, 128
  - shelling number, 342
  - shield tiling, *see* tiling
  - shift, 70, 485
  - silver mean, *see* sequence
  - simpleton, 184, 474
  - singular element, 86, 91, 97, 125
  - SLLN (strong law of large numbers), *see* law of large numbers
  - SMLD (symmetry-preserving mutual local derivability), *see* mutual local derivability
  - solenoid, 27, 103, 108, 126
  - spectral
    - measure, 486
    - theorems, 487
  - squarefree numbers, 426
  - star map, 251, 252, 263, 272, 284
  - stochastic order, 431
  - strictly ergodic, *see* ergodic
  - strip projection, *see* cut and project scheme
  - strongly aperiodic, 174
  - sublattice, 46
  - substitution
    - affine, 111
    - bijjective, 99, 410
    - block, 121, 125, 202, 204, 216, 381
    - conjugate, 73, 92
    - constant length, 72, 95
    - Fibonacci, 90, 91, 93
    - fixed point, 72, 73, 76
    - graph, 69, 80, 88, 95, 99, 104
    - induced, 116, 117
    - irreducible, 69
    - Kolakoski, 109, 110
    - matrix, 68, 73, 74, 80, 88, 95, 104
    - noble mean, 93
    - paper folding, 97
    - period doubling, 74, 95
    - platinum mean, 93
    - primitive, 69
    - Rudin–Shapiro, 104
    - rule, 67, 69
    - silver mean, 88, 93, 175, 179
    - staggered, 105, 109
    - Thue–Morse, 99, 397, 408
  - supertile, 80, 137, 148, 155
  - superword, *see* supertile

- symmetric difference, 29  
 symmetry, 144, 145, 177, 190, 222
- Tübingen triangle tiling, *see* tiling  
 tempered distribution, *see* distribution  
 three-point correlations, 396  
 threshold discrete, 362  
 Thue–Morse, *see* sequence  
 tiling, 128
  - Ammann–Beenker, 6, 7, 155, 165, 175, 236
  - anti-Penrose, 297
  - chair, 123, 202, 228, 246
  - Danzer 7-fold, 220, 250
  - Danzer ABCK, 229, 232, 287
  - decorated, 128
  - Elser–Sloane, 289
  - face to face, 128
  - Frank–Robinson, 148, 224
  - half-hex, 205
  - Kari–Culik, 161
  - kite domino, 225, 246
  - Kramer–Neri, 235
  - Lançon–Billard, 217, 249
  - llama, 212, 214, 245
  - lozenge, 471, 472
  - non-Pisot, 217
  - octagonal, *see* Ammann–Beenker
  - Penrose, 3, 154, 165, 180, 278, 297
  - Penrose–Robinson, 180
  - Penrose  $(1 + \varepsilon + \varepsilon^2)$ , 167, 209
  - Penrose generalised, 158
  - Penrose kites and darts, 165, 183
  - Penrose pentagon, 183
  - Penrose rhombic, 3, 183, 184
  - pinwheel, 224, 226, 247, 248
  - primitive icosahedral, 156, 235, 283
  - quaquaversal, 228
  - Robinson, 160, 182, 242
  - SCD, 171, 174, 410
  - shield, 155, 196, 241, 279
  - Socolar, 197
  - Socolar–Steinhardt, 234
  - Socolar–Taylor, 171, 212
  - sphinx, 204, 241
  - square triangle, 240, 282
  - squirrel, 215, 409
  - Tübingen triangle, 180, 188, 276, 277, 478
    - table, 125, 203, 240
    - Taylor, 170, 210, 214, 243–245
- Toeplitz sequence, *see* sequence  
 Toeplitz structure, 143, 160, 202  
 topological conjugacy, 131, 140, 186  
 totally disconnected, 18  
 triacontahedron, 25, 284, 285, 366, 373, 479  
 TTT (Tübingen triangle tiling), *see* tiling
- UCF, *see* uniform cluster frequencies  
 UFD (unique factorisation domain), *see* number field  
 ultrametric, 27  
 uniformly discrete, 11  
 uniform cluster frequencies, 17, 261  
 uniform distribution, 255, 257, 267, 350, 354, 356, 363, 367, 368, 385  
 uniquely ergodic, *see* ergodic  
 unique composition, *see* recognisability
- vague topology, 141, 316, 334, 409  
 van Hove sequence, 17, 29, 336, 350  
 variance, 432, 436  
 visible lattice points, 420, 423, 425  
 Voronoi
  - cell, 18, 19
  - complex, 19, 292
- Wang tiles, 158, 160  
 weight lattice, 56
  - $A_4^*$ , 57, 279
  - $D_6^*$ , 65, 287, 482
- Weyl group, 24  
 Wielandt's bound, 31  
 Wiener
  - criterion, 329, 330, 399, 409
  - diagram, 333, 337
- window, 253, 258, 259, 264, 267  
 wobbling equivalence, 131, 257  
 word
  - composition, 67
  - empty, 67
  - infinite, 71
  - legal, 71
  - length, 76
  - repetitive, 77
- wreath product, 57, 482