

Index

- A_4 -lattice, 100
 - CSL, 148–151
 - SSL, 100–104
- almost invariant integral, 214–219, 234, 345
- almost lattice, 305–312
- almost periodic, 174, 256, 272, 273
 - Bochner, 177, 179, 353
 - Bohr, 176, 179, 184, 295, 353
 - norm, 287–289, 294, 357
 - null weakly, 230, 240, 256, 259
 - Stepanov, 357, 358
 - strongly, 179, 184, 240, 256, 259, 287
 - sup, 288, 289, 291
 - uniformly, 353, 355, 360
 - weakly, 179, 256
- amenable, 215, 219, 222, 315
- annihilator, 303
- aperiodic, xii, xiii, 6, 7, 10, 21, 25, 116, 174, 181, 367, 373
- aperiodic order, xii, 174, 344, 346
- approximate identity, 232–234, 358
- asymptotic behaviour, 80, 82, 83, 87, 104, 106, 111, 126, 127, 135, 142, 144, 147, 148, 150, 151, 153, 155, 159, 162
- autocorrelation, xv, 173, 262, 272, 273, 307, 308, 323–337

- Baake–Moody construction, 274–286, 297, 298, 337
- Baire category theorem, 339
- Banach space, 192, 194, 200, 208, 359, 360
- Banach–Alaoglu theorem, 195
- Banach–Steinhaus theorem, 195

- Bernoulli system, 324
- Bessel inequality, 226, 229
- bi-dual, 191, 203, 208
- Birkhoff average, 345, 352, 356
- Bochner integral, 360
- Bochner theorem, 238
- Bohr compactification, 183, 229, 338
 - universal property, 183
- Bohr mapping, 187, 229
- bounded set, 195
- Bragg peak, 173, 271, 317, 321–323, 327–335

- Cayley parametrisation, *see* rotation
- centroid, 61
- character, 181, 182
 - algebraic, 181
 - continuous, 181
 - ε -dual, 298, 300, 339
- chirality, 14, 30
- class number, 95, 96
- coincidence index, 78, 120
 - versus denominator, 122, 123
- coincidence isometry, 120
- coincidence site lattice, 74, 78
 - A_4 -lattice, 148–151
 - cubic lattice, 129–137
 - D_4 -lattice, 139–144
 - hypercubic lattice, 137–148
 - multiple, 115
 - ordinary, 115
 - simple, 115
 - square lattice, 82, 83, 122, 128
- coincidence site module, 120
 - connection to SSM, 121–124
 - icosian ring, 152–155

- planar modules, 124–128
- coincidence spectrum
 - A_4 -lattice, 150
 - cubic lattices, 132
 - cubic lattices, multiple, 156
 - D_4 -lattice, 140
 - multiple, 116
 - ordinary, 114
 - simple, 114
 - square lattice, 129
 - \mathbb{Z}^4 , 145
 - \mathbb{Z}^d , 166
 - $\mathbb{Z}[\xi_n]$, 125, 127
- colour coincidence, 74, 114
- commensurator, 112
- complexity classes, 42, 50
- complexity model
 - binary Turing machine, 42, 45
 - real RAM, 42, 45, 56, 57
- conductor, 95
- continuous function, 177, 241, 345, 358, 360
- contraction principle, 16
- convergent subsequence property, 200, 203
- convex hull, 181, 207
- convolution, 179, 189, 247
- convolution theorem, 236, 243
- counting function
 - A_4 -lattice, 103, 149, 150
 - CSL, 118–120
 - cubic lattice, 133, 134
 - D_4 -lattice, 105, 141, 143, 146, 147
 - hypercubic lattice, 105, 146, 147
 - icosian ring, 111, 152
 - square lattice, 128
- covariogram, 272, 333
- CPS, *see* cut and project scheme
- cross-ratio, 64
- crystallographic, xiii, 173, 289
- crystallography, xii, 73, 111, 129, 163, 173, 363, 367
- CSL, *see* coincidence site lattice
- CSM, *see* coincidence site module
- cubic lattice
 - CSL, 129–137
 - multiple CSL, 155–163
- cut and project scheme, 51, 255, 272, 278, 282, 302
 - dual, 302, 303, 334
- cyclotomic field, 60, 62, 66, 83
- cylinder set, 192, 193
- D_4 -lattice, 104
 - CSL, 140
 - SSL, 105
- Darboux theorem, 64
- Delange theorem, 87, 135
- Delone set, xii, xiii, 57, 59, 298, 330, 373
 - algebraic, 59, 60, 65, 67
 - n -cyclotomic, 60, 68
- denominator, 89, 91, 106
 - versus coincidence index, 122, 123
- diffraction, 173, 267, 316, 324, 364, 369
- dimension
 - affinity, 3
 - embedding, 107
 - Hausdorff, 2, 3, 26
- Diophantine
 - approximation, 347
 - equation, 47, 80
- Dirac comb, 273, 308, 312
 - weighted, 273, 316, 319
- Dirac notation, 225, 226, 238
- Dirichlet character, 82, 94, 102
- Dirichlet series, 79, 80, 82, 83, 87, 95–98, 102, 105, 110, 125, 127, 128, 141, 143, 146, 147, 149, 151, 153, 154, 159, 161
- discrepancy, 347, 352
- discrete tomography, 39
 - data function, 42
 - decomposition problem, 54
 - A -lines, 40, 67
 - lattice case, 41
 - magic numbers, 63, 68
 - problem class
 - #CONSISTENCY, 44
 - CONSISTENCY, 43
 - RECONSTRUCTION, 44
 - UNIQUENESS, 44
 - separation problem, 56
- discriminant, 93, 96
- DT, *see* discrete tomography
- dual group, 181
- dual lattice, *see* lattice
- dynamical system, xvi, 261, 337, 350, 356

- Eberlein convolution, 224, 233, 308
 Eberlein decomposition, 234, 235, 240,
 260, 268, 312, 315, 316
 Eberlein ergodic theorem, *see*
 ergodic theorem
 Eberlein theorem, 203
 Eberlein–Šmulian theorem, 206
 edge inflation, 3, 25
 entourage, 178, 280
 equicontinuity, 219, 231
 ergodic, 29, 33, 346, 350, 351
 ergodic theorem
 Birkhoff, 343, 350
 Eberlein, 215, 345
 Kingman, 343
 Euler product, 94, 95, 97, 103, 126, 141
 exponential sequence, 346
- fault line, 3
 Fibonacci chain, *see* tiling
 Fibonacci numbers, 370
 finite local complexity, xiii, 1, 5, 9, 32,
 59, 278, 306
 FLC, *see* finite local complexity
 Følner sequence, 217, 220
 Fourier
 module, 369
 series, 226, 228, 364
 transform, 236, 237, 243
 Fourier–Bohr
 coefficient, 226, 229, 353
 series, 176
 fractal, 2, 18, 25
 free group, 23, 25, 27
 frequency, 9, 10, 33, 353
 function
 admissible, 334, 335
 almost periodic, *see* almost periodic
 amenable, 217
 arithmetic, 79, 105, 111, 133, 348
 continuous, *see* continuous function
 divisor, 79
 generating, *see* Dirichlet series
 mean, *see* mean
 multiplicative, *see*
 multiplicative function
 periodic, 344, 345, 364
 positive definite, 188–190, 238
 quasiperiodic, *see* quasiperiodic
 total variation, *see* total variation
 fusion rule, 32
- Gauß bracket, 108, 158, 348
 Gaussian integer, 8, 82, 93, 121
 generating function, *see* Dirichlet series
 golden mean, xiv, 18, 148, 286, 350,
 371, 375
 Goldstine theorem, 194
 grain boundary, 73
 greatest common left divisor, 86
 grid, 43, 45, 46, 54, 55
 group
 commutator, 24
 dual, *see* dual group
 free, *see* free group
 locally compact Abelian, 175, 177,
 275
 representation, 374
- Haar measure, 177, 229, 295
 Hahn–Banach theorem, 193
 harmonious, 271, 311, 338–340
 Hausdorff completion, 280
 Hilbert space, 190, 228, 238
 Hilbert symbol, 99
 homothety, 60
 Hurwitz ring, 104, 129, 136
 hypercubic lattice, 104
 CSL, 137–148
 SSL, 104–110
- icosian ring, 86, 100, 136
 CSM, 152–155
 SSM, 110–115
 IFS, *see* iterated function system
 index, 76, 79, 81, 94, 97, 107, 115, 134,
 140, 146, 152
 basic, 125
 inflation, xiv, 343, 346
 factor, 1, 4, 9, 12, 18
 matrix, 10, 18, 19, 26, 28, 371
 mixed, 29–31
 rule, 1, 5, 10, 14, 18, 25, 26, 30
 stone, *see* stone inflation
 isometry
 coincidence, 78, 140
 similarity, 87, 108
 iterated function system, 3, 27

- K*-boundary, 179, 307
 Kepler's body, *see* triacontahedron
 Krein inequality, 189, 321
 Krein–Šmulian theorem, 207
 Kronecker symbol, 94

L-series, 80, 82, 94, 102, 126
 lattice, 364
 A_4 , *see* A_4 -lattice
 almost, *see* almost lattice
 commensurate, 76
 convex lattice set, 50
 cubic, *see* cubic lattice
 D_4 , *see* D_4 -lattice
 dual, 92, 365
 finite lattice set, 41
 hypercubic, *see* hypercubic lattice
 lattice space, 41
 (r)-maximal, 99
 rational, 98, 99, 165, 166
 square, *see* square lattice
 unigeneric, 99
 well-rounded, 79
 LCAG, *see*
 locally compact Abelian group
 LCTVS, *see* locally convex topological
 vector space
 least common right multiple, 86
 Lebesgue decomposition, 240, 260, 268
 Legendre symbol, 94
 LI, *see* local indistinguishability
 LIDS, *see*
 local inflation deflation symmetry
 local indistinguishability, 53
 local inflation deflation symmetry, 5
 local rules, xi, 367
 locally compact Abelian group, *see*
 group
 locally convex topological vector space,
 192
 locally finite, 16, 59, 276, 290, 311

 matching rules, xii, 367
 maximal order, 83, 85, 86, 93, 130, 136
 Mazur–Bourgain theorem, 197
 MCSL, *see* coincidence site lattice,
 multiple
 mean, 179, 180, 217, 219, 258, 349,
 353–355, 357, 358, 360
 measure
 almost periodic, 256, 286, 296
 concentration, 318
 convolvable, 246, 247, 251
 Hahn–Jordan decomposition, 239,
 242
 positive cone, 265
 positive definite, 262, 263, 265
 pure point, 176, 271, 287, 313, 314,
 325
 Radon, 242, 250–253, 262, 263, 268,
 274, 291, 294, 326
 total variation, 237, 242, 287, 313,
 318
 transformable, 243, 251, 253–255,
 263, 318, 319, 337
 translation bounded, 246, 263, 307
 metrisability, 200, 202, 274, 280–282,
 291
 Meyer set, xiii, 255, 272, 303, 310, 311,
 316, 323, 327, 332, 336, 337, 373
 Minkowski functional, 197
 Minkowski sum, 41, 306, 344
 MLD, *see* mutual local derivability
 model comb, 273, 291, 295–298, 332
 model set, xi, 53, 294, 305, 321, 334, 337
 cyclotomic, 40, 54
 Euclidean, 39, 51
 internal space, 52, 371
 K-algebraic, 60
 physical space, 51, 371
 regular, 319, 330, 333
 star map, 53, 276, 281
 weak, 333
 window, 53, 55, 273, 305, 333
 window function, 291
 module
 commensurate, 107
 embedded, 106–109, 120
 similar, 107
 mollifier, *see* approximate identity
 monotile, 116–117
 multiplicative function, 87, 105, 111,
 119, 120, 125, 152, 161
 multiplier ring, 92, 93
 mutual local derivability, 2, 19, 21

 non-crystallographic, xi, 366, 377
 number
 normal, 346

- p -adic, 66, 99, 285
 plastic, 4
 number field, 8, 80, 83, 92–96, 110, 125

 oracle, 57
 orbit, 178
 overlapping tiles, 19

 packing, xiv
 Parseval equation, 229, 235, 239
 patch-counting function, xiii
 Penrose, *see* tiling
 pentagrid, 374
 period, 322
 ϵ -almost, 176
 norm-almost, 287
 sup-almost, 288
 period doubling, 286
 Perron–Frobenius, 3, 10, 18, 26, 28
 PF, *see* Perron–Frobenius
 PID, *see* principal ideal domain
 Pisot–Vijayaraghavan number, xiv, 4, 60
 point group, 363
 point set, xi, 289, 290
 convex, 50, 59
 Poisson summation formula, xv, 174
 polarisation identity, 244
 polygon, 2, 27, 61
 affinely regular, 61
 regular, 61
 second midpoint, 64
 U -polygon, 61, 63, 65
 polytope, 55, 374
 Pontryagin duality, 182, 298
 prime
 Gaussian, 93, 122
 inert, 94
 ramified, 94, 95, 98, 137
 splitting, 94, 95, 124, 125, 127
 principal ideal domain, 83, 93, 97
 pseudo-metric, 274, 280
 PSF, *see* Poisson summation formula
 PV, *see* Pisot–Vijayaraghavan number

 quadratic field, *see* number field
 quadratic form, 94, 96, 99, 110
 quasicrystal, xii, 74, 173, 271, 363, 376, 377
 quasiperiodic, 369–372, 374

 quaternion, 84, 85
 admissible, 148
 admissible pair, 137, 138
 even, 86
 Hurwitz, 85, 129, 131, 137
 Lipschitz, 85, 132, 144
 odd, 86
 primitive, 85, 86

 Radon transform
 discrete, 41
 recognisability, 5
 relatively dense, 176, 276, 301–305, 311, 340
 repetitive, xiv, 333
 Riesz representation theorem, 242
 Riesz–Markov theorem, 209
 Riesz–Raikov sum, 344, 352
 rotation
 Cayley parametrisation, 84, 85, 101, 129, 167
 coincidence, 112, 117, 124, 125, 129, 130, 134, 137, 138, 140, 141, 144–146, 148, 149, 152, 153
 similarity, 88, 100, 104, 108
 skew, 117

 \mathcal{S} -lattice, 107, 109, 122, 123, 167
 Salem number, xiv
 sequential compactness, 200, 202
 shelling, 115
 Siegel grid, 54
 similar sublattice, 75, 78
 A_4 -lattice, 100–104
 D_4 -lattice, 105
 primitive, 78
 square lattice, 80, 82, 93
 \mathbb{Z}_4 -lattice, 104–110
 similar submodule, 108
 connection to CSM, 121–124
 icosian ring, 110–115
 planar modules, 97–98
 similarity transformation, 108
 Šmulian theorem, 202
 Sobol theorem, 351, 358
 space group, 363
 square lattice, 78–83, 370
 CSL, 77, 82, 117, 122, 128
 multiple CSL, 83, 128
 primitive SSL, 82

- SSL, 80, 82, 93
- sublattices, 79
- well-rounded, 79
- SSL, *see* similar sublattice
- SSM, *see* similar submodule
- stackings, 136
- star map, *see* model set
- Stone–Čech compactification, 211
- Stone–Weierstrass theorem, 187
- stone inflation, 2, 5, 18, 19
- strongly aperiodic, 117
- submodule, 107
- substitution, *see* inflation
 - random, 29
- summatory function, 87
- supertile, 17, 28, 32
- symmetric difference, 217, 219
- symmetry, 40
 - circular, 9
 - dihedral, 11
 - icosahedral, 376
- symmetry related, 113, 118, 137, 138, 144–146, 151, 155
- test function, 243
- Thue–Morse comb, 314, 324, 332
- tile boundaries, 25
- tiling
 - 14-fold dihedral, 11
 - Ammann–Beenker, 60
 - birds and bees, 17
 - cyclotomic rhombus, 12
 - Fibonacci, 286, 369, 371
 - fractal, 2, 18, 25
 - fusion, 32
 - girih, 12
 - Hofstetter, 22
 - icosahedral, 375
 - Kepler, 366
 - model, xii
 - non-FLC, 2, 6, 16
 - Penrose, 13, 19, 21, 367–369, 374
 - pinwheel, 6, 9
 - punch card, 10
 - SCD, 116
 - shield, xx, 60
 - silver mean, 286
 - Tübingen triangle, 64
 - table, 5
 - überpinwheel, 7
- tomographical equivalence, 57
- topology
 - compact-open, 182, 301
 - strong, 178, 193
 - vague, 209, 263, 266, 307
 - weak, 178, 192, 193
- total variation, 352, 359
- triantahedron, 366, 369, 375
- trigonometric polynomial, 176, 184, 240, 359
- triple junction, 163
- uniform boundedness principle, 195
- uniform distribution, 9, 343, 345, 346
- uniformity, 178, 279, 282
- uniformly discrete, 278, 301–302
- van Hove sequence, 179, 217, 258, 307, 324
- visible lattice points, xvi, 327
- weakly bounded set, 195
- weakly uniformly discrete, 288–290, 312
- Weyl criterion, 345, 349
- Wiener criterion, 240
- window, *see* model set
- X-ray, 40, 50
 - discrete k -dimensional, 41
 - line, 41, 47, 55
- X-ray transform
 - discrete k -dimensional, 41
 - discrete Radon transform, 41
- zeta function
 - Dedekind, 80, 94, 95, 102, 125
 - Hurwitz ring, 105, 135
 - icosian ring, 102, 110, 153
 - Riemann, 79, 126, 135