Index

accuracy
  alkali-vapor magnetometers, 279
  flux-gate magnetometers, 280
  GPS horizontal positioning, 106
  GPS vertical positioning, 107
  gravity measurements, 89
  magnetic gradiometers, 283
  magnetic measurements, 277
  Overhauser magnetometer, 279
  proton-precession magnetometer, 278
  satellite gravity, 115
  SQUID magnetometers, 282
Adams–Williamson equation, 67
admittance function, 455
AirSea System II gravimeter, 100
Airy–Heiskanen theory, 138
aeromagnetic standards, 287
ambiguity, 11
  gravity interpretation, 176
  gravity source, 60–61
  magnetic source, 250
ambiguity in magnetic interpretation, 339
analytic signal, 409
anhysteretic remanent magnetization, 256
anomaly, 3
anomaly analysis, 444–463
  inversion, 461
  isolation and enhancement methods, 444–460
    analytical grid methods, 447
    correlation filters, 453–455
    derivative and integral filters, 455–457
    directional filters, 450–453
    finite element analysis, 447
    geological methods, 445
    graphical methods, 445
    interpolation and continuation filters, 457–460
    residual and regional, 444
    spatial filtering, 445–447
    spectral filters, 448–460
    trend surface analysis, 446
    wavelength filters, 448–450
anomaly source modeling, 460–463
  forward modeling, 461
  inverse modeling, 463
Apollo missions, 119, 230
applications of gravity and magnetic methods, 415–421
  energy resource applications, 417–418
  general view, 415–416
  lithospheric investigations, 420–421
  mineral resource exploration, 418–420
  near-surface studies, 416–417
Archimedes' principle, 76
asthenosphere, 3

band-pass filter, 450
Bangui anomaly, 294
Basin and Range Province, 72
BGM-3 marine gravimeter, 100
Birch's law, 83
Bouguer correction, 133
boxcar filter, 448
British Geological Survey, 304
Browne correction, 143
Bruns' formula, 107, 116
Bullard-B correction, 140

Cartesian to spherical coordinate transformation, 57
centrifugal force, 24, 101, 130, 142
  radius of gyration, 24
CHAMP mission, 226, 230, 291, 295
Chekan-AM gravimeter, 100
chemical remanent magnetization, 256
Cholesky factorization, 427
Clementine mission, 119, 230
cogeoid, 141
coherency, 428, 454
combined magnetic and gravity potentials, 250
compensated density log, 81
Comprehensive Magnetic Field model, 304
Compton scattering, 81
continuation
  differential, 170, 469

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

downward, 168, 457
interval, 170, 460
upward, 167, 457
convolution, 443–444
core of the Earth, 2
outer, 223
Coriolis acceleration
Eötvös effect, 101, 142
correlation coefficient, 428
correlation filters, 453–455
Cosmos 49 mission, 230
Coulomb's law, 3
Cramer's rule, 427, 429
cross-correlation, 409
cross-coupling effects, 99
crust, 2
Curie point isotherm, 355
Curie temperature, 223, 255, 256, 303, 371
Curie's law, 255

data bases and standards, 423–424
gravity data exchange standards, 424
data correlation
local favorability indices, 473–474
data graphics, 463–475
data presentation, 474–475
shaded relief maps, 475
graphical parameters and practice, 472–474
standardized and normalized data, 472–473
gridding, 464–472
cubic spline interpolation, 466–468
equivalent source interpolation, 468–471
linear interpolation, 465–466
polynomial interpolation, 471
statistical interpolation, 471–472
map projections and transformations, 463–464
International Terrestrial Reference Frame, 464
Mercator projection, 464
universal transverse Mercator map projection, 464
World Geodetic System-84, 464
metadata, 424
data systems processing, 422–475
key concepts, 475–476
decibel, 437
Definitive Geomagnetic Reference Field, 303
deflection of the vertical, 23
demagnetization, 260, 405–406
demagnetization factor, 260, 405
self, 405
shape, 405
density, 3, 21, 64–65
asthenosphere, 71
bulk density, 65, 66, 76
continental crust, 69–70
crystalline rock, 69–72
felsic, 69
mafic, 69
Earth's interior, 66
Adams–Williamson method, 67
grain density, 65
igneous and metamorphic rock minerals, 68
key concepts, 86–87
lithostatic pressure effects, 73–74
magma, 74
metamorphic rock, 72
Moho contrast, 71
natural density, 65, 66
oceanic crust, 70
ore minerals and metals, 69
overview, 64
rock, 68
saturated bulk density, 65
sedimentary rock, 72–73
variation with depth, 73
sedimentary rock minerals, 68
specific gravity, 65
subduction zones, 71
surface density, 43
tabulations, 85–86
temperature effects, 74
terrestrial waters, 69
true density, 65, 66
upper mantle, 71
vadose zone, 65
volcanic rock, 71
density measurements, 75–85
correlative property, 81–85
density log, 81–82
seismic velocity, 82–85
gravity observations, 77–81
subsurface, 78–81
surface, 77–78
triplet method, 78
laboratory, 76
overview, 75–76
depositional remanent magnetization, 256
derivative and integral filters, 455–457
design matrix, 424
diamagnetism, 254
differential reduction to the pole, 294, 331
digital elevation models, 112
directional filters, 450–453
diurnal variations in the geomagnetic field, 309

Eötvös effect, 109, 142–143
Eötvös units, 102
Earth Gravitational Model EGM2008, 24, 118
Earth Magnetic Anomaly Grid 2, 296

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

Earth's shape
  flattening, 24
  oblate spheroid, 23, 24
edge effects, 465
electromagnetic distance measurement, 105
electron density, 82
environmental magnetism, 272
equivalent point source, 57
equivalent source, 409, 468
error statistics, 428
  analysis of variance, 428
  coherency, 428
  correlation coefficient, 428
  Fisher distribution, 428
errors
  stacking, 14
  outliers, 13
  propagation, 13
  random, 13, 461
  standard deviation, 13
  systematic, 12, 461
  variance, 428
ERS-1 mission, 114
ERS-2 mission, 114
Euler's equation, 191
extraneous magnetic variations, 302–314
  spatial variations, 302–307
    elevation effects, 304–305
    global, 302–304
    surface and near-surface effects, 306–307
    terrain effects, 305–306
  temporal variations, 308–314
    A_p index, 312
    a_p index, 312
    characteristics, 310
    decorrugation, 314
    disturbed variations, 310
    equatorial electrojets, 310
    internal, 311
    ionosphere, 309
    K_p index, 312
    K-index, 311
    leveling of aeromagnetic data, 313
    magnetic indices, 311
    magnetosphere, 309, 311
    micropulsations, 310, 313
    origin, 310
    quiet variations, 310
    removal, 312–314
    secular variation, 313
    tidal effects, 310
    World Data Centers, 312

ferrimagnetism, 254, 255
ferrite, 255
ferromagnetism, 254, 255
Fisher distribution, 428
forward model, 10, 424
  spectral, 425
forward modeling strategies, 208–211
foundations of geophysical methods, 5, 7
Fourier transforms of idealized sources, 207
free-air effect, 131
FTG gravity gradiometer, 103

GAMMA algorithms, 44–243
gamma–gamma log, 81
Gauss' divergence theorem, 59, 61
Gauss' law, 59, 61, 198, 250, 316
Gauss–Jordan elimination, 427
Gauss–Legendre quadrature, 53, 55, 56, 57, 58, 207, 246, 403
Gaussian elimination, 427
Geodetic Reference System-80, 25, 464
geoid, 23
geoidal height, 141
geomagnetic dynamo, 217
geomagnetic field, 219–227
  CMF, 226
  DGRF, 223
  field-aligned current, 295
  IGRF, 223
  magnetopause current, 295
  overview, 216
  polarity, 221
  ring current, 295
  spatial variations
    overview, 219–223
  tail current, 295
  temporal variations
    daily, 225
    diurnal change, 226
    micropulsations, 226
    overview, 223–227
    secular change, 223, 225
    tidal effects, 225, 226
    westward drift, 223
geophysical data, 11–14
  documentation, 12
    metadata, 12
    quality assurance, 12
  errors, 12–14
geophysical practices, 7–11
  data acquisition phase, 9
  data processing phase, 9–10
  interpretation phase, 10–11
  planning phase, 8–9
Geosat mission, 114, 117
GNSS positioning, 106
GOCE mission, 31, 115, 117

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

GPS positioning, 102, 105, 107, 143
  differential, 106
GPS postioning, 464
GRACE mission, 31, 114, 117
gravimeter drift, 110
  microseismic effects, 112
gravitational constant, 21, 25
gravitational field
  acceleration, 22
  force, 21
  gradient of potential, 39
  logarithmic potential, 43
  mass, 21
  potential, 21, 38
  tensor, 39, 40, 41, 43
  vector, 40, 41
gravitational force, 21–22
gravity
  measurement
    overview, 25–27
  potential theory, 38–63
    key concepts, 62–63
  spatial variations, 23–25
  temporal variations, 25
gravity anomalies, 143–155
  Bouguer gravity anomaly equations, 147–151
  energy, 181
  Faye, 144
  filtered, 155
  fundamental elements, 143–145
  geological, 153–155
    decompensative, 154
    isostatic, 153
    mantle, 154
  Helmart, 144
  isolation and enhancement methods, 155–173
    analytical grid methods, 161, 447
    continuation filters, 167–171
    correlation filters, 163–165
    derivative and integral filters, 165–167
    equivalent source methods, 171–172
    fundamental principles, 157
    geological methods, 159, 445
    graphical methods, 159–161, 445
    matched filters, 162
    pseudomagnetic filters, 171
    residual and regional separation, 155
    spectral filtering methods, 161–171
    spectral filters, 448
    trend surface analysis, 446
    wavelength filters, 161–162, 448
  planetary, 145
    Bouguer anomaly limitations, 151–152
    complete Bouguer, 147–153
    error assessment, 152
    Faye, 146
    free air, 145–147
    simple Bouguer, 147–153
gravity corrections
  atmospheric, 126
  atmospheric mass effect, 131
    North America, 132
  combined height and mass correction, 133
  curvature effect (Bullard-B), 140–141
    equation, 141
    North America, 140
    vertical gradient, 141
  datums, 129–130
    Geodetic Reference System-80, 129
    geographic and vertical, 129
    GEOID03, 129
    gravity, 129
    gravity datum adjustment, 130
    International Terrestrial Reference Frame, 129
    World Geodetic System-84, 129
  Eötvös effect, 142–143
    Browne correction, 143
  Earth tides, 25, 127–128
  geological effect, 138
  gravity stripping, 138
  height effect, 131
    Faye's correction, 131
    vertical gradient, 132
  indirect effect, 141
    marine surveys, 141
    North America, 142
  instrumental drift, 124–126
  isostatic effect, 138–140
    Airy–Heiskanen theory, 138, 153
    Pratt–Hayford theory, 138
  latitude variation, 130–131
    gradient, 131
  mass effect, 133
    Bouguer correction, 133
    Bullard-B correction, 133
    curvature correction, 133
    density considerations, 133
    marine surveys, 134
    spherical cap, 133
  terrain effect, 134–138
    1 in 20 rule, 112
    automated methods, 136
    critical concerns, 136
    Hammer's method, 135
    spectral analysis methods, 136
    typical values, 134
gravity data acquisition, 88–120
  key concepts, 120–121
  overview, 88

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

gravity data exchange standards, 424
ASEG-GDF2 (Draft 4), 424
gravity data processing, 122–173
key concepts, 173–174
gravity data sets
principal facts, 423
gravity field of Earth, 21–27
gravity interpretation, 175–211
ambiguity, 176
density contrast and mass, 198
formation boundaries, 196
graphical depth estimation techniques, 189–191
half-width method, 190
Smith rules, 191
straight-slope method, 190
gridded anomaly modeling, 206–208
ideal body depths, 194
idealized body interpretation, 205–206
key concepts, 211–212
key geological variables, 181–183
source density contrast, 181
source depth, 181
source geometry, 181
source isolation, 182
key geophysical variables, 183–189
anomaly amplitude, 183
anomaly eccentricity, 187
anomaly perceptibility, 187
anomaly shape, 187
anomaly sharpness, 185
modeling anomaly sources, 200
forward modeling, 202
inverse modeling, 202–205
modeling strategies, 208–211
constructing the model, 209–210
matching the observed and modeled gravity anomalies, 210–211
selecting the anomaly, 208
parameters, 181–189
process, 178–181
pseudomagnetic anomalies, 199–200
resolution, 182
semi-automated depth estimation, 191–193
Euler deconvolution, 191–192
statistical spectral techniques, 192
Werner deconvolution, 192
simplified techniques, 189
depth estimation, 189–193
source depth extent estimation, 193
two- versus three-dimensional, 176–178
gravity measurements
absolute gravity, 103–105
free-fall instruments, 104
pendulum, 103
accuracy, 89
Askania gravimeter, 100
astaticization, 91
base stations, 113
calibration, 93
calibration error, 96
Chekan-AM gravimeter, 100
drift, 110
vibration effects, 112
Eötvös torsion balance, 102
error budgets, 98
GMN-K gravimeter, 100
gradiometry, 102–103
Falcon technology, 103
full tensor gradiometer, 102
gravimeter error sources, 95–98
land surface, 91–98
moving platform, 98–102
cross-coupling effects, 99
electromagnetic accelerometers, 100
gyrostabilized platform, 31, 99
overview, 89–91
position control, 105–107
horizontal, 105
vertical, 106
procedures, 111–113
resolution, 89
satellite, 31, 113–120
active, 115–117
gradiometer, 115
gravity mapping progress, 117–120
overview, 113–114
passive, 114–115
superconducting gravimeter, 90
tare, 96, 97, 98, 124
underwater, 91, 102
vibrating spring gravimeter, 98
zero-length spring, 91–95
zero-length spring principle, 91
metal, 93–94
quartz, 94–95
gravity method
key concepts, 36–37
gravity modeling
Bouguer slab, 52
disk, 53
end correction, 51
equivalent source, 57
extended body, 41–48
general source, 53
generic 2D source, 53–54
generic 3D source, 54–55
horizontal cylinder, 51
idealized sources, 48–53
least-squares 2D source, 56–57
least-squares 3D source, 55–56
rectangular prism, 57
least-squares modeling accuracy, 57

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

least-squares modeling in spherical coordinates, 57–59
point mass, 39–41
spherical shell, 48
total mass, 59–60
vertical cylinder, 53
gravity stripping, 138
gravity survey design, 107
airborne surveys, 109
land surface surveys, 107–109
marine surveys, 109
gravity survey procedures, 110
gravimeter considerations, 110–111
measurement procedures, 111–113
gravity units, 22–23
cm/s^2, 22
Eötvös unit, 102
gal, 22, 29
gravity unit (g.u.), 22
m/s^2, 22
microgal, 22
milligal, 22
N/kg, 22
gravity variations, 123–143
temporal, 123–128
atmospheric, 126
atmospheric pressure, 124
Earth tides, 127–128
inherent instrumental drift, 123, 124
subsurface mass, 128
tare, 124
temperature, 124
Green's functions, 41, 47
Green's theorem, 53
Grid eXchange Format GXF-Rev 3, 424
gridding, 464–472
cubic spline interpolation, 466–468
equivalent source interpolation, 468–471
linear interpolation, 465
minimum curvature, 468
polynomial interpolation, 471
statistical interpolation, 471–472
GRS67, 131
GRS80, 130, 133
GRS84, 130

Hilbert transform, 382
history of the gravity method, 27–32
history of the magnetic method, 229–231
Hough transform, 367

implementing the gravity method, 32–36
data acquisition phase, 34
data processing phase, 35
interpretation phase, 35
planning phase, 32
reporting phase, 36
implementing the magnetic method, 231–233
data acquisition phase, 231
data processing phase, 232
interpretation phase, 232
planning phase, 231
reporting phase, 232
indirect effect, 142
International Association of Geomagnetism and Aeronomy, 303
International Geomagnetic Reference Field, 303
International Gravity Formula 1980, 130, 131
International Terrestrial Reference Frame, 464
interpolation
linear, 465
cubic spline, 466–468
equivalent source, 468
polynomial, 471
statistical, 471–472
interpolation and continuation filters, 457–460
inverse Fourier transform, 431
inverse modeling, 10
inversion, 10, 429
equivalent point source, 248
linear, 425
non-linear, 425
ionosphere, 225
isostasy, 29, 119, 138

Kaguya satellite, 119
Kenya rift, 71
Koenigsberger ratio Q, 256, 393, 407, 409
kriging, 471

LaCoste & Rombera type gravimeters, 92, 93, 96
calibration shifts, 96
LaCoste & Romberg sea gravimeter, 99
LaCoste & Romberg S-gravimeter, 100
LaCoste & Romberg System 6 gravity, 100
modifications, 100
Laplace's equation, 39, 61, 118, 176, 237, 250, 318, 448, 455, 456, 457
least squares collocation, 471
least-squares modeling accuracy, 57
least-squares modeling in spherical coordinates, 57–59
least-squares solution, 427
Legendre polynomials, 53, 55, 56
lithosphere, 2
local favorability indices, 473–474
logarithmic potential, 43
Lunar Apollo subsatellite missions, 296
Lunar gravity, 119
Lunar Prospector mission, 119, 230

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

Magellan mission, 119
magnetic airborne surveys
instrumentation, 290–291
magnetic compensation, 290
pre-survey airborne tests, 291
cloverleaf test, 291
figure of merit, 291
lag test, 291
magnetic anomalies, 219
data repositories, 229
isolation and enhancement methods, 314–336
analytical grid methods, 318, 447
continuation filters, 326–328
correlation filters, 321–323
derivative and integral filters, 323–326
directional filters, 320
equivalent source methods, 333–335
fundamental principles, 314–316
geological methods, 445
geological, graphical, and visual inspection methods, 316–318
graphical methods, 445
pseudogravity, 457
pseudogravity filters, 332–333
reduction-to-pole filters, 328–332
residual and regional, 314
shaded relief maps, 317
spectral filtering methods, 318–333
spectral filters, 448
stacked profiles, 317
terrace maps, 323
textural attributes, 318
trend surface analysis, 446
wavelength filters, 318–320, 448
magnetic anomaly, 302, 303
magnetic anomaly interpretation, 338–412
ambiguity, 339
demi-pentes depth determination method, 362
depth determination
analytical signal (total gradient) method, 382–383
CompuDepth, 387
depth estimations corrections, 387
Euler deconvolution, 364–368
source parameter imaging (local wavenumber technique), 383–385
statistical spectral techniques, 368–374
tilt angle (tilt derivative) method, 385–387
wavelet transform method, 387
Werner deconvolution, 374–382
depth determination methods, 355–387
graphical techniques, 357–363
Peters' half-slope method, 360–362
selecting anomalies, 357
semi-automatic approaches, 363–387
Sokolov's method, 362
straight-slope method, 359–360
formation boundaries, 393–394
half-width depth rules, 357
key concepts, 411–412
key geological variables, 342–349
geometry, 342
source depth, 342
source isolation, 348
source location in geomagnetic field, 348
source magnetic polarization contrast, 342
key geophysical variables, 349–355
amplitude, 349
perceptibility, 354
shape, 351
sharpness, 352
maps, 388–394
apparent magnetic susceptibility mapping, 389
electromagnetic apparent magnetic susceptibility, 389
formation boundaries, 393–394
pseudogravity anomalies, 393
reduced-to-equator, 392
reduced-to-pole magnetic anomalies, 391–393
terracing, 388
maximum straight slope depth rule, 359
modeling anomaly sources, 394–411
demagnetization effects, 405–406
forward modeling, 395
gridded anomaly modeling, 403
idealized body interpretation, 396
identifying and characterizing remanence, 407–409
infinite depth extent prism, 402
infinite depth extent vertical cylinder, 402
interpretation with remanence, 409–411
inverse modeling, 395
matching observed and modeled magnetic anomalies, 404
modeling strategies, 404–405
other idealized sources, 398–403
remanent magnetization effects, 406–407
two-dimensional dike, 396–398
vertical fault, 400
overview, 338
Peters' half-slope depth determination method, 360–362
resolution, 348, 355
shift of anomaly peak, 342
Sokolov's depth determination method, 362
straight slope depth rules, 359
techniques, 355–394
the process, 340–342
two- versus three-dimensional, 340
magnetic charts, 223
magnetic data acquisition, 276–297
key concepts, 297–299
magnetic data processing, 300–336

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

introduction, 301–302
key concepts, 336–337
overview, 300
magnetic domains, 255
magnetic effects
of a point dipole, 236–238
of an extended body, 238–243
magnetic field
Gauss A position, 222
Gauss B position, 222
gradient of potential, 39
lines of force, 220
measurement, 227–229
point dipole, 236–237
point dipole potential, 236
potential, 218
tensor components, 237
vector components, 238
magnetic field reversal, 303
magnetic force, 217
Coulomb's law, 217
magnetic moment, 218
magnetization, 216
poles, 216
susceptibility, 217
magnetic instrumentation, 277–283
drillhole measurements, 284
flux-gate, 277, 279–282
gradiometers, 282–283
resonance magnetometers, 277, 278–279
alkali-vapor, 277, 278–279
gyromagnetic ratio of protons, 278
Larmor precession frequency, 278
optical pumping/optical monitoring, 279
Overhauser, 277, 279
proton-precession, 277, 278
Zeeman levels, 279
SQUID, 277, 282, 283
Josephson junction, 282
variometers, 277
vector versus scalar measurements, 283
magnetic interpretation
ambiguity, 250
magnetic jerks, 303
magnetic measurements
dip needle, 230
electron reflectometers, 296
flux-gate magnetometer, 230
Hotchkiss superdip, 230
inherent error, 228
overview, 227–229
resonance magnetometer, 230
magnetic method, 215–233
key concepts, 233–234
potential fields, 235
reduced-to-pole, 243
role, 215
magnetic minerals
iron sulfides, 268
oxides, 257
magnetic modeling
2D generic source, 244–245
2D least-squares, 247–248
3D generic source, 245
3D least-squares, 246–247
rectangular prism, 247
extended source-2D, 238–243
field components, 242
limited length, 242
idealized sources, 243–244
least-squares accuracy, 248
least-squares modeling in spherical coordinates, 248–250
point dipole, 236–238
total magnetic moment, 250
magnetic polarization, 5
magnetic potential theory, 235–251
key concepts, 251
point dipole, 236
magnetic properties, 252–274
anhysteretic remanent magnetization, 256
antiferromagnetism, 255
coercive force, 254
Curie temperature, 256
depositional remanent magnetization, 256
diamagnetism, 254
minerals, 255
origin, 255
ferrimagnetism, 254, 255
ferrite, 255
origin, 255
ferromagnetism, 254, 255
Curie temperature, 255
exchange forces, 255
magnetic domains, 255
origin, 255
fired clay, 271
hysteresis, 254
hysteretic behavior, 254
igneous rocks, 263–264
anorthosite, 267
granite, 264
ilmenohematite, 256
iron objects, 271
Koenigsberger ratio, 220, 256, 259, 264
lithospheric rocks, 265–267
lower crust, 265
Mars, 267
Moon, 267
maghemite, 269
magnetization, 252

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

magnetic properties (*cont.*)
induced, 252
paleomagnetism, 253
remanent, 252
magnetotactic microorganisms, 269
measurement, 272–273
inductance bridge, 273
magnetometer, 273
spinner magnetometer, 273
metamorphic rocks, 264–265
iron formations, 265
Moho, 266
natural remanent magnetization, 256
oceanic crust, 264
origin, 253
paramagnetism, 254, 255
origin, 255
partial thermoremanent magnetization, 256
relaxation time, 257
remanent magnetization, 256–257
reversed thermoremanent magnetization, 256
rocks and soils, 261–272
saturation magnetization, 254
sedimentary rocks, 267–268
coal, 268
serpentinization, 265
soils, 268–271
glacial, 268
laterites, 269
sanitary landfills, 270
topsoils, 269–270
summary, 271
susceptibility, 254, 259–261
apparent susceptibility, 260
bulk susceptibility, 259
crystalline susceptibility, 260
demagnetization, 260
effective susceptibility, 260
intrinsic susceptibility, 259, 260
magnetocrystalline susceptibility, 260
mass susceptibility, 259
shape anisotropy, 260
specific susceptibility, 259
susceptibility anisotropy ratio, 261
true susceptibility, 260
volume susceptibility, 259
weak-field susceptibility, 259
tabulations, 273–274
thermal remanent magnetization, 256
thermoremanent magnetization, 256
titanohematite series
hematite, 267
viscous remanent magnetization, 256, 260
magnetic relaxation time, 257
magnetic remanence, 256
magnetic space surveys, 291–297
core, lithospheric, and external fields, 292
magnetic mapping progress, 294–297
magnetic storms, 226
magnetic survey
decorrugation, 314
microleveling, 314
magnetic survey design
airborne surveys, 287–291
aircraft, 287
altitude, 289
flight specifications, 287–290
flight track orientation, 287
flight track sampling interval, 288
flight track spacing, 288
objectives, 287
tie-lines, 290
land surface surveys, 284–286
station spacing, 285
temporal variation control, 285–286
marine surveys, 286
magnetic susceptibility, 5, 217
rocks
tabulation, 261
susceptibility anisotropy, 260
tensor components, 260
magnetic terrain effects, 305–306
magnetic units, 218
amperes/meter, 218
conversion of CGS to SI units, 219
conversion of parameters, 220
gamma, 218
gauss, 218
magnetic field strength, 218
magnetic susceptibility, 219
maxwell, 221
nanotesla, 218
oersted, 218
tesla, 218
weber, 218
magnetite, 253
magnetization, 216
magnetization of Earth materials, 252–274
key concepts, 274–275
magnetization of seamounts, 409
magnetosphere, 219
Magsat mission, 226, 230, 294, 324, 392, 472
mantle, 2
map projections, 463
map transformations, 463
Mariner-4 mission, 296
Mariner-9 mission, 119
Mars Global Surveyor, 296
Mars Global Surveyor mission, 119, 230
Mars Orbiter Laser Altimeter mission, 119

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

Martian gravity, 119
  Goddard Mars Model 2B, 119
Martian magnetic field, 219, 296
mascons, 119
matrix inversion, 426–428
matrix properties, 425
  Cholesky factorization, 427
  Gauss–Jordan elimination, 427
  Gaussian elimination, 427
  identity matrix, 425
  inverse matrix, 425
  transpose, 425
maximum entropy, 440
maximum entropy spectral analysis, 440–443
Mercator projection, 464
metadata, 424
Michigan basin, 73, 355
mineral magnetism, 257–258
  ulvöspinel, 257
  fluids and gases, 258
  grain shape anisotropy, 257
  hematite
    parasitic ferromagnetism, 257
  internal demagnetization, 257
  iron sulfides, 258, 265
    greigite, 258
    monoclinic pyrrhotite, 258, 267
    pyrite, 258
  magnetic domains, 260
  magnetite, 257
    volume susceptibility, 261
  pyrrhotite series, 260
  titanohematite series, 257, 260, 267
    gamma-hematite, 258
    hematite, 257
    ilmenite, 257
    maghemite, 258
  titanomagnetite series, 257
  titanomagnetites, 257
minimum curvature gridding, 468
minimum phase filter, 448

natural remanent magnetization, 256
navigation control, 105–107
Nettleton density profile method, 77
Newton's universal law of gravitation, 3, 21
NGDC720 geomagnetic model, 296
NGDC720 World Magnetic Anomaly Map, 304
normal remanent magnetization, 267
North American Gravity Data Committee, 129, 144
numerical transforms, 433–440
  fast Fourier transform, 438
  Gibbs' error, 438–439, 444
  numerical errors, 438–440
  Shannon's sampling theorem, 439
  wavenumber aliasing, 439–440
  wavenumber leakage, 439
  wavenumber resolution, 440
  window carpentry, 439
Nyquist
  frequency, 8, 435
  sampling theorem, 108
  wavelength, 8, 435, 472
  wavenumber, 8

Okina sub-satellite, 119
Ørsted mission, 226, 230, 291, 295
orthometric height, 141
Ouna sub-satellite, 119
Overhauser effect, 279

paramagnetism, 254, 255
partial thermoremanent magnetization, 256
periodogram, 431
PicoEnvirotec, Inc., 290
Pilbara Craton, 70
Pioneer Venus mission, 119
Pioneer Venus orbiter mission, 297
plate tectonics, 6, 231
POGO missions, 226, 230, 294
Poisson's equation, 61, 176
Poisson's theorem, 61, 167, 171, 172, 199, 243, 250, 318, 322, 328, 335, 350, 391, 393, 409
potential field methods, 3
Pratt–Hayford theory, 138
pseudoanomalies, 61–62
pseudogravity, 409
pycnometer, 76

Q, Koenigsberger ratio, 256, 259

radius of gyration, 24, 130
remanent magnetization, 256
resolution
  gravity anomalies, 182
  gravity measurements, 89
  magnetic anomalies, 348
reversed thermoremanent magnetization, 256
ridge regression, 429

Satellite magnetic mapping progress, 294–297
Scintrex gravimeter, 20
seafloor spreading, 6, 231
secular variation of geomagnetic field, 303, 308
SELENE mission, 119
sensitivity analysis, 24, 429–430
  Cholesky factorization, 430
  damping factor, 429
  error variance, 429
  Marquardt parameter, 429

© in this web service Cambridge University Press www.cambridge.org

CAMBRIDGE

Cambridge University Press
978-0-521-87101-3 — Gravity and Magnetic Exploration
William J. Hinze , Ralph R. B. von Frese , Afif H. Saad
Index
More Information

sensitivity analysis (*cont.*)
ridge regression, 429
singular value decomposition, 430
shaded relief maps, 475
SI units, 11
base, 12
derived, 12
supplementary, 12
solar flares, 310
solar storms, 225
solar wind, 219
solid-Earth geophysics, 2
spectral analysis, 430–443
admittance function, 455
Akaike information criterion, 443
analytical transforms, 432–433
complex conjugate, 431
complex number, 431
Dirichlet conditions, 430
discrete Fourier transforms, 433
Euler's formula, 431, 433
fast Fourier transform, 438
final prediction error, 443
Fourier analysis, 431
Fourier series, 434
Fourier synthesis, 431
Fourier transform, 431, 444
Gibbs' error, 448, 449, 451
Hamming function, 448
inverse Fourier transform, 431
Levinson recursion, 442
maximum entropy, 440
maximum entropy spectral analysis, 440–443
numerical transforms, 433–440
Parseval's theorem, 436
prediction filter, 441
wavenumber analysis, 434
wavenumber aliasing, 439–440
wavenumber leakage, 439
wavenumber resolution, 440
Wiener filter, 445, 453
spherical shell, 48
Sputnik 3 mission, 230, 294
stacking errors, 14
Stasinowsky, W., 103
stationarity, 472
strike-pass filter, 450
strike-sensitive filter, 451
structural index, 193

tachymetry, 105
TAGS Air III, 100
tare, 96, 97, 98, 124
thermal remanent magnetization, 256
temporal magnetic variations, 223–227, 308–314
tensors, 39–43, 47, 48, 102, 237, 239
terrain correction, 134, 138
thermo-viscous remanent magnetization, 266
TOPEX/Poseidon mission, 114
torsion balance, 102
total magnetic moment, 250

US National Geophysical Data Center, 304
units, 12
universal transverse Mercator map projection, 464

vector components, 41, 42, 46, 237, 239
vector versus scalar magnetic measurements, 283
Vening–Meinesz theory, 139
Venusian magnetic field, 297
viscous remanent magnetization, 256, 265
magnetic viscosity, 270

wavelength filters, 448–450
westerly drift of geomagnetic field, 303
World Digital Magnetic Anomaly Map, 304
World Geodetic System-84, 464
World Magnetic Model, 304

zero-length spring, 26, 30
principle, 91

© in this web service Cambridge University Press www.cambridge.org