

Index

- AAH. *See* Atypical adenomatoid hyperplasia (AAH)
- ABC. *See* Active breathing control (ABC)
- Acinar pattern
 - adenocarcinoma 18
- ACTH. *See* Adrenocorticotrophic hormones (ACTH)
- Active breathing control (ABC) 130
- Acute oesophagitis 122
- Adenocarcinoma 16–19
 - acinar pattern 18
 - air space opacification 35
 - defined 18
 - incidence 28
 - mediastinal nodal metastases 66
 - micropapillary pattern 19
 - peripheral 137
 - vs. squamous cell carcinoma
 - brain metastases 76
 - untreated
 - natural history of 2
- Adenomas. *See* Adrenal adenomas
- Adenosquamous carcinoma 20
- Adjuvant carboplatin
 - NSCLC 103
- Adjuvant chemotherapy
 - NSCLC 103–6
 - postoperative
 - NSCLC 104
- Adjuvant cisplatin
 - NSCLC 103
- Adjuvant paclitaxel
 - NSCLC 103
- Adjuvant radiotherapy
 - NSCLC 122–3
- Adjuvant uracil-tegafur
 - NSCLC 103
- Adjuvant vinorelbine
 - NSCLC 103
- Adrenal adenomas
 - CT 74
 - FDG-PET 74
 - MRI 75
- Adrenal glands
 - CT 73
- Adrenal metastases
 - CT
 - PET 89
 - from benign incidental adrenal lesions 89
 - staging 73–5
- Adrenocorticotrophic hormones (ACTH) 6
- Advanced-stage non-small cell lung cancer
 - palliative chemotherapy 100–2
- Age
 - radiation pneumonitis 121
- Air bronchograms 31
- bronchoalveolar cell carcinomas 40
- Air space opacification
 - adenocarcinomas 35
- Airway caliber 38
- Alveolar walls
 - atypical pneumocytes 14
- Antibiotics
 - dose-intensification 110
- Antidiuretic hormone (ADH) 6
- Aorto-pulmonary nodes
 - defined 67
- Apical tumours
 - assessment 32
 - PET 91
- Apoptosis rate
 - small cell carcinoma 17
- Artefacts 95
 - PET/CT 95
- Asbestos exposure
 - occupational 2
- Atelectasis
 - pulmonary 37
- Atypical adenomatoid hyperplasia (AAH) 13, 14
- Atypical pneumocytes
 - lining alveolar walls 14
- BAC. *See* Bronchoalveolar cell carcinomas (BAC)
- Benign fibrous adhesion
 - simulating tumour infiltration 71
- Benign incidental adrenal lesions
 - adrenal metastases
 - PET 89

144 Index

- Benign processes
 - 18FDG-PET 94
- Bevacizumab 111
 - NSCLC 108
- Biopsy
 - bronchial 7
 - image-guided percutaneous needle 137
- Bone metastases 4, 76–7
 - NSCLC 76
 - vertebral
 - PET 90
- Bone scanning
 - radionuclide
 - NSCLC 76
- Bortezomib
 - NSCLC 108
- Brain metastases 4
 - adenocarcinomas *vs.* squamous cell carcinoma 75
 - 18FDG-PET 94
 - radiotherapy 129
 - staging 76
- British Medical Research Council 111
- Bronchial biopsy 7
- Bronchial carcinomas
 - peripheral
 - shape 34
- Bronchial gland carcinoma 28
- Bronchial mucosa
 - CT 34
- Bronchial obstruction 37
- Bronchoalveolar cell carcinomas (BAC) 17, 28, 39–40
 - air bronchograms 40
 - CT 40
 - mucinous 18
 - non-mucinous 18
 - radiological presentations 40
 - surgery 140
- Bronchoceles 38
- Bronchogenic carcinoma
 - central *vs.* peripheral tumours 34
 - new cases of 27
 - prognostic factors 10
- Calcification
 - CT 35
 - intratumoural
 - CT 30
- Calcitonin 6
- Carboplatin
 - NSCLC 100–2, 104
 - adjuvant 103
 - SCLC 110, 111
- Carcinogens 2
- Carcinoid tumours 21–2
 - defined 21
 - histological features 21
- CAV. *See Cyclophosphamide, adriamycin, vincristine (CAV)*
- Cavitation
 - peripheral tumours 35
 - squamous cell cancer 35
- ¹¹C-choline 96
- CD117 111
- Cell type 10
- Cell type-specific imaging patterns 38
- Centrally located tumours 15–16
- Central tumours
 - delineation 38
 - imaging 37
 - vs.* peripheral tumours 34–40
 - bronchogenic carcinoma 34
- Centrilobular emphysema 138
- Cetuximab
 - NSCLC 108
- CHART. *See Continuous hyperfractionated accelerated radiotherapy (CHART) regime*
- Chemotherapy
 - adjuvant
 - NSCLC 103–6
 - cytotoxic
 - NSCLC 99
 - SCLC 99
 - NSCLC 120
 - palliative
 - advanced-stage NSCLC 100–2
 - SCLC 109–11
- Chemotherapy radiotherapy combination
 - NSCLC 123
- Chest radiography 29–30, 38, 61
 - plain 29
 - pleural effusion 30
 - screening 47
 - vs.* CT 50
 - sensitivity 30
- Chest wall invasion
 - CT 32, 71
 - MRI 32
 - staging 71–2
- Chromogranin
 - large cell carcinoma 20
- Cigarettes
 - average consumption 12
 - problem awareness
- Cisplatin
 - NSCLC 100, 101, 104
 - adjuvant 103
 - SCLC 109
 - with irinotecan 110
- C-kit tyrosine kinase inhibitors 111
- Classification
 - small cell lung cancer 59
 - squamous cell cancer 15
- Clear cell carcinoma 28
- Clinical considerations 1–10
- Clinical features 3–6
- Clinical target volume (CTV) 127

- Collapse 37
- Computed tomography (CT) 6, 30–2, 51
 - adrenal adenomas 74
 - adrenal glands 73
 - adrenal metastases
 - angiogram
 - enhancing pulmonary vessels radiating into left lower lobe 41
 - artefacts 95
 - bronchial mucosa 34
 - bronchoalveolar cell carcinomas 40
 - calcification 35
 - vs. chest radiographs for screening 50
 - chest wall invasion 71
 - contrast-enhanced 61, 63
 - vs. conventional planning
 - SCLC 126
 - cost-effectiveness 53
 - data acquisition and planning 130
 - enlarged mediastinal and hilar lymph nodes 31
 - guided biopsy 7
 - hilar mass 65
 - intratumoural calcification 30
 - liver 73
 - lobectomy vs. pneumonectomy 62
 - mediastinal lymph node status 70
 - mediastinal staging 69
 - vs. MRI
 - chest wall invasion 32
 - T4 tumours 64
 - NSCLC 72, 90
 - obstructive pneumonitis 69
 - peripheral tumours 34
 - vs. PET vs. EUS-FNA
 - mediastinal metastases 70
 - pulmonary nodule mis-registration 95
 - respiratory motion 96
 - respiratory shift 71
 - screening 48
 - optimism 49
 - radiation from 53
 - small cell carcinoma 39
 - squamous carcinoma 138
 - squamous cell carcinoma 71
 - target volumes 127
 - T4 squamous cell carcinoma 64
 - T1 tumours 61
 - upper lobe tumour 9
 - volume 130
- Cone beam linear accelerators 126
- Conformal radiotherapy
 - SCLC 126
- Consolidation 37
- Continuous hyperfractionated accelerated radiotherapy (CHART) regime 123
- Contrast-enhanced computed tomography 61
- Coronal MRI
 - T1-weighted
 - tumour at left apex 33
- Cost-effectiveness
 - CT 53
 - screening 50
- Cranial irradiation
 - prophylactic 120
 - SCLC 124–5
- CT. *See* Computed tomography (CT)
- CTV. *See* Clinical target volume (CTV)
- Cyclophosphamide, adriamycin, vincristine (CAV)
 - LS-SCLC 109
 - SCLC 109
- Cytotoxic agents
 - SCLC 110–11
- Cytotoxic chemotherapy
 - NSCLC 99
 - SCLC 99
- Deaths 12, 27, 46
- Diagnosis 6
- Differentiated lung cancer
 - untreated
 - natural history of 2
- Digital radiographic technology 30
- Distant metastases
 - NSCLC 73
 - signs and symptoms 4
- Docetaxel
 - NSCLC 100, 102
 - with pemetrexed 102
 - vs. platinum 102
- Dose-intensification
 - antibiotics 110
 - growth factors 110
 - peripheral blood stem cell transplant 110
- Doubling time 36
- Early Lung Cancer Action Project (LECAP) 48
- ECOG 4599 study 108
- EGFR. *See* Epidermal growth factor receptor (EGFR)
- Electronic portal imaging device (EPID) 126
- ELVIS trial 102
- Emphysema
 - centrilobular 138
- En bloc resection
 - mortality rate 71
- Endobronchial airway
 - videobronchoscopy 8
- Endobronchial radiotherapy
 - intracavitary brachytherapy 129
- Endobronchial tumours 21–2
- Endo-oesophageal ultrasound with fine-needle aspiration (EUS-FNA) 69
- EPID. *See* Electronic portal imaging device (EPID)
- Epidermal growth factor receptor (EGFR) 111
 - NSCLC 107–8
 - overexpression
 - squamous cell carcinomas 13
- ES-SCLC. *See* Extensive small cell lung cancer (ES-SCLC)

146 Index

- Etoposide
 - NSCLC 104
 - SCLC 109–11
- EUROCARE 10
- EUS-FNA. *See* Endo-oesophageal ultrasound with fine-needle aspiration (EUS-FNA)
- Extensive small cell lung cancer (ES-SCLC) 108
 - prognosis 109
- Extrathoracic metastatic disease 73–7
- False negatives
 - indeterminate solitary pulmonary nodules
 - PET 86
- False positives 71
 - 18FDG-PET 94
 - indeterminate solitary pulmonary nodules
 - PET 86
- Farnesyl transferase inhibitors 111
- Fast helical scanners 40
- 18F-fluoromisonidazole
 - tumour hypoxia 96
- 18F-fluorothymidine (18FLT) 96
- Fiberoptic bronchoscopy 6–9
- Fibrosing lung diseases 137
- Fine needle aspiration
 - transbronchial
 - videobronchoscopy 8, 9
- 18fluoro-2-deoxy-D-glucose (18FDG) 61
 - half-life 86
- mesothelioma 94
 - positron emission tomography (PET)
 - adrenal adenomas 74
 - assessing response to treatment 91–2
 - benign processes increased uptake 94
 - brain metastases 94
 - diagnostic issues and pitfalls 94–6
 - false positives 94
 - future applications 96
 - indeterminate solitary pulmonary nodules 86
 - mesothelioma 94
 - NSCLC 92, 93
 - NSCLC IIIA-N2 92
 - NSCLC staging 86
 - planning radiotherapy 92
 - radiotherapy response 92
 - small cell lung cancer 94
 - thoracic malignancies 93–4
 - T4 squamous cell carcinoma 64
 - tumour recurrence evaluation 93
 - whole body 73
 - right lower lobe 87
 - solitary pulmonary nodule 85
- 5-fluorouracil (5-FU) 103
- Focal pneumonia 4
- 4D-CT data acquisition and planning 130
- Gastrin-releasing peptide 111
- Gemcitabine
 - NSCLC 100
- Genetic alterations 13
- Glycolysis
 - malignant tumours 86
- Golden's "S" sign 37, 38
- Gross tumour volume (GTV) 127
- Ground-glass haloes 31, 40, 138
- Growth factors
 - dose-intensification 110
- Growth rate 3, 36
- GTV. *See* Gross tumour volume (GTV)
- Helical scanners
 - fast 40
- Hepatic metastases 75
- Heterogeneity phenomenon
 - mediastinal lymph nodes 68
- Highest mediastinal nodes
 - defined 67
- Hilar disease
 - peripheral carcinoma
 - CT 88
- Hilar enlargement 37, 38
- Hilar mass 34
 - CT 65
- Hilar nodes 66
 - CT 31
 - defined 67
- Histological features
 - carcinoid tumours 21
 - squamous cell cancer 15
- Histological subtypes 14–22
- Histopathological classification 27–8
- HOOA. *See* Hypertrophic pulmonary osteoarthropathy (HOOA)
- Horner's syndrome 4
- Hyperfractionation 123
- Hypertrophic pulmonary osteoarthropathy (HOOA)
 - with digital clubbing 6
- IALT. *See* International Adjuvant Lung Cancer Collaborative Group (IALT)
- ICE (ifosfamide, carboplatin, etoposide)
 - SCLC 110
- ICE-V (ifosfamide, carboplatin, etoposide, vincristine)
 - SCLC 111
- ICRU. *See* International Commission on Radiation Units (ICRU)
- IDEAL trials 107–8
- Ifosfamide
 - SCLC 110, 111
- IGRT. *See* Image guided radiotherapy techniques (IGRT)
- Image-guided percutaneous needle biopsy 137
- Image guided radiotherapy techniques (IGRT) 126
- Imaging ix, 27–41, 61–2
 - cell type-specific patterns 38
 - central tumours 37
 - thoracic 57

- Immunohistochemical evaluation
 - small cell lung cancer 16–9
- IMRT. *See* Intensity modulated radiation therapy (IMRT)
- Incidence 12
 - adenocarcinoma 28
 - females 1
 - large cell carcinoma 28
 - males 1
 - small cell lung cancer 12
 - squamous cell cancer 27
- Indeterminate solitary pulmonary nodules
 - PET 86–7
 - false negatives 86
 - false positives 86
- Intensity modulated radiation therapy (IMRT)
 - NSCLC 128–9
- Interlobar nodes
 - defined 67
- Internal target volume (ITV) 128
- International Adjuvant Lung Cancer Collaborative Group (IALT) 103, 104
- International Commission on Radiation Units (ICRU)
 - target volume definitions 127
- International Staging System for Lung Cancer 57–9
- International Staging System for NSCLC 57
- Intracavitary brachytherapy
 - endobronchial radiotherapy 129
- Intrathoracic extension 4
- Intratumoural calcification
 - CT 30
- Irinotecan
 - with cisplatin
 - SCLC 110
 - NSCLC 100
- ITV. *See* Internal target volume (ITV)
- Keratin pearl
 - squamous cell cancer 16
- Kilovoltage attachment 126
- KVp 30
- Lambert-Eaton myasthenic syndrome 6
- Large cell carcinoma 19–20
 - defined 19
 - incidence 28
 - neuroendocrine differentiation 20
 - synaptophysin 20
- LECAP. *See* Early Lung Cancer Action Project (LECAP)
- Life time risk of cancer 1
- Limited small cell lung cancer (LS-SCLC) 108
 - cyclophosphamide, adriamycin, vincristine 109
 - prognosis 109
 - radiotherapy 124–5
 - survival 109
 - topotecan 109
- Linear accelerator couch 125
- Liver
 - CT 73
 - NSCLC 75
- Lobar nodes
 - defined 67
- Lobectomy
 - vs. pneumonectomy
 - CT 62
- Lower lobe carcinoma 93
- Lower paratracheal nodes
 - defined 67
- LS-SCLC. *See* Limited small cell lung cancer (LS-SCLC)
- Lung cancer
 - etiology 1–2
 - global problem i
 - multidisciplinary approach i
 - untreated
 - natural history of 2
- Lymph nodes. *See also* Mediastinal lymph nodes
 - map definitions 67
 - staging 58
- Magnetic resonance imaging (MRI) 32–3, 61
 - adrenal adenomas 75
 - vs. computed tomography
 - chest wall invasion 32
 - T4 tumours 64
 - pericardial invasion 33
 - respiratory shift 71
 - staging nodal diseases 69
 - T2-weighted 61
 - T1-weighted coronal
 - tumour at left apex 33
- Malignant tumours
 - glycolysis 86
- Matrix metalloproteinase inhibitors 111
- Mayo CT screening study 48–9
- MDCT. *See* Multidetector row CT (MDCT)
- Mediastinal invasion 64–6
 - radiological appearance 29
- Mediastinal lymph nodes 66–70
 - CT 31, 70
 - evaluating involvement 62
 - heterogeneity phenomenon 68
 - metastases
 - adenocarcinoma 66
 - CT vs. PET vs. EUS-FNA 70
 - NSCLC 66
 - PET 70
 - Mediastinal staging 63–70
 - CT 69
 - NSCLC 88
 - Mediastinal structures 65
 - Megavoltage (MV) radiation 125
 - Men
 - life time risk of cancer 1
 - lung cancer incidence in 1

148 Index

- Mesothelioma
 - FDG 94
 - 18FDG-PET 94
- Metastases. *See also* Adrenal metastases
 - bone 4, 76–7
 - NSCLC 76
 - brain
 - adenocarcinomas *vs.* squamous cell carcinoma 76
 - 18FDG-PET 94
 - radiotherapy 129
 - staging 76
 - distant
 - NSCLC 73
 - signs and symptoms 4
 - extrathoracic 73–7
 - hepatic 75
 - occult 73
 - radiotherapy 129
 - squamous cell cancer 15
- Micropapillary pattern
 - adenocarcinoma 19
- Mitomycin
 - NSCLC 104
- Modern radiotherapy techniques
 - SCLC 125–6
- Molecular alterations 13
- Mortality rate
 - en bloc* resection 71
- MRC LU21 trial 111
- MRI. *See* Magnetic resonance imaging (MRI)
- MRP. *See* Multiplanar reformats (MRPs)
- MTOR antagonists 111
- Multidetector row CT (MDCT) 65
 - superior sulcus tumours 72
- Multidisciplinary approach xi
- Multiplanar reformats (MRPs) 65
- Multistep carcinogenesis theory 13
- MV. *See* Megavoltage (MV) radiation
- NATCH trial 106
- National Cancer Research Institute (NCRI)
 - NSCLC 101
- National Institute for Health and Clinical Excellence (NICE)
 - NSCLC 102
 - chemotherapy 100
- Natural history 2–3
- NCRI. *See* National Cancer Research Institute (NCRI)
- Neo-adjuvant carboplatin
 - NSCLC 106
- Neo-adjuvant chemotherapy
 - NSCLC
 - early-stage disease 106
- Neo-adjuvant paclitaxel
 - NSCLC 106
- Neural-cellular adhesion molecule (NCAM)
 - large cell carcinoma 20
- Neuroendocrine differentiation
 - large cell carcinoma 20
- Neuropeptide 111
- NICE. *See* National Institute for Health and Clinical Excellence (NICE)
- Nodules
 - evaluation of 50
 - likelihood of malignancy 49
- Non-small cell lung cancer (NSCLC) 57
 - adjuvant carboplatin 103
 - adjuvant chemotherapy 103–6
 - adjuvant cisplatin 103
 - adjuvant paclitaxel 103
 - adjuvant radiotherapy 122–3
 - adjuvant uracil-tegafur (UFT) 103
 - adjuvant vinorelbine 103
 - advanced-stage
 - palliative chemotherapy 100–2
 - bevacizumab 108
 - bone metastases 76
 - bortezomib 108
 - carboplatin 100–2, 104
 - cetuximab 108
 - chemotherapy 120
 - chemotherapy radiotherapy combination 123
 - cisplatin 100, 101, 104
 - CT 31, 72
 - cytotoxic chemotherapy 99
 - distant metastases 73
 - docetaxel 100, 102
 - EGFR 107–8
 - etoposide 104
 - 18FDG-PET
 - planning radiotherapy 92
 - radiotherapy response 92
 - tumour recurrence evaluation 93
 - five year survival figures 60
 - gemcitabine 100
 - IIIA-N2
 - 18FDG-PET 92
 - IMRT 128–9
 - irinotecan 100
 - left upper lobe 36
 - liver lesions 75
 - mediastinal metastases
 - TBNA 70
 - mediastinal nodal metastases 66
 - mediastinal staging 88
 - mitomycin 104
 - NCRI 101
 - neo-adjuvant carboplatin 106
 - neo-adjuvant chemotherapy
 - early-stage disease 106
 - neo-adjuvant paclitaxel 106
 - NICE 102
 - chemotherapy 100
 - novel agents 107111
 - paclitaxel 100, 104
 - palliative treatment 100–2
 - PET/CT 90
 - PET staging 87–90

- PET *vs.* bone scintigraphy 89
- phage II trials 122
- phase II trials 122
- platinum 100, 101
- postoperative adjuvant
 - chemotherapy 104
- postoperative radiotherapy 121
- radical radiotherapy 121–2
- radionuclide bone scanning 76
- radiotherapy 121–3
- radiotherapy fractionation 122–4
- resectability 60
- stage definitions 60
- stage IB 106
- stage II 106
- stage IIIB 139
- staging 59
 - ¹⁸FDG-PET 86
- surgery 139
- survival 106
- systemic treatment 99–108
 - complementing radiotherapy 100–2
 - complementing surgery 100–2
 - taxol 100
 - taxotere 100, 102
 - VEGFT 107
 - vinblastine 104
 - vindesine 104
 - vinorelbine 100–2, 104
- Novel agents
 - NSCLC 107–111
- Novel cytotoxic agents
 - SCLC 110–11
- NSCLC. *See* Non-small cell lung cancer
- OAR. *See* Organs at risk (OAR)
- Obstructive pneumonitis
 - CT 69
- Occult metastases 73
- Occupational asbestos exposure 2
- Occupational carcinogen exposure 12
- Oesophagitis
 - acute 122
- Organs at risk (OAR) 121
- Oxytocin 6
- Paclitaxel
 - NSCLC 100, 104
 - adjuvant 103
- Painting 12
- Palliative chemotherapy
 - advanced-stage NSCLC 100–2
- Palliative radiotherapy 129
- Palliative treatment
 - NSCLC 100–2
- Pancoast tumours 29, 73
 - assessment 32
- Paraaortic nodes
 - defined 67
- Paraesophageal subcarinal nodes
 - defined 67
- Para-neoplastic syndromes 5–6
- Parathyroid hormone 6
- Paratracheal nodes
 - defined 67
- Pathology 12–22
- PCI. *See* Prophylactic cranial irradiation (PCI)
- Pemetrexed
 - with docetaxel
 - NSCLC 102
- Pericardial effusion 4
- Pericardial invasion
 - MR 33
- Peripheral adenocarcinoma 137
- Peripheral blood stem cell transplant
 - dose-intensification 110
- Peripheral bronchial carcinomas
 - shape 34
- Peripheral carcinoma
 - hilar disease
 - CT 88
 - macroscopic picture 17
- Peripheral lesions 7
- Peripheral squamous tumours 38
- Peripheral tumours
 - cavitation 35
 - vs. central tumours 34–40
 - bronchogenic carcinoma 34
 - CT 34
- Persistent pneumonia 38
- PET. *See* Positron emission tomography (PET)
- Phase II trials
 - NSCLC 122
- Plain chest radiography 29
- Planning target volume (PTV) 127
- Platinum
 - NSCLC 100, 101
 - vs. docetaxel 102
- Pleural effusion 4
 - chest radiography 30
- Pneumocytes
 - atypical
 - lining alveolar walls 14
- Pneumonectomy
 - vs. lobectomy
 - CT 62
- Pneumonia
 - focal 4
 - persistent 38
 - recurrent 38
 - segmental 4
- Pneumonitis
 - obstructive
 - CT 69
 - radiation damage 121
- Polypoid exophytic tumour
 - videobronchoscopy 8

150 Index

- Poorly differentiated lung cancer
 - untreated
 - natural history of 2
 - PORT meta-analysis 121–4
- Positive mediastinal nodes
 - adverse prognostic factors associated with 66
- Positron
 - target volume definition 130
- Positron emission tomography (PET) 61, 84–97
 - adrenal metastases 89
 - advantages of 84
 - apical lung carcinoma 91
 - artefacts 95
 - vs. bone scintigraphy
 - NSCLC 89
 - vs. EUS-FNA
 - mediastinal metastases 70
 - mediastinal lymph node status 70
 - NSCLC 90
 - pulmonary nodule mis-registration 95
 - respiratory motion 96
 - staging
 - NSCLC 87–90
 - surgery 140
 - tracers 85
 - vertebral bone metastasis 90
 - whole body 73
- Postoperative adjuvant chemotherapy
 - NSCLC 104
- Postoperative radiotherapy
 - NSCLC 121
- Pre-invasive lesions 13–14
- Preoperative staging 137
- Prevascular and retrotracheal nodes
 - defined 67
- Prognosis 10
 - bronchogenic carcinoma 10
 - ES-SCLC 109
 - LS-SCLC 109
 - positive mediastinal nodes 66
 - SCLC 109
- Prophylactic cranial irradiation (PCI) 120
 - SCLC 124–5
- PTV. *See* Planning target volume (PTV)
- Public demand
 - for screening 50
- Pulmonary atelectasis 37
- Pulmonary disease co-morbidity 137
- Pulmonary ligament nodes
 - defined 67
- Pulmonary vessels
 - radiating into left lower lobe
 - CT angiogram 41
- Puncture bronchoscopes 9
- Radiation
 - CT screening 53
 - damage 121
- dose escalation 123
- Radiation pneumonitis
 - age 121
 - damage 121
 - development 121
 - smoking 121
- Radiation tattoos 125
- Radical radiotherapy
 - NSCLC 121–2
- Radiography. *See also* Chest radiography
 - digital 30
 - erect PA frontal 29
- Radiological tests 29–33
- Radiologist
 - role 137
- Radionuclide bone scanning
 - NSCLC 76
- Radiotherapy 120–31
 - brain metastases 129
 - endobronchial
 - intracavitary brachytherapy 129
 - future developments 130
 - image guided 126
 - LS-SCLC 124–5
 - metastatic disease 129
 - NSCLC 121–3
 - adjuvant 122–3
 - intensity modulated 128–9
 - postoperative 121
 - palliative 129
 - radical
 - NSCLC 121–2
 - SCLC
 - 3D conformal 126
 - modern techniques 125–6
 - target volume definition 127–8
 - treatment verification 126–7
 - symptomatic metastatic disease 120
- Radiotherapy fractionation
 - NSCLC 122–4
- Radon 2
- Recurrent pneumonia 38
- Reducing mortality
 - screening 50
- Resectability
 - NSCLC 60
- Resection
 - success rate 136
- Respiration
 - movement with lung tumours 130–1
- Respiratory motion
 - PET/CT 96
- Respiratory shift
 - CT 71
 - MR 71
- Retrotracheal nodes
 - defined 67

- Risk
 - life time 1
- Risk factor 1
- RMI
 - superior sulcus tumours 72
- Salivary gland like tumours 22
- Sarcomatoid carcinoma 20, 28
- SCC. *See* Squamous cell cancer (SCC)
- SCLC. *See* Small cell lung cancer (SCLC).
- Screening 46–53
 - chest radiography 47
 - conditions for 47
 - cost-effective 50
 - prior trials 47–8
 - public demand for 50
 - reducing mortality 50
 - smokers 51
- Segmental nodes
 - defined 67
- Segmental pneumonia 4
- Signs and symptoms
 - distant spread 4
- Small cell carcinoma
 - apoptosis rate 17
 - CT 39
 - keratin stain 17
- Small cell lung cancer (SCLC). 15–16 *See also* Limited small cell lung cancer (LS-SCLC)
 - alternating drug regimens 109–10
 - CAV 109
 - chemotherapy 109–11
 - cisplatin 109
 - classification 59
 - combined 16
 - conventional *vs.* CT planning 126
 - cytotoxic chemotherapy 99
 - 3D conformal radiotherapy 126
 - defined 16
 - dose-intensification 110
 - etoposide 109
 - extensive 108
 - prognosis 109
 - 18FDG-PET 94
 - ICE 110
 - ICE-V 111
 - immunohistochemical evaluation 16–19
 - incidence 12
 - modern radiotherapy techniques 125–6
 - novel cytotoxic agents 110–11
 - prognosis 109
 - prophylactic cranial irradiation (PCI) 124–5
 - radiotherapy
 - target volume definition 127–8
 - treatment verification 126–7
 - spread 28
 - surgery 140
 - survival 109
- systemic treatment 108–11
- untreated
 - natural history of 2
- Smokers
 - screening 51
- Smoking 137
 - radiation pneumonitis 121
 - risk factor 1
 - survival 50
- Solitary pulmonary nodule. *See also* Indeterminate solitary pulmonary nodules
 - 18FDG 85
- Spiculation 38
- Spiral CT 31
- Sputum 3
- Squamous carcinoma
 - CT 138
 - left lower lobe 64
- Squamous cell cancer (SCC) 12, 32
 - cavitation 35
 - classification 15
 - CT 71
 - differentiation 15
 - disease stage 15
 - histology 15
 - incidence 27
 - with intercellular bridges 16
 - keratin pearl 16
 - metastases 15
 - untreated
 - natural history of 2
- Squamous cell carcinoma
 - vs.* adenocarcinoma
 - brain metastases 76
 - CT 64
 - EGFR-overexpression 13
 - 18FDG-PET 64
- Squamous cell dysplasia
 - no basement membrane invasion 14
- Squamous dysplasia 13
- Stage definitions
 - NSCLC 60
- Stage IB NSCLC
 - survival 106
- Stage IIA tumors 59
- Stage IIB tumors 59
- Stage IIIB NSCLC
 - surgery 139
- Stage IIIB tumors 59
- Stage II NSCLC
 - survival 106
- Stage I tumors 59
- Stage IV tumors 59
- Staging 57–77
 - adrenal metastases 73–5
 - brain metastases 76
 - chest wall invasion 71–2
 - guidelines

152 Index

- Staging (cont.)
 - nodal diseases
 - MRI 69
 - NSCLC 59
 - preoperative 137
 - surgery 137
- Standardised uptake value (SUV) 84, 87
- Subaortic (aorto-pulmonary) nodes
 - defined 67
- Subcarinal nodes
 - defined 67
- Subsegmental nodes
 - defined 67
- Superior sulcus 29
- Superior sulcus tumours 72–3
 - MDCT 72
 - RMI 72
- Superior vena cava (SVC) 4
 - syndrome 4
- Surgeon
 - working with radiologist 136–7
- Surgery 136–41
 - broncho-alveolar cell carcinoma 140
 - down-staging disease 138–9
 - PET 140
 - SCLC 140
 - stage IIIB NSCLC 139
 - staging 137
 - T1–3 N2MO SNCLC 139
 - trends 137–8
- Surgical biopsy 52
- Survival
 - LS-SCLC 109
 - NSCLC 60
 - smoking 50
 - stage IB NSCLC 106
 - stage II NSCLC 106
- SUV. *See* Standardised uptake value (SUV)
- SVC. *See* Superior vena cava (SVC)
- Symptomatic metastatic disease
 - radiotherapy 120
- Symptoms 3
- Symptoms and signs 3–4
- Synaptophysin
 - large cell carcinoma 20
- Systemic treatment 99–113
 - NSCLC 99–108
 - complementing radiotherapy 100–2
 - complementing surgery 100–2
- Target volume
 - CT scanning 127
 - definitions 127
 - ICRU 127
 - positron 130
- Tattoos 125
- Taxol
 - NSCLC 100
- Taxotere
 - NSCLC 100, 102
- TBNA. *See* Transbronchial fine needle aspiration (TBNA)
- Team approach xi
- Thoracic imaging 57
- Thoracic malignancies
 - 18FDG-PET 93–4
- 3D conformal radiotherapy
 - SCLC 126
- 3D-CT volume 130
- TNM 57, 59
 - lung cancer 58
 - nodal staging 58
- T1–3 N2MO SNCLC
 - surgery 139
- Topotecan
 - LS-SCLC 109
- Tracers
 - PET 85
- Tracheobronchial nodes 66
- Transbronchial fine needle aspiration (TBNA) 8
 - NSCLC mediastinal metastases 70
 - videobronchoscopy 9
- Treatment response
 - 18FDG-PET 91–2
- T4 squamous cell carcinoma
 - CT 64
 - 18FDG-PET 64
- T1 tumours
 - CT 61
- T3 tumours
 - vs. T4 tumours 62
- T4 tumours
 - CT vs. MRI 64
 - detection 62
 - vs. T3 tumours 62
- Tumour hypoxia
 - 18F-fluoromisonidazole 96
- Tumours
 - average size of 2
 - defined 20
 - movement with respiration 130–1
- T1-weighted coronal MRI
 - tumour at left apex 33
- T2-weighted MRI 61
- UFT. *See* Uracil-tegafur (UFT)
- Ultrasound 33
- Untreated lung cancer
 - natural history of 2
- Upper lobe tumour
 - CT scan 9
- Upper paratracheal nodes
 - defined 67
- ultrasmall superparamagnetic ironoxide nanoparticles (USPIO) 69

- Uracil-tegafur (UFT)
 - NSCLC 103
- USPIO. *See* Ultrasound superparamagnetic ironoxide nanoparticles (USPIO)
- Vaccine therapy 111
- Vascular endothelial growth factor (VEGF)
 - antibody 108, 111
 - NSCLC 107
- Vertebral bone metastases
 - PET 90
- Video bronchoscopes 9
- Videobronchoscopy
 - endobronchial airway 8
 - polypoid exophytic tumour 8
 - submucosal lesion 8
 - transbronchial fine needle aspiration 9
- Vinblastine
 - NSCLC 104
- Vincristine
 - SCLC 111
- Vindesine
 - NSCLC 104
- Vinorelbine
 - adjuvant 103
 - NSCLC 100–4
- Volumetric analysis 36
- Volumetric growth analysis 37
- Weight loss 4
- Welding 12
- WHO classification 14
- Whole body
 - FDG-PET 73
 - PET 73
- Women
 - life time risk of cancer 1
 - lung cancer incidence in 1