
Index

- ancillary
 - affine, 233, 234
 - Efron–Hinkley, 234
 - likelihood, 244
- autocorrelation function, *see* serial correlogram
- autoregression
 - of counts, 208
 - order determination, 417
 - Daniels–Durbin approximation, 419
 - optimal tests for, 417
 - saddlepoint approximation for, 418
 - serial correlogram, 398
- Bartlett correction, 223
- Bartlett–Box M test, 353
- Bartlett–Nanda–Pillai trace, *see* distributions, multivariate analysis
- Bayesian posterior, saddlepoint approximation of
 - population mean
 - finite population, 125
 - infinite population, 124
- Bayesian prediction, 506
 - cancer example, 510
 - intractable likelihood, 508
 - intractable predictand density, 507
 - kidney failure, 526
 - $M/G/1$ queue, 519
 - $M/M/2/\infty$ queue, 542
 - reliability growth model, 511, 517
 - repairman model, 513
 - tractable likelihood, 507
 - unstable queue, 544
 - with importance sampling, 523
- Behrens–Fisher problem, 234, 304
- birth and death process, 454
 - random walk, *see* random walk repairman model, 460
 - Bayesian prediction, 513
 - transmittance, busy period, 457
 - transmittance, first passage
 - recursive CGF, 459
 - recursive saddlepoint computations, 459
 - transmittance, first return
 - recursive CGF, 455
 - recursive saddlepoint computations, 456
- block independence, test for, *see* distributions, multivariate analysis
- bootstrap, double
 - confidence bands for
 - first passage bootstrap distribution, 485
 - mean bootstrap distribution, 483
 - studentized mean bootstrap distribution, 484
 - confidence bands for single bootstrap, 483
 - inner resampling, 483
 - saddlepoint approximation for, 483, 485
- bootstrap, saddlepoint approximation of
 - Dirichlet bootstrap, 94, 124
 - first passage distribution
 - single destination, 477
 - mean, 93, 123, 475
 - ratio of means, 389
 - studentized mean, 476
 - t pivotal, 498
- CGF, *see* cumulant generating function
- common odds ratio, 193, 329
- compound distributions, 437
- conditional density function
 - saddlepoint approximation, 107, 108, 538
 - asymptotics, 111
 - canonical sufficient statistic, 162
 - normalization, 112
 - second-order correction, 112
- conditional density functions, approximation to
 - bivariate exponential, 110
 - Dirichlet, 110
- conditional distribution, continuous
 - saddlepoint approximation, 113, 538
 - asymptotics, 122
 - canonical sufficient statistic, 170
 - central limit connections, 126
 - derivation, 119
 - derivative, 123
 - location of singularity, 122
 - normalization, 130
 - saddlepoint geometry, 129
 - second-order correction, 122
 - single-saddlepoint approximation, 131
- conditional distribution, discrete
 - saddlepoint approximation, 114, 539
 - canonical sufficient statistic, 170
 - first continuity correction, 114
 - second continuity correction, 114
- conditional distributions, approximation to
 - continuous
 - beta, 115

- Cauchy, 140
- t distribution, 139, 163, 171
- conditional distributions, approximation
 - to discrete
 - binomial, 115
 - hypergeometric, 115
 - Pólya, 118
 - conditional mass function
 - saddlepoint approximation, 107, 108
 - asymptotics, 111
 - canonical sufficient statistic, 162
 - normalization, 112
 - second-order correction, 112
 - conditional mass functions, approximation to
 - binomial, 109
 - hypergeometric, 110
 - multinomial, 110
 - Pólya, 110
 - conditionality resolution, 230, 238
 - from likelihood ancillaries, 244
 - confidence intervals
 - mid- p -value inversion, 188
 - p -value inversion, 187
 - covariance tests, *see* distributions, multivariate analysis
 - cumulant generating function, 1
- densities, approximation to
 - extreme value, 6
 - gamma, 4
 - Gumbel, 6
 - logistic, 65
 - noncentral beta, 73
 - noncentral chi-square, 32
 - normal, 4
 - normal-Laplace convolution, 4
- densities, approximation to multivariate
 - bivariate exponential, 77
 - Dirichlet, 397
 - matrix beta, 365
 - matrix T , 409
 - multivariate F , 406
 - multivariate gamma, 77
 - multivariate logistic, 102
 - multivariate normal, 76
 - vector ratio of quadratic forms, 396
 - Wishart, 363
- density function
 - saddlepoint approximation, 3
 - canonical sufficient statistic, 159
 - central limit connections, 60
 - derivation, 47
 - indirect Edgeworth expansion, as an, 157
 - normalization, 64
 - second-order correction, 49
- density function, conditional, *see* conditional density function
- density, multivariate
 - saddlepoint approximation, 76
 - derivation, 89
 - second-order correction, 90
- Dirichlet bootstrap, *see* bootstrap
- distribution, continuous
 - saddlepoint approximation, 12
 - canonical sufficient statistic, 165
 - central limit connections, 60
 - derivation, 51
 - derivative, 54
 - second-order correction, 53
- distribution, discrete
 - δ -lattice saddlepoint approximations, 62
 - consistency, 63
 - first continuity-corrected, 63
 - second continuity-corrected, 63
 - saddlepoint approximation, 17
 - canonical sufficient statistic, 166
 - first continuity-corrected, 17
 - first continuity-corrected, left tail, 24
 - second continuity-corrected, 18
 - second continuity-corrected, left tail, 25
- distributions, approximation to continuous
 - beta, 16
 - extreme value, 15
 - gamma, 13
 - Gumbel, 15
 - logarithmic series, 34
 - noncentral beta, 73
 - noncentral chi square, 32, 533
 - noncentral F , doubly, 377
 - noncentral t , doubly, 498
 - normal, 13
 - normal-Laplace convolution, 14
 - ratios of normal quadratic forms, 381
- distributions, approximation to discrete
 - binomial, 20, 26
 - Borel-Tanner, 36
 - hypergeometric, 118
 - negative binomial, 21, 26
 - Neyman type A, 35
 - Poisson, 19, 25
 - Pólya, 118
 - sum of binomials, 22
 - uniform, 23
- distributions, multivariate analysis
 - covariance tests
 - block independence, 348
 - equal covariances, test for, 353
 - equal variance, equal covariance, test for, 351
 - intraclass correlation, test for, 351
 - sphericity, 350
 - homogeneity of covariances and means, 369
 - matrix beta
 - Bartlett-Nanda-Pillai trace, 330, 344
 - Lawley-Hotelling trace test, 347
 - likelihood ratio test, 56
 - Roys' test, 346
 - saddlepoint density, 365
 - Wilks' test, 56, 342
 - power functions, 355
 - Bartlett-Box M test, 362
 - block independence, 360
 - Wilks' test, 356
 - simultaneous sphericity, 369
 - Wishart matrix
 - generalized variance, 55
 - largest eigenvalue, 366
 - saddlepoint density, 363

- double-saddlepoint approximation
 - density approximation, 107, 108
 - canonical sufficient statistic, 162
 - distribution approximation, 113, 114
 - canonical sufficient statistic, 170
 - mass function approximation, 107, 108
 - canonical sufficient statistic, 162
- Durbin-Watson statistic, 94
- Edgeworth expansion, 151
 - Edgeworth series, 153
 - Gram-Charlier series type A, 152
 - indirect, 156
 - Tchebycheff-Hermite polynomials, 151
- empirical percentile, 390
- empirical saddlepoint approximations, 500
- empirical transmittance, 477
- equivariance, *see* properties, saddlepoint approximation
- Esscher tilting, *see* Edgeworth expansion, indirect
- exponential family
 - canonical sufficient statistic
 - conditional saddlepoint density for, 162
 - conditional saddlepoint distribution for, 170
 - saddlepoint density for, 159
 - saddlepoint distribution for, 165
- CGF, canonical sufficient statistic, 146
- conditional families, 150
- conditional power function, 206
- conditional power function, attained, 195
- curved families, 236
 - Behrens-Fisher problem, *see* Behrens-Fisher problem
 - bivariate normal correlation, 234, 240, 246, 272
 - curvature, 235
 - gamma exponential, 241, 246, 275
 - gamma hyperbola, 232, 236, 239, 245, 262, 271
 - maximum likelihood estimate, 232
 - p^* , *see* p^*
 - r^* , *see* r^*
- factorization theorem, 147
- Fisher information
 - expected, 149
 - observed, 149
- full, 145
- mean parameterization, 149
- p^* , *see* p^*
- power function, attained, 199
- regular, 64, 145
 - canonical parameter, 145
 - canonical sufficient statistic, 145
 - maximum likelihood estimate, 148
- tilted family, 156
- uniformly most powerful (UMP) tests
 - attained power function, 176
 - power function approximation, 176
- uniformly most powerful (UMP) unbiased tests
 - power function approximation, 176, 178
- failure rate approximation, *see* hazard rate approximation
- Fieller problem, 296
- Finite population sampling
 - distribution of mean, saddlepoint approximation, 125
- first passage distribution
 - CGF, single destination, 438
 - cofactor rule
 - CGF, first return, 446
 - multiple destinations, 452
 - single destination, 435
 - single destination, random start, 449
 - empirical cofactor rule
 - single destination, 477
 - transmittance, 435
- flowgraph, 432
- goodness of fit tests, 413
- hazard rate approximation, 28
- homogeneity of populations, tests for, *see* distributions,
 - multivariate analysis
- hypergeometric function
 - matrix argument
 - ${}_1F_1$, 356
 - ${}_2F_1$, 361
 - scalar argument
 - ${}_1F_1$, 325
 - ${}_2F_1$, 327, 328
- importance sampling, 101, 523
- incomplete beta function, 50
- incomplete gamma function, 50
- indirect saddlepoint approximation, 494
- intraclass correlation, test for, 351
- invariance, *see* properties, saddlepoint approximation
- jackknife
 - delete- k distribution, 414
 - ratio of means
 - saddlepoint approximation, 414
- Laplace's approximation
 - high dimensional, 97
 - alternative second-order correction, 99
 - multivariate, 83
 - alternate expression, 86
 - asymptotics, 87
 - iterated usage, 86
 - second-order correction, 88
 - separability, 87
 - univariate, 42
 - alternative expression, 44
 - alternative second-order correction, 44
 - second-order correction, 44
- large deviation, 53
- lattice convention, 38
- Lawley-Hotelling trace test, *see* distributions, multivariate analysis
- likelihood, 146
 - conditional, 300
 - REML estimation, 309
 - marginal, 168, 301
- likelihood ratio statistic, signed, 64, 187, 285, 286
 - r^* approximation for, 286
- logistic regression, 183
 - LD-50 dosage, 185
 - confidence intervals, 190
- Lugannani and Rice approximation, 12
 - asymptotic order, 62
 - removable singularity, 68

- M -estimate, 388
 marginal likelihood, *see* likelihood, marginal
 Markov graph, 433
 Markov process, 434, 461
 mass function
 saddlepoint approximation, 8
 canonical sufficient statistic, 159
 high dimensional, 100
 high dimensional alternative, 100
 indirect Edgeworth expansion, as an, 157
 normalized, 64
 mass function, conditional, *see* conditional mass function
 mass functions, approximation to
 binomial, 10
 binomial sum, 11
 Borel-Tanner, 36
 logarithmic series, 34
 negative binomial, 10
 Neyman type A, 35
 Poisson, 9
 mass functions, approximation to multivariate
 bivariate negative binomial, 102
 bivariate Poisson, 81
 multinomial, 80
 maximum likelihood estimate
 curved exponential family, 232
 marginal saddlepoint CDF, 408
 marginal saddlepoint density, 407
 density for, *see* p^*
 regular exponential family, 148
 Mellin transform, 54
 MGF, *see* moment generating function
 mid- p -value, 188
 confidence intervals from inversion, 188, 189
 mixed normal linear models, 308
 moment generating function, 1
 multivariate tests, *see* distributions, multivariate analysis
- Neyman and Scott problem, 302
 nonnormal-base, 528
 chi square base, 532
 choice of, 532
 double saddlepoint approximation
 conditional density, 538
 conditional distribution, continuous, 538
 inverse Gaussian base, 534
 saddlepoint approximation
 density, 529
 distribution, continuous, 530
 distribution, discrete, 531
 nonparametric tests
 Wilcoxon rank sum, 125
 normalization, 64, 112
 higher-order asymptotics, 65
- p^\dagger , 219
 p^* , 219
 asymptotics, 248
 curved exponential families, 230
 group transformation models, 225
 hyperbolic secant, 221
 likelihood ratio statistic, 223
 Plank's radiation formula, 222
 regular exponential families, 219
- Pascual sampling, 207
 permutation tests
 two sample, 125
 Pillai's trace, *see* distributions, multivariate analysis
 Poisson process
 nonhomogeneous, 210
 power functions, multivariate tests, *see* distributions, multivariate analysis
 \hat{P}_1 , 17, 114, 166, 170, 531, 539
 \hat{P}_2 , 18, 115, 166, 170, 531
 properties, saddlepoint approximation
 equivariance, 38, 91, 111, 530
 independence, 91, 109
 invariance, 41, 120
 marginalization, 91
 symmetry, 39, 92, 111, 121, 530, 531
 prospective sampling, 191
- queue, *see* reliability, semi-Markov process
- r^* , 259, 286
 Behrens Fisher problem, 304
 conditional likelihood, 300
 distribution approximation, 260, 286
 F distribution, 294
 Fieller problem, 296
 likelihood ratio, signed, 286
 marginal likelihood, 301
 mixed normal linear models, 308
 Neyman and Scott problem, 302
 properties
 asymptotics, 279, 314
 equivariance, 278
 symmetry, 278, 314
 regression model, 287
 REML, 308
 two samples, common mean, 307
 variation independence, 298
- random walk
 first passage, discrete time
 inverse Gaussian base, 535
 first return, continuous time
 inverse Gaussian base, 539
 transmittance, first passage, 460
 transmittance, first return, 456
- ratio, distributions of, *see* roots of estimating equations
 regression model, 287
 relevant state, 435, 449, 454
 reliability, 2
 queue
 $GI/M/1/4$, 440, 487
 $M/M/q/n$, 457
 $M/G/1$, 519
 $M/M/2/\infty$, 542
 $M/M/q/\infty$, 458
 redundant system, 462
 reliability growth model
 Bayesian prediction, 511, 517
 repairable system, 462
 repairman model, 460
 Bayesian prediction, 513
 system, independent components, 438, 447, 453
 system, k -out-of- m , 2
 REML estimation, 308

- renewal process, 166, 174, 176
- retrospective sampling, 191
- roots of estimating equations
 - MLE
 - curved exponential family, 407
 - regular exponential family, 403
 - multivariate root, 401
 - conditional saddlepoint CDF, 411
 - density, 401
 - equivariance, saddlepoint density, 404
 - saddlepoint density, 402
- ratio
 - density, 375
 - distribution, 375, 496
 - doubly noncentral F , 378
 - quadratic normal forms, 381
 - saddlepoint density, 376
- univariate, 384
 - empirical percentiles, 390
 - lattice-valued scores, 390
 - M -estimate, 388
 - ratio of means, bootstrapped, 389
 - saddlepoint density, 386
- vector ratio, 392
 - density, 394
 - normal quadratic forms, 396
 - saddlepoint density, 395
- Roy's maximum root test, *see* distributions, multivariate analysis

- sample space derivatives, 259
 - exact, 268
 - Fraser, Reid, and Wu, 268, 293
 - Skovgaard's approximate, 266, 292
- semi-Markov process, 430
 - birth and death process, *see* birth and death process
 - bootstrap inference for, *see* bootstrap, saddlepoint approximation of
 - flowgraph, 432
 - Markov process as a, 434
 - moments, first passage, 450, 454
 - moments, first return, 450
- queue
 - $GI/M/1/4$, 440, 487
 - $M/M/q/n$, 457
 - $M/G/1$, 519
 - $M/M/2/\infty$, 542
 - $M/M/q/\infty$, 458
- transmittance matrix, 431
- transmittance, first passage, 435
 - CGF, 438
 - cofactor rule, 435, 449, 452
- transmittance, first return
 - cofactor rule, 446
- sequential saddlepoint, 323
 - conditional CDF approximation, 324
 - nonnormal base, 539
- serial correlogram
 - saddlepoint density, 398
- Skovgaard approximation, *see* conditional distribution, continuous, saddlepoint approximation, *see* conditional distribution, discrete, saddlepoint approximation
- sphericity, test for, *see* distributions, multivariate analysis
- Stirling's approximation
 - factorial, 9
 - gamma function, 4
- survival analysis, multistate
 - dementia example, 478
- symmetry, *see* properties, saddlepoint approximation
- system, stochastic, 430

- Tchebycheff-Hermite polynomials, *see* Edgeworth expansion
- Temme approximation, 49
- tilted density, 64
- time series
 - count data, 208
- time to event, *see* first passage time
- transmittance matrix, 431
- truncation, 208, 212

- Wilcoxon rank sum test, *see* nonparametric tests
- Wilks' likelihood ratio statistic, *see* distributions, multivariate analysis
- Wishart, largest eigenvalue distribution, 367